

TABLE OF CONTENTS

	Page
ACKNOWLEDGMENTS	iii
ABSTRACT (ENGLISH)	v
ABSTRACT (THAI)	vii
LIST OF TABLES	xiii
LIST OF FIGURES	xvi
LIST OF SCHEME	xviii
LIST OF ABBREVIATIONS	xix
CHAPTER I: INTRODUCTION	1
1.1 Molecular imprinted polymers (MIPs)	1
1.1.1 Theory	1
1.1.2 Molecular imprinting strategies and procedures	4
1.1.2.1 The covalent molecular imprinting	4
1.1.2.2 The non-covalent molecular imprinting	5
1.1.2.3 Molecular interactions involved in non-covalent imprinting	6
1.1.3 Parameters of MIP syntheses	8
1.1.3.1 Template	8
1.1.3.2 Functional monomers	8
1.1.3.3 Cross-linkers	11
1.1.4.4 Solvents (Porogens)	11

	Page
1.1.4.5 Initiators	13
1.2 The molecular imprinted sorbent assay (MIAs)	14
1.3 Enzyme-linked molecularly imprinted sorbent assays	18
1.4 Nevirapine (NVP)	19
1.5 Aims of this Research	21
CHAPTER II: EXPERIMENTAL	23
2.1 Chemicals	23
2.2 Instruments	24
2.3 General method for synthesis of molecular imprinted polymers (MIPs)	25
2.3.1 Bulk polymerization	25
2.3.2 Precipitation polymerization	25
2.4 General methods for UV rebinding	28
2.5 Scanning electron microscopy (SEM)	29
2.6 Fourier transform infrared (FT-IR)	30
2.7 Selectivity determination	30
2.4 Synthesis of NVP–linked horseradish peroxidase	31
2.4.1 Synthesis of NVP linked methyl ester	31
2.4.2 Synthesis of NVP linked carboxylic acid	31
2.4.3 Synthesis of NVP-HRP conjugate	32
2.5 Characterization of NVP-HRP conjugate by competitive ELISA	33
2.6 Development of enzyme linked sorbent assay	34

	Page
2.6.1 Studies the effect of additive surfactant	34
2.6.2 Studies concentration of polymer (IC50) to be use in assays at pH 6, 7 and 8	35
2.6.3 Binding studies of NVP in 0.01 M phosphate buffer pH 6	35
2.6.4 The competitive ELISA for NVP determination	36
CHAPTER III: RESULTS AND DISCUSSION	38
3.1 Synthesis of MIPs	39
3.1.1 Synthesis of MIPs using NAM as a template	40
3.1.2 Synthesis of MIP using NVP as a template	43
3.2 UV binding studies	44
3.2.1 UV binding with nicotinamide (NAM)	45
3.2.2 UV binding with nevirapine (NVP)	47
3.3 Characterization of NVP-imprinted polymers	49
3.3.1 Scanning electron microscopy (SEM)	49
3.3.2 Fourier transform infrared (FT-IR)	51
3.4 Selectivity of P11 and P15	52
3.5 Assay development by competitive ELISA	54
3.5.1 Synthesis of NVP-HRP conjugate	55
3.5.2 Characterization of NVP-HRP conjugate by competitive ELISA	56
3.5.3 Development of enzyme linked sorbent assay using P11 and P15	57
3.5.3.1 Effect of additive surfactant	57


	Page
3.5.3.2 Determination of an IC_{50}	58
3.5.3.3 The binding of NVP in 0.01 M phosphate buffer pH 6	60
3.5.3.4 The competitive ELISA	62
CHAPTER IV: CONCLUSIONS	64
REFERENCES	68
APPENDICES	74
APPENDIX A	75
APPENDIX B	91
VITA	97

LIST OF TABLES

Table	Page
1.1 Applications of molecular imprinted polymers (MIPs)	2
1.2 Hydrogen bonding donor and acceptor groups	7
1.3 Various print molecules used in imprinting protocols	9
1.4 Comparison between MIPs and antibodies	14
1.5 Reported MIAs employing several probes	16
2.1 Composition of MIP preparation for NAM	26
2.2 Composition of MIP preparation for NVP	27
2.3 UV binding conditions of obtained polymers	28
3.1 Composition and percentage yield of MIPs for NAM	40
3.2 Compositions and percentage yield of MIPs for NVP	41
3.3 Vibrational assignment and wavenumber in the infrared spectrum of P15 and P15'	45
3.4 Imprinting factor of P12-P16	49
3.5 Vibrational assignment and wavenumber in the infrared spectrum of P15 and P15'	53
3.6 The distribution coefficient (K _d) of P11, P15 and NIPs	56
A.1 Calibration curve of NAM in 0.01 M phosphate buffer, pH 7 containing 10% EtOH	77
A.2 Calibration curve of NAM in ACN	78

Table	Page
A.3 Calibration curve of NVP in 0.01 M phosphate buffer, pH 7 containing 10% EtOH	79
A.4 Calibration curve of NVP in ACN	80
A.5 Rebinding of 0.5 mM NAM in ACN with polymers (P1-P11); polymer 40.0 mg/m	81
A.6 Rebinding of 0.5 mM NAM in 0.01 M phosphate buffer pH 7 containing 10% EtOH with polymers (P1-P11); polymer 40.0 mg/ml	82
A.7 Rebinding of 0.5 mM NAM in 0.01 M phosphate buffer pH 7 containing 10% EtOH with polymers (P1-P11); polymer 20.0 mg/ml	83
A.8 Rebinding of 0.2 mM NVP in ACN with polymers (P12-P16); polymer 20.0 mg/m	84
A.9 Rebinding of 0.2 mM NVP in 0.01 M phosphate buffer pH 7 containing 10% EtOH with polymers (P12-P16); polymer 20.0 mg/ml	85
A.10 Rebinding of 0.2 mM NVP in 0.01 M phosphate buffer pH 7 containing 10% EtOH with polymers (P12-P16); polymer 5.0 mg/ml	86
A.11 Selectivity of P11, P15 and NIPs	87
A.12 Percent bound of enzyme conjugate to P11, P15 and NIPs with and without tween 20	87
A.13 Binding of NVP–HRP relative to polymer concentration for P11, P15, and NIP in buffer pH 6	88
A.14 Binding of NVP–HRP relative to polymer concentration for P11, P15, and NIP in buffer pH	89

Table	Page
A.15 Binding of NVP–HRP relative to polymer concentration for P11, P15, and NIP in buffer pH 8	90
A.16 The binding of NVP in 0.01 M phosphate buffer pH 6	91
A.17 The competitive ELISA using 1:500,000 dilution of NVP-HRP conjugate	91
A.18 The competitive ELISA using 1:20,000 dilution of NVP-HRP conjugate	92



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved


LIST OF FIGURES

Figure	Page
1.1 Schematic representation of the interaction of the analyte and the synthesized polymer.	3
1.2 Principle of molecular imprinting	5
1.3 The function monomers used in the non-covalent approach.	10
1.4 The cross-linkers used for molecular imprinting.	12
1.5 Chemical structures of selected chemical initiators	13
1.8 Structure of nevirapine (NVP)	20
3.1 Scope of research	38
3.2 Structure of templates, function monomers and crosslinkers used for molecular imprinting.	40
3.3 Schematic representation of the synthesis of MIPs for NAM	41
3.4 Schematic representation of the synthesis of MIPs for NVP	44
3.5 Comparison of % bound of polymers P1-P11, rebinding in (a) ACN and (b, c) buffer pH 7	46
3.6 Comparison of % bound of polymers P12-P16, rebinding in (a) ACN and (b, c) buffer pH 7	48
3.7 SEM image of (a) irregularly shaped P13 with 2000x magnification, (b) P13 with 10000x, and (c) P15 with 30000x magnification.	51
3.8 FT-IR spectrum of (a) P15 and (b) P15'	52

Figure	Page
3.9 Structure of compounds used in selectivity studies.	53
3.10 Percent bound of NVP and its related compounds to P11, P15 and NIPs	55
3.11 Calibration curve for NVP detection using rabbit anti-NVP antibodies	59
3.12 Percent bound of enzyme conjugate to P11, P15 and NIPs with and without tween 20	60
3.13 Binding of NVP–HRP relative to polymer concentration for P11, P15, and NIP; (a) pH 6, (b) pH 7 and (c) pH 8	61
3.14 Binding isotherm (a), Scatchard plots (b) of NVP-imprinted polymer	63
3.15 Displacement curve with unlabelled NVP as competitor using 1:500,000 dilution of NVP-HRP conjugate	65
3.16 Displacement curve with unlabelled NVP as competitor using 1:20,000 dilution of NVP-HRP conjugate	66
A.1 Calibration curve of NAM in 0.01 M phosphate buffer, pH 7 containing 10% EtOH	77
A.2 Calibration curve of NAM in ACN	78
A.3 Calibration curve of NVP in 0.01 M phosphate buffer, pH 7 containing 10% EtOH	79
A.4 Calibration curve of NVP in ACN	80
B.1 The 400 MHz ¹ H-NMR (CDCl ₃) of compound 1	93
B.2 The 100 MHz ¹ C-NMR (CDCl ₃) of compound 1	94
B.3 The 400 MHz ¹ H-NMR (CDCl ₃) of compound 2	95
B.4 The 100 MHz ¹ C-NMR (CDCl ₃) of compound 2	96

LIST OF SCHEMES

Scheme	Page
2.1 Synthesis of NVP-HRP conjugate	32



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright © by Chiang Mai University
All rights reserved

LIST OF ABBREVIATIONS

ACA	Acrylamide
ACN	Acetonitrile
2-Apy	2-aminopyridine
3-Apy	3-aminopyridine
4-Apy	4-aminopyridine
BAM	Benzylamide
CDCl₃	Deuterated chloroform
CH₂Cl₂	Dichloromethan
DMF	Dimethylformamide
DMSO	Dimethylsulfoxide
DVB	Divinylbenzene
EGDMA	Ethylene glycol dimethacrylate
ELISA	Enzyme-linked Immunosorbent Assay
FT-IR	Fourier transform infrared
K_d	Dissociation Constant
HCl	Hydrochloric acid
HPLC	High Pressure Liquid Chromatography
HRP	Horse Radish Peroxidase
2-HEA	2-hydroxyethyl acrylate
IC₅₀	Concentration of enzyme labeled was bound 50 %

ITA	Itaconic acid
MAA	Methacrylic acid
MeOH	Methanol
MIAs	Molecularly Imprinted sorbent Assays
MIPs	Molecularly imprinted polymers
NAM	Nicotinamide
NHS	N-hydroxy succinamide
NIPs	Non-Imprinted Polymers
NMR	Nuclear Magnetic Resonance
NVP	Nevirapine
OPD	Orthophenylene diamine
p-EGDMA	Polyethylene glycol dimethacrylate
SEM	Scanning Electron Microscope
THF	Tetrahydrofuran
TRIM	Trimethylolpropane trimethacrylate
UV/Vis	UV-Visible spectrophotometer
V/V	Volume by volume

δ Chemical shift

λ_{\max} The wavelength of maximum absorbance