

REFERENCES

- Ataniyazova, O.A., Baumann, R.A., Liem, A.K., Mukhopadhyay, U.A., Vogelaar, E.F., Boersma, E.R. 2001. Levels of certain metals, organochlorine pesticides and dioxins in cord blood, maternal blood, human milk and some commonly used nutrients in the surroundings of the Aral Sea (Karakalpakstan, Republic of Uzbekistan). *Acta Paediatr.*, 90: 801-808.
- Ayotte, P., Giroux, S., Dewailly, E., Hernandez, A.M., Farias, P., Danis, R., Villanueva, D.C. 2001. DDT spraying for malaria control and reproductive function in Mexican men. *Epidemiology*, 12: 366-367.
- Baker, V.A. 2001. Endocrine disrupters--testing strategies to assess human hazard. *Toxicol. In Vitro*, 15: 413-419.
- Bastomsky, C.H. 1974. Effects of a polychlorinated biphenyl mixture (aroclor 1254) and DDT on biliary thyroxine excretion in rats. *Endocrinology*, 95: 1150-1155.
- Bitman, J., Cecil, H.C., Harris, S.J., Fries, G.F. 1968. Estrogenic activity of *o,p'*-DDT in the mammalian uterus and avian oviduct. *Science*, 162: 371-372.
- Bjerregaard, P., Hansen, J.C. 2000. Organochlorines and heavy metals in pregnant women from the Disko Bay area in Greenland. *Sci. Total Environ.*, 245: 195-202.
- Blight, E.G., Dyer, W.J. 1959. A rapid method of total lipid extraction and purification. *Can J Biochem Physiol.*, 37:911-917.

- Butler, W.J., Seddon, L., McMullen, E., Houseman, J., Tofflemire, K., Corriveau, A., Weber, J.P., Mills, C., Smith, S., Van Oostdam, J. 2003. Organochlorine levels in maternal and umbilical cord blood plasma in Arctic Canada. *Sci.Total Environ.*, 302: 27-52.
- Capen, C.C. 1994. Mechanisms of chemical injury of thyroid gland. *Prog.Clin.Biol.Res.*, 387: 173-191.
- Chareonviriyaphap, T., Bangs, M.J., Ratanatham, S. 2000. Status of malaria in Thailand. *Southeast Asian J.Trop.Med.Public Health*, 31: 225-237.
- Cheek, A.O., Kow, K., Chen, J., McLachlan, J.A. 1999. Potential mechanisms of thyroid disruption in humans: interaction of organochlorine compounds with thyroid receptor, transthyretin, and thyroid-binding globulin. *Environ.Health Perspect.*, 107: 273-278.
- Chen, C.W., Hurd, C., Vorobjekina, D.P., Arnold, S.F., Notides, A.C. 1997. Transcriptional activation of the human estrogen receptor by DDT isomers and metabolites in yeast and MCF-7 cells. *Biochem.Pharmacol.*, 53: 1161-1172.
- Cocco, P. 2002. On the rumors about the silent spring. Review of the scientific evidence linking occupational and environmental pesticide exposure to endocrine disruption health effects. *Cad.Saude Publica*, 18: 379-402.
- Cocco, P., Loviselli, A., Fadda, D., Ibba, A., Melis, M., Oppo, A., Serra, S., Taberlet, A., Tocco, M.G., Flore, C. 2004. Serum sex hormones in men occupationally exposed to dichloro-diphenyl-trichloro ethane (DDT) as young adults. *J.Endocrinol.*, 182: 391-397.

- Colborn, T., vom Saal, F.S., Soto, A.M. 1993. Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environ.Health Perspect.*, 101: 378-384.
- Covaci, A., Jorens, P., Jacquemyn, Y., Schepens, P. 2002. Distribution of PCBs and organochlorine pesticides in umbilical cord and maternal serum. *Sci Total Environ.* 298:45-53.
- Curtis, C.F., Lines, J.D. 2000. Should DDT be banned by international treaty?. *Parasitol.Today*, 16: 119-121.
- Dallaire, F., Dewailly, E., Muckle, G., Ayotte, P. 2003. Time trends of persistent organic pollutants and heavy metals in umbilical cord blood of Inuit infants born in Nunavik (Quebec, Canada) between 1994 and 2001. *Environ.Health Perspect.*, 111: 1660-1664.
- Dallaire, F., Dewailly, E., Muckle, G., Vezina, C., Jacobson, S.W., Jacobson, J.L., Ayotte, P. 2004. Acute infections and environmental exposure to organochlorines in Inuit infants from Nunavik. *Environ.Health Perspect.*, 112: 1359-1365.
- Dalvie, M.A., Myers, J.E., Lou, T.M., Dyer, S., Robins, T.G., Omar, S., Riebow, J., Molekwa, J., Kruger, P., Millar, R. 2004a. The hormonal effects of long-term DDT exposure on malaria vector-control workers in Limpopo Province, South Africa. *Environ.Res.*, 96: 9-19.
- Dalvie, M.A., Myers, J.E., Thompson, M.L., Robins, T.G., Dyer, S., Riebow, J., Molekwa, J., Jeebhay, M., Millar, R., Kruger, P. 2004b. The long-term effects of DDT exposure on semen, fertility, and sexual function of malaria vector-control workers in Limpopo Province, South Africa. *Environ.Res.*, 96: 1-8.

- Department of Agriculture. 2002. "The banned year of individual OCPs in Thailand"
 [Online]. Available http://www. www.itdoa.com/crop_itda/toxic.htm (11 June 2002).
- Dorea, J.G., Cruz-Granja, A.C., Lacayo-Romero, M.L., Cuadra-Leal, J. 2001. Perinatal metabolism of dichlorodiphenyldichloroethylene in Nicaraguan mothers. *Environ.Res.*, 86: 229-237.
- Eaton, D., Klassen, C.D. 1989. Principle of Toxicology. In: Timbrell, J., editor. Introduction to Toxicology. Taylor & Francis, London; 20.
- Ekbon, A., Wicklund-Glynn, A., Adami, H.O. 1996. DDT and testicular cancer. *Lancet*, 347: 553-554.
- Fiolet, D.C.M., Cuijpers, C.E.J., Lebret, E. 1997. Exposure to polychlorinated organic compounds and thyroid hormone plasma levels of human newborns. *Organohalogen Compounds*, 34:459-465.
- Fregly, M.J., Waters, I.W., Straw, J.A. 1968. Effect of isomers of DDD on thyroid and adrenal function in rats. *Can.J.Physiol Pharmacol.*, 46: 59-66.
- Fukata, H., Omori, M., Osada, H., Todaka, E., Mori, C. 2005. Necessity to measure PCBs and organochlorine pesticide concentrations in human umbilical cords for fetal exposure assessment. *Environ Health Perspect.*, 113:297-303.
- Guillette, L.J., Jr., Gross, T.S., Masson, G.R., Matter, J.M., Percival, H.F., Woodward, A.R. 1994. Developmental abnormalities of the gonad and abnormal sex hormone concentrations in juvenile alligators from contaminated and control lakes in Florida. *Environ.Health Perspect.*, 102: 680-688

Guillette, L.J., Jr., Pickford, D.B., Crain, D.A., Rooney, A.A., Percival, H.F. 1996.

Reduction in penis size and plasma testosterone concentrations in juvenile alligators living in a contaminated environment. *Gen. Comp. Endocrinol.*, 101: 32-42.

Hagmar, L. 2003. Polychlorinated biphenyls and thyroid status in humans: a review.

Thyroid, 13: 1021-1028.

Hagmar, L., Bjork, J., Sjodin, A., Bergman, A., Erfurth, E.M. 2001a. Plasma levels of persistent organohalogenes and hormone levels in adult male humans.

Arch. Environ. Health, 56: 138-143.

Hagmar, L., Rylander, L., Dyremark, E., Klasson-Wehler, E., Erfurth, E.M. 2001b.

Plasma concentrations of persistent organochlorines in relation to thyrotropin and thyroid hormone levels in women. *Int. Arch. Occup. Environ. Health*, 74: 184-188.

Hauser, R., Chen, Z., Pothier, L., Ryan, L., Altshul, L. 2003. The relationship between

human semen parameters and environmental exposure to polychlorinated biphenyls and p,p'-DDE. *Environ. Health Perspect.*, 111: 1505-1511.

Hoyer, A.P., Grandjean, P., Jorgensen, T., Brock, J.W., Hartvig, H.B. 1998.

Organochlorine exposure and risk of breast cancer. *Lancet*, 352: 1816-1820.

Jaga, K. 2000. What are the implications of the interaction between DDT and estrogen

receptors in the body?. *Med. Hypotheses*, 54: 18-25.

Kanja, L.W., Skaare, J.U., Ojwang, S.B., Maitai, C.K. 1992. A comparison of

organochlorine pesticide residues in maternal adipose tissue, maternal blood, cord blood, and human milk from mother/infant pairs. *Arch. Environ. Contam. Toxicol.*, 22: 21-24.

- Kelce, W.R., Lambright, C.R., Gray, L.E., Jr., Roberts, K.P. 1997. Vinclozolin and *p,p'*-DDE alter androgen-dependent gene expression: in vivo confirmation of an androgen receptor-mediated mechanism. *Toxicol.Appl.Pharmacol.*, 142: 192-200.
- Kelce, W.R., Stone, C.R., Laws, S.C., Gray, L.E., Kemppainen, J.A., Wilson, E.M. 1995. Persistent DDT metabolite *p,p'*-DDE is a potent androgen receptor antagonist. *Nature*, 375: 581-585.
- Klaassen, C.D., Rozman, K.K. Absorbtion, distribution, and excretion of toxicants. In: Klaassen, C.D., editor. Casarett & Doull's Toxicology, The Basic Science of Poisons. Vol. 2, 5th ed. USA: McGraw-Hill; 1996.
- Koopman-Esseboom, C., Morse, D.C., Weisglas-Kuperus, N., Lutkeschipholt, I.J., Van der Paauw, C.G., Tuinstra, L.G., Brouwer, A., Sauer, P.J. 1994. Effects of dioxins and polychlorinated biphenyls on thyroid hormone status of pregnant women and their infants. *Pediatr Res.*, 36:468-73.
- Li, W., Seifert, M., Xu, Y., Hock, B. 2004. Comparative study of estrogenic potencies of estradiol, tamoxifen, bisphenol-A and resveratrol with two in vitro bioassays. *Environ.Int.*, 30: 329-335.
- Longnecker, M.P., Klebanoff, M.A., Brock, J.W., Zhou, H., Gray, K.A., Needham, L.L., Wilcox, A.J. 2002. Maternal serum level of 1,1-dichloro-2,2-bis(*p*-chlorophenyl)ethylene and risk of cryptorchidism, hypospadias, and polythelia among male offspring. *Am.J.Epidemiol.*, 155: 313-322.
- Longnecker, M.P., Gladen, B.C., Patterson, D.G., Jr, Rogan, W.J. 2000. Polychlorinated biphenyl (PCB) exposure in relation to thyroid hormone levels in neonates. *Epidemiology*, 11: 249-254.

- Longnecker, M.P., Klebanoff, M.A., Zhou, H., Brock, J.W. 2001. Association between maternal serum concentration of the DDT metabolite DDE and preterm and small-for-gestational-age babies at birth. *Lancet*, 358: 110-114.
- Longnecker, M.P., Rogan, W.J., Lucier, G. 1997. The human health effects of DDT (dichlorodiphenyltrichloroethane) and PCBS (polychlorinated biphenyls) and an overview of organochlorines in public health. *Annu.Rev.Public Health*, 18: 211-244.
- Martin, S.A., Jr., Harlow, S.D., Sowers, M.F., Longnecker, M.P., Garabrant, D., Shore, D.L., Sandler, D.P. 2002. DDT metabolite and androgens in African-American farmers. *Epidemiology*, 13: 454-458.
- Matsuura, N., Uchiyama, T., Tada, H., Nakamura, Y., Kondo, N., Morita, M., Fukushi, M. 2001. Effects of dioxins and polychlorinated biphenyls (PCBs) on thyroid function in infants born in Japan--the second report from research on environmental health. *Chemosphere*, 45: 1167-1171.
- Matthews, J., Celius, T., Halgren, R., Zacharewski, T. 2000. Differential estrogen receptor binding of estrogenic substances: a species comparison. *J.Steroid Biochem.Mol.Biol.*, 74: 223-234.
- Miller, K.P., Borgeest, C., Greenfeld, C., Tomic, D., Flaws, J.A. 2004. In utero effects of chemicals on reproductive tissues in females. *Toxicol.Appl.Pharmacol.*, 198: 111-131.
- Mills, L.J., Gutjahr-Gobell, R.E., Haebler, R.A., Horowitz, D.J., Jayaraman, S., Pruell, R.J., McKinney, R.A., Gardner, G.R., Zarogian, G.E. 2001. Effects of estrogenic (*o,p'*-DDT; octylphenol) and anti-androgenic (*p,p'*-DDE) chemicals

- on indicators of endocrine status in juvenile male summer flounder (Paralichthys dentatus). *Aquat.Toxicol.*, 52: 157-176.
- Morgan, D.J. 1997. Drug disposition in mother and foetus. *Clin Exp Pharmacol Physiol.*, 24:869-73.
- Nagayama, J., Okamura, K., Iida, T., Hirakawa, H., Matsueda, T., Tsuji, H., Hasegawa, M., Sato, K., Ma, H.Y., Yanagawa, T., Igarashi, H., Fukushige, J., Watanabe, T. 1998. Postnatal exposure to chlorinated dioxins and related chemicals on thyroid hormone status in Japanese breast-fed infants. *Chemosphere*, 37:1789-93.
- Ntow, W.J. 2001. Organochlorine pesticides in water, sediment, crops, and human fluids in a farming community in Ghana. *Arch.Environ.Contam Toxicol.* 40: 557-563.
- Papiya, S. 2004. POPs in South Asia: Status and environmental health impact. Toxics link, India.
- Phillips, D.L., Pirkle, J.L., Burse, V.W., Bernert, J.T., Jr., Henderson, L.O., Needham, L.L. 1989. Chlorinated hydrocarbon levels in human serum: effects of fasting and feeding. *Arch Environ Contam Toxicol.*, 18: 495-500.
- Pocar, P., Brevini, T.A., Fischer, B., Gandolfi, F. 2003. The impact of endocrine disruptors on oocyte competence. *Reproduction*, 125: 313-325.
- Prapamontol, T., Stevenson, D. 1991. Rapid method for the determination of organochlorine pesticides in milk. *J Chromatogr.*, 552: 249-257.
- Pratt, W.B. The entry, distribution, and elimination of drugs. In: Pratt, W.B. and Taylor, P, editors. *Principle of Drug Action*, 3rd ed. New York: Churchill Lingstone; 1990.

- Rathore, M., Bhatnagar, P., Mathur, D., Saxena, G.N. 2002. Burden of organochlorine pesticides in blood and its effect on thyroid hormones in women. *Sci. Total Environ.*, 295: 207-215.
- Ribas-Fito, N., Sala, M., Cardo, E., Mazon, C., De Muga, M.E., Verdu, A., Marco, E., Grimalt, J.O., Sunyer, J. 2002. Association of hexachlorobenzene and other organochlorine compounds with anthropometric measures at birth. *Pediatr. Res.*, 52: 163-167.
- Ribas-Fito, N., Sala, M., Cardo, E., Mazon, C., De Muga, M.E., Verdu, A., Marco, E., Grimalt, J.O., Sunyer, J. 2003b. Organochlorine compounds and concentrations of thyroid stimulating hormone in newborns. *Occup Environ Med.*, 60: 301-3.
- Saiyed, H., Dewan, A., Bhatnagar, V., Shenoy, U., Shenoy, R., Rajmohan, H., Patel, K., Kashyap, R., Kulkarni, P., Rajan, B., Lakkad, B. 2003. Effect of endosulfan on male reproductive development. *Environ. Health Perspect.*, 111: 1958-1962.
- Sala, M., Ribas-Fito, N., Cardo, E., de Muga, M.E., Marco, E., Mazon, C., Verdu, A., Grimalt, J.O., Sunyer, J. 2001a. Levels of hexachlorobenzene and other organochlorine compounds in cord blood: exposure across placenta. *Chemosphere*, 43: 895-901.
- Sala, M., Sunyer, J., Herrero, C., To-Figueras, J., Grimalt, J. 2001b. Association between serum concentrations of hexachlorobenzene and polychlorobiphenyls with thyroid hormone and liver enzymes in a sample of the general population. *Occup Environ Med.*, 58:172-7.

- Salazar-Garcia, F., Gallardo-Diaz, E., Ceron-Mireles, P., Loomis, D., Borja-Aburto, V.H. 2004. Reproductive Effects of Occupational DDT Exposure among Male Malaria Control Workers. *Environ. Health Perspect.*, 112: 542-547.
- Scollon, E.J., Carr, J.A., Cobb, G.P. 2004. The effect of flight, fasting and p,p'-DDT on thyroid hormones and corticosterone in Gambel's white-crowned sparrow, *Zonotrichia leucophrys gambelli*. *Comp Biochem. Physiol C. Toxicol. Pharmacol.*, 137: 179-189.
- Seifert, M., Haindl, S., Hock, B. 1998. In vitro analysis of xenoestrogens by enzyme linked receptor assays (ELRA). *Adv. Exp. Med. Biol.*, 444: 113-117.
- Skakkebaek, N.E. 2002. Endocrine disrupters and testicular dysgenesis syndrome. *Horm. Res.*, 57 Suppl 2: 43.
- Sohoni, P., Sumpter, J.P. 1998. Several environmental oestrogens are also anti-androgens. *J. Endocrinol.*, 158: 327-339.
- Sormo, E.G., Jussi, I., Jussi, M., Braathen, M., Skaare, J.U., and Jenssen, B.M. 2005. Thyroid hormone status in gray seal (*Halichoerus grypus*) pups from the Baltic Sea and the Atlantic Ocean in relation to organochlorine pollutants. *Environ. Toxicol. Chem.*, 24: 610-616.
- Steuerwald, U., Weihe, P., Jorgensen, P.J., Bjerne, K., Brock, J., Heinzow, B., Budtz-Jorgensen, E., Grandjean, P. 2000. Maternal seafood diet, methylmercury exposure, and neonatal neurologic function. *J. Pediatr.*, 136: 599-605
- Stuetz, W., Prapamontol, T., Erhardt, J.G., Classen, H.G. 2001. Organochlorine pesticide residues in human milk of a Hmong hill tribe living in Northern Thailand. *Sci. Total Environ.*, 273: 53-60.

- Turusov, V., Rakitsky, V., Tomatis, L. 2002. Dichlorodiphenyltrichloroethane (DDT): ubiquity, persistence, and risks. *Environ. Health Perspect.*, 110: 125-128.
- Verreault, J., Skaare, J.U., Jenssen, B.M., Gabrielsen, G.W. 2004. Effects of Organochlorine Contaminants on Thyroid Hormone Levels in Arctic Breeding Glaucous Gulls, *Larus hyperboreus*. *Environ. Health Perspect.*, 112: 532-537.
- Vos, J.G., Dybing, E., Greim, H.A., Ladefoged, O., Lambre, C., Tarazona, J.V., Brandt, I., Vethaak, A.D. 2000. Health effects of endocrine-disrupting chemicals on wildlife, with special reference to the European situation. *Crit Rev. Toxicol.*, 30: 71-133.
- Waliszewski, S.M., Aguirre, A.A., Infanzon, R.M., Siliceo, J. 2000. Partitioning coefficients of organochlorine pesticides between mother blood serum and umbilical blood serum. *Bull. Environ. Contam Toxicol.*, 65: 293-299.
- Waliszewski, S.M., Aguirre, A.A., Infanzon, R.M., Silva, C.S., Siliceo, J. 2001. Organochlorine pesticide levels in maternal adipose tissue, maternal blood serum, umbilical blood serum, and milk from inhabitants of Veracruz, Mexico. *Arch. Environ. Contam Toxicol.*, 40: 432-438.
- You, L., Casanova, M., Archibeque-Engle, S., Sar, M., Fan, L.Q., Heck, H.A. 1998. Impaired male sexual development in perinatal Sprague-Dawley and Long-Evans hooded rats exposed in utero and lactationally to *p,p'*-DDE. *Toxicol. Sci.*, 45: 162-173.
- You, L., Gazi, E., Archibeque-Engle, S., Casanova, M., Conolly, R.B., Heck, H.A. 1999. Transplacental and lactational transfer of *p,p'*-DDE in Sprague-Dawley rats. *Toxicol. Appl. Pharmacol.*, 157: 134-144.