

## REFERENCES

- Ainge, G. D., Lorimer, S. D., Gerard, P. J., and Ruf, L. D. 2002. Insecticidal activity of huperzine A from the New Zealand clubmoss, *Lycopodium varium*. *Journal of Agricultural and Food Chemistry* **50**:491-494.
- Abo-El-Ghar, M. R., Nassar, M. E., Riskalla, M. R. and Abd-El-Ghafar, S. F. 1986. Rate of development of resistance and pattern of cross-resistance in fenvalerate and decamethrin-resistant strains of *Spodoptera littoralis*. *Agricultural Research Review* **61**:141-145.
- Agrawal, P. K. 1992. NMR spectroscopy in the structural elucidation of oligosaccharides and glycosides. *Phytochemistry* **31**:3307-3330.
- Bandara, K. A., Kumar, V., Jacobsson, U. and Molleyres, L. P. 2000. Insecticidal piperidine alkaloid from *Microcos paniculata* stem bark. *Phytochemistry* **54**:29-32.
- Brem, B., Seger, C., Pacher, T., Hofer, O., Vajrodaya, S., and H. Greger. 2002. Feeding deterrence and contact toxicity of *Stemona* alkaloids - a source of potent natural insecticides. *Journal of Agricultural and Food Chemistry* **50**:6383-6388.
- Busvine, J. R. 1980. FAO Plant production and protection paper 21: Recommended methods for measurement of pest resistance to pesticides. Publication Division, Food and Agriculture Organization, Rome, Italy.

- Chung, H. s., Hon, P. m., Lin, G., But, P. P. h., and Dong, H. 2003. Antitussive activity of Stemona alkaloids from *Stemona tuberosa*. *Planta Medica* **69**:914-920.
- Dalpiaz, M. A. and Dalpiaz, V. R. 2001. Aqueous tobacco extracts as insecticides. Pages 8 pp *in*. (Brazil). Application: BR.
- Department of Environmental Quality Promotion, Ministry of Natural Resources and Environment. 2006. The project of the development of using plant extract instead of synthetic chemical in agricultural uses: Executive summary. Faculty of Science, Chiang Mai University. 2-4.
- Dess, D. B. and Martin J. C. 1991. A useful 12-I-5 triacetoxypiperidine (the Dess-Martin piperidine) for the selective oxidation of primary or secondary alcohols and a variety of related 12-I-5 species. *Journal of the American Chemical Society* **113**:7277-7287.
- Duyfjes, B. E. E. 1993. Stemonaceae. *Flora Malesiana Series I* **11**:399-409.
- Fujimoto, Y., Ichinohe, Y., and Takii, S. 2000. Sesquiterpene piperidine alkaloids of *Hippocratea excelsa* and their use as insecticides for agricultural and horticultural use. Pages 9 pp *in*. (Nissan Chemical Industries, Ltd., Japan). Application: JP
- Ghisalberti, E.L. 1993. Detection and isolation of bioactive natural products in S.M. Colegate and R.J. Molyneux (eds.), *Bioactive natural products: detection, isolation and structural determination*. CRC Press. Boca Raton. 9-57.
- Godfrey, C. R. A. 1995. *Agrochemicals from Natural products*. Marcel Dekker, Inc, New York.

- Gotz, M., Bogri, T., Gray, A. H. and Strunz, G. M. 1968. The structure of tuberostemonine. *Tetrahedron* 24:2631-2643.
- Gotz, M. and Strunz, G. M. 1973. In Organic Chemistry Series One, Alkaloids. Wiesner K (ed) MTP Medical and Technical Publishing Co. Ltd. London. p 143.
- Greger, H., Hofer, O., Brem, B. and Pacher, T. 2004. Proceedings of the 3<sup>rd</sup> International Conference on Natural Products. Nanjing. China. *In press*.
- Hostettmann, K., Marston, A., and Wolfender. J.L. 1995. in Hostettmann, K., Marston, A., Maillard M. and Hamberger, M. (eds). Proceeding of the Phytochemical society of Europe. Phytochemistry of Plants used in Traditional Medicine. Clarendon Press. Oxford. 17-45.
- Issa, Y. H., Keddis, M. E., Abdel-Sattar, M. A., Ayad, F. A., and El-Guindy, M. A. 1984a. Survey of resistance to organophosphorus insecticides in field strains of the cotton leafworm during 1980-1984 cotton-growing seasons. *Bulletin of the Entomological Society of Egypt, Economic Series* 14:399-404.
- Issa, Y. H., Keddis, M. E., Abdel-Sattar, M. A., Ayad, F. A. and El-Guindy, M. A. 1984b. Survey of resistance to pyrethroids in field strains of the cotton leafworm during 1980-1984 cotton-growing seasons. *Bulletin of the Entomological Society of Egypt, Economic Series* 14:405-411.
- Jiang, R. W., Hon, P. M., Zhou, Y., Chan, Y. M., Xu, Y. T., Xu, H. X., Greger, H., Shaw, P. C., and But, P. H. 2006. Alkaloids and Chemical Diversity of *Stemona tuberosa*. *Journal of Natural Products* 69:749-754.

- Jiwajinda, S., Hirai, N., Watanabe, K., Santisopasri, V., Chuengsamarnyart, N., Koshimizu, K. and Ohigashi, H. 2001. Occurrence of the insecticidal 16,17-didehydro-16(E)-stemofoline in *Stemona collinsae*. *Phytochemistry* **56**:693-695.
- Kaltenegger, E., Brem, B., Mereiter, K., Kalchhauser, H., Kahlig, H., Hofer, O., Vajrodaya, S., and Greger, H. 2003. Insecticidal pyrido[1,2-a]azepine alkaloids and related derivatives from *Stemona* species. *Phytochemistry* **63**:803-816.
- Kostecki, K., Engelmeier, D., Pacher, T., Hofer, O., Vajrodaya, S., Greger, H. 2004. Dihydrophenanthrenes and other antifungal stilbenoids from *Stemona* cf. *pierrei*. *Phytochemistry* **65**: 99-106.
- Luche, J. L. 1978. Lanthanides in organic chemistry. 1. Selective 1,2 reductions of conjugated ketones. *Journal of the American Chemical Society* **100**: 2226-2227.
- Qin, G. W., and Xu, R. S. 1998. Recent advances on bioactive natural products from Chinese medicinal plants. *Medical research reviews* **18**:375-382.
- Matolcsy, G., Nadasy, M., and Andriská, V. 1988. Pesticide Chemistry. Elsevier Science Publisher, Budapest. 239 pp.
- Maxwell, J. F. 1991. Botanical notes on the vascular flora of Chiang Mai. *Natural History Siam Society* **39**:71-83.
- Mayer, B. N., Ferrigni, N. R., Putmann, J. E., Jacobsin, L. B., Nichols, D. E., and McLaughlin, J. L. 1982. Brine shrimp: a convenient general bioassay for active plant constituents. *Planta Medica* **45**:31-34.

- McLaughlin, J. C. 1991. Crown gall tumours on potato discs and brine shrimp lethality: two simple bioassays for higher plant screening. In: Hostettmann, K. (ed.), *Methods in Biochemistry*, 6, Assays for Bioactivity. London, Academic Press, 1-32.
- Mellanby, K. 1967. Pesticides and Pollution. Collins Clear-Type Press, London and Glasgow. 104-105.
- Miyazawa, M., Fujioka, J., and Ishikawa, Y. 2002. Insecticidal compounds from *Evodia rutaecarpa* against *Drosophila melanogaster*. *Journal of the Science of Food and Agriculture* **82**:1574-1578.
- Mungkornasawakul, P. 2004. Pesticidal Plant Extract for Reducing the Agricultural Use of Harmful Pesticides. Ph.D. Thesis, Chiang Mai University.
- Mungkornasawakul, P., Pyne, S. G., Jatisatienr, A., Supyen, D., Lie, W., Ung, A. T., Skelton, B. W., and White, A. H. 2003. Stemocurtisine, the First Pyrido[1,2-*a*]azapine *Stemona* Alkaloid. *Journal of Natural Products* **66**:980-982.
- Mungkornasawakul, P., Pyne, S. G., Jatisatienr, A., Supyen, D., Jatisatienr, C., Lie, W., Ung, A. T., Skelton, B. W., and White, A. H. 2004. Phytochemical and Larvicidal Studies on *Stemona curtisii*: Structure of a New Pyrido[1,2-*a*]azepine *Stemona* Alkaloid. *Journal of Natural Products* **67**:675-677.
- Nunez, M. J., Guadano, A., Jimenez, I. A., Ravelo, A. G., Gonzalez-Coloma, A., and Bazzocchi, I. L. 2004. Insecticidal sesquiterpene pyridine alkaloids from *Maytenus chiapensis*. *Journal of Natural Products* **67**:14-18.

- Ohtani, I., Kusumi, T., Kashman, Y., and Kakisawa, H. 1991. High-field FT NMR application of Mosher's method. The absolute configurations of marine terpenoids. *Journal of the American Chemical Society* **113**:4092 – 4096.
- Perry, A. S., Yamamoto, I., Ishaaya, I., and Perry, R. 1998. Insecticides in agriculture and environment. Narosa Publishing House, London.
- Pilli, R. A., and Ferreira de Oliveira, M. d. C. 2000. Recent progress in the chemistry of the *Stemona* alkaloids. *Natural Product Reports* **17**:117-127.
- Pilli, R. A., Rosso, G. B., and De Oliveira, M. d. C. 2005. The *Stemona* alkaloids. *Alkaloids* **62**: 77-173.
- Prain, D. 1905. Note on the Roxburghiaceae. *Journal of the Asiatic Society of Bengal* **73**:39-44.
- Prucksunand, C., Khunawat, P., Wimolwattanapun, S., and Prucksunand, P. 1985. The effect of "non-tai-yak" (*Stemona curtisii*) on the action potential of isolated frog sciatic nerve. A preliminary report. *Journal of the Medical Association of Thailand = Chotmai het thangkaet* **68**:66-71.
- Rates, S. M. K. 2001. Plant as Source of Drugs. *Toxicon* **39**:39603-39613.
- Rodcharoen, J. and Wongsiri, S. 1997. Biopesticide: Toxicity, Safety, Development and Proper Use. Proceeding First International Symposium on Biopesticide. Chulalongkorn University Press. Bangkok.
- Rungrojsakul, M. 2001. Morphological Characteristic, Chromosome Number and Propagation of *Stemona* spp. Master's thesis. Chiang Mai University, Chiang Mai.

- Sakata, K., Aoki, K., Chang, C.-F., Sakurai, A., Tamura, S., and Murakoshi, S. 1978. Stemospironine, a new insecticidal alkaloid of *Stemona japonica* Miq., isolation, structural determination and activity. *Agricultural and Biological Chemistry* **42**:457-463.
- Sanches, F.F. and Ohsawa, K. 1994. Natural Bio-Active Substances in Tropical Plants. NODAI Center for International Programs, Tokyo University of Agriculture, JSPS-DOST Program.
- Sastraraji, T., Jatisatienr, A., Pyne, S. G., Ung, A. T., Lie, W., and Williams, M. C. 2005. Phytochemical Studies on *Stemona* Plants: Isolation of Stemofoline Alkaloids. *Journal of Natural Products* **68**:1763-1767.
- Sastraraji, T., Jatisatienr, A., Issakul, K., Pyne, S. G., Ung, A. T., Lie, W., and Williams, M. C. 2006. Phytochemical Studies on *Stemona* Plants: Isolation of New Tuberospironine and Stemofoline Alkaloids. *Natural Product Communications* **1**:813-818.
- Seeger, C., Mereiter, K., Kaltenecker, E., Pacher, T., Greger, H., and Hofer, O. 2004. Two pyrrolo[1,2-a]azepine type alkaloids from *Stemona collinsae* CRAIB: structure elucidations, relationship to asparagine A, and a new biogenetic concept of their formation. *Chemistry & Biodiversity* **1**:265-279.
- Sparks, T. C., Crouse, G. D., and Durst, G. 2001. Natural products as insecticides: the biology, biochemistry and quantitative structure-activity relationships of spinosyns and spinosoids. *Pest Management Science* **57**:896-905.
- Stahl, E. 1969. Thin-Layer Chromatography: A Laboratory Handbook. Springer-Verlag Berlin. Heidelberg. New York. 873-874.

- Souza Brito, R. M. A. 1996. How to Study the Pharmacology of Medicinal Plants in undeveloped Countries. *Journal of Ethnopharmacology* **54**:131-138.
- Teng, W. S. 1993. Toxicity Testing Using the Brine Shrimp: *Artemia salina*. p.441-456. In: S.M. Colegate and R.J. Molyneux. Bioactive Natural Product. Boca Raton, Florida.
- The Spokane Country Office of Washington State University. 1997. Botanical insecticide.[online].Available:<http://Clallam.wsu.edu/waterquality/botanicals.htm>. [2004, Dec. 1].
- Tringali, C., Spatafora, C., Cali, V., and Simmonds, M. S. 2001. Antifeedant constituents from *Fagara macrophylla*. *Fitoterapia* **72**:538-543.
- Ulubelen, A., Mericli, A. H., Mericli, F., Kilincer, N., Ferizli, A. G., Emekci, M., and Pelletier, S. W. 2001. Insect repellent activity of diterpenoid alkaloids. *Phytotherapy research : PTR* **15**:170-171.
- Vogel, H.G., and Vogel, W.H. 1997. Drug discovery and evaluation: pharmacological assays. Springer Verlag. Berlin. 1-755.
- Ye, Y., Qin, G. W., and Xu, R. S. 1994a. Alkaloids of *Stemona japonica*. *Journal of Natural Products* **57**:665-669.
- Ye, Y., Qin, G. W., and Xu, R. S. 1994b. Alkaloids from *Stemona tuberosa*. *Phytochemistry* **37**:1201-1203.
- Zhu, J. B., Wang, M. G., Wu, W.J., et al. 2002. Insecticidal sesquiterpene pyridine alkaloids from *Euonymus* species. *Phytochemistry* **61**:699-704.