

**EFFECT OF TURMERIC CURCUMINOIDS ON *Wilms' tumor1*
(WT1) GENE AND WT1 PROTEIN EXPRESSION
IN LEUKEMIC CELL LINES**

SINGKOME TIMA

**MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY**

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright © THE GRADUATE SCHOOL Chiang Mai University

All rights reserved

AUGUST 2006

974-9893-77-8

**EFFECT OF TURMERIC CURCUMINOIDS ON *Wilms' tumor1*
(WT1) GENE AND WT1 PROTEIN EXPRESSION
IN LEUKEMIC CELL LINES**

SINGKOME TIMA

**A THESIS SUBMITTED TO THE GRADUATE SCHOOL IN
PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY**

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright © by Chiang Mai University

All rights reserved

THE GRADUATE SCHOOL

CHIANG MAI UNIVERSITY

AUGUST 2006

974-9893-77-8

**EFFECT OF TURMERIC CURCUMINOIDS ON *Wilms' tumor1*
(WT1) GENE AND WT1 PROTEIN EXPRESSION
IN LEUKEMIC CELL LINES**

SINGKOME TIMA

**THIS THESIS HAS BEEN APPROVED
TO BE A PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF MASTER OF SCIENCE
IN MEDICAL TECHNOLOGY**

EXAMINING COMMITTEE

S. Anuchapreeda

CHAIRPERSON

Dr. Songyot Anuchapreeda

P. Limtrakul

MEMBER

Assoc. Prof. Dr. Pornngarm Limtrakul

C. Duangrat

MEMBER

Assist. Prof. Dr. Chadarat Duangrat

Akamon Tapprom

MEMBER

Dr. Akamon Tapprom

28 August 2006

© Copyright by Chiang Mai University

ACKNOWLEDGEMENTS

The author wishes to express his deepest gratitude and appreciation to Dr. Songyot Anuchapreeda, thesis advisor, whose special efforts, professional guidance, valuable suggestion, unforgettable support, excellent encouragement and contributions are worthy of grateful acknowledgement throughout this study. Additionally, I am always thankful to all the wonderful staff members in Department of Medical Technology, Faculty of Associated Medical Sciences, Chiang Mai University who always provided me with invaluable advice and assistance when needed. Particularly, this thesis could not have been accomplished without the exquisitely helpful from Associate Professor Dr. Pornngarm Limtrakul, Assistance Professor Dr Chadarat Duangrat, Associate Professor Dr. Watchara Kasinrerker, and Assistance Professor Dr. Roongsiri Chotpadiwetkul, who provided me with invaluable curcuminoids extracts, curcuminoid HPLC fingerprint analysis, Molt 4 cell, and GAPDH primers, respectively.

A special appreciation is also expressed to Lecturer Prasit Chanarat, Dr. Pranee Leechanachai, Dr. Sawitree Chiampanichayakul, Dr. Nutjeera Intasai, and Dr. Tanyarat Jomgeow, for their kind suggestions and practical training. I gratefully acknowledge Dr. Dale E Taneyhill and Dr. Panthong Singboottra for their critical reading of the thesis. I also need to express special acknowledgement to the National Science and Development Agency (NSTDA) of Thailand, Biomedical Technology Research center, the Thailand Research Fund (TRF), the Commission of Higher Education (CHE), the National Research Council of Thailand, Chiang Mai University Endowment Fund, and Faculty of Associated Medical Sciences for their financial supports.

Finally, I am especially grateful to my parents, my family members, and my dear friends for their wonderful inspiration, love, useful guidance and emotional assistance, all of whom were especially supportive and extremely helpful.

Singkome Tima