


TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	iii
ABSTRACT	iv
TABLE OF CONTENTS	viii
LIST OF TABLES	xi
LIST OF ILLUSTRATIONS	xii
ABBREVIATIONS	xiv
CHAPTER I: INTRODUCTION	
I. INTRODUCTION	1
II. LITERATURE REVIEW	8
1. p53 tumor suppressor : the guardian of the genome	8
2. The p53 mutation and p53 accumulation are biomarker for cancer	9
3. The presence of autoantibodies against p53 in serum	11
4. p53 antibodies as a cancer diagnostic tool	11
5. p53 Antibodies and population at high risk of cancer	14
6. p53 antibodies and follow-up of patients during therapy	16
7. The reappearance of p53-Abs and a relapse of tumor	18
8. p53 antibodies and short survival	20

	Page
9. p53 autoantibodies comparison with established tumor markers	21
10. The current methods of p53 antibodies detection	22
11. Production of hexahistidine tagged recombinant protein	24
12. Production of biotinylated recombinant protein	25
III. OBJECTIVES	27
CHAPTER II: MATERIALS AND METHODS	28
1. Construction of expression vector	28
1.1 Preparation of p53 encoding DNA for insertion into pAK400 vector and pET-15b vector	29
1.2 Cloning of p53 encoding DNA into pAK400 vector	32
1.3 Cloning of p53 encoding DNA into pET-15b vector	37
2. Production of recombinant p53 protein	39
2.1 Optimization of culture conditions for the production of biotinylated p53-BCCP fusion proteins from pAK400 DNA construct.	39
2.2 Optimization of culture conditions for the production of (His) ₆ -p53 fusion protein from pET-15b DNA construct.	40
2.3 Determination of the level of expressed protein	40
3. Purification of (His) ₆ -p53 protein under denaturing conditions	43
3.1 Purification of (His) ₆ -p53 protein by His•Bind Resin chromatography	43
3.2 Dialysis of protein	45

	Page
4. Optimization of ELISA	45
4.1 Optimization of ELISA conditions using biotinylated p53 BCCP fusion protein as an antigen	45
4.2 Optimization of capture ELISA for (His) ₆ -p53	48
CHAPTER III: RESULTS	51
1. Construction of expression vectors (pET-15b-p53 and pAK400-p53)	51
2. Production of p53 recombinant protein	57
2.1 Optimization of culture conditions for the production of biotinylated p53 –BCCP fusion protein from pAK400 DNA construct	57
2.2 Optimization of culture conditions for the production of (His) ₆ -p53 fusion protein from pET-15b DNA construct.	59
3. Purification of (His) ₆ -p53 protein under denaturing conditions	62
4. Optimization of ELISA	68
4.1 Optimization of ELISA conditions using biotinylated p53-BCCP as an antigen	68
4.2 Optimization of ELISA using (His) ₆ -p53 as antigens	71
5. Evaluation of the established ELISA	75
5.1 Reproducibility study of the established ELISA	75
5.2 Detection of p53 autoantibody in lung cancer patient serum using the generated His ₆ -tagged p53 protein.	76
CHAPTER IV: DISCUSSION AND CONCLUSION	77
I. DISCUSSION	77
II. CONCLUSION	83

	Page
REFERENCES	84
APPENDIX	92
CURRICULUM VITAE	101



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF TABLE

1. PCR reaction mixture contents

Table Page

31

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved

LIST OF ILLUSTRATIONS

Figure	Page
1. A schematic presentation the main features of the pET-15b expression vector.	24
2. A schematic presentation the main features of the pAK400 expression vector.	26
3. The p53 target gene in pcDNA3.1 was amplified by NdeIp53 primer and p53EcoRI primer to generate NdeI-p53-EcoRI PCR product	30
4. The p53 target gene in pcDNA3.1 was amplified by NdeIp53 primer and p53BamHI primer to generate NdeI-p53-BamHI PCR product	30
5. Model of a 96-well plate which was also performed to optimized Concentration of avidin and different concentrations of cell lysate using p53 monoclonal antibody	47
6. Model of a 96-well plate which was also performed to optimized concentration of avidin and different concentrations of cell lysate using human serum.	48
7. Agarose gel analysis showing the obtained p53 PCR products	54
8. Agarose gel analysis showing successful digestion of previously inserted p53 DNA.	54

Figure	Page
9. Agarose gel analysis of digested pET-15b empty vector	55
10. An example of agarose gel analysis of PCR products to verify the appropriate ligation	55
11. Agarose gel analysis of antibiotic resistant colonies screening by PCR	56
12. Agarose gel analysis of restriction enzyme digested products to confirm the obtained positive colonies.	56
13. Western blot analysis of biotinylated p53-BCCP expressed in <i>E. coli</i> Origami B cells.	58
14. Western blot analysis of (His) ₆ -p53 fusion expressed in <i>E. coli</i> BL21(DE3)	60
15. Western blot analysis of (His) ₆ -p53 fusion protein expressed in <i>E. coli</i> BL21(DE3)pLysS	61
16. Coomassie blue staining of polyacrylamide gel showing preliminary purification process of (His) ₆ -p53.	64
17. Coomassie blue staining of polyacrylamide gel showing effect of gradient concentration of imidazole on the purification process.	65
18. Coomassie blue staining of polyacrylamide gel showing purification process of (His) ₆ -p53 using optimal condition.	66
19. The purified (His) ₆ -protein was further characterized by probing with mouse anti-human p53 monoclonal antibody (clone DO7)	67
20. Representative results of mouse anti- p53 Abs of lung cancer patients detected by immunoblotting.	67

Figure	Page
21. Representative results of optimization of the concentration of avidin and containing biotinylated p53-BCCP cell lysate.	69
22. Representative results of optimization of the concentration of biotinylate p53-BCCP fusion protein antigens to be coated onto an ELISA plate.	70
23. Representative results of optimization of the concentration of (His) ₆ -p53 antigens to be coated onto an ELISA plate	72
24. Representative results of finding the most suitable buffer for coating (His) ₆ -p53 onto microtiter plate.	74
25. Representative results of the quality control chart of OD of the control serum by established ELISA.	75
26. Representative results of detection of antibody responses of p53 by established ELISA comparison with Western blot results.	76

ABBREVIATIONS


(His) ₆ -p53	hexahistidine tagged p53
μg	microgram
μl	microlitre
BCCP	biotin carboxyl carrier peptide
CV	coefficient of variation
g	gram
His	histidine
HCl	hydrochloride
kDa	kilo Dalton
l	litre
M	molar
ml	millilitre
mM	millimolar
NaOH	sodium hydroxide
nm	nanometre
°C	degree Celsius
OD	optical density
P53-BCCP	BCCP tagged p53 protein

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright © by Chiang Mai University

All rights reserved

SD	standard deviation
SDS	sodium dodesyl sulfate
TEMED	N, N, N', N'-tetramethylethylene diamine
α	alpha
β	beta



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved