REFERENCES

Aaronson, L.S., Teel, C.S., Cassmeyer, V., Nueberger, G.B., Pallikkathayil, L., Pierce,J., et al. (1999). Defining and measuring fatigue. *Image: Journal of Nursing*

Scholarship, 31, 45-50.

A'Hern, R. P., Smith, I. E., & Ebbs, S. R. (1993). Chemotherapy and survival in advanced breast cancer: The inclusion of doxorubicin in Cooper type regimens. *British Journal of Cancer*, 67, 801-805.

AHRQ. (2002). Evident report/ Technology assessment No.61, Management of cancer symptom: Pain, depression, and fatigue. Retrieved December 10, 2002, from <u>www.ahrq.gov</u>

Aistairs, J. (1987). Fatigue in the cancer patients: A conceptual approach to a clinical problem. *Oncology Nursing Forum*, *14*(6), 25-30.

Akechi, T., Kugaya, A., Okamura, H., Yamawaki, S, & Uchitomi, Y. (1999). Fatigue and its associated factors in ambulatory cancer patients: A preliminary study. *Journal of Pain & Symptom Management*, 17, 42-48.

 Ahles, T.A., & Martin, J. B. (1992). Cancer pain: A multidimensional perspective: Noninvasive approaches to pain management in the terminal ill. *Hospice Journal*, 8, 25-48.

Ancoli-Israel, S., Moore, P.J., & Jones, V. (2001). The relationship between fatigue and sleep in cancer patients: A review. *European Journal of Cancer Care*, 10, 145-255.

- Andrykoski, M. A. (1990). The role of anxiety in the development of anticipatory nausea in cancer chemotherapy: A review and synthesis. *Psychosomatic Medicine*, *52*, 458-475.
- Andrykowski, M.A., Curran, S.L., & Lightner, R. (1998). Off-treatment fatigue in breast cancer survivors: A controlled comparison. *Journal of Behavior Medicine*, 21, 1-18.
- Arkinson, A., Bersevick, A., Cella, D. et al. (2000). NCCN practice guidelines for cancer-related fatigue. *Oncology New York*, *14*(11A, suppl 10), 151-161.

Ashbury, F.D., Findlay, H., Reynolds, B., & McKerracher, K. (1998). A Canadian survey of cancer patients' experiences: Are their needs being meet? *Journal* of Pain & Symptom Management, 16, 298-306.

Barnett, M.L. (2001). Fatigue. In S.E. Otto (ed.). Oncology nursing. 4th ed. (pp. 787-801). St Louis: Mosby Inc.

Baron, R. H. (1998). Sensory alterations after breast cancer surgery. *Clinical Journal* of Oncology Nursing, 2, 17-23.

Beach, P., Siebeneck, B., Buderer, N.F., & Ferner, T. (2001). Relationship between fatigue and nutritional status in patients receiving radiation therapy to treat lung cancer. *Oncology Nursing Forum*, 28, 1027-1031.

Bentler, P. M. (1995). *EQS: Structural equation program manual*. Encino, CA: Multivariate Software, Inc.

Bentler, P.M. & Wu, E.J.C. (1995). EQS for Window user's guide. Encino, California: Multivariate Software, Inc. Berard, R.M., Boermeester, F., & Viljoen, G. (1998). Depression disorders in an outpatient oncology setting: Prevalence, assessment, and management.

Psychooncology, 7, 112-120.

- Berger, A. M. (1998). Pattern of fatigue and activity and rest during adjuvant breast cancer chemotherapy. *Oncology Nursing Forum*, 25, 51-62.
- Berger, A.M., & Farr, L. (1999). The influence of daytime inactivity and nighttime restlessness on cancer-related fatigue. *Oncology Nursing Forum*, 26, 1663-1671.
- Berger, A.M. & Higginbotham, P. (2000). Correlates of fatigue during and following adjuvant breast cancer chemotherapy: A pilot study. *Oncology Nursing Forum*, 27, 1443-1448.
- Berger, A.M., VonEssen, S., Kuhn, B., Piper, B., Farr, L., Agrawal, S., et al. (2002).Feasibility of a sleep intervention during adjuvant breast cancer chemotherapy. *Oncology Nursing Forum*, 29, 1431-1441.
- Berger, A. M., & Walker, S. N. (2001). An explanatory model of fatigue in women receiving adjuvant chemotherapy. *Nursing Research*, *50*, 42-52.
- Bhanthumnavin, D., et al. (1997). *Religious belief and practice of Thai Buddhists:* Socialization and quality of life. Bangkok: National Institute of
 Development Administration.
- Blesch, K.S., Paice, J.A., Wickham, R., et al. (1991). Correlates of fatigue in people with breast or lung cancer. *Oncology Nursing Forum, 18*, 81-87.
- Bloom, J. (1982). Social support, accommodation to stress and adjustment to breast cancer. *Social Science & Medicine*, *16*, 1329-1338.

Boehmke, M. M. (2004). Measurement of symptom distress in women with earlystage breast cancer. *Cancer Nursing*, 27, 144-152.

- Bollen, K.A. (1989). *Structural equation with latent variables*. New York: A Wiley-Interscience Publication.
- Bottomley, A. (1998). Depression in cancer patients: A literature review. *European* Journal of Cancer Care, 7, 181-191.

Bower, J.F., Ganz, P.A., Desmond, K.A., Rowland, J.H., Meyerowitz, B.F., Belin,

T.R. (2000). Fatigue in breast cancer survivors: Occurrence, correlates, and impact on quality of life. *Journal of Clinical Oncology*, *18*, 743-753.

Broeckel, J. A., Jacobsen, P. B., Horton, J., Balducci, L., Lyman, G.H. (1998). Characteristics and correlates of fatigue after adjuvant chemotherapy for

breast cancer. Journal of Clinical Oncology, 16, 1689-1696.

Bruera, E., & MacDonald, R. (1988). Nutritional in cancer patients: An update and review of our experience. Issue in symptom control. *Journal of Pain and Symptom Management, 3*, 133-140.

Buddhasa. (n.d.). *Principle and practice of dana, sila, samadhi*. Bangkok: Dharmasapha.

Byrne, B. M. (1994). Structural equation modeling with EQS and EQS/Window:
 Basic concepts, applications, and programming. Thousand Oaks, CA: Sage
 Publications.

Caffrey, R. A. (1992). Caregiving to the elderly in Northeast Thailand, *Journal of Cross-Culture Gerontology*, 7, 117-134.

- Calle, E. E., Thun, M., Petrelli, J.M., Rodriguez, C., et al. (1999). Body mass index and mortality in prospective cohort of U.S. adults. *New English Journal of Medicine*, 341, 1097-1105.
- Can, G., Durna, Z., & Aydiner, A. (2004). Assessment of fatigue in and care needs of Turkish women with breast cancer. *Cancer Nursing*, 27, 153-161.
- Carpenito, L. (2000). Fatigue. *Nursing diagnosis: Application to clinical practice*, 8th ed. (pp. 371-379). Philadelphia: Lippincott.
- Cella, D. (1998). Factors influencing quality of life in cancer patients: Anemia and fatigue. *Seminar in Oncology*, 25(3 Suppl 7), 43-46.
- Cella, D., Lai, J.S., Chang, C.H., Perterman, A., & Slavin, M. (2002). Fatigue in cancer patients compared with fatigue in the general United States population. *Cancer*, 94, 528-537.

Chaithaneeyachati, O. (2002). Dharma defeat cancer. Bangkok: Index Associate.

- Chan, C. & Molassiotis, A. (2000). The impact of fatigue on Chinese cancer patients in Hong Kong. *Supportive Care Cancer*, *9*, 18-24.
- Chan, C., Molassiotis, A., Yam, B., Chan, S., & Lam, C. (2001). Traveling through the cancer trajectory: Social support perceived by women with

gynecological cancer in Hong Kong. Cancer Nursing, 24, 387-394.

Chanpuang, V. (1991). *The relationship between perception of disease, spouse support and adaptation of breast cancer patients*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.

Charoenkitkarn, V. (2000). The study of perceived self-efficacy and interpersonal influences to exercise behavior in the elderly with essential hypertension.
Unpublished master's thesis, Mahidol University, Bangkok, Thailand.

Chou, C. P., & Bentler, P. M. (1995). Estimates and tests in structural equation modeling. In R.H. Hoyle (Ed.), *Structural equation modeling: Concepts, issues, and applications* (pp. 37-55). Thousand Oaks, CA: Sage Publications.

Chunlestskul, K. (1998). Lived experience of Thai women with breast cancer.

Unpublished doctoral dissertation, Mahidol University, Bangkok, Thailand. Ciaramella, A. & Poli, P. (2001). Assessment of depression among cancer patients:

The role of pain, cancer type and treatment. *Psychooncology*, *10*, 156-165. Cimprich, B. (1999). Pretreatment symptom distress in women newly diagnosed with breast cancer. *Cancer Nursing*, *22*, 185-194.

Cobb, S. (1976). Social support as a moderator of life stress. *Psychosomatic Medicine*, *38*, 300-314.

Cohen, J. & Cohen, P. (1983). *Applied multiple regression/ correlation analysis for the behavioral sciences* (2nd ed.), Hillsdale, NJ: Lawrence Erlbaum Associates.

Cohen, S. & Wills, T.A. (1985). Stress, social support and the buffering hypothesis. *Psychological Bulletin*, 98, 310-357.

Curt, G., Breitbart, W., Cella, D., Groopman, J., Horning, S., Loretta, M., et al. (2000). Impact of cancer-related fatigue on the lives of patients: New findings from the fatigue coalition. *The Oncologist*, *5*, 353-360.

Dalopakarn, P. (2002). Factors related to fatigue in breast cancer patients receiving chemotherapy. Unpublished master's thesis, Chulalongkorn University, Bangkok, Thailand.

- Dane, B. (1992). Thai women meditation as a way to cope with AIDS. *Journal of Religion and Health, 39*, 5-15.
- Davidson, J.R., Maclean, A.W., Brundage, M.D., & Schulze, K. (2002). Sleep disturbance in cancer patients. *Social Science & Medicine*, *54*, 1309-1321.
- DeVellis, R.F. (1991). *Scale development: Theory and application*. California: Sage Publications.

Dhammapitika. (2003). Buddhist discipline and complete life. Bangkok: Amarin.

Dimeo, F., Stieglitz, R.D., Novelli-Fischer, S. (1997). Correlation between physical

performance and fatigue in cancer patients. *Annals of Oncology*, 8, 1251-1255.

- Dimeo, F.C., Stieglitz, R.D., Novelli-Fischer, U., Fetscher, S., Keul, J. (1999). Effects of physical activity on the fatigue and psychological status of cancer patients during chemotherapy. *Cancer*, 85, 2273-2277.
- Dixon, J.K. & Hickey, M. (1993). Energy as a central factor in a self-assignment of health. *Advanced in Nursing Science*, *15*, 1-12.
- Dodd, M., Miaskowski, C., & Lee, K.A. (2004). Occurrence of symptom clusters. Journal of the National Cancer Institute, Monograph, 32, 76-78.

Dodd, M., Miaskowski, C., & Paul, S. (2001). Symptom clusters and their effect on the functional status of patients with cancer. *Oncology Nursing Forum*, 28, 465-470.

Dunkle-Schetter, C. (1984). Social support and cancer: Findings based on patients interviews and their implications. *Journal of Social Issues, 40*, 77-98.

Early Breast Cancer Trialist's Collaborative Group. (1992). Systemic treatment of early breast cancer by hormonal, cytotoxic, or immune therapy. *Lancet, 339*, 1-15.

Early Breast Cancer Trialist's Collaborative Group. (1998). Polychemotherapy for

early breast cancer in overview of randomized trials. Lancet, 352, 930-942.

- Ehlke, G. (1988). Symptom distress in breast cancer patients receiving chemotherapy in the outpatient setting. *Oncology Nursing Forum*, *15*, 343-346.
- Elliott, T.R., Herrick, S.M., & Witty, T.E. (1992). Problem-solving appraisal and the effects of social support among college students and persons with physical disabilities. *Journal of Counseling Psychology*, *39*, 219-226.
- Elliott, T.R., & Shewchuk, R.M. (1995). Social support and leisure activities following sever physical disability: Testing the mediating effects on depression. *Basic and Applied Social Psychology, 16*, 471-487.
- Engstrom, C.A., Stroh, R.A., Rose, L. et al. (1999). Sleep alterations in cancer patients. *Cancer Nursing*, 22, 143-148.
- Feather, B. & Wainstock, J. (1989). Perceptions of post-mastectomy patients. Part I & II. *Cancer Nursing*, *12*, 293-309.
- Ferrell, B.R., Grant, M., Dean, G.E., Funk, B., & Ly, J. (1996). "Be tired": The experience of fatigue and its impact on quality of life. *Oncology Nursing Forum*, 23, 1539-1547.

Finfgeld-Connett, D. (2005). Clarification of social support. *Journal of Nursing Scholarship*, 37, 4-9.

- Fink, S.V. (1995). The influence of family resources and family demands on the strains and well-being of the caregiving families. *Nursing Research*, 44, 139-146.
- Fisher, B., Wickerham, D. & Redmond, C. (1992). Recent developments in the use of systemic adjuvant therapy for the treatment of breast cancer. *Seminars in Oncology*, 19, 263-277.
- Frank-Stromborg, M. & Wright, P. (1984). Amburatory cancer patients' perception of the physical and psychological changes in their lives since the diagnosis of cancer. *Cancer Nursing*, *7*, 117-130.
- Fridfinnsdottir, E. (1997). Icelandic women's identifications of stressors and social support during the diagnostic phrase of breast cancer. *Journal of Advanced Nursing*, 25, 526-531.
- Funch, D. & Mettlin, C. (1982). The role of support in relation to recover from breast surgery. Social Sciences Medicine, 16, 91-98.
- Gall, H. (1996). The basis of cancer fatigue: Where does it come from? *European Journal of Cancer Care*, *5*(Suppl.2), 31-34.
- Gaston-Jobansson, F., Fall-Dickson, J. M., Bakos, A. B., & Kennedy, M. J. (1999).
 Fatigue, pain, and depression in pre-autotransplant breast cancer patients. *Cancer Practice*, 7, 240-247.
- Given, B., Given, C.W., McCorkle, R., Kozachik, S., Cimprich, B., Rahbar, M.H., & Wojcik, C. (2002). Pain and fatigue management: Results of a nursing randomized clinical trial. *Oncology Nursing Forum*, 29, 949-956.
- Glanz, L. & Lerman, C. (1992). Psychological impact on breast cancer: A critical review. Annuals of Behavioral Medicine, 14, 204-212.

Glaus, A. (1998). Fatigue an orphan topic in patients with cancer? (editorial; comment). *European Journal of Cancer, 34*, 1649-1651.

- Glover, J., Miaskowski, C., Dibble, S., & Dodd, M. (1995). Mood states on oncology outpatients: Does pain make a difference? *Journal of Pain & Symptom Management*, 10, 120-128.
- Goodman, M. (1991). Adjuvant systemic therapy for stage I and II breast cancer. Seminars in Oncology Nursing, 7, 175-186.
- Goodwin, P.J., Leszez, M., Ennis, M., Koopmans, J., Vincent, L., Guther, H, et al. (2001). The effect of group psychosocial support on survival in metastatic breast cancer. *New English Journal of Medicine*, *345*, 1719-1726.
- Grassi, L., Indelli, M., Marzola, M., et al. (1996). Depressive symptoms and quality of life in home-care assisted cancer patients. *Journal of Pain & Symptom Management, 12*, 300-307.

Greenberg, G. (1998). Comparative Psychology: A handbook. New York: Garland.

Greene, D., Nail, L., Fieler, V., Dudgeon, D. & Jones, L. (1994). A comparison of patient-reported side effects among three chemotherapy regimens for breast cancer. *Cancer Practice*, 2, 57-62.

Guyton, A. C. (1991). *Textbook of medical physiology*, 8th ed. Philadelphia: Saunder. Haghighat, S., Akbari, M. E., Holakouei, K., Rahimi, A., & Montazeri, A. (2003).

Factors predicting fatigue in breast cancer patients. *Supportive Care Cancer*, *11*, 533-538.

Hair, J. F., Anderson, R. E., Tatham, R. L. & Black, W. C. (1998). *Multivariate data analysis* (5th ed.). New Jersy: Prentice-Hall.

- Hann, D. M., Denniston, M. M., & Baker, F. (2000). Measurement of fatigue in cancer patients: Further validation of the Fatigue Symptom Inventory. *Quality of Life Research*, 9, 847-854.
- Hann, D. M., Jacobsen, P. B., Azzarello, L., et al. (1998). Measurement of fatigue in cancer patients: Development and validation of the Fatigue Symptom
 Inventory. *Quality of Life Research*, 7, 301-310.

Hann, D. M., Jacobsen, P. B., Martin, S. C., Kronish, L. E., Azzarello, L. M., & Fields,

K. K. (1997). Fatigue in women treated with bone marrow transplantation for breast cancer: A comparison with women with no history of cancer. *Support Care Cancer, 5*, 44-52.

Hann, D., Baker, F., Denniston, M., Gesme, D., Reading, D., Flynn, T., et al. (2002).
The influence of social support on depressive symptoms in cancer patients:
Age and gender differences. *Journal of psychosomatic research*, 52, 279-283.

Hart, L.K., & Freel, M.I. (1982). Fatigue. In C.M. Norris (Ed.). Concept clarification in nursing (pp. 251-261). Rockville, MD: Aspen Systems.

Hart, L.K., Freel, M.I., & Milde, F.K. (1990). Fatigue. Nursing Clinics of North America, 25, 967-976.

Hilton, A. & Skutkowski, M. (2002). Translating instruments into other languages: Development and testing process, *Cancer Nursing*, 25, 1-7.

Holley, S. (2000). Cancer-related fatigue: Suffering a different fatigue. *Cancer Practice*, 8, 87-95. Hopwood, P., Howell, A., & Maguire, P. (1991). Psychiatric morbidity in patients with advanced cancer of the breast: prevalence measured by two self-rating questionnaires. *British Journal of Cancer*, 62, 349-352.

Hoskins, C.N. (1997). Breast cancer treatment-related patterns in side effects, psychological distress, and perceived health status. *Oncology Nursing Forum, 24*, 1575-1583.

House, J. S. (1981). The nature of social support. In J.S. House (Ed.), *Stress and social support* (pp. 13-39). Massacchusetts: Addison-Wesley.

Hoyle, R. H. (1995). The structural equation modeling approach: Basic concepts and fundamental issues. In R.H. Hoyle (Ed.). *Structural equation modeling: Concepts, issues, and applications* (pp. 1-15). Thousand Oakd, CA: Sage Publications.

Hu, D. & Silberfarb, P. (1991). Management of sleep problems in cancer patients. Oncology, 5, 23-27.

Hupcey, J. E. (1998). Social support: Assessing conceptual coherence. *Qualitative Health Research*, 8, 304-318.

 Hwang, W.C., Myers, H.F., & Takeuchi, D.T. (2000). Psychosocial predictors of firstonset depression in Chinese Americans. Social Psychiatry & Psychiatric Epidemiology, 35, 133-145.

Hwang, S. S., Chang, V. T., Rue, M, & Kasimis, B. (2003). Multidimensional independent predictors of cancer-related fatigue. *Journal of Pain & Symptom Management*, 26, 604-614.

Irvine, D., Brown, B., Crooks, D., Roberts, J., & Browne, G. (1991). Psychosocial adjustment in women with breast cancer. *Cancer*, 67, 1097-1117. Irvine, D., Vincent, L., Graydon, J.E., Bubela, N., & Thompson, L. (1994). The prevalence and correlates of fatigue in patients receiving treatment with chemotherapy and radiotherapy: A comparison with the fatigue experienced by healthy individuals. *Cancer Nursing*, 17, 367-378.

Jacob, L.A. & Piper, B. (1996). The phenomenon of fatigue and the cancer patients.
In R. McCorkle, M. Grant, M. Frank-Stromborg, & S.B. Baird (Eds.). *Cancer nursing: A comprehensive textbook* (pp.1193-1210). Philadelphia: Saunders.

Jacobsen, B. S. (1997). Univariate descriptive statistics. In B.H. Munro (Ed.), Statistics methods for health care research (pp. 30-52). Philadelphia: Lippincott.

- Jacobsen, P.B., Hann, D.M., Azzarello, L.M., Horton, J., Balducci, L., & Lyman,
 G.H. (1999). Fatigue in women receiving adjuvant chemotherapy for breast cancer: Characteristics, courses, and correlates. *Journal of Pain & Symptom Management*, 18, 233-242.
- Jacobsen, P. B., Garland, L. L., Booth-Jones, M., et al. (2004). Relationship of hemoglobin levels to fatigue and cognitive functioning among cancer patients receiving chemotherapy. *Journal of Pain & Symptom Management*, 28, 7-18.

Jamar, S.C. (1989). Fatigue in women receiving chemotherapy for ovarian cancer. In S.G. Funk, E.M. Tournquist, M.T. Champagne, L.A. Copp, & R.A. Weise (Eds). *Key aspects of comfort: Management of pain, fatigue, and nausea* (pp. 224-228). New York: Springer.

- Jones, E.G. & Kay, M. (1992). Instrumentation in cross-cultural research. *Nursing Research*, 41, 186-188.
- Jenkins, R.A., & Pargament, K.I. (1995). Religious and spirituality as resources for coping with cancer. *Journal of Psychosocial Oncology*, 13, 51-74.

Junda, T. (2002). Our family's experiences: A study Thai families living with women in the early stages of breast cancer. Unpublished doctoral dissertation, University of Washington, Seattle.

- Junda, T. (2004). Living breast cancer: Thai women's perspective. *Thai Journal of Nursing Research*, *8*, 208-222.
- Kahn, R. & Antonucci, T. (1980). Convoys over the life course: Attachment, roles, and social support. In P.B. Baltes, & O.G. Brim (Eds.), *Life-span development and behavior: Vol 3* (pp. 253-286). New York: Academic Press.
- Kalman, D. & Villani, L.J. (1997). Nutritional aspects of cancer-related fatigue. Journal of The American Dietetic Association, 97, 650-654.
- Kaveevivitchai, C. (1993). Relationships among selected factors, uncertainty in illness, social support and adaptation in breast cancer women receiving chemotherapy. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Kelter, N.L., Schwecke, L.H., & Bostrom, C.E. (1999). *Psychiatric Nursing* (3rd ed.). St Louis: Mosby.
- Kengketkhit, B., Rabeab, P., & Iemraksa, S. (1999). Factors related to breast selfexamination among Thai women. *The Thai Journal of Nursing Council*, 14(3), 24-36.

Kestsampun, Y. (1993). Living with cancer: An ethnographic study of Thai cancer

patients. Unpublished doctoral dissertation, Deakin University, Australia.

Khantipalo, Bhikkhu. (1995). Lay Buddhist practice: The shrine room, Uposatha day, rains residence. Retrieved November 15, 2005, from

http://www.accesstoinsight.org/lib/authors/khantipalo/wheel206.html

Kline, R.B. (1998). *Principles and practice of structural equation modeling*. New York, NY: The Guilford Press.

Knobf, M. (1986). Physical and psychological distress associated with adjuvant chemotherapy in women with breast cancer. *Journal of Clinical Oncology*, *4*, 678-684.

Kongsaktrakul, P. (2004). Relationships between types of cancer, fatigue experience, fatigue management strategies, family support and functional status of cancer patients receiving chemotherapy. Unpublished master's thesis (Nursing Science). Chulalongkorn University, Bangkok, Thailand.

Komin, S. (1990). Psychological of the Thai people: Value and behavioral patterns.
 Bangkok: National Institute of Development Administration (NIDA)
 Research Center, Thailand.

Krause, N. (1986). Social support, stress, and well-being. *Journal of Gerontology*, *41*, 512-519.

Kuuppelomaki, M & Lauri, S. (1998). Cancer patients' reported experiences of suffering. *Cancer Nursing*, 21, 364-369.

Lam, W. (1997). Interrelationships among physical symptom distress, psychological symptom distress, and fatigue in women with breast cancer undergoing

radiation therapy. Unpublished master's thesis. University of Toronto, Canada.

Lee, K A. (1992). Self-reported sleep disturbances in employed women. *Sleep*, *15*, 493-498.

Lee, K.A. & DeJoseph, J. (1992). Sleep disturbance, vitality, and fatigue among a select group of employed childbearing women. *Birth*, *19*, 208-213.

Lee, K.A., Lentz, M.J., Taylor, D., Mitchell, E.S., & Woods, N.F. (1994). Fatigue as a response to environmental demands in women's lives. *Image: Journal of Nursing Scholarships*, 26, 149-154.

Lee, K.A., Miaskowski, C., West, C., Dodd, M., Elder, W., Paul, S., & Wara, W.
 (2003). Changes in sleep and fatigue during radiotherapy for prostate cancer.
 Sleep, 26, Abstract Supplement, (Abstract No. 0898), A356.

Lee, K.A., Portillo, C.J., & Miramontes, H. (1999). The fatigue experience for women with human immunodeficiency virus. *Journal of Obstetric, Gynecology, and Neonatal Nursing, 28, 193-200.*

Lehne, R. A. (1998). Anticancer drugs. In *Pharmacology for nursing care* (3rd ed.), pp. 1021-1041. Philadelphia: W.B. Saunders Company.

Lewin, D. & Dahl, R. (1999). Important of sleep in the management of pediatric pain. Journal of Developmental and Behavioural Pediatrics, 20, 244-252.

 Li, F., Harmer, P., Duncan, T. E., Duncan, S. C., Acock, A., & Boles, S. (1998).
 Approaches to testing interaction effects using structural equation modeling methodology. *Multivariate Behavioral Research*, 33, 1-39.

- Lind, M., Vernon, C., Cruickshank, D., Wilkinson, P., Littlewood, T., Stuart, N., et al. (2002). The level of hemoglobin in anemic cancer patients correlated positively with quality of life. *British Journal of Cancer*, 86, 1243-1249.
- Longman, A.J., Braden, C.J., & Mishel, M.H. (1996). Side effects burden in women with breast cancer. *Cancer Practice*, *4*, 274-280.
- Longman, A.J., Braden, C.J., & Mishel, M.H. (1997). Pattern of association over time of side effects burden, self-help, and self-care in women with breast cancer. *Oncology Nursing Forum*, 24, 1555-1560.

Longman, A.J., Braden, C.J., & Mishel, M.H. (1999).Side-effects burden,psychological adjustment, and life quality in women with breast cancer.Pattern of association over time. *Oncology Nursing Forum*, 26, 909-915.

Lugton, J. (1997). The nature of social support as experienced by women treated for breast cancer. *Journal of Advanced Nursing*, 25, 1184-1191.

Lynn, M. (1986). Determination and quantification of content validity. *Nursing Research, 35*, 382-385.

Magnusson, K., Moler, A., Ekmant, T., & Wallgren, A. (1999). A qualitative study to explore the experience of fatigue in cancer patients. *European Journal of*

Cancer Care, 8, 224-232.

Malathum, P. (2001). A model of factors contributing to perceived abilities for healthpromoting self-care of community-dwelling Thai older adults. Unpublished doctoral dissertation, University of Texas at Austin.

Manning-Walsh, J. (2005). Social support as a mediator between symptom distress and quality of life in women with breast cancer. *Journal of Obstetric, Gynecologic, & Neonatal Nursing, 34*, 482-493.

Martin, N. & Cheirsilpa, A. (2002). Breast. In *Cancer Statistics in Thailand Vol 3*. (pp. 47-48). Retrieved November 30, 2005, from <u>http://www.nci.go.th</u>

- McCorkle, R., & Quint-Benoliel, J. (1983). Symptom distress current concerns and mood disturbance after dianosis of life-threatening disease. *Social Science Medicine*, *17*, 431-438.
- McCorkle, R., & Young, K. (1978). Development of a symptom distress scale. *Cancer Nursing*, *1*, 373-378.
- McKenry, L. & Salerno, E. (1995). Antineoplastic chemotherapy. In *Pharmacology in nursing* (19th ed., pp. 1014-1025). St. Louis: Mosby-Year Book, Inc.
- McNair, D., Lorr, M., & Droppleman, L. (1992). *Profile of mood state manual* (Rev. ed.). San Diego, CA: Educational and Industrial Testing Service.
- Meek, P., Nail, L., Barsevick, A., et al. (2000). Psychometric testing of fatigue instruments for use with cancer patients. *Nursing Research*, *49*, 181-190.

Mendoza, T., Wang, X., Cleeland, C., Morrissey, M., Johnson, B., Wendt, J., et al. (1999). The rapid assessment of fatigue severity in cancer patients: Use of the Brief Fatigue Inventory. *Cancer*, 85, 1186-1196.

Messias, D.K., Yeager, K., Dibble, S., & Dodd, M. (1997). Patients' perspective of fatigue while undergoing chemotherapy. *Oncology Nursing Forum, 24*, 43-48.

Meyerowitz, B., Sparks, F., & Spears, I. (1979). Adjuvant chemotherapy for breast carcinoma-psychosocial implications. *Cancer*, 43, 1613-1618.

Miaskowski, C., & Dibble, S. L. (1995). The problem of pain in outpatients with breast cancer. *Oncology Nursing Forum*, 22, 791-797.

- Miaskowski, C & Lee, K.A. (1999). Pain, fatigue, and sleep disturbances in oncology outpatients receiving radiotion therapy for bone metastasis: A pilot study. *Journal of Pain & Symptom Management*, 17, 320-332.
- Mishel, M.H. & Braden, C.J. (1987). Uncertainty. A mediator between support and adjustment. Western Journal of Nursing Research, 9, 43-57.
- Mock, V., Hassey, D., Meares, C.J., Grimm, P.M., Dienemann, J.A., Haisfield-Wolfe,
 M.E., et al. (1997). Effects of exercise on fatigue, physical functioning, and
 emotional distress during radiation therapy for breast cancer. *Oncology Nursing Forum*, 24, 991-1000.
- Molassiotis, A. & Chan, C. (2001). Fatigue patterns in Chinese cancer patients receiving chemotherapy. *European Journal of Oncology Nursing*, *5*, 60-67.
- Morin, C., Gibson, D., & Wade, J. (1998). Self-reported sleep and mood disturbance in chronic pain patients. *Clinical Journal of Pain, 14*, 311-314.

Morrow, G. R., Roscoe, J. A., Hickok, J. T., Andrews, P., & Matteson, S. (2002).
 Nausea and emesis: Evidence for a biobehavioral perspective. *Support Care Cancer*, 10, 96-105.

- Mueller, R.O. (1996). *Basic principles of structural equation modeling: An introduction to LISREL and EQS*. New York: Springer-Verlag New York Inc.
- Munro, B. H. (1997). Regression. In B.H. Munro (Ed.), *Statistics methods for health care research* (pp. 246-286). Philadelphia: Lippincott.
- Nail, L. & King, K. (1987). Symptom distress: Fatigue. Seminars in Oncology Nursing, 3, 257-262.

- Nail, L. & Winningham, M.L. (1995). Fatigue and weakness in cancer patients: The symptoms experience. *Seminars in Oncology Nursing*, 11, 272-278.
- Namjanta, R. (1992). Anxiety, self-care deficit and patterns of nausea and vomiting in cancer patients receiving chemotherapy. Unpublished master's thesis,

Mahidol University, Bangkok, Thailand.

- Neskovic-Konstantinovic, Z. (2000). Standard treatment of breast cancer: The role of consensus recommendations. *Archive of Oncology*, 8(Suppl 1), 9-10.
- Newport, D.J. & Nemeroff, C.B. (1998). Assessment and treatment of depression in the cancer patient. *Journal of Psychosomatic Research*, 45, 215-237.
- Nilchaikovit, T., Lotrakul, M., & Phisansuthhideth, U. (1996). Development of Thai version of hospital anxiety and depression scale in cancer patients. *Journal of the Psychiatric Association of Thailand, 41*, 18-30.
- Norbeck, J.S. (1988). Social support. In J.J. Fitzpatrick, R.L. Taunton, & J.Q. Benoliel (Eds.). *Annual Review of Nursing Research, 6* (pp. 85-109). New York: Springer.
- Norbeck, J. S., Lindsey, A. M., & Carrieri, V. L. (1981). The development of an instrument to measure social support. *Nursing Research*, *30*, 264-269.

Norris, A. E. (1997). Structural equation modeling. In B.H. Munro (Ed.), *Statistical methods for health care research* (pp. 368-396). Philadelphia: Lippincott.

Norusis, M. J. (1995). SPSS 6.1: Guide to data analysis. Englewood Cliffs, NJ: Prentice Hall.

Norwood, S. L. (1996). The social support APGAR: Instrument development and testing. *Research in Nursing & Health, 19*, 143-152.

O' Brien, A. (2003). The impact of physical activity on quality of life, depression, and anxiety in breast cancer patients undergoing treatment. Unpublished doctoral dissertation. Virginia Commonwealth University, Canada.

Okuyama, T., Akeshi, Kugaya, A., et al. (2000). Factors correlated with fatigue in disease-free breast cancer patients: Application of the cancer fatigue scale. *Supportive Care in Cancer*, 8, 215-222.

Ott, M.J. (2002). Mindfulness meditation in pediatric clinical practice. *Pediatric Nursing*, 28, 487-490, 535.

Ottery, F.D. (1995). Supportive nutrition to prevent cachexia and improve quality of life. *Seminars in Oncology*, 22(Suppl. 2), 98-111.

Owen, D.C, Parker, K.P., & McGuire, D.B. (1999). Comparison of subjective sleep quality in patients with cancer and healthy subjects. *Oncology Nursing Forum*, *26*, 1649-1651.

Page, E.B. (1993). Path models of cause. In B.H. Munro, & E.B. Page (Eds),
 Statistical methods for health care research (2nd ed., pp. 275-293).
 Philadelphia: Lippincott.

Pasacreta, J.V. (1997). Depression phenomena, physical symptom distress, and functional status among women with breast cancer. *Nursing Research*, 46, 214-221.

Pedhazur, E.J. (1982). *Multiple regression in behavioral research: Explanation and prediction* (2nd ed.). New York: Holt, Rinehart & Winston.

Petmaneechote, K. (2000). Effectiveness of Buddhist meditation on anxiety and pain among rheumatoid arthritis patients. Unpublished master's thesis (Public Health Nursing), Mahidol University, Bangkok, Thailand. Phengjard, J. (2001). Family caregiving of persons living with HIV/AIDS in urban Thailand. Unpublished doctoral dissertation, University of Washington, Seattle.

Pickard-Holley, S. (1991). Fatigue in cancer patients. Cancer Nursing, 14, 13-19.

- Piper, B. (1986). Fatigue. In V. Carrieri, A. Lindsey, & C. West (Eds.). Pathological phenomena in nursing: Human responses to illness (pp. 219-234).
 Philadelphia: W.B. Saunders.
- Piper, B. (1991). Alterations in energy: The sensation of fatigue. In S. Baird, R.
 McCorkle & M. Grant (Eds.). *Cancer nursing: A comprehensive textbook*.
 (pp. 894-908). Philadelphia: W.B. Saunders.
- Piper, B. (1992). Subjective fatigue in women receiving six cycles of adjuvant chemotherapy for breast cancer. Unpublished Doctoral dissertation, University of California, San Francisco.
- Piper, B. (1993). Fatigue. In V. Carrieri-Kohlman, A.M. Lindsey & C.M. West (Eds.),
 Pathophysiological phenomena in nursing (pp. 279-302). Philadelphia:
 Saunders.
- Piper, B., Didble, S. L., Dodd, M., Weiss, M., Slaughter, R, & Paul, S. (1998). The revised Piper Fatigue Scale: Psychometric evaluation in women with breast cancer. *Oncology Nursing Forum*, 25, 677-684.
- Piper, B., Lindsey, A., & Dodd, M. (1987). Fatigue mechanism in cancer patients: Developing nursing theory. *Oncology Nursing Forum*, 14, 17-23.
- Piper, B., Lindsey, A., Dodd, M., Ferketich, S., Paul, S., & Weller, S. (1989). The development of an instrument to measure the subjective dimension of fatigue. In S. Funk, E. Tornquist, M. Champagne, L. Copp, & R. Wieise

(Eds.), Key aspect of comfort: Management of pain, fatigue, and nausea (pp. 199-208). New York: Springer.

Pless, I & Satterwhite, B. (1973). A measure of family functioning and its application. Social Science and Medicine, 7, 613-621.

Polit, D. F. (1996). *Data analysis and statistics for nursing research*. Stanford: Appleton & Lange.

Polit, D. F., & Hungler, B. P. (1995). *Nursing research: Principle and methods* (5th ed.). Philadelphia: J.B. Lippincott.

Pongpruk, S. (1998). *When I know I have cancer: Experience natural healing*. Nakornnayok, Thailand: Arsorn Wongsamit.

Pongthavornkamol, K. (2000). Coping with side effects and emotional distress among Thai cancer patients receiving radiation therapy. Unpublished doctoral dissertation, University of Rochester, New York.

Portenoy, R & Miaskowski, C. (1998). Assessment and management of cancer-realted fatigue. In A. Berger, R. Portenoy, & D.E. Weissman (Eds). *Principle and practice of supportive oncology* (pp. 109-118). Philadelphia: Lippincott Williums & Wilkins.

Pritsanapanurungsie, P. (2000). Patterns of fatigue, related factors, and self-care actions among breast cancer receiving chemotherapy. Unpublished master's thesis (Adult Nursing), Mahidol University, Bangkok, Thailand.

Ratanatarathorn, V. (2002). Management of breast cancer: Chemotherapy aspect. In
S. Thongprasert & S. Napapun (Eds.). *Practical points in oncology* (pp. 337-375). Chiang Mai: Thanabun.

- Raykov, T., & Marcoulides, G.A. (2000). *A first course in structural equation modeling*. Mahwah, NJ: Lawrence Erlbaum Associates Publisher.
- Ream, E. & Richardson, A. (1996). Fatigue: A concept analysis. *International Journal of Nursing Studies*, 33, 519-529.

Redeker, N.S., Lev, E.L., & Ruggiero, J. (2000). Insomnia, fatigue, anxiety,

depression, and quality of life of cancer patients undergoing chemotherapy. Scholarly Inquiry for Nursing Practice, 14, 275-291.

- Rhodes, V.A. & Watson, P.M. (1987). Symptom distress: the concept past and present. *Seminars in Oncology Nursing*, *3*, 242-247.
- Rhoten, D. (1982). Fatigue and the postsurgical patients. In C. Norris (Ed.). *Concept clarification in nursing* (pp. 277-300). Rockville, MD: Aspen.

Richardson, A. (1995). Fatigue in cancer patients: A review of the literature. *European Journal of Cancer, 4*, 20-32.

Richardson, A. (1998). Measuring fatigue in patients with cancer. *Supportive Care in Cancer*, 6, 94-100.

Roberts, C., Cox, C., Shannon, V., & Wells, N. (1994). A closer look at social support as a moderator of stress in breast cancer. *Health and Social Work, 19*,

157-164.

Robuck, J.T. & Fleetwood, J.B. (1992). Nutritional support of the patient with cancer. *Focus on Critical Care, AACN, 19*, 129-138.

Rustoen, T., Wahl, A.K., Hanestad, B.R., Lerdal, A., Paul, S., & Miaskowski, C. (2004). Gender differences in chronic pain: Findings from a populationbased study of Norwegian adults. *Pain Management Nursing*, 5, 105-117.

- Saejew, A. (2001). Fatigue, related factors, and self-care actions to manage fatigue of head and neck cancer patients receiving radiation therapy. Unpublished master's thesis (Adult Nursing). Mahidol University, Bangkok, Thailand.
- Sandstrom, K.L. (1996). Searching for information, understanding, and self-value: The utilization of peer support groups by gay men with HIV/AIDS. *Social Work in Health Care, 23*, 51-74.
- Sarhill, N., Mahmoud, F.A., Christie, R., & Tahir, A. (2003). Assessment of nutritional status and fluid deficit in advanced cancer. *Journal of Hospice & Palliative Care, 20*, 465-473.
- Schreier, A.M. & Williams, S.A. (2004). Anxiety and quality of life of women who receive radiation or chemotherapy for breast cancer. *Oncology Nursing Forum, 31*, 127-130.
- Schumacker, R.E. & Lomax, R.G. (1996). *A beginner's guide to structural equation model*. Mahwah, New Jersy: Lawrence Erlbaum Associations, Publishers.
- Schuster, J.M. & Goctz, K.L. (1994). Pain. In C.E. Coffey & J.L. Cummings (Eds.), *Textbook of geriatric neuropsychiatry* (pp. 333-350). Washington: American Psychiatric Press.

Selye, H. (1976). Stress in health and disease. Boston: Butter Worths.

Setakasikorn, K. (1997). Effectiveness of a Buddhist meditation among burn patients:
 Appamanya 4. Unpublished master's thesis (Public Health Nursing),
 Mahidol University, Bangkok, Thailand.

Sethabouppha, H. (2001). Buddhist family caregiving: A phenomenological study of family to the seriously mentally ill in Thailand. Unpublished doctoral dissertation, University of Virginia.

- Sheely, I.C. (1996). Sleep disturbances in hospitalized patients with cancer. *Oncology Nursing Forum*, 23, 109-111.
- Silberfarb,P.M., Hauri, P.J., Oxman, T.E., & Schnurr, P. (1993). Assessment of sleep in patients with lung cancer and breast cancer. *Journal of Clinical Oncology*, *11*, 997-1004.
- Sitzia, J. & Huggins, L. (1998). Side effect of cyclophosphamide, methotrexate, 5 fluorouracil (CMF) chemotherapy for breast cancer. *Cancer Practice*, 6, 13-21.

Smets, E.M., Garssen, B., Bonke, B., & de Haes, J. (1995). The multidimensional fatigue inventory (MFI) psychometric qualities of an instrument to assess fatigue. *Journal of Psychosomatic Research*, 39, 315-325.

Smets, E.M, Grarssen, B., Cull, A., & de Haes, J. (1996). Application of the Multidimensional Fatigue Inventory (MIF-20) in cancer patients receiving radiotherapy. *British Journal of Cancer*, 73, 241-245.

Smets, E.M., Garssen, B., Schuster-Uitterhoeve, A.L., de Haes, J.C. (1993). Fatigue in cancer patients. *British Journal of Cancer*, 68, 220-224.

Smilkstein, G. (1978). The family APGAR: A proposal for a family functioning test and its use by physicians. *The Journal of Family Practice*, *6*, 1231-1239.

Smilkstein, G. (1993). Family APGAR analyzed. Family Medicine, 25, 293-294.

Smilkstein, G., Ashworth, C., & Montano, D. (1982). Validity and reliability of the family APGAR a test of family function. *Journal of Family Practice*, 15, 303-311.

- Smith, M.T. & Haythornthwaite, J.A. (2004). How do sleep disturbance and chronic pain inter-relate? Insights from the longitudinal and cognitive-behavioral clinical trails literature. *Sleep Medicine Reviews*, 8, 119-132.
- Soivong, P. (1995). Patterns of nausea and vomiting, associated factors, and self-care among breast cancer patients receiving chemotherapy. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.

Spiegel, D., Bloom, J.R., Kraemer, H.C., & Gottheil, E. (1989). Effects of

psychosocial treatment on survival of patients with metastatic breast cancer. *Lancet*, 2, 888-891.

- Spiegel, D., Bloom, J., & Yalom, I. (1981). Group support for patients with metastasis cancer: A randomized prospective outcomes study. Archives of General Psychiatry. 38, 527-533.
- Spiegel, D., Sands, S., & Koopman, C. (1994). Pain and depression in patients with cancer. *Cancer*, 74, 2570-2578.
- Stevens, J. (1996). *Applied multivariate statistics for the social sciences* (3rd ed.). New Jersy: Lawrence Erlbaum Associates, Inc.
- Stevens, J. (2002). *Applied multivariate statistics for the social sciences* (4th ed.). New Jersy: Lawrence Erlbaum Associates, Inc.

Stewart, M. J. (1993). *Integrating social support in nursing*. London: Sage Publication.

Stice, E., & Bearman, S. K. (2001). Body image and eating disturbances prospectively predict growth in depressive symptoms in adolescent girls: A growth cure analysis. *Developmental Psychology*, 37, 597-607.

- Stice, E., Rogan, J., & Randall, P. (2004). Perspective relations between social support and depression: Differential direction of effects for parent and peer support? *Journal of Abnormal Psychology*, 113, 155-159.
- Stone, P., Richards, M., & Hardy, J. (1998). Fatigue in patients with cancer. *European Journal of Cancer*, *34*, 1670-1676.
- Stone, P., Richards, M., A'Hern, R., & Hardy, J. (2001). Fatigue in patients with cancer of the breast and prostate undergoing radical radiotherapy. *Journal of Pain & Symptom Management, 22*, 1007-1015.
- Suzuki, S., et al. (1994). Sleep patterns during pregnancy in Japanese women. Journal of Psychosomatic Obstetrics & Gynaecology, 15, 19-26.
- Swain, K. & Harrigan, M. (1994). Measures of family functioning for research and practice. *Scholarly Inquiry for Nursing Practice*, 8, 11-59.
- Tabacnick, B. G., & Fidell, L. S. (1996). *Using multivariate statistics* (3rd ed.). New York: Harper Collins College Publishers.
- Tacon, A.M. (2003). Meditation as a complementary therapy in cancer. *Family and Community Health*, 26, 64-73.
- Theerakulchai, J. (2004). Factors related to fatigue and fatigue management among Thai postpartum women. Unpublished doctoral dissertation. Chiang Mai University, Thailand.
- The Ministry of Public Health. (2002). Thailand health profile 1999-2000. Retrieved 06/15/2003, from http://www.moph.go.th/ops/thealth-44/
- The Ministry of Public Health. (2005). Thailand health profile 2001-2004. Retrieved

03/03/2006, from http://www.moph.go.th/ops/thealth-48/

Thai National Cancer Institute. (2002). Cancer Statistics in Thailand Vol 3. (pp. 47-

48). Retrieved November 30, 2005, from http://www.nci.go.th

The Siriraj Cancer Center (2004). *Breast cancer*. Retrived 03/23/2006, from <u>http://www.si.mahidol.ac.th/department/Cancer/home/Ca_05/breastA.pdf</u>

Thoits, P. A. (1995). Stress, coping, and social support processes: Where are we? What next? *Journal of Health and Social Behaviour, 36*, 53-79.

Thompson, D.S. & Shear, M.K. (1998). Psychiatric disorder and gynecological oncology: A review of the literature. *General Hospital Psychiatry*, 20, 241-247.

Thongsawan, A. (2000). The relationships among selected factors, postpartum support, infant temperament, and postpartum anxiety and depression.
Unpublished master's thesis in Maternity and Newborn Nursing, Faculty of Graduated Studies, Mahidol University, Bangkok, Thailand.

Tiansawad, S. & Jaruwacharapanichkul, A. (1997). Quality of life of women with gynecological cancer who received chemotherapy (Research Report).
Chiang Mai, Thailand. Chiang Mai University.

Tilden, V. P. & Weinert, S. C. (1987). Social support and chronically ill individual. *Nursing Clinics of North America*, 22, 613-620.

Tohthong, W. (2002). Patterns of fatigue among ervical cancer patients receiving concurrent chemoradiotherapy. Unpublished master's thesis, Chiang Mai University, Thailand.

Tongprateep, T. & Tipseankhun, N. (2002). Dhamma for nursing. In T. Tongprateep, et al. (Eds.). *Buddhism for nursing*. (pp. 1-15). Bangkok, Thailand: Eak Pim Thai Press.

Tucker, A.P. (1998). *Sleep, fatigue, and affect in women receiving chemotherapy for cancer.* Unpublished doctoral dissertation, Yeshiva University.

- Uphold, C.R., Lenz, E.R., & Soeken, K. (2000). Social support transactions between professional and nonprofessional women and their mothers. *Research in Nursing & Health*, 23, 447-460.
- Vermorken, J. B. (2003). The role of anthracyclines in second-line therapy of ovarian cancer. *International Journal of Gynecological Cancer*, *13*(Suppl2), 178-184.

Visser, M., Smets, E., Sprangers, M., & de Haes, H. (2000). How response shift may affect the measurement of change in fatigue. *Journal of Pain & Symptom Management*, 20, 12-18.

Vogelzang, J.G., Breitbart, W., Cella, C., et al. (1997). Patient, caregiver, and oncologist perceptions of cancer-related fatigue: results of a tripart assessment survey. *Seminars Hematology*, *13*(3 Suppl.2), 4-12.

Walker, L. G. (1990). The measurement of anxiety. *Postgraduate Medical Journal* 66, 511-517.

Waltz, C.F., Strickland, O., & Lenz, E. 1991). *Measurement in nursing research* (2nd ed.). Philadelphia: F.A. Davis.

Ward, N.G., Bloom, V.L., Dworkin, S., Fawcett, J., Narasimhachari, N., & Friedel,
 R.O. (1982). Psychological markers in coexisting pain and depression:
 Towards a unified theory. *Journal of Clinical Psychiatry*, 43, 32-39.

West, S.G., Finch J. F., & Curran, P. J. (1995). Structural equation models with nonnormal variables. In R.H. Hoyle (Ed.), *Structural equation modeling:*

Concepts, issues, and applications (pp. 56-75). Thousand Oaks, CA: Sage Publications.

- Whittemore, R., Rankin, S.H., Callahan, C.D., Leder, M.C., & Carroll, D.L. (2000). The peer advisor experience providing social support. *Qualitative Health Research*, 10, 260-276.
- Williams, S. & Schreier, A. (2004). The effect of education in managing side effects in women receiving chemotherapy for treatment of breast cancer. *Oncology Nursing Forum, 31*(1), E16-E23. Retrieved November 15, 2005. from www.ons.org
- Wilson, K.G., Eriksson, M.Y., D'Eon, J.L., Mikail, S.F., & Emery, P.C. (2002).
 Major depression and insomnia in chronic pain. *Clinical Journal of Pain, 18*, 77-83.
- Windle, M. (1992). A longitudinal study of stress buffering for adolescent problem behaviors. *Developmental Psychology*, 28, 522-530.
- Winningham, M. L. (1996). Fatigue. In S. Groenwald, M. Frogge, M. Goodman, & C. Yarbo (Eds.). *Cancer symptom management* (pp. 42-58). Boston: Jones and Bartlett Publishers.
- Winningham, M.L. (2001). Strategies for managing cancer-related fatigue syndrome: A rehabilitation approach. *Cancer*, 92, 988-997.

Winningham, M.L. & Barton-Burke, M.B. (2000). *Fatigue in cancer: A multidimensional approach*. Sudbury: Jones and Bartlett.

Winingham, M.L., Nail, L.M., Barton-Burke, M.B., et al., (1994). Fatigue and the cancer experience: the state of knowledge. *Oncology Nursing Forum*, 21, 23-36.

- Woo, B., Dibble, S.L., Piper, B., Keating, S., & Weiss, M. (1998). Differences in fatigue bytreatment methods in women with breast cancer. *Oncology Nursing Forum*, 25, 915-920.
- Wu, H.S. & McSweeney, M. (2001). Measurement of fatigue in people with cancer. Oncology Nursing Forum, 23, 1317-1384.
- Wyatt, G.K. & Friedman, L.L. (1998). Physical and psychological outcomes of midlife and older women following surgery and adjuvant therapy for breast cancer. *Oncology Nursing Forum*, 25, 761-768.

Yanwaree, N. (2002). *Receiving family caregiving as perceived by people living with HIV/AIDS*. Unpublished doctoral dissertation, Chiang Mai University.

Yellen, S. B., Cella, D. F., Webster, K., Blendowski, C., & Kaplan, E. (1997).

Measuring fatigue and other anemia-related symptoms with the Functional Assessment of Cancer Therapy (FACT) measurement system. *Journal of Pain and Symptom Management*, *13*, 63-74.

- Yellen, S.B. & Dyonzak, J.V. (1996). Sleep disturbances. In. S.L. Groenwald, M.H. Frogge, M. Goodman, & C.H. Yabro (Eds.). *Cancer symptom management* (pp. 151-168). Boston: Jones and Bartlett Publishers.
- Zeman, F. & Ney, D. (1988). *Applications of clinical nutrition*. Englewood Cliffs, NJ: Prentice Hall.

Zigmond, A.S., & Snaith, R. P. (1983). The hospital anxiety and depression scale. *Acta Psychiatrica Scandinavica*, 67, 361-370.