

## REFERENCES

- Adak T, Subbarao SK, Sharma VP, Rao SR. Lactate dehydrogenase allozyme differentiation of species in the *Anopheles culicifacies* complex. Med Vet Entomol 1994; 8: 137-40.
- Alam MT, Das MK, Dev V, Ansari MA, Sharma YD. Molecular identification of *Anopheles (Cellia) sondaicus* from the Andaman and Nicobar islands of India. Acta Trop 2006; 97: 10-18.
- Apiwathnasorn C, Prommongkol S, Samung Y, Limrat D, Rojruthai B. Potential for *Anopheles camprestris* (Diptera: Culicidae) to transmit malaria parasites in Pa Rai subdistrict (Aranyaprathet, Sa Kaeo province), Thailand. J Med Entomol 2002; 39: 583-6.
- Baimai V. Population cytogenetics of the malaria vector *Anopheles leucosphyrus* group. Southeast Asian J Trop Med Public Health 1988; 19: 667-80.
- Baimai V. Speciation and species complexes of the *Anopheles* malaria vectors in Thailand. In: Proceedings of the 3rd Conference on Malaria Research; 1989 Oct 18-20; Thailand; 1989. p. 146-62.
- Baimai V, Andre RG, Harrison BA, Kijchalao U, Panthusiri L. Crossing and chromosomal evidence for two additional sibling species within the taxon *Anopheles dirus* Peyton and Harrison (Diptera: Culicidae) in Thailand. Proc Entomol Soc Wash 1987; 89: 157-66.

- Baimai V, Harrison BA, Somchit L. Karyotype differentiation of three anopheline taxa in the *Balabacensis* complex of Southeast Asia (Diptera: Culicidae). *Genetica* 1981; 57: 81-6.
- Baimai V, Harbach RE, Kijchalao U. Cytogenetic evidence for a fifth species within the taxon *Anopheles dirus* in Thailand. *J Am Mosq Control Assoc* 1988a; 4: 333-8.
- Baimai V, Kijchalao U, Rattarithikul R. Metaphase karyotypes of *Anopheles* of Thailand and southeast Asia: V. *Myzomyia* series, subgenus *Cellia* (Diptera: Culicidae). *J Am Mosq Control Assoc* 1996a; 12: 97-105.
- Baimai V, Kijchalao U, Rattarithikul R. Metaphase karyotypes of *Anopheles* of Thailand and southeast Asia: VI. The *Pyretophorus* and the *Neomyzomyia* series, subgenus *Cellia* (Diptera: Culicidae). *J Am Mosq Control Assoc* 1996b; 12: 669-75.
- Baimai V, Kijchalao U, Rattarithikul R, Green CA. Metaphase karyotypes of *Anopheles* of Thailand and southeast Asia: II. *Maculatus* group, *Neocellia* series, subgenus *Cellia*. *Mosq Syst* 1993; 5: 116-23.
- Baimai V, Kijchalao U, Sawadwongporn P, Green CA. Geographic distribution and biting behaviour of four species of the *An. dirus* complex (Diptera: Culicidae) in Thailand. *Southeast Asian J Trop Med Public Health* 1988b; 19: 151-61.
- Baimai V, Thu MM, Paing M, Maheswary NP. Distribution and chromosomal polymorphism of the malaria vector *Anopheles dirus* species D. *Southeast Asian J Trop Med Public Health* 1988c; 19: 661-5.

- Baker EZ, Beier JC, Meek SR, Wirtz RA. Detection and quantification of *Plasmodium falciparum* and *P. vivax* infections in Thai-Kampuchean *Anopheles* (Diptera: Culicidae) by enzyme-linked immunosorbent assay. *J Med Entomol* 1987; 24: 536-41.
- Beier JC, Perkins PV, Wirtz RA, Whitmire RE, Mugambi M, Hockmeyer WT. Field evaluation of an enzyme-linked immunosorbent assay (ELISA) for *Plasmodium falciparum* sporozoite detection in anopheline mosquitoes from Kenya. *Am J Trop Med Hyg* 1987; 36: 459-68.
- Carlson DA, Walsh JF. Identification of two West African black flies (Diptera: Simuliidae) of the *Simulium damnosum* species complex by analysis of cuticular paraffins. *Acta Trop* 1981; 38: 235-9.
- Chabpunnarat S. Cytogenetic study of the *Anopheles maculatus* complex. M.Sc. Thesis, Bangkok, Mahidol University, 1988.
- Chen B, Butlin RK, Harbach RE. Molecular phylogenetics of the Oriental members of *Anopheles* subgenus *Cellia* (Diptera: Culicidae) inferred from nuclear and mitochondrial DNA sequences. *Syst Entomol* 2003; 28: 57-69
- Chen B, Butlin RK, Pedro PM, Wang XZ, Harbach RE. Molecular variation, systematics and distribution of the *Anopheles fluviatilis* complex in southern Asia. *Med Vet Entomol* 2006; 20: 33-43.
- Chen B, Harbach RE, Butlin RK. Molecular and morphological studies on the *Anopheles minimus* group of mosquitoes in southern China: taxonomic review, distribution and malaria vector status. *Med Vet Entomol* 2002; 16: 253-65.

- Chomcharn Y, Surathin K, Bunnag D, Sucharit S, Harinasuta T. Effects of a single dose of primaquine on a Thai strain of *Plasmodium falciparum*. Southeast Asian J Trop Med Public Health 1980; 11: 408-9.
- Choochote W, Maleewong W, Sucharit S, Tesana S. Scanning electron microscopic study of pupal seta 9-III-V of *Anopheles balabacensis* (Perils form) and *Anopheles dirus* (Bangkok strain). Southeast Asian J Trop Med Public Health 1987; 18: 571-3.
- Choochote W, Pitasawat B, Jitpakdi A, Rattanachanpichai E, Riyong D, Leemingsawat S, et al. The application of ethanol-extracted *Gloriosa superba* for metaphase chromosome preparation in mosquitos. Southeast Asian J Trop Med Public Health 2001; 32: 76-82.
- Choochote W, Jitpakdi A, Rongsriyam Y, Komalamisra N, Pitasawat B, Palakul K. Isoenzyme study and hybridization of two forms of *Anopheles sinensis* (Diptera: Culicidae) in northern Thailand. Southeast Asian J Trop Med Public Health 1998; 29: 841-8.
- Choochote W, Jitpakdi A, Sukontason KL, Chaithong U, Wongkamchai S, Pitasawat B, et al. Intraspecific hybridization of two karyotypic forms of *Anopheles vagus* (Diptera: Culicidae) and the related egg surface topography. Southeast Asian J Trop Med Public Health 2002a; 33 (Suppl 3): 29-35.
- Choochote W, Rongsriyam Y, Leemingsawat S, Jitpakdi A, Komalamisara N, Surathin K, et al. Intraspecific hybridization of *Anopheles minimus* (Diptera: Culicidae) species A and C in Thailand. Southeast Asian J Trop Med Public Health 2002b; 33 (Suppl 3): 23-8.

- Choochote W, Sucharit S, Abeywickreme W. A note on adaptation of *Anopheles annularis* Van Der Wulp, Kanchanaburi, Thailand, to free mating in a 30 x 30 x 30 cm cage. Southeast Asian J Trop Med Public Health 1983; 14: 559-60.
- Choochote W, Sucharit S, Khamboonruang C, Somboon P, Maleewong W, Suwanpanit P. Adaptation of various species and strains of *Anopheles* mosquitoes to natural copulation in a 30 cm cube cage. J Parasit Trop Med Ass Thailand 1985; 8: 44-7.
- Christophers SR. Studies on the anopheline fauna of India (Parts I-IV). Rec Malar Surv India 1931; 2: 305-32.
- Christophers SR. The fauna of British India, including Ceylon and Burma. Diptera. Vol. IV. Family Culicidae. Tribe Anophelini. Taylor and Francis, London, 1933: 371 pp.
- Crawford R. Some anopheline pupae of Malaya with a note on pupal structure. Government Printer, Singapore, 1938: 110.
- Damrongphol P, Baimai V. Scanning electron microscopic observations and differentiation of eggs of the *Anopheles dirus* complex. J Am Mosq Control Assoc 1989; 5: 563-8.
- Division of Malaria. Annual Report, Department of Communicable Disease Control, Ministry of Public Health, 2005.
- Farris JS, Kallersjo M, Kluge SG, Bult C. Testing significance of incongruence. Cladistics 1994; 10: 315-20.
- Folmer O, Black M, Hoehn W, Lutz R, Vrijenhoek R. DNA primers for amplification of mitochondrial cytochrome *c* oxidase subunit I from diverse metazoan invertebrates. Mol Mar Biol Biotechnol 1994; 3: 294-9.

- Frances SP, Klein TA, Wirtz RA, Eamsila C, Pilakasiri C, Linthicum KJ. *Plasmodium falciparum* and *P. vivax* circumsporozoite proteins in anophelines (Diptera: Culicidae) collected in eastern Thailand. *J Med Entomol* 1996; 33: 990-1.
- Garros C, Koekemoer LL, Kamau L, Awolola TS, Van Bortel M, Coetzee M, et al. Restriction fragment length polymorphism method for the identification of major African and Asian malaria vectors within the *Anopheles funestus* and *An. minimus* groups. *Am J Trop Med Hyg* 2004; 70: 260-5.
- Gingrich JB, Weatherhead A, Sattabongkot J, Pilakasiri C, Wirtz RA. Hyperendemic malaria in a Thai village: Dependence of year-round transmission on focal and seasonally circumscribed mosquito (Diptera: Culicidae) habitats. *J Med Entomol* 1990; 27: 1016-26.
- Gould DJ, Esah S, Pranith U. Relation of *Anopheles aconitus* to malaria transmission in the central plain of Thailand. *Trans R Soc Trop Med Hyg* 1967; 61: 441-2.
- Green CA. Cytological maps for the practical identification of females of the three freshwater species of the *Anopheles gambiae* complex. *Ann Trop Med Parasitol* 1972; 66: 143-7.
- Green CA. Polytene chromosome relationships of the *Anopheles stephensi* species group from the Afrotropical and Oriental regions. In: Steiner WWM, Tabachnick WT, Rai KS, Narang S, editors. *Recent Developments in the Genetics of Insect Disease Vectors*. Stipes Publishing Company, Champaign, Illinois, 1982.
- Green CA, Baimai V. Polytene chromosomes and their use in species studies of malaria vectors as exemplified by *Anopheles maculatus* complex. In: Chopra

- VL, Joshi BC, Sharma RP, Bansal HC, editors. Genetics: New Frontiers. Proceedings XV International Congress of Genetics. Vol. 3. Oxford and IBH Publ. Comp, New Delhi, 1984: 89-97.
- Green CA, Baimai V, Harrison BA, Andre RG. Cytogenetic evidence for a complex of species within the taxon *Anopheles maculatus* (Diptera: Culicidae). Biol J Linn Soc 1985; 4: 321-8.
- Green CA, Gass RF, Munstermann LE, Baimai V. Population-genetic evidence for two species in *Anopheles minimus* in Thailand. Med Vet Entomol 1990; 4: 25-34.
- Green CA, Miles SJ. Chromosomal evidence for sibling species of the malaria vector *Anopheles (Cellia) culicifacies* Giles. J Trop Med Hyg 1980; 83: 75-8.
- Green CA, Munstermann LE, Tan SG, Panyim S, Baimai V. Population genetic evidence for species A, B, C and D of the *Anopheles dirus* complex in Thailand and enzyme electromorphs for their identification. Med Vet Entomol 1992a; 6: 29-36.
- Green CA, Rattarithikul R, Charoensub A. Population genetic confirmation of species status of the malaria vectors *Anopheles willmori* and *An. pseudowillmori* in Thailand and chromosome phylogeny of the Maculatus group of mosquitoes. Med Vet Entomol 1992b; 6: 335-41.
- Green CA, Rattarithikul R, Pongprasit S, Sawadwongporn P, Baimai V. A newly-recognized vector of human malarial parasites in the Oriental region, *Anopheles (Cellia) pseudowillmori* (Theobald, 1910). Trans R Soc Trop Med Hyg 1991; 85: 35-6.

- Harbach RE. The classification of genus *Anopheles* (Diptera: Culicidae): a working hypothesis of phylogenetic relationships. *Bull Entomol Res* 2004; 94: 537-53.
- Harbach RE, Gingrich JB, Pang LW. Some entomological observations and malaria transmission in a remote village in northwestern Thailand. *J Am Mosq Control Assoc* 1987; 3: 296-301.
- Harbach RE, Parkin E, Chen B, Butlin RK. *Anopheles (Cellia) minimus* Theobald (Diptera: Culicidae): neotype designation, characterization, and systematics. *Proc Entomol Soc Wash* 2006; 108: 198-209.
- Harrison BA. Medical entomology studies: XIII. The Myzomyia series of *Anopheles (Cellia)* in Thailand, with emphasis of intra-interspecific variations (Diptera: Culicidae). *Contrib Am Entomol Inst* 1980; 17: 1-195.
- Harrison BA, Rattanarithikul R, Peyton EL, Mongkolpanya K. Taxonomic changes, revised occurrence records and notes on the Culicidae of Thailand and neighboring countries. *Mosq Syst* 1990; 22: 196-227.
- Hii JLK. Genetic investigations of laboratory stocks of the complex of *Anopheles balabacensis* Baisas (Diptera: Culicidae). *Bull Entomol Res* 1985; 75: 185-97.
- Hudson RR, Boos DD, Kaplan NL. A statistical test for detecting geographic subdivision. *Molec Biol Evol* 1992; 9: 138-51.
- Ismail IA, Phinichpongse S, Boonrasri P. Responses of *Anopheles minimus* to DDT residual spraying in a clear forested foothill area in central Thailand. *Acta Trop* 1978; 35: 69-82.



- Jitpakdi A, Choochote W, Vanichthanakom P, Tippawangkosol P, Pitasawat B, Naboonme S. Scanning electron microscopy of eggs of *Anopheles barbirostris* and *An. donaldi* (Diptera: Culicidae). *J Trop Med Parasitol* 1998; 21: 43-6.
- Jitpakdi A, Junkum A, Pitasawat B, Komalamisra N, Rattanachanpichai E, Chaithong U, et al. Laboratory colonization of *Aedes lineatopennis*. *Southeast Asian J Trop Med Public Health* 2005; 36 (Suppl 4): 158-66.
- Joshi H, Vasantha K, Subbarao SK, Sharma VP. Host feeding patterns of *Anopheles culicifacies* species A and B. *J Am Mosq Control Assoc* 1988; 4: 248-51.
- Kanda T. Improved techniques for the preparation of polytene chromosomes for some *Anopheles* mosquitoes. *Mosq News* 1979; 39: 568-74.
- Kanda T, Takai K, Chiang GL, Cheong WH, Sucharit S. Hybridization and some biological facts of seven strains of the *Anopheles leucosphyrus* group (Reid, 1968). *Jpn J Sanit Zool* 1981; 32: 321-9.
- Kim SJ, Choochote W, Jitpakdi A, Junkum A, Park SJ, Min GS. Establishment of a self-mating mosquito colony of *Anopheles sinensis* from Korea. *Korean J Entomol* 2003; 33: 267-71.
- Kimura M. A simple method for estimating evolutionary rates of base substitution through comparative studies of nucleotide sequences. *J Mol Evol* 1980; 16: 111-20.
- Kitthawee S, Edman JD. Adult body size and biting activity of field populations of *Anopheles dirus* (Diptera: Culicidae). *Southeast Asian J Trop Med Public Health* 1995; 26: 582-5.

- Kittayapong P, Clark JM, Edman JD, Potter TL, Lavine BK, Marion JR, et al. Cuticular lipid differences between the malaria vector and non-vector forms of the *Anopheles maculatus* complex. *Med Vet Entomol* 1990; 4: 405-13.
- Komalamisra N. Genetic variability in isoenzymes of *Anopheles minimus* group from various localities in Thailand. *Jpn J Sanit Zool* 1989; 41: 69-80.
- Linton YM, Dusfour I, Howard TM, Ruiz F, Manh ND, Dinh TH, et al. *Anopheles (Cellia) epiroticus* (Diptera:Culicidae), a new malaria vector species in the Southeast Asian Sundaicus Complex. *Bull Entomol Res* 2005; 95: 329-39.
- Limrat D, Rojruthai B, Apiwathnasorn C, Samung Y, Prommongkol S. *Anopheles barbirostris/campestris* as a probable vector of malaria in Aranyaprathet, Sa Kaeo province. *Southeast Asian J Trop Med Public Health* 2001; 32: 739-44.
- Lounibos LP, Duzak D, Linley JR. Comparative egg morphology of six species of the *albimanus* section of *Anopheles (Nyssorhynchus)* (Diptera: Culicidae). *J Med Entomol* 1997; 34: 136-55.
- Mafuyai HB, Phillips A, Molyneux DH, Milligan P. Identification of the larvae of the *Simulium damnosum* complex from Nigeria by analysis of cuticular hydrocarbons. *Trop Med Parasitol* 1994; 45: 130-2.
- Manonmani A, Townson H, Adeniran T, Jambulingam P, Sahu S, Vijayakuma T. rDNA-ITS2 polymerase chain reaction assay for the sibling species of *Anopheles fluviatilis*. *Acta Trop* 2001; 78: 3-9.
- Millest AL. Identification of members of the *Simulium ochraceum* species complex in the three onchocerciasis foci in Mexico. *Med Vet Entomol* 1992; 6: 23-8.

- Min GS, Choochote W, Jitpakdi A, Kim SJ, Kim W, Jung J, et al. Intraspecific hybridization of *Anopheles sinensis* (Diptera: Culicidae) strains from Thailand and Korea. *Mol Cells* 2002; 14: 198-204.
- Mitchell SE, Narang SK, Cockburn AF, Seawright JA, Goldenthal M. Mitochondrial and ribosomal DNA variation among members of the *Anopheles quadrimaculatus* (Diptera: Culicidae) species complex. *Genome* 1992; 35: 939-50.
- Mosha FW, Mutero CM. Separation of *Anopheles merus* from freshwater *Anopheles gambiae* by salinity tolerance test and morphological characters. *Parassitologia* 1982; 24: 255-64.
- Nanda N, Das MK, Wattal S, Adak T, Subbarao SK. Cytogenetic Characterization of *Anopheles sundaicus* (Diptera: Culicidae) Population from Car Nicobar Island, India. *Ann Entomol Soc Am* 2004; 97: 171-6.
- Nei M. *Molecular evolutionary genetics*, Columbia University Press, New York, 1987.
- Nguyen DM, Tran DH, Harbach RE, Elphick J, Linton YM. A new species of the Hyrcanus Group of *Anopheles*, subgenus *Anopheles*, a secondary vector of malaria in coastal areas of southern Vietnam. *J Am Mosq Control Assoc* 2000; 16: 189-98.
- Nguyen DM, Tran DH, Nguyen TV. *Anopheles (Anopheles) vietnamensis*: a new species in the *Anopheles hyrcanus* group from Vietnam (Diptera: Culicidae). *Mosq Syst* 1993; 25: 215-21.
- Park SJ, Choochote W, Jitpakdi A, Junkum A, Kim SJ, Jariyapan N, et al. Evidence for a conspecific relationship between two morphologically and cytologically

- different Forms of Korean *Anopheles pullus* mosquito. Mol Cells 2003; 16: 354-60.
- Paskewitz SM, Wesson DM, Collins FH. The internal transcribed spacers of ribosomal DNA in five members of the *Anopheles gambiae* species complex. Insect Mol Biol 1993; 2: 247-57.
- Paterson HE. A comment on "Mate Recognition Systems". Evolution 1980; 34: 330-1.
- Peyton EL. A new classification for the Leucosphyrus Group of *Anopheles* (*Cellia*). Mosq Syst 1990; 21: 197-205.
- Peyton EL, Harrison BA. *Anopheles* (*Cellia*) *dirus*, a new species of the Leucosphyrus Group from Thailand (Diptera: Culicidae). Mosq Syst 1979; 11: 40-52.
- Peyton EL, Ramalingam S. *Anopheles* (*Cellia*) *nemophilous*, a new species of the Leucosphyrus Group from Peninsular Malaysia and Thailand (Diptera: Culicidae). Mosq Syst 1988; 20: 272-99.
- Phillips A, Walsh JF, Garms R, Molyneux DH, Milligan P, Ibrahim G. Identification of adults of the *Simulium damnosum* complex using hydrocarbon analysis. Trop Med Parasitol 1985; 36: 97-101.
- Phuc HK, Ball AJ, Son L, Hanh NV, Tu ND, Lien NG, et al. Multiplex PCR assay for malaria vector *Anopheles minimus* and four related species in the Myzomyia Series from Southeast Asia. Med Vet Entomol 2003; 17: 423-8.
- Rattanaarithikul R, Green CA. Formal recognition of the species of the *Anopheles maculatus* group (Diptera: Culicidae) occurring in Thailand, including the

- descriptions of two new species and a preliminary key to females. *Mosq Syst* 1986; 18: 246-78.
- Rattanarithikul R, Harbach RE. *Anopheles maculatus* (Diptera: Culicidae) from the type locality of Hong Kong and two new species of the maculatus complex from the Philippines. *Mosq Syst* 1990; 22: 160-83.
- Rattanarithikul R, Panthusiri P. Illustrated keys to the medically important mosquitos of Thailand. *Southeast Asian J Trop Med Public Health* 1994; 25 (Suppl 1): 1-66.
- Rattanarithikul R, Harrison BA, Harbach RE, Panthusiri P, Coleman RE. Illustrated keys to the mosquitoes of Thailand IV. *Anopheles*. *Southeast Asian J Trop Med Public Health* 2006; 37 (Suppl 2): 1-128.
- Rattanarithikul R, Konishi E, Linthicum KJ. Detection of *Plasmodium vivax* and *Plasmodium falciparum* circumsporozoite antigen in anopheline mosquitoes collected in southern Thailand. *Am J Trop Med Hyg* 1996; 54: 114-21.
- Rao TR. The Anophelines of India. Malaria Research Centre, Indian Council of Medical Research, New Delhi, 1984.
- Reid JA. Anopheline mosquitoes of Malaya and Borneo. *Stud Inst Med Res Malaya* 1968; 31: 1-520.
- Reid JA, Wattal BL, Peters W. Notes on *Anopheles maculatus* and related species. *Bull Indian Soc Malariol Commun Dis* 1966; 3: 185-97.
- Robert V, Verhave JP, Ponnudurai T, Louwe L, Scholtens P, Carnevale P. Study of the distribution of circumsporozoite antigen in *Anopheles gambiae* infected with *Plasmodium falciparum*, using the enzyme-linked immunosorbent assay. *Trans R Soc Trop Med Hyg* 1988; 82: 389-91.

- Rodriguez MH, Chavez B, Orozco A, Loyola EG, Martinez-Palomo A. Scanning electron microscopic observations of *Anopheles albimanus* (Diptera: Culicidae) eggs. *J Med Entomol* 1992; 29: 400-6.
- Rongnoparut P, Sirichotpakorn N, Rattanarithikul R, Yaicharoen S, Linthicum KJ. Estimates of gene flow among *Anopheles maculatus* populations in Thailand using microsatellite analysis. *Am J Trop Med Hyg* 1999; 60: 508-15.
- Rongnoparut P, Yaicharoen S, Sirichotpakorn N, Rattanarithikul R, Lanzaro GC, Linthicum KJ. Microsatellite polymorphism in *Anopheles maculatus*, a malaria vector in Thailand. *Am J Trop Med Hyg* 1996; 55: 589-94.
- Rongsriyam Y, Jitpakdi A, Choochote W, Asavanich A, Tookyang B, Budsong K. Light and scanning electron microscopy of the eggs of *Anopheles sinensis* (Diptera: Culicidae). *Mosq-Borne Dis Bull* 1996; 13: 1-7.
- Rongsriyam Y, Jitpakdi A, Choochote W, Somboon P, Tookyang B, Suwonkerd W. Comparative susceptibility of two forms of *Anopheles sinensis* Wiedemann 1828 (Diptera : Culicidae) to infection with *Plasmodium falciparum*, *P. vivax*, *P. yoelii* and the determination of misleading factor for sporozoite identification. *Southeast Asian J Trop Med Public Health* 1998; 29: 159-67.
- Rosenberg R. Inability of *Plasmodium knowlesi* sporozoites to invade *Anopheles freeborni* salivary glands. *Am J Trop Med Hyg* 1985; 24: 687-91.
- Rosenberg R, Andre RG, Somchit L. Highly efficient dry season transmission of malaria in Thailand. *Trans R Soc Trop Med Hyg* 1990; 84: 22-8.
- Rozas J, Sanchez-DelBarrio JC, Messeguer X, Rozas R. DnaSP, DNA polymorphism analyses by the coalescent and other methods: an integrated program for

- molecular population genetics and molecular evolution analysis. *Bioinformatics* 2003; 19: 2496-7.
- Rwegoshora RT, Sharpe RG, Baisley KJ, Kittayapong P. Biting behavior and seasonal variation in the abundance of *Anopheles minimus* species A and C in Thailand. *Southeast Asian J Trop Med Public Health* 2002; 33: 694-701.
- Sallum MAM, Peyton EL, Harrison BA, Wilkerson RC. Revision of the *Leucosphyrus* group of *Anopheles (Cellia)* (Diptera, Culicidae). *Rev Brasil Entomol* 2005a; 49 (Suppl 1): 1-152.
- Sallum MAM, Peyton EL, Wilkerson RC. Six new species of the *Anopheles leucosphyrus* group, reinterpretation of *An. elegans* and vector implications. *Med Vet Entomol* 2005b; 19: 158-99.
- Sasa M. Human filariasis: A global survey of epidemiology and control. University of Tokyo Press, Tokyo, 1976.
- Sawabe K, Takagi M, Tsuda Y, Tuno N. Molecular variation and phylogeny of the *Anopheles minimus* complex (Diptera: Culicidae) inhabiting Southeast Asian countries, based on ribosomal DNA internal transcribed spacers, ITS1 and 2, and the 28S D3 sequences. *Southeast Asian J Trop Med Public Health* 2003; 34: 771-80.
- Sawadipanich Y, Baimai V, Harrison BA. *Anopheles dirus* species E: Chromosomal and crossing evidence for another member of the *dirus* complex. *J Am Mosq Control Assoc* 1990; 6: 477-81.
- Scanlon JE, Peyton EL, Gould DJ. An annotated checklist of the *Anopheles* of Thailand. *Thai Natl Sci Pap Fauna Ser* 1968; 2: 1-35.

- Sharma GP, Soni KG, Chaudhry S. Salivary gland chromosome map of *Anopheles aconitus* Donitz (Diptera: Culicidae). *Cytobios* 1980; 27: 35-42.
- Sharpe RG, Harbach RE, Butlin RK. Molecular variation and phylogeny of members of the *Minimus* group of *Anopheles* subgenus *Cellia* (Diptera: Culicidae). *Syst Entomol* 2000; 25: 263-72.
- Sharpe RG, Hims MM, Harbach RE, Butlin RK. PCR-based methods for identification of species of the *Anopheles minimus* group: allele-specific amplification and single-strand conformation polymorphism. *Med Vet Entomol* 1999; 13: 265-73.
- Somboon P, Morakote N. Infectivity of gametocytes of *Plasmodium falciparum* and *Plasmodium vivax* after storage *in vitro*. *Ann Trop Med Parasitol* 1990; 84: 89-91.
- Somboon P, Morakote N, Koottathep S, Trisanarom U. Detection of sporozoites of *Plasmodium vivax* and *Plasmodium falciparum* in mosquitoes by ELISA: false positivity associated with bovine and swine blood. *Trans R Soc Trop Med Hyg* 1993; 87: 322-4.
- Somboon P, Suwonkerd W. Establishment of a stenogamous colony of *Anopheles minimus* species A. *Ann Trop Med Parasitol* 1997; 91: 673-6.
- Somboon P, Thongwat D, Choochote W, Walton C, Takagi M. Crossing experiments of *Anopheles minimus* species C and putative species E. *J Am Mosq Control Assoc* 2005; 21: 5-9.
- Somboon P, Walton C, Sharpe RG, Higa Y, Tuno N, Tsuda Y, et al. Evidence for a new sibling species of *Anopheles minimus* from the Ryukyu Archipelago, Japan. *J Am Mosq Control Assoc* 2001; 17: 98-113.



- Subbarao SK. Anopheline species complexes in South-East Asia. WHO Tech Pub Ser 1998; 18: 1-82.
- Subbarao SK, Vasantha K, Sharma VP. Studies on the crosses between the sibling species of the *Anopheles culicifacies* complex. J Hered 1988; 79: 300-3.
- Sucharit S, Apiwathnasorn C, Komalamisra N, Thongrunkiat S, Surathinth K, Leemingsawast S. *Anopheles minimus* species complex and its intraspecific variations. In: Sabcharoen A, Supavej S, Attanath P. eds. Proceedings of Mahidol University Seminar on Malaria Vaccine Development. Bangkok, Mahidol University, 17<sup>th</sup>-18<sup>th</sup> May, 1988a: 52-60.
- Sucharit S, Choochote W. Comparative studies on the morphometry of male genitalia and frequency of claspers movements during induced copulation of *Anopheles balabacensis* (Perlis form) and *Anopheles dirus* (Bangkok Colony strain). Mosq syst 1983; 15: 90-6.
- Sucharit S, Harrison BA, Rattanarithikul R. A dark unspotted phenotype of *Anopheles (Cellia) maculatus* Theobald, with notes on its inheritance (Diptera: Culicidae). Mosq Syst 1979; 11: 163-71.
- Sucharit S, Komalamisra N, Leemingsawat S, Apiwathanasorn C, Thongrunkiat S. Population genetic studies on the *Anopheles minimus* species complex in Thailand. Southeast Asian J Trop Med Public Health 1988b; 19: 717-23.
- Sucharit S, Surathinth K, Chaisri U, Thongrunkiat S, Samang Y. New evidence for the differed characters of *Anophele minimus* species complex. Mosq-Borne Dis Bull 1995; 12: 1-6.

- Sukowati S, Baimai V. A standard cytogenetic map for *Anopheles sundaicus* (Diptera: Culicidae) and evidence for chromosomal differentiation in populations from Thailand and Indonesia. *Genome* 1996; 39: 165-73.
- Sukowati S, Baimai V, Harun S, Dasuki Y, Andris H, Efriwati M. Isozyme evidence for three sibling species in the *Anopheles sundaicus* complex from Indonesia. *Met Vet Entomol* 1999; 13: 408-14.
- Swofford DL. PAUP: Phylogenetic analysis using parsimony (and other methods), ver. 4.0 b10. Sinauer Associates, Sunderland, MA, 1999.
- Takai K. Discrimination among strains of the mosquito *Anopheles leucosphyrus* group by electrophoresis of proteins. *Jpn J Genet* 1986; 61: 45-59.
- Takai K, Kanda T, Ogawa KI, Sucharit S. Morphological differentiation in *Anopheles maculatus* of Thailand accompanied with genetical divergence assessed by hybridization. *J Am Mosq Control Assoc* 1987; 3: 148-53.
- Tan SG, Green CA, Andre RG, Baimai V, Pang LW. Genetics of esterase and 6-phosphogluconate dehydrogenase in the *Anopheles maculatus* complex. *Acta Trop* 1986; 43: 113-23.
- Thompson JD, Gibson TJ, Plewniak DE, Jeanmougin F, Higgins DG. The CLUSTAL X-windows interface: Flexible strategies for multiple sequence alignment aided by quality analysis. *Nucleic Acids Res* 1997; 25: 4876-82.
- Torres EP, Foley DH, Saul A. Ribosomal DNA sequence markers differentiate two species of the *Anopheles maculatus* (Diptera: Culicidae) complex in the Philippines. *J Med Entomol* 2000; 37: 933-7.
- Upatham ES, Prasittisuk C, Ratanatham S, Green CA, Rojanasunan W, Setakana P, et al. Bionomics of *Anopheles maculatus* complex and their role in malaria

- transmission in Thailand. *Southeast Asian J Trop Med Public Health* 1988; 19: 259-69.
- Van Bortel W, Trung HD, Manh ND, Roelants P, Verie P, Coosemans M. Identification of two species within the *Anopheles minimus* complex in northern Vietnam and their behavioural divergences. *Trop Med Int Hlth* 1999; 4: 257-65.
- Van Bortel W, Trung HD, Roelants P, Harbach RE, Backeljau T, Coosemans M. Molecular identification of *Anopheles minimus* s.l. beyond distinguishing the members of the species complex. *Insect Mol Biol* 2000; 9: 335-40.
- Verhave JP, Leeuwenberg AD, Ponnudurai T, Meuwissen JH, van Druten JA. The biotin-streptavidin system in a two-site ELISA for the detection of plasmodial sporozoite antigen in mosquitoes. *Parasite Immunol* 1988; 10: 17-31.
- Walton C, Handley JM, Collins FH, Baimai V, Harbach RE, Deesin V, et al. Genetic population structure and introgression in *Anopheles dirus* mosquitoes in South-east Asia. *Mol Ecol* 2001; 10: 569-80.
- Walton C, Handley JM, Kuvangkadilok C, Collins FH, Harbach RE, Baimai V, et al. Identification of five species of the *Anopheles dirus* complex from Thailand, using allele-specific polymerase chain reaction. *Med Vet Entomol* 1999; 13: 24-32.
- Walton C, Handley JM, Tun-Lin W, Collins FH, Harbach RE, Baimai V, et al. Population structure and population history of *Anopheles dirus* mosquitoes in Southeast Asia. *Mol Biol Evol* 2000; 17: 962-74.
- Walton C, Somboon P, O'Loughlin SM, Zhang S, Harbach RE, Linton YM, et al. Genetic diversity and molecular identification of mosquito species in the

- Anopheles maculatus* group using the ITS2 region of rDNA. Infect Genet Evol 2006 (In press).
- White GB. The identification of mosquitoes as vectors of malaria and filariasis: Problems in the identification of parasites and their vectors. Symp Br Soc Parasitol 1979; 17: 103-43.
- White GB, Muniss JN. Taxonomic value of spermatheca size for distinguishing four members of the *Anopheles gambiae* complex in East Africa. Bull Wld Hlth Org 1972; 46: 793-99.
- White GB, Coluzzi M, Zahar AR. Review of cytogenetic studies on anopheline vectors of malaria. WHO/VBC/75.538 1975: 1-35.
- Wibowo S, Baimai V, Andre RG. Differentiation of four taxa of the *Anopheles balabacensis* complex using H-banding in sex chromosome (Diptera: Culicidae). Can J Genet Cytol 1984; 26: 425-9.
- World Health Organization. Vector resistance to pesticide. 15<sup>th</sup> report WHO Expert Committee on Vector Biology and Control. WHO TECH REP SER 1992; 818: 1-62.
- World Health Organization. Weekly Epidemiological Record 1999; 32: 265-72.
- Yuan Y. Studies on the two forms of *Anopheles (Cellia) minimus* Theobald, 1901 in China (Diptera: Culicidae). Mosq Syst 1987; 19: 143-5.