

## TABLE OF CONTENTS

	Page
<b>ACKNOWLEDGEMENT</b>	iii
<b>ABSTRACT IN THAI</b>	iv
<b>ABSTRACT IN ENGLISH</b>	v
<b>TABLE OF CONTENTS</b>	vii
<b>LIST OF FIGURES</b>	x
<b>CHAPTER 1 INTRODUCTION</b>	1
1.1 Introduction	1
1.2 Objective and scope	2
1.3 Location and data set of the study area	3
1.4 Software used	3
1.5 Literature review	6
1.5.1 Geology of the northern part of the Gulf of Thailand	6
1.5.2 Geology of the Pattani basin	10
<b>CHAPTER 2 ESSENTIAL THEORIES AND METHODS</b>	12
2.1 Well log correlation to seismic data	14
2.2 Acoustic impedance inversion	16
2.2.1 STRATA program	17
2.3 Seismic attribute analysis and porosity prediction	20
2.3.1 EMERGE program	21

	Page
2.3.2 Linear multi-regression analysis	23
2.3.3 Neural Networks	24
<b>CHAPTER 3 RESULTS AND INTERPRETATION</b>	<b>25</b>
3.1 Well log correlation to seismic data	25
3.1.1 Sandstone layer selection for porosity prediction	25
3.1.2 Wavelet extraction and synthetic generation	34
3.2 Generation of acoustic impedance volume	42
3.3 Attribute analysis and porosity prediction	48
3.3.1 Density-porosity logs	48
3.3.2 Attribute analysis	49
3.4 Interpretation	55
<b>CHAPTER 4 DISCUSSION AND CONCLUSION</b>	<b>65</b>
4.1 Discussion	65
4.2 Conclusions	67
<b>REFERENCES</b>	<b>68</b>
<b>CURRICULUM VITAE</b>	<b>71</b>


ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright © by Chiang Mai University  
 All rights reserved

## LIST OF FIGURES

<b>Fig No.</b>	<b>Description</b>	<b>Page</b>
1.1	Base map of the study area	4
1.2	Software version of STRATA program	5
1.3	Software version of EMERGE program	5
1.4	Petroleum fields map of Thailand	7
1.5	Regional Tectonic map of western southeast Asia	8
1.6	Stratigraphy and depositional environment of the Pattani basin	11
2.1	Simple flow diagram shows the use of seismic attributes to predict reservoir properties	14
2.2	An example of well log correlation with seismic data	16
2.3	The basic concept of STRATA program	18
2.4	Concept of inversion technique	19
2.5	The data driven statistical interpretation	22
3.1	Target sandstone layers in Well-1	26
3.2	Target sandstone layers in Well-2	27
3.3	Target sandstone layers in Well-3	28
3.4	Target sandstone layers in Well-7	29
3.5	Target sandstone layers in Well-8	30
3.6	Target sandstone layers in Well-12	31
3.7	Target sandstone layers in Well-11	32
3.8	A summary list shows the measured depth (ft) of target sands	33

<b>Fig No.</b>	<b>Description</b>	<b>Page</b>
3.9	The final wavelet and its generation history	35
3.10	Synthetic seismogram of Well-1	36
3.11	Synthetic seismogram of Well-2	37
3.12	Synthetic seismogram of Well-3	38
3.13	Synthetic seismogram of Well-7	39
3.14	Synthetic seismogram of Well-8	40
3.15	Multi-well analysis shows a total correlation of 0.30	41
3.16	Initial background model for inversion	44
3.17	Model-based inversion result – Inline 222	45
3.18	Model-based inversion result – Cross line 990	46
3.19	Model-based inversion derived synthetic error	47
3.20	Constants used to calculate porosity from density log	48
3.21	Input data for EMERGE to perform attribute analysis	49
3.22	Result from the multi-attribute regression	50
3.23	Average error as a function of the number of attributes	51
3.24	Cross plot between predicted porosity and actual porosity	52
3.25	Plot of the predicted and actual porosity – prediction error	53
3.26	Plot of the predicted and actual porosity – validation error	54
3.27	Inline 230 from predicted porosity volume	56
3.28	Cross line 990 from predicted porosity volume	57
3.29	Time slice at 1400 ms	58
3.30	Time slice at 1300 ms	60

<b>Fig No.</b>	<b>Description</b>	<b>Page</b>
3.31	Time slice at 1350 ms	61
3.32	Time slice at 1450 ms	62
3.33	Time slice at 1500 ms	63
3.34	Time slice at 1800 ms	64



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved