

## REFERENCES

1. D, Dechdamrongwut. (2004). Analysis of carbofuran and parathion methyl in strawberries by capillary electrophoresis, Master Thesis, Graduate School, Chiang Mai University. 1-76.
2. Kemp, G. (1998) capillary electrophoresis : a versatile family of analytical techniques Biotechnol. Appl. Biochem. 27: 9–17.
3. Hall, G.L., Mourer, C.R.and Shibamoto, T. (1997). Development of determination method for carbofuran and oxydemeton-methyl in ambient air. J. Agric. Food Chem.45: 4347-4350.
4. U.S. Environmental Protection Agency (1991). Memorandum from the Office of Pesticides and Toxic Substances to Office of Pesticide Programs Division Director, Washington, DC; p.p.5-6.
5. Ray, D.E (1991) pesticides derived from plants and other organisms. In Handbook of Pesticide Toxicology. Hayes, W. J., Jr. and Laws, E. R., Jr., Eds. Academic Press, New York, NY; p.p.2-3.
6. Molina, M., Perez-Bendito, D. and Silva, M. (1999). Multi-residue of N-methylcarbamate pesticide their hydrolytic metabolites in environmental waters by solid-phase extraction and micellar electrokinetic chromatography. Electrophoresis. 20 : 3439-3449.
7. Henry, C.W.( 2001). Separation of the insecticidal pyrethrin esters by capillary electrochromatography J.Chromatogr. A. 905:319-327.
8. Garcia-Ruiz, C .(2005). Enantiomeric separation of organophosphorus pesticides by capillary electrophoresisApplication to the determination of malathion in water samplesafter preconcentration by off-line solid-phase extraction J.Analytica Chimica Acta 543 :77–83.
9. Hern, J. and ez-Borges.( 2005). Determination of herbicides in mineral and stagnant waters at ng/L levels using capillary electrophoresis and UV detection combined withsolid-phase extraction and sample stacking J. chromatogr. A 1070 : 171–177.

10. Bermudo, E., Nu'n~ez, O., Puignou, L. and Galceran, M.T. (2006).Analysis of acrylamide in food samples by capillary zone electrophoresis J.Chromatogr. A. 1120 :199–204.
11. Maeso, N., del Castillo, C., Cornejo, L., Garc'ya-Acicollar, M., Alguacil, L.F. and Barbas, C. (2006). Capillary electrophoresis for caffeine and pyroglutamate determination in coffees Study of the in vivo effect on learning and locomotor activity in mice. J. of Pharmaceutical and Biomedical Analysis 41:1095–1100.
12. Yu, K., Lin, Z. and Cheng, Y.(2006). Optimization of the buffer system of micellar electrokinetic capillary chromatography for the separation of the active components in Chinese medicine ‘SHUANGDAN’ granule by genetic algorithm Analytica Chimica Acta 562 : 66–72.
13. Background Theory and Principles of Capillary Electrophoresis, Available : <http://www.rsc.org/pdf/books/caelectrosc.pdf> [February 2, 2006]
14. Baker, D.R. (1995). Capillary Electrophoresis.Techniques In Analytical Chemistry Series. New York.
15. Presururized Capillary Electrochromatography System Unimicro Technologies,Inc. Available : [http://www.unimicrotech.com/products\\_CEC\\_applicationnote.htm](http://www.unimicrotech.com/products_CEC_applicationnote.htm) [March 3, 2006]
16. Terabe, S. (2004). Micellar Electrokinetic. University of Hyogo. Japan. Anal. Chem.1 : 240-246
17. Capillary electrophoresis. Wikipedia. Available : Answers .com [March 13, 2006]
18. Steinwandter, H. (1985). Universal 5 min on-line method for extracting and isolating pesticide residue and industrial chemicals. fresenius Z. Anal. Chem. No. 1155.
19. Luke, M.A. , Friberg, J.E. , and Masumoto, H.T.( 1975). Extraction and clean up of organochlorine, organophosphate, organonitrogen and hydrocarbon pesticides in produce for determination by gas liquid chromatograph J. Assoc. office. Anal. Chemists. 58 : 1020-1026
20. XU, Y. (1996). Capillary Electrophoresis. Springer –verlag : Berlin. vol 1, 1-14 Isoelectric focusing . Available : <http://www.duke.usask.ca/~paa151/ief.htm> [February 23, 2006]

21. Isoelectric focusing . Available : <http://www.duke.usask.ca/~paa151/ief.htm>  
[February 23, 2006]
  22. Smith N.(1995).Capillary Electrophoresis Chromatography. Department of Chemistry Imperial College of Science, Technology and Medicine, South Kensington. United Kingdom
  23. Douglas Skoog, F. James Holler, Timothy Nieman, (1998). high performance liquid chromatography:separation and quantification of components in diet soft drinks. Analysis Saunders College Publishing, Philadelphia
  24. Gas Chromatography. School of Science and Mathematics:  
<http://www.shu.ac.uk/schools/sci/chem/tutorials/> [June 3, 2006]