

REFERENCES

- ATSDR, "Toxicological profile for cadmium", Agency for Toxic Substances and Disease Registry, ATSDR/US, Public Health Service 1989.
- Aoshima K. Epidemiology of renal tubular dysfunction in the inhabitants of a cadmium-polluted area in the Jinzu river basin in Toyama prefecture. *Tohoku J. Exp. Med* 1987; 152: 151-72.
- Brzoska MM., Moniuszko-Jakoniuk J. The influence of calcium content in diet on cumulation and toxicity of cadmium in the organism. *Arch Toxicol* 1998; 72: 63-73.
- Buchet. The influence of calcium content in diet on cumulation and toxicity of cadmium in the organism. *Arch Toxicol* 1990; 72: 63-73.
- Cai s., Yue L., Hu ZN., Zhong XZ., Ye ZL., Xu HD., *et al.* Cadmium exposure and health effects among residents in an irrigation area with ore dressing wastewater. *Sci Total Environ* 1990; 90: 67-73.
- Elinder CG. and Piscator M. Cadmium and zinc in horses. Proceedings of the 3rd International Conference on Trace Elements in Man and Animals, Freising-Weihestephan, Federal Republic of Germany, 25-29 July, 1977, Freising-Weihestephan, Munich Technical University 1978: 569-72.
- Elinder CG., Edling C., Lindberg E., Kagedal B., Vesterberg O. Assessment of renal function in workers previously exposed to cadmium. *Br J Ind Med* 1985; 42: 754-60.
- Fels LM., Buncschuh I., Gwinner W., Jung K., Pergande M., Graubaum HJ., Price RG., Taylor SA., de Broe ME., Nuyts GD, *et al.* Early urinary markers of target nephron segments as studied in cadmium toxicity. *Kidney Int* 1994; 46: S81-8.
- Flanagan PR., McLellan JS., Haist J., Cherian G., Chamberlain MJ., Valberg LS. Increased dietary cadmium absorption in mice and human subjects with iron deficiency. *Gastroenterology* 1978; 74: 841-6.
- Friberg L., Piscator M., Nordberg GF., Kjellstrom T. Cadmium in environment. Second edition, Cleveland, Ohio, CRC Press 1974: 248.
- Goyer RA., Cherian MG., Delaquerriere-Richardson L. Correlation of parameters of cadmium exposure with onset of cadmium-induced nephropathy in rats. *J environ. Pathol Toxicol Oncol* 1997; 5: 89-100.
- Granero S., Domingo JL. Levels of metals in soils of Alcala de Henares, Spain: human health risks. *Environ Int* 2002; 28: 159-64.
- Hossn E. Levels of metals in soils of Alcala de Henares, Spain: human health risks. *Environ Int* 1998; 28: 159-64.
- Ikeda M., Zhang ZW., Higashikawa K., Watanabe T., Shimbo S., Moon CS., Nakatsuka H., Matsuda-Inoguchi N. Background exposure of general women populations in Japan to cadmium in the environment and possible health effects. *Toxicol Lett* 1999; 108: 161-6.
- IPCS, "Environmental Health Criteria 134 Cadmium", Internal Programme on Chemical Safety, Geneva, 1992.

- Izuno T., Sugita M., Arita S., Otahara Y., Nasu I., Tsuchiya K., Hayashi Y. Validity of Cadmium concentration in rice as the 'dose' of the dose-response relationship between cadmium intake and renal dysfunction. *Environ Res Sect A* 2000; 84: 275-81.
- Jin T., Nordberg G., Wu X., Ye T., Kong Q., Wang Z., Zhuang F., Cai S. Urinary N-acetyl- β -D-glucosaminidase isoenzymes as biomarker of renal dysfunction caused by cadmium in a general population. *Env Res Section A* 1999; 81: 167-173.
- Jin T., Nordberg M., Dumont X., Bernard A., Ye T., *et al.* Cadmium biomonitoring and renal dysfunction among a population environmentally exposed to cadmium from smelting in China. *Biometals* 2002; 15: 397-410.
- Jung K., Pergande M., Graubau HJ., Fels LM., Endl U., Stolte H. Urinary proteins and enzymes as early indicators of renal dysfunction in chronic exposure to cadmium. *Clin Chem* 1993; 39: 757-65.
- Katagiri Y., Tati M., Iwata H., Kanai M. Concentration of cadmium in urine by age. *Med Biol* 1971; 82: 239-43 (in Japanese).
- Kawada T. Indicators of renal effects of exposure to cadmium: N-Acetyl- β -D-glucosaminidase and others. *Sangyo Eiseigaku Zasshi* 1995; 37: 69-73.
- Kawada T., Suzuki S. A review on the cadmium content of rice, daily cadmium intake, and accumulation in the kidney. *J Occup Health* 1998; 40: 264-9.
- Kido T., Nogawa K., Hochi Y., Hayano M., Honda R., Tsuritani I., Ishizaki M. The renal handling of calcium and phosphorus in environmental cadmium-exposed subjects with renal dysfunction. *J Appl Toxicol* 1993; 13(1): 43-7.
- Kowal NE., Johnson DE., Kraemer DF., Pahren HR. Normal levels of cadmium in diet, urine, blood, and tissues of inhabitants of the United States. *J Toxicol environ Health* 1979; 5: 995-1014.
- Lauwerys R., Roels H., Bernard A., Buchet JP. Renal response to cadmium in population living in a non-ferrous smelter area in Belgium. *Int Arch occup environ Health* 1982; 45: 271.
- Matichon, Column Songlokkhaisukaphap page 10. Matichon newspaper, Thailand, May 20, 2004.
- McLaughlin MJ., Parker DR., Clarke JM. Metals and micronutrients-food safety issues. *Field Crops Res* 1999; 60: 143-63.
- McLaughlin MJ., Hammon RE., McLaren RG., Speir TW., Rogers SL. Review: a bioavailability-based rationale for controlling metal and metalloid contamination of agricultural land in Australian and New Zealand. *Aust J Soil Res* 2000; 38: 1037-86.
- Moriguchi J., Ezaki T., Tsukahara T., Furuki K., Fukui Y., Okamoto S., Ukai H., Sakurai H., Shimbo S., Ikeda M. Comparative evaluation of four urinary tubular dysfunction markers, with special references to the effects of aging and correction for creatinine concentration. *Toxicol Lett* 2003; 143: 279-290.
- Mueller PW. Detecting the renal effects of cadmium toxicity. *Clin Chem* 1993; 39/5: 743-5.
- Nakagawa H., Nishijo M., Morikawa Y., Tabata M., Kawano S., Kido T., Nogawa K. *Arch Environ Health* 1993; 51: 472-3.
- Nakashima K., Kobayashi E., Nogawa K., Kido T., Honda R. Concentration of Cadmium in rice and urinary indicators of renal dysfunction. *Occup Environ Med* 1997; 54: 750-5.

- Nogawa K., Kobayashi E., Honda R., Ishizaki A. Clinico-chemical studies on chronic cadmium poisoning. *J. Hyg.* 1979; 34: 407-14.
- Nogawa K., Kido T., Shaikh ZA. Dose-response relationship for renal dysfunction in a population environmentally exposed to cadmium. In: Nordberg GF, Herber RFM, Alessio L, editors. Cadmium in the human environment: toxicity and carcinogenicity. Lyon: IARC, 1992.
- Nogawa K., Kido T. Biological monitoring of cadmium exposure in itai-itai disease epidemiology. *Int Arch Occup Environ Health* 1993; 65: S43-6.
- Nordberg GF. Cadmium metabolism and toxicity. *Environ Physiol Biochem* 1992; 2: 7-36.
- Nordberg GF. Current issues in low-dose cadmium toxicity: nephrotoxicity and carcinogenicity. *Environ Sci* 1996; 4: 133-47.
- Nordberg GF., Jin T., Kong Q., Ye T., Cai S., Wang Z., Zhuang F., Wu X. Biological monitoring of cadmium exposure and renal effects in a population group residing in a populated area in China. *Sci Total Environ* 1997; 199: 111-4.
- Osawa T., Kobayashi E., Okubo Y., Suwazono Y., Kido T., Nogawa K. A retrospective study on the relation between renal dysfunction and cadmium concentration in rice in individual hamlets in the Jinzu river basin, Toyama prefecture, Japan. *Env Res Section A* 2001; 86: 51-9.
- Piscator M., Axelsson B. Renal damage after prolonged exposure to cadmium. *Arch Environ Health.* 1966; 12: 360-73.
- Reeves PG., Chaney RL. Mineral nutrients status of female rats affects the absorption and organ distribution of cadmium from sunflower kernels (*Helianthus annuus* L.). *Environ Res* 2001; 85: 215-25.
- Saito SH., Shioji R., Hurukawa Y., Nagai K., Arikawa T., Saito T., Sasaki Y., Furuyama T., Yoshinaga K. Cd-induced proximal tubular dysfunction in a Cd-polluted area. *Contr. Nephrol.* 1977; 6: 1-12.
- Satarug S. and Moore MR. Adverse health effects of chronic exposure to low-level cadmium in foodstuffs and cigarette smoke. *Environmental Health Perspective* 2004; 112: 1099-1103.
- Satarug S., Ujjin P., Vanavanitkun Y., Baker JR., Moore MR. Influence of body iron store status and cigarette smoking on cadmium body burden of healthy Thai woman and men. *Toxicol Lett* 2004; 148: 177-185.
- Satarug S., Nishijo M., Ujjin P., Vanavanitkun Y., Moore MR. Cadmium-induced nephropathy in development of high blood pressure. *Toxicol Lett* 2005; 157: 52-68.
- Sherlock J., Smart GA., Walters B. Dietary surveys on a population at Shipham, Somerset, United Kingdom. *Sci total Environ* 1983; 29: 121-142.
- Shimbo S., Zhang ZW., Watanabe T., Nakatsuka H., Matsuda-Inoguchi N., Higashikawa K., Ikeda M. Cadmium and lead contents in rice and other cereal products in Japan in 1998-2000. *Sci Total Environ* 2001; 281: 165-175.
- Sirisunthorn S. Cadmium: dept seeks money to heal farms. The Nation, Thailand, Aug 7, 2004.
- Staessen JA., Roels HA., Emelianov D., Kuznetsova T., Thijs L., Vangronsveld J., Fagard R. Environmental exposure to cadmium, forearm bone density, and risk of fractures: prospective population study. Public Health and Environmental Exposure to Cadmium (PheeCad) Study Group. *Lancet* 1999; 353: 1140-4.

- Suk WA., Olden K., Yang RSH. Chemical mixtures research: significance and future perspectives. *Environ Health Perspect* 2002; 110: 891-2.
- Sushant C., Nivrutt H., Padma C. Urinary enzymes in nephrotic syndrome. *Indian Journal of Clinical Biochemistry* 2005; 20: 126-30.
- Syers JK., Goldfeld M. Environmental cadmium in the food chain: source, pathways and risks, Proceeding of the SCPOPE workshop. Scientific committee on problems of the environment/international council of scientific unions (SCOPE/ICSU). Sep 13-16, 2000. Brussels, Belgium. Paris: SCOPE; 2001. p.iv-v.
- Tohyama C., Kobayashi E., Satio H., Sugahara N., Nakano A., Mitane Y. Urinary α_1 -microglobulin as an indicator protein of renal tubular dysfunction caused by environmental cadmium exposure. *J. Appl. Toxicol* 1986; 6: 171-8.
- Tsuchiya K., Seki Y., Sugita M. Cadmium concentrations in the organs and tissues of cadavers from accidental deaths. *J Med* 1976; 25: 83-90.
- Tsuchiya K. Interrelationships among zinc, copper, lead, and cadmium in food, faeces, and organs of humans. *Environ Health Perspect* 1978; 25: 119-24.
- Tsukahara T., Ezaki T., Moriguchi J., Furuki K., Shimbo S., Matsuda-Inoguchi N., Higashikawa K., Ikeda M. Rice as the most influential source of cadmium intake among general Japanese population. *Sci Total Environ* 2003; 305: 41-51.
- Trzcinka-Ochocka M., Jakubowski M., Razniewska G., Halatek T., Gazewski A. The effects of environmental cadmium exposure on kidney function: the possible influence of age. *Environ Res* 2004; 95: 143-150.
- USAF. 1990. Cadmium. In: Installation Restoration Program Toxicology Guide, Vol. 5. Harry G. Armstrong Aerospace Medical Research Laboratory, Wright Patterson AFB, OH.
- Wang XP. and Foulkes EC. Specificity of acute effects of cadmium on renal function. *Toxicology* 1984; 30: 243-7.
- Wangvipula R. Pollution: high levels of cadmium found in rice. Bangkok Post news, Thailand, Feb 28, 2004.
- WHO, "Environmental health criteria 134: Cadmium", World Health Organization, Geneva, 1992.
- WHO, "Cadmium: Safety evaluation of certain food additives and contaminants. Fifty-fifty meeting of the Joint FAO/WHO Expert Committee on Food Additive (JECFA)", World Health Organization, Geneva, 2001.
- Wilson B. Investigation of trace metals in the aqueous environment: Final report, Houston, Texas Southern University 1988: 28.
- Wu X., Jin T., Wang Z., Ye T., Kong Q., Nordberg G. Urinary calcium as a biomarker of renal dysfunction in a general population exposed to cadmium. *J Occup Environ Med* 2001; 43: 898-904.
- Yanez L., Ortiz D., Calderon J., Batres L., Carrizales L., Mejia J., *et al.* Overview of human health and chemical mixtures: problems facing developing countries. *Environ Health Perspect* 2002; 110: 901-9.
- Yujing C., Yong-Guan Z., Rihong Z., Yizhong H., Yi Q., Jianzhong L. Exposure to metal mixtures and human health impacts in a contaminated area in Nanning, China. *Environ int* 2005; 31: 784-90.