REFERENCES

- Barr, S.M., and Macdonald, A.S., 1987, Nan River suture zone, northern Thailand: Geology, v. 15, p. 907-910.
- Barr, S.M., Macdonald, A.S., Dunning, G.R., Ounchanum, P., and Yaowanoiyothin, W., 2000, Petrochemistry, U-Pb (zircon) age, and paleotectonic setting of the Lampang volcanic belt, northern Thailand: Journal of the Geological Society of London, v. 157, p. 553-563.
- Barr, S.M., Tantisukrit, C., Yaowanoiyothin, W., and Macdonald, A.S., 1990, Petrology and tectonic implications of Late Paleozoic volcanic rocks of the Chiang Mai belt, northern Thailand: Journal of Southeast Asian Earth Sciences, v. 4, p. 37-47.
- Barr, S.M., Macdonald, A.S., Ounchanum, P., and Hamilton, M.A., 2006, Age, tectonic setting and regional implications, of the Chiang Khong volcanic suite, northern Thailand: Journal of the Geological Society of London, v. 163, p. 1037-1046.
- Bristow, C.S., 1990, Evidence for the nature of the Indosinian Orogeny in Thailand: International Interdisciplinary Meeting at Geological Society of London 18-20th April, 1990, London, Abstract, p.11.
- Bunopas, S., 1981, Paleogeographic History of Western Thailand and Adjacent Parts of Southeast Asia: A Plate Tectonics Interpretation. Unpublished Ph.D. thesis, Victoria University of Wellington, 810 p.
- Bunopas, S., and Vella, P., 1978, Late Paleozoic and Mesozoic structural evolution of northern Thailand A plate tectonic model: Proceedings of the Third Regional Conference on Geology and Mineral Resources of Southeast Asia, Bangkok, Thailand, p. 133-140.
- Bunopas, S., and Vella, P., 1992, Geotectonic and evolution of Thailand, In proceedings, National Conference on Geologic Resources of Thailand -

- Potential for Future Development, Bangkok, Thailand, Department of Mineral Resources, p. 189-208.
- Cabanis, B., and Lecolle, M., 1989, Le diagramme La/10-Y/15-Nb/8: un outil pour la discrimination des series volcaniques et la mise en evidence des processus de mélange et/ ou de contamination crustale: Comptes Rendus de l'Académie des Sciences. Série II, v. 309, p. 2023-2029.
- Caridroit, M., 1993, Permian radiolarian from NW Thailand. Proceedings of the International symposium on Biostratigraphy of Mainland Southeast Asia: Facies and Paleontology (BIOSEA), v. 1, Chiang Mai, Thailand, p. 83-91.
- Chaiyasan, V., Peawkiang, K., Wongkian, K., and Paipiban, J., 2003, Geology of Ban Pha Mok, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 90 p.
- Chankaew, J., Tepsatid, S., Metpasopsan, K., and Kole, Y., 2003, Geology of Ban Hai Soi, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 86 p.
- Chantaragumthorn, K., Wannaraj, N., Puangkaew, W., and Rungsawang, S., 2003, Geology of Ban Bo, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 89 p.
- Chaodumrong, P., 1992, Stratigraphy, Sedimentology and Tectonic Implications of the Lampang Group, Central North Thailand. Unpublished Ph.D. thesis, University of Tasmania, 230 p.
- Charoenpravat, A., Chuaviroj, S., Hinthong, C., and Chonglakmanee, C., 1992, Geological Map of Amphoe Long, series L7017, sheet 4945 II, scale 1:50,000, Geological Survey Division, Department of Mineral Resources, Thailand.
- Chonglukmanee, C., 1999, The Triassic system of Thailand implications for the paleogeography of Southeast Asia. In proceedings, International Symposium on Shallow Tethys (ST) 5, Chiang Mai, Thailand, Chiang Mai University, p. 486-495.
- Chuaviroj, S., Chaturongkawanich, S., and Sukawattananan, S., 1980, Geology of Geothermal Resources of Northern Thailand: Part I San Kamphaeng.

- Unpublished Report of Geological Survey Division, Department of Mineral Resources, Bangkok, 45 p.
- Chumpukawin, T., Dechaoum, D., Chaiyaraj., T., and Khanjan, S., 2003, Geology of Ban Pong, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 87 p.
- Crawford, A.J., and Panjasawatwong, Y., 1996, Ophiolites, ocean crust, and the Nan suture in NE Thailand. International Symposium on Lithosphere Dynamics of East Asia-Geology, Energy and Mineral Resources of the Indochina Region, Geological of Society China, Taipei, Taiwan, R.O.C., Program and Extended Abstracts, p. 84-89.
- Duncan, R.A., 1987, The Karoo igneous province A problem area for inferring tectonic setting from basalt geochemistry: Journal of Volcanology and Geothermal Research, v. 32, p. 13-34.
- Feng, Q., Chonglakmani, C., Helmcke, D., and Ingavat, R., 2002, Middle Triassic radiolarian fauna from Lamphun, northern Thailand. Proceedings of the Symposium on Geology of Thailand, Department of Mineral Resources, Bangkok, Thailand, p. 108-116.
- Fontaine, H., Salyapongse, S., Tien, N.D., and Vachard, D., 2002, Permian fossils recently collected from limestone of Nan Area, northern Thailand. Proceedings of the Symposium on Geology of Thailand, Department of Mineral Resources, Bangkok, Thailand, p. 45-57.
- Gertisser, R., and Keller, J., 2000, From basalt to dacite origin and evolution of the calc-alkaline series of Salina, Aeolian Arc, Italy: Contributions to Mineralogy and Petrology, v. 139, p. 607-626.
- Hada, S., 1990, Geology of the Nan Chanthaburi suture zone I. Stratigraphy and geologic structure. Technical Conference on Development Geology for Thailand into the Year 2000, Department of Geology, Chulalongkorn University, Bangkok, Abstracts, p. 5-8.
- Hada, S., Bunopas, S., Ishii, K., and Yoshikura, S., 1999, Rift-drift history and the amalgamation of Shan-Thai and Indochina/East Malaya blocks. in I.

- Metcalfe, R. Jishun, J. Charvet and S. Hada (eds.), Gondwana Dispersion and Asian Accretion: IGCP 321 Final Results Volume, p. 67-87.
- Hada, S., Bunopas, S., Salyapongse, S., Thitisuwan, V., Panjasawatwong, Y., Yaowanoiyothin, W., Ishii, K., and Yoshikura, S., 1991, Terrane analysis and tectonics of the Nan-Chanthaburi suture zone. Seventh Regional Conference on Geology, Mineral and Energy Resources of Southeast Asia (GEOSEA VII), Geological Society of Thailand, Bangkok, Abstracts, p. 40-41.
- Hellman, P.L., and Henderson, P., 1979, Are rare earth mobile during spilitization?: Nature, v. 267, p. 38-40.
- Hess, A., and Koch, K. E., compilers, 1979, Geological Map of Northern Thailand, sheets 2 (Chiang Rai) and 4 (Chiang Dao): Federal Institute for Geosciences and Natural Resources, Germany, scale 1: 250,000.
- Holm, P.E., 1982, Non-recognition of continental tholeiite using the Ti-Zr-Y diagram: Contributions to Mineralogy and Petrology, v.79, p. 308-310.
- Intasopa, S., 1993, Petrology and Geochronology of the Volcanic Rocks of the Central Thailand Volcanic Belt. Unpublished Ph.D. thesis, University of New Brunswick. 242 p.
- Intasopa, S., and Dunn, T., 1994, Petrology and Sr-Nd isotopic systems of the basalts and rhyolites, Loei, Thailand: Journal of Southeast Asian Earth Sciences, v. 9, p. 177-180.
- Janejitpaiboon, K., Kantiya, P., and Charoentum, S., 2003, Geology of Ban Kaeng Luang, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 84 p.
- Jungyusuk, N., and Khositanont, S., 1992, Volcanic rocks and associated mineralization in Thailand. Proceedings of the National Conference on Geologic Resources of Thailand - Potential for Future Development, Bangkok, Thailand, p. 522-538.
- Kamata, Y., Sashida, K., Ueno, K., Hisada, K., Nakornsri, N., and Charusiri, P., 2002, Triassic radiolarian faunas from the Mae Sariang area, northwestern Thailand and their paleogeographic significance: Journal of Asian Earth Sciences, v. 20, p. 491-506.

- Kamvong, T., Charusiri, P., and Boonsue, S., 2006, Petrochemical characteristics of igneous rock from the Wang Pong Area, Phetchabun, North Central Thailand
 Implications for tectonic setting: Journal of the Geological Society of Thailand, No. 1, p. 9-26.
- Kosuwan, P., 2004, Petrochemistry and Tectonic Setting of Mafic Volcanic Rocks in the Khlong Tha Dan Dam Area, Nakhon Nayok Province, Thailand. Unpublished M.S. Thesis, Chiang Mai University, 95 p.
- Limtrakun, P., Panjasawatwong, Y., Buasamlee, N., Boonsoong, A., Srithai, B., and Srichan, W., 2005, Petrology and Geochemistry of Late Cenozoic Basalts from Long District, Phrae Province, Northern Thailand. International Conference on "Geology, Geotechnology and Mineral Resources of Indochina" (GEOINDO 2005), Khon Kaen, Thailand, p. 352-357.
- Macdonald, A.S., and Barr, S.M., 1978, Tectonic significance of a Late Carboniferous volcanic arc in northern Thailand. Proceedings of the Third Regional Conference on Geology and Mineral Resources of Southeast Asia, Bangkok, Thailand, p. 151-156.
- Mansawatapaiboon, S., Mankhemthong, N., Maneerin, T., and Laownusorn, N., 2003, Geology of Ban Mae Pan, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 86 p.
- Meschede, M., 1986, A method of discriminating between different types of midoceanic ridge basalts and continental tholeiites with the Nb-Zr-Y diagram: Chemical Geology, v. 56, p. 207-218.
- Metcalfe, I., 2002, Permian tectonic frame work and paleography of SE Asia: Journal of Asian Earth Sciences, v. 20, p.551-566.
- Myers, R., and Breitkopf, J.H., 1989, Basalt geochemistry and tectonic setting A new approach to relate tectonic and magmatic processes: Lithos, v. 23, p. 53-62.
- Nondedgoon, K., Chowai, S., Owlram, P., and Malawong, M., 2003, Geology of Ban Mae Ta, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 88 p.

- Panjasawatwong, Y., 1991 Petrology, Geochemistry and Tectonic Implications of Igneous Rocks in the Nan Suture, Thailand, and an Empirical Study of the Effects of Ca/Na, Al/Si and H₂O on Plagioclase-Melt Equilibrium at 5-10 kb Pressure. Unpublished Ph.D. thesis, University of Tasmania, 239 p.
- Panjasawatwong, Y., 1999, Petrology and tectonic setting of eruption of basaltic rocks penetrated in well GTE-1, San Kamphaeng geothermal field, Chiang Mai, northern Thailand. Proceedings of the International Symposium on Shallow Tethys (ST) 5, Chiang Mai, Thailand, p. 242-264.
- Panjasawatwong, Y., Khin Zaw, Chantaramee, S., Limtrakun, P., and Pirarai, K., 2006, Geochemistry and tectonic setting of eruption of central Loei volcanic rocks, Pak Chom area, Loei, northeast Thailand: Journal of Asian Earth Sciences, v. 26, p. 77-90.
- Panjasawatwong, Y., Kanpeng, K., and Ruangvatanasirikun, K., 1995, Basalts in Li basin, northern Thailand: Southern extension of Chiang Mai volcanic belt. Proceedings of the International Conference on Geology, Geotechnology and Mineral Resources of Indochina (GEO-INDO'95), Khon Kaen, Thailand, p. 225-234.
- Panjasawatwong, Y., Phajuy, B., and Hada, S., 2003, Tectonic setting of the Permo-Triassic Chiang Khong volcanic rocks, northern Thailand based on petrochemical characteristics: Gondwana Research, v. 6, p. 743-755.
- Pearce, J.A., and Cann, J.R., 1971, Ophiolite origin investigated by discriminate analysis using Ti, Zr and Y: Earth Planetary Science Letters, v. 12, p. 339-349.
- Pearce, J.A., and Cann, J.R., 1973, Tectonic setting of basic volcanic rocks determined using trace element analyses: Earth and Planetary Science Letters, v. 19, p. 290-300.
- Pearce, J.A., and Gale, G.H., 1977, Identification of ore-deposit environment from trace element geochemistry of associated igneous host rocks: Geological Society Special Publication, v. 7, p. 14-24.
- Pearce, J.A., and Norry, M.J., 1979, Petrogenetic implications of Ti, Zr, Y, and Nb variations in volcanic rocks: Contributions to Mineralogy and Petrology, v. 69, p. 33-47.

- Phajuy, B., Panjasawatwong, Y., and Osataporn, P., 2005, Preliminary geochemical study of volcanic rocks in the Pang Mayao area, Phrao, Chiang Mai, northern Thailand tectonic setting of formation: Journal of Asian Earth Science, v. 24, p. 765-776.
- Phajuy, B., Panjasawatwong, Y., and Pongpangnam, O., 2004, Petrological constraint on tectonic setting of mafic volcanic rocks in the Mae Lao River, Wiang Pa Pao, Chiang Rai, northern Thailand. International Symposium on the Geologic Evolution of East and Southeast Asia, Bangkok, Department of Geology, Chulalongkorn University, Thailand, Abstracts, p. 103.
- Piyasin, S., 1972, Geology of Lampang sheet (NE 47-11), scale 1:250,000, Report of investigation no. 14, Department of Mineral Resources, Thailand, 98 p.
- Prestvik, T., 1982, Basic volcanic rocks A discussion of the Zr-Ti-Y discrimination diagram and its suitability for classification purposes: Lithos, v. 15, p. 241-247.
- Royal Thai Survey Department, 1996, Topographic Map of Amphoe Long (series L7017, sheet 4945 II), Thailand, scale 1:50,000.
- Sashida, K., and Igo, H., 1999, Occurrence and tectonic significance of Paleozoic and Mesozoic radiolaria in Thailand and Malaysia: in I. Metcalfe, R. Jishun, J. Charvet and S. Hada (eds.), Gondwana Dispersion and Asian Accretion: IGCP 321 Final Results Volume, p. 175-196.
- Shervais, J.W., 1982, Ti-V plot and the petrogenesis of modern and ophiolitic lavas: Earth and Planetary Science Letters, v. 59, p. 101-118.
- Singharajwarapan, S., 1994, Deformation and Metamorphism of the Sukhothai Fold Belt, Northern Thailand. Unpublished Ph.D. thesis, University of Tasmania, 385 p.
- Singharajwarapan, S., and Berry, R., 2000, Tectonic implications of the Nan Suture zone and its relationship to the Sukhothai Fold Belt, northern Thailand: Journal of Asian Earth Sciences, v. 18, p. 663-673.
- Singharajwarapan, S., Berry, R., and Panjasawatwong, Y., 2000, Geochemical characteristics and tectonic significance of the Permo-Triassic Pak Pat

- volcanics, Uttaradit, northern Thailand: Journal of the Geological Society of Thailand, no. 1, p. 1-7.
- Streckeisen, A., 1976, To each plutonic rock its proper name: Earth Science Reviews 12, p. 1-33.
- Sun, S.S., and McDonough, W.F., 1989, Chemical and isotopic systematics of oceanic basalt-Implications for mantle composition and processes: In A.D. Suanders and M.J. Norry (eds.), Magmatism in Ocean Basins: Geological Society Special Pubication, v. 42, p. 313-345.
- Taylor, S.R., and Gorton, M.K., 1977, Geochemical application of spark-source mass spectrometry; III Element sensitivity, precision and accuracy: Geochimica et Cosmochimica Acta, v. 41, p. 1375-1380.
- Thorpe R.S., 1985, The Field Description of Igneous Rocks. Open University Press, Great Britain, 154 p.
- Wakita, K., and Metcalfe, I., 2005, Ocean plate stratigraphy in East and Southeast Asia: Journal of Asian Earth Sciences, v. 24, p. 679-702.
- Wannagoon, P., Wannachodong, P., Wiriyasittigoon, P., and Veruriyapong, V., 2003, Geology of Ban Khem, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 89 p.
- Whitford, D.J., Korsch, M.J., Porritt, P.M., and Craven, S.J., 1988, Rare-earth mobility around the volcanogenic polymetallic massive sulphide deposit at Que River, Tasmania, Australia: Chemical Geology, v. 68, p. 105-119.
- Wilson, M., 1989, Igneous Petrogenesis: A Global Tectonic Approach. Unwin Hyman Ltd., London, 457 p.
- Winchester, J.A., and Floyd, P.A., 1977, Geochemical discrimination of different magma series and their differentiation products using immobile elements: Chemical Geology, v. 20, p. 325-343.
- Wonganan, N., 2005, Radiolaria and radiolarite of Northern Thailand Palaeontology, Tectonic and Paleogeographic Implications. Unpublished Ph.D. thesis, Universite des Sciences et Technologies de Lille, U.F.R. Science de La Terre, p. 577.

- Wood, D.A., 1980, The application of a Th-Hf-Ta diagram to problems of tectonomagmatic classification and to establishing the nature of crustal contamination of basaltic lavas of the British Tertiary volcanic province: Earth Planetary Science Letters, v. 50, p. 11-33.
- Yodthon, K., Khaewko, C., Prommatep, J., and Saijin, S., 2003, Geology of Ban Mae Lu, Amphoe Long, Changwat Phrae. Unpublished B.S. field report, Chiang Mai University, Thailand, 83 p.
- Yoshikura, S., 1990, Geology of the Nan-Chanthaburi suture zone (II) Petrology of basaltic rocks. Technical Conference on Development Geology for Thailand into the Year 2000, Department of Geology, Chulalongkorn University, Bangkok, Abstracts, p. 11-13.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved