

REFERENCES

1. The Forest Herbarium, Royal Forest Department. 2001. Thai Plant Names Tem (2nd ed.), pp.196-197. Bangkok : Prachachon.
2. The Forest Herbarium, Royal Forest Department. 1992. Thai Forest Bulletin (Botany) (6), pp. 2. Bangkok.
3. Mallavadhani, U.V., Panda, A.K. and Rao, Y.R. 1998. Pharmacology and chemotaxonomy of *Diospyros*. *Phytochemistry*, **49(4)**: 901-951.
4. Gu, J.-Q., Graf, T.N., Lee, D., Chai, H.-B., Mi, Q., Kardono, L.B.S., Setyowati, F.M., Ismail, R., Riswan, S. and Farnsworth, N.R. 2004. Cytotoxic and antimicrobial constituents of the bark of *Diospyros maritima* collected in two geographical locations in Indonesia. *J. Nat. Prod.*, **67**: 1156-1161.
5. Thomson, R.H. 1986. Naturally Occurring Quinones III, Recent Advances, London, pp. 162-175, New York: Chapman and Hall.
6. Sankaram, A.V.B., Reddy, V. V. N. and Marthandamurthi, M. 1986. ¹³C NMR Spectra of some naturally occurring binaphthoquinones and related compounds. *Phytochemistry*, **25**: 2867-2871.
7. Lillie, T.J., Musgrave, O.C. and Skoyes, D. 1976. Ebenaceae extractives. Part 6. Ehretione a bisnaphthoquinone derived from plumbagin and 7-methyljuglone. *J.C.S. Perkin Tran. I.*, 2546.
8. Sutthivaiyakit, S., Pakakatsama, P., Kraus, W. and Vogler, B. 1995. Constituents of *Diospyros rhodocalyx*. *Planta Med.*, **61**: 295.

9. Karrer, P., Merf, R., Kraiss, E.V. and Zubrys, A. 1932. Pflanzenfarbstoffe xxxix). Vermischte Beobachtungen über Carotinoide (α -carotin, zeaxanthin, Carotinoid aus kaki- früchten) *Helvetica Chimica Acta*, **15**: 490- 493.
10. Costa, M.A.C., Alves, A.C., Seabra, R.M. and Andrade, P.B. 1998. Naphthoquinones of *Diospyros chamaethamnus*. *Planta Med.*, **64**: 391.
11. Higa, M., Ogihara, K. and Yogi, S. 1998. Bioactive Naphthoquinone Derivatives from *Diospyros maritima* Blume. *Chem. Pharm. Bull.*, **46(8)**: 1189-1193.
12. Higa, M., Noha, N., Yokaryo, H., Ogihara, K. and Yogi, S. 2002. Three new Naphthoquinone derivatives from *Diospyros maritima* Blume. *Chem. Pharm. Bull.*, **50(5)**: 590-593.
13. Chang, C.I. and Kuo, Y.H. 1998. Three new lupane-type triterpenes from *Diospyros maritima*. *Chem. Pharm. Bull.*, **46(10)**: 1627-1629.
14. Chang, C.-I., and Kuo, Y.-H. 1999. Two new Lupane-Type triterpenes from *Diospyros maritima*. *J. Nat. Prod.*, **62**: 309-310.
15. Kuo, Y.H. and Chang, C.I. 2000. Six new compounds from the Heartwood of *Diospyros maritima*. *Chem. Pharm. Bull.* **48(8)**: 1211-1214.
16. Li, X.-C., Bijl, P.V.D. and Wu, C.D. 1998. Binaphthalene Glycosides from African chewing sticks, *Diospyros lycioides*. *J. Nat. Prod.*, **61**: 817-820.
17. Khan, R.M. and Rwekika, E. 1998. A binaphthoquinone from *Diospyros greeniwayi*. *Phytochemistry*, **49**: 2501-2503.
18. Gondo, M., Tanaka, N., Tanaka, T., Shimomura, K., Nakanishi, F. and Ishimaru, K. 1999. A naphthalene glycoside from callus cultures of *Diospyros kaki* *Phytochemistry*, **51**: 879-881.

19. Chen, C.-R., Cheng, C.-W., Pan, M.-H., Liao, Y.-W., Tzeng, C.-Y. and Chang, C.-I. 2007. Lanostan-type triterpenoids from *Diospyros discolor*. *Chem. Pharm. Bull.*, **55(6)**: 908-911.
20. Skehan, P., Ritsa, S., Dominic, S., Storeng, R., Scudiero, D., Monks, A., McMahon, J.D. and Vistica, D. 1990. New colorimetric cytotoxicity assay for anticancer-drug screening. *J. Nat. Cancer Inst.*, **82**: 1107-1112.
21. Trager, W. and Jensen, J.B. 1976. Human malaria parasites in continuous culture. *Science*, **193(4254)**: 673-675.
22. Desjardins, R.E., Canfield, C.J., Haynes, J.D. and Chulay, J.D. 1979. Quantitative assessment of antimalarial activity in vitro by a semiautomated microdilution technique. *Antimicrob. Agents Chemother.*, **16**: 710-718.
23. Plumb, J.A., Milroy, R. and Kaye, B.S. 1989. Sensitivity of cell lines to mitomycin. *C. Cancer Res.*, **49**: 4435-40.
24. Collins, L.A. and Franzblau, S.G. 1997. Microplate Alamar Blue Assay versus BACTEC 460 System for High-Throughput Screening of Compounds against *Mycobacterium tuberculosis* and *Mycobacterium avium*. *Antimicrob. Agents Chemother.*, **41(5)**: 1004-1009.
25. Ravindranath, N., Reddy, R.M., Mahender, G., Ramu, R., Kumar, R.K. and Das, B. 2004. Deoxypreussomerins from *Jatropha curcas*: are they also plant metabolites?. *Phytochemistry*, **65**: 2387-2390.
26. Kuroyanagi, M., Yoshihira, K. and Natori, S. 1971. Naphthoquinone Derivatives from the Ebenaceae. III.¹⁾ Shinanolone from *Diospyros japonica* Sieb. *Chem. Pharm. Bull.*, **19**: 2314.

27. Tezuka, M., Takahashi, C., Kuroyanagi, M., Satake, M., Yoshihira, K. and Natori, S. 1973. New naphthoquinones from *Diospyros*. *Phytochemistry*, **12**: 175-183.
28. Monaco, P. and Previtera, L. 1984. Isoprenoids from the leaves of *Quercus suber*. *J. Nat. Prod.*, **47(4)**: 673-676.
29. Likhitwitayawuid, K., Dej-adisai, S., Jongbunprasert, V. and Krungkrai, J. 1999. Antimalarials from *Stephania venosa*, *Prismatomeris sessiliflora*, *Diospyros Montana* and *Murraya siamensis*. *Planta Med.*, **65**: 754-756.
30. Pouchert, C.J. and Behnke, J. 1990. The Aldrich library of ^{13}C and ^1H FT NMR spectra. (1st ed.), pp. 578. Newyork: Library of congress.
31. Ganapaty, S., Thomas, S.P., Fotso, S. and Laatsch, H. 2004. Bioactive Deoxypreussomerins and Dimeric Naphthoquinones from *Diospyros sylvatica* Seru. *Phytochemistry*, **65**: 1265.
32. Kuo, Y.-H., Chang, C.-I., Li, S.-Y., Chou, C.-J., Chen, C.-F., Kuo, Y.-H. and Lee, K.-H. 1997. Cytotoxic constituents from the stems of *Diospyros maritima*. *Planta Med.*, **63**: 363-365.
33. Ting, Y. C., Hsu, T. C., Hsu, T.H., Su, S.J., Chen, Y.T., Tarn, Y.W., Kuo, H.Y., Whang-Peng, J., Liu, F. L. and Hwang, J. 2003. Isodiospyrin as a novel human DNA topoisomerase I inhibitor. *Biochem. Pharmacol.*, **66**: 1981-1991.
34. Weber, H.A., Baenziger, N.C. and Gloer, J.B. 1990. Structure of preussomerin A: an unusual new antifungal metabolites from the coprophilous fungus *Preussia isomera*. *Journal of American Chemical Society*, **112**: 6718-6719.
35. Weber, H.A. and Gloer, J.B. 1991. The preussomerins: novel antifungal metabolites from the coprophilous fungus *Preussia isomera* Cain. *Journal of Organic Chemistry*, **56**: 4355-4360.

36. Soman, A.G., Gloer, J.B., Koster, B. and Malloch, D. 1999. Sporovexins A-D and a new preussomerin analog: antibacterial and antifungal metabolites from the coprophilous fungus *Sporormiella vexans*. *J. Nat. Prod.*, **62**: 659-661.
37. Singh, S. B., Zink, D.L., Liesch, J.M., Ball, R.G., Bolessa, E.A., Giacobbe, R.A., Silvermann, K.C., Bills, G.F., Pelaez, F., Cascales, C., Gibbs, J.B. and Lingham, R.B. 1994. Preussomerins and deoxypreussomerins: novel inhibitors of ras farnesyl protein tranferase. *J. Org. Chem.*, **59**: 6296-6302.
38. Polishook, J.D., Dombrowski, A.W., Tsou, N.N., Salituro, G.M. and Curotto, J.E. 1993. Preussomerin D from the endophyte *Hormonema dematioides*. *Mycologia*, **85**: 62.
39. Chi, S. and Heathcock, C.H. 1999. Total syntheses of ($\pm$)-preussomerin G and I. *Org. Lett.*, **1**: 3-5.
40. Ragot, J. P., Steeneck, C., Alcaraz, M.-L. and Taylor, R. J.K. 1999. The synthesis of 1, 8-dihydroxynaphthalene-derived natural products: palmarumycin CP1, palmarumycin CP2, palmarumycin C11, CJ-12, 371, deoxypreussomerin A and novel analogs. *J. Am.Chem.Soc.,Perkin.Tran. I*, : 1073-1082
41. Kouam, M.T.N., Lavaud, C., Massiot, G., Nuzillard, J.-M. and Connolly, J.D. and Rycroft, D.S. 1993. Bipendensin, an unusual phenolic acetal from *Afzelia bipendensis*. *Nat. Prod. Lett.*, **3**: 299-303.
42. Isaka, M., Jaturapat, A., Kladwang, W., Punya, J., Lertwerawat, Y. and Tanticharoen, M. 2000. Antiplasmodial compounds from the wood-decayed fungus *Xylaria* sp. BCC. 1067. *Planta Med.*, **66**: 473-475.
43. Nilanonta, C., Isaka, M., Kittakoop, P., Palitapongarnpim, P., Kamchonwong - paian, S. and Pittayakhajonwut, D. 2000. Antimycobacterial and antiplasmodial

- cyclodepsipeptides from the insect pathogenic fungus *Paecilomyces tenuipes* BCC. 1614. *Planta Med.*, **66**: 756-758.
44. Schulz, B., Sucker, J., Aust, J.H., Krohn, K., Ludewig, K., Jone, G.P. and Doring, D. 1995. Brominated Oxylipins and Oxylipin Glycosides from Red Sea Corals. *Mycol. Res.*, **99**: 1007-1015.
45. Rossman, Y.A. 1994. 'A strategy for an all-taxa inventory of fungal biodiversity, Eds. Peng, C.I. and Chou, C.H. 1994. Biodiversity and Terrestrial Ecosystems. Inst. Botany, Acad. Sinica Monograph Series No. **14.**, pp.169-194.
46. Jensen, R. S., Franzyk, E. and Wallander, E. 2002. Chemotaxonomy of the Oleaceae: iridoids as taxonomic markers. *Phytochemistry*, **60**: 213-231.
47. Griffin, J. W. and Lin, D.G. 2000. Chemotaxonomy and geographical distribution of tropane alkaloids. *Phytochemistry*, **53**: 623-637.
48. Krohn, K., Florke, U., John, M., Root, N., Steingrover, K., Aust, H.-J., Drager, S., Schulz, B., Antus, S., Simonyi, M. and Zsila, F. 2001. Biologically active metabolites from fungi. Part 16: new preussomerins J, K and L from an endophytic fungus: structure elucidation, crystal structure analysis and determination of absolute configuration by CD calculations. *Tetrahedron*, **57**: 4343-4348.
49. Yan, X.-Z., Kuo, Y.-H., Lee, T.-J., Shih, T.-S., Chen, C.-H. McPhail, D.R., McPhail, A.T. and Lee, K.-H. 1989. Cytotoxic components of *Diospyros morrisiana*. *Phytochemistry*, **28**: 1541-1543.