

TABLE OF CONTENTS

	PAGE
ACKNOWLEDEMENT	iii
ENGLISH ABSTRACT	iv
THAI ABSTRSCT	vi
LIST OF TABLES	x
LIST OF FIGURES	xi
ABBREVIATIONS	xiii
CHAPTER 1 INTRODUCTION	1
1.1 Inflammation	3
1.2 Experimental models	12
1.3 Historical background of <i>Clerodendrum serratum</i> Linn.	14
1.4 Hypothesis	16
1.5 Purposes of the study	16
CHAPTER 2 METERIALS AND METHODS	
2.1 Plant material and plant extract	18
2.2 Experimental animals	18
2.3 Preparation of test drugs	18
2.4 Drugs administration	19
2.5 Experiment protocol	19
Part I	
2.5.1 Anti-inflammatory model	19
2.5.1.1 Ethyl-phenylpropiolate (EPP) –induced rat ear edema	19
2.5.1.2 Carrageenin-induced hind paw edema in rats	22
2.5.1.3 AA-induced hind paw edema in rats	24

2.5.2 Analgesic study	25
2.5.2.1 Formalin test in mice	25
Part II	
2.5.3 Study of the vascular effect	27
2.6 Statistical analysis	30
2.7 Drugs and chemicals	30
CHAPTER 3 RESULTS	
Part I	
3.1 Anti-inflammatory activity of the CS extract	
3.1.1 Effects of the CS extract, diclofenac and Daflon [®] on EPP-induced rat ear edema	31
3.1.2 Effects of the CS extract, diclofenac and Daflon [®] on carrageenin-induced hind paw edema in rats	33
3.1.3 Effects of the CS extract, diclofenac, prednisolone and Daflon [®] on AA-induced hind paw edema in rats	35
3.2 Analgesic activity of the CS extract	
3.2.1 Effects of the CS extract, diclofenac, morphine and Daflon [®] on the formalin test in mice	
3.2.1.1 Early phase	37
3.2.1.2 Late phase	37
Part II	
3.3 Effects of the CS extract on isolated human umbilical vein	40
CHAPTER 4 DISCUSSION AND CONCLUSION	
4.1 Discussion	43
4.2 Conclusion	50
REFERENCES	51
VITA	65

LIST OF TABLES

TABLE	PAGE
1. Role of mediators in different reactions of inflammation	11
2. Effects of the CS extract, diclofenac and Daflon [®] on EPP-induced ear edema in rats	32
3. Effects of the CS extract, diclofenac and Daflon [®] on carrageenin-induced hind paw edema in rats	34
4. Effects of the CS extract, diclofenac, prednisolone and Daflon [®] on AA-induced hind paw edema in rats	36
5. Effects of the CS extract, morphine, diclofenac and Daflon [®] on the early phase of formalin test	38
6. Effects of the CS extract, morphine, diclofenac and Daflon [®] on the late phase of formalin test	39

LIST OF FIGURES

FIGURES	PAGE
1. Generation of AA metabolites and their roles in inflammation and the molecular targets of action of some anti-inflammatory drugs	8
2. <i>Clerodendrum serratum</i> Linn.	17
3. Diagram illustrating the procedure of the EPP-induced ear edema in rats	21
A: Topical application of the substance to the inner and outer surfaces of the ear by using an automatic microliter pipette	21
B: Measurement of the thickness of the ear by using the vernier caliper	21
C: Vernier caliper	21
4. Diagram illustrating the water displacement method for measuring rat paw volume	23
A: Measurement of paw volume with line indicated at anatomical hair line mark	23
B: Water reservoir containing 0.05% NaCl in distilled water	23
C: Measuring chamber	23
D: Plethysmometer	23
5. Diagram illustrating the method of the early phase of the formalin test in mice	26
6. Diagram illustrating the method of the late phase of the formalin test in mice	26
7. Pictures showing the procedure of preparing human umbilical vein	28
A: Human umbilical cord	28
B: Human umbilical cord showing artery and vein	28
C: Cutting longitudinally the umbilical cord	28

8. Illustration of the procedure of human umbilical vein for contraction recording	29
A: Cutting longitudinally the umbilical cord	29
B: Vein dissection out from the cord, and cutting into rings of 3-4 mm in length	29
C: Attachment of vein ring to a fixed hook at the bottom of the bath and to a force-displacement transducer (Grass FT 03B)	29
D: Connection of vein ring to a Grass model 7D polygraph	29
9. Effects of the CS extract and NE on human umbilical vein	41
10. Effects of Daflon [®] and NE on human umbilical vein	41
11. Vascular effect of the CS extract and Daflon [®] on isolated human umbilical vein as compared to NE	42

ABBREVIATIONS

°C	=	degree Celsius
cm	=	centimeter
g	=	gram
h	=	hour
kg	=	kilogram
L	=	liter
i.p.	=	intraperitoneal
mg	=	milligram
mg/ear	=	milligram per ear
mg/kg	=	milligram per kilogram body weight
mg/mL	=	milligram per milliliter
min	=	minute
mL	=	milliliter
mm	=	millimeter
µg	=	microgram
µL	=	microliter
µm	=	micrometer
s.c.	=	subcutaneous
sec	=	second
S.E.M	=	standard error of mean
% w/w	=	% weight by weight