

REFERENCES

1. Larsen K. 1996. A preliminary checklist of *Zingiberaceae* of Thailand. Thai Forest Bulletin, 24: 35-49.
2. Sirirugsa P. 1992. Taxonomy of the genus *Kaempferia* (Zingiberaceae) in Thailand. Thai Forest Bulletin, 19: 1-15.
3. Available <http://www.us.geocities.com/thungkhai/Database/SPDICT.xls> [04-02-07]
4. Jaipetch T., Reutrakul V., Tuntiwachwuttikul P. and Santisuk T. 1983. Flavonoids in the black rhizomes of *Boesenbergia pandurata*. *Phytochemistry* 22(2):625-626.
5. Herusalee A., Pancharoen O. and Tuntiwachwuttikul P. 1987. Further studies of flavonoids of the black rhizomes *Boesenbergia pandurata*. *J Sci Soc* 13 :119-122.
6. Sennil J. and Treechatree M.. 2002. Thai Wisdom "Krachaidum, the miracle hebrb". KPM Mediasiam Inc. 20-49.
7. Sutthanut K. 2007. Silmutaneous identification and quantitation of 11 flavonoid constituents in *Kaempferia parviflora* by gas chromatography. *Journal of Chromatography A*. In press.
8. Panthong A. et al. 1989. Anti-inflammatory activity of 5,7-dimethoxyflavone. *Planta Medica*, 55:133.
9. Panthong A. 1994. Pharmacological activity of Zingiberaceae of Thailand. Available http://www.mahidol.ac.th/mahidol/abstracts/annual_2004/index.pdf [04-02-07]

10. Department of Medical Sciences, Ministry of Public Health, Thailand. 2002. Herbal Health Magazine, 22: 109.
11. Chaiyasut C. et al. 2003. Antimicrobial Activity of Some Fermented Herb Juices and Mouthwash Containing Fermented Herb Products. Sixth JSPS-NRCT Joint Seminar, Bangkok, Thailand.
12. Yenjai C. et al. 2004. Bioactive flavonoids from *Keampferia parviflora*. *Fitoterapia* : 89-92
13. Wattanapitayakul S. K. et al. 2006. *Keampferia parviflora* ethanolic extract promoted nitric oxide production in human umbilical vein endothelial cells. *Journal of Ethnopharmacology*. In press.
14. Patanasethanont D. et al. 2006. Effects of *Keampferia parviflora* extracts and their flavone constituents on P-glycoprotein function. *Journal of Pharmaceutical Sciences*, 96(1): 223-233.
15. Sookkonwaree K. et al. 2006. Inhibition of viral proteases by Zingiberaceae extracts and flavone isolated from *Kaempferia parviflora*. *Die Pharmazie [Pharmazie]*, 61(8):717-721.
16. Rujjanawate C. et al. 2005. Anti-gastric ulcer effect of *Kaempferia parviflora*. *Journal of Ethnopharmacology*, 102: 120-122.
17. Tewtrakul S. and Subhadirasakul S. 2007. Anti-allergic activity of some selected plants in the Zingiberaceae family. *Journal of Ethnopharmacology*, 109: 535-538.
18. Jitjaingam A. et al. 2006. Effects of *Kaempferia parviflora* Wall ex Bak. on reproduction organs hematology and kidney function of male rats. Available www.scisoc.or.th/stt/31/sec_b/paper/stt31_BO103.pdf [04-02-07]

19. เครือข่ายความร่วมมือบริการเภสัชสนเทศ Available: [http://drug.pharmacy.psu.ac.th/Question.asp? ID=2123&gid=3](http://drug.pharmacy.psu.ac.th/Question.asp?ID=2123&gid=3) [04-02-07]
20. การประชุมวิชาการด้านการแพทย์แผนไทย การแพทย์พื้นบ้านไทย การแพทย์ทางเลือกแห่งชาติ ครั้งที่ 2 Available: [www.dtam.moph.go.th/alternative/storylist.php?topicid=8&subtopicid=36 - 63k](http://www.dtam.moph.go.th/alternative/storylist.php?topicid=8&subtopicid=36-63k) - [04-02-07]
21. Balasundram N., Sundram K. and Samman S. 2006. Phenolic compounds in plants and agri-industrail by-products: Antioxidant activity, occurrence, and potential uses. *Food Chemistry*, 99: 191-203.
22. Burda S. and Oleszek W. 2001. Antioxidant and Antiradical Activities of Flavonoids. *Journal of Agriculture and Food Chemistry*, 49: 2774-2779.
23. Heim K.M., Tagliaferro A. R. and Bobliya D. J. 2002. Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *Journal of Nutritional Biochemistry*, 13: 572-584.
24. Katalinić V. et al. 2004. Antioxidant effectiveness of selected wines in comparison with (+)-catechin. *Food Chemistry*, 86: 593-600.
25. Javanmardi J. et al. 2003. Antioxidant activity and total phenolic content of Iranian *Ocimum* accessions. *Food Chemistry*, 83: 547-550.
26. Kim D. O., Jeong S. W. and Lee C. Y. 2003. Antioxidant capacity of phenolic phytochemicals from various cultivars plums. *Food Chemistry*, 81: 321-326.
27. Soong Y. Y. and Barlow P. J. 2004. Antioxidant activity and phenolic content of selected fruit seeds. *Food Chemistry*, 88: 411-417.
28. Martini N.D., Aaterere D.R.P. K. and Eloff J.N. 2004. Biological activity of five antibacterial flavonoids from *Combretum erythrophyllum* (Combretaceae). *Journal of Ethnopharmacology*, 93: 207-212.

29. Vvedenskaya I. O. and Vorsa N. 2004. Flavonoid composition over fruit development and maturation in American cranberry, *Vaccinium macrocarpon* Ait. *Plant Science*, 167: 1043-1054.
30. Kong J. M. et al. 2003. Analysis and biological activities of anthocyanins. *Phytochemistry*, 64: 923-933.
31. Gómez-Plazza E., Miñano A. and López-Roca J. M. 2006. Comparison of chromatic properties, stability and antioxidant capacity of anthocyanin-based aqueous extracts from grape pomace obtained from different vinification methods. *Food Chemistry*, 97: 87-94.
32. Toor R. K. and Savage G. P. 2005. Antioxidant activity in different fractions of tomatoes. *Food Research International*, 38: 487-494.
33. Coelho G. C. et al. 2007. Effect of light intensity on methylxanthine contents of *Llex paraguariensis* A. St. Hil. *Biochemical Systematics and Ecology*, 35: 75-80.
34. Tsai P. J. et al. 2002. Anthocyanin and antioxidant capacity in Roselle (*Hibiscus Sabdariffa* L.) extract. 2002. *Food Research International*, 35: 351-356.
35. Iqbal S. and Bhanger M.I. 2006. Effect of season and production location on antioxidant activity of *Moringa oleifera* leaves grown in Pakistan. *Journal of Food Composition and Analysis*, 19: 544-551.
36. Srinivas K.V.N.S. et al. 2003. Flavonoids from *Caesalpinia pulcherrima*. *Phytochemistry*, 63: 789-793.

37. Khokhar S. and Apenten R. K. O. 2003. Iron binding characteristics of phenolic compounds: some tentative structure-activity relations. *Food Chemistry*, 81: 133-140.
38. Ancos B., González E. M. and Cano M. P. 2000. Ellagic Acid, Vitamin C, and Total Phenolic Contents and Radical Scavenging Capacity Affected by Freezing and Frozen Storage in Raspberry Fruit. *Journal of Agriculture and Food Chemistry*, 48: 4565-4570.
39. Luximon-Ramma A. et al. 2005. Characterization of the antioxidant functions of flavonoids and proanthocyanidins in Mauritian black teas. *Food Research International*, 38: 357-367.
40. Li H.B. et al. 2006. Evaluation of antioxidant capacity and total phenolic content of different fractions of selected fractions of selected microalgae. *Food Chemistry*, 100: 1620-1629.
41. Acker S. A. B. E. and Balen G. P. 1998. Influence of Iron Chelation on the Antioxidant Activity of Flavonoids. *Biochemical Pharmacology*, 56: 935-943.
42. Shon M. Y., Kim T.H. and Sang N. J. (2003). Antioxidants and free radical scavenging activity of *Phellinus baumii* (*Phellinus* of *Hymenochaetaceae*) extracts. *Food Chemistry*, 82: 593-597.
43. Soobrattee M. A. et al. 2005. Phenolics as potential antioxidant therapeutic agents: Mechanism and actions. *Mutation Research*, 579: 200-213.
44. Podsdek A. 2007. Natural antioxidants and antioxidant capacity of Brassica vegetables: A review. *LWT*, 40: 1-11.
45. Montoro P. et al. 2005. Structure-antioxidant activity relationships of flavonoids isolated from different plant species. *Food Chemistry*, 92: 349-355.

46. Arnous A., Makris D. P. and Kefalas P. 2002. Correlation of Pigment and Flavanol Content with Antioxidant Properties in select Aged Regional Wines from Greece. *Journal of Food Composition and Analysis*, 15: 655-665.
47. Maisuthisakul P., Suttajit M. and Pongsawatmanit R. 2006. Assessment of phenolic content and free radical-scavenging capacity of some Thai indigenous plants. *Food Chemistry*, in press.
48. Firuzi O. et al. 2005. Evaluation of the antioxidant activity of flavonoids by "Ferric Reducing antioxidant power" assay and Cyclic Voltammetry. *Biochimica et Biophysica Acta*, 1721: 174-184.
49. Haenen G.R.M.M. et al. 2006. Structure and activity in assessing antioxidant activity in vitro and vivo A critical appraisal illustrated with the flavonoids. *Environmental Toxicology and Pharmacology*, 21: 191-198.
50. Gambelli L. and Santaroni G.P. 2004. Polyphenols content in some Italian red wines of different geographical origins. *Journal of Food Composition and Analysis*, 17: 613-618.
51. Keppler K. and Humpf H.U. 2005. Metabolism of anthocyanins and their phenolic degradation products by the intestinal microflora. *Bioorganic & Medicinal Chemistry*, 13: 5195-5205.
52. Harborne J.B. (1980). *The Flavonoids; Advances in Research*. Chapman and Hall. (pp.399-421), New York, USA.
53. Harborne J.B. (1986). *The Flavonoids; Advances in Research*. Chapman & Hall. (pp.499-526), New York, USA.
54. Choi Y.M. et al. 1999. Antioxidant and antimicrobial activities of propolis from several regions of Korea. *LWT*, 5: 112-115.

55. Goh L.M., Barlow P.J. and Yong C.S. 2003. Examination of antioxidant activity of *Ginkgo biloba* leaf infusions. *Food Chemistry*, 82: 275-282.
56. Navaro J.M. et al. 2006. Changes in the contents of antioxidant compounds in pepper fruits at different ripening stages, as affected by salinity. *Food Chemistry*, 96: 66-73.
57. Toor R.K. and Savage G.P. 2005. Antioxidant activity in different fractions of tomatoes. *Food Research International*, 38: 487-494.
58. Benzie I. F.F. and Strain J.J. 1996. The Ferric Reducing Ability of Plasma (FRAP) as a Measure of "Antioxidant Power": The FRAP Assay. *Analytical Biochemistry*, 239: 70-76.
59. Soobrattee M.A., Aruoma D.I. and Bahorun T. 2005. Phenolics as potential antioxidant therapeutic agents: Mechanism and actions. *Mutation Research*, 597: 200-213.
60. Topcu G. et al. 2006. A new flavone from antioxidant extracts of *Pistacia terebinthus*. *Food Chemistry*, article in press.
61. Pellati F. et al. 2004. Analysis of phenolic compounds and radical scavenging activity of *Echinacea* spp. *Journal of Pharmaceutical and Biomedical Analysis*, 35: 289-301.
62. Siddhuraju P. and Becker K. 2006. The antioxidant and free radical scavenging activities of processed cowpea (*Vigna unguiculata* (L.) Walp.) seed extracts. *Food Chemistry*, in press.
63. Paola-Naranjo R.D.D. et al. 2004. Liquid chromatographic-mass spectrometric analysis of anthocyanin composition of dark blue bee pollen from *Echium plantagineum*. *Journal of Chromatography A*, 20: 205-210.

64. Heijnen C.G.M. et. al. 2002. Protection of Flavonoids Against Lipid Peroxidation: The Structure Activity Relationship Revisited. *Free Radical Research*, 36: 575-581.
65. Ronald L. P. and Guohua C. 1999. In vivo total antioxidant capacity: comparison of different analytical methods. *Free Radical Biology & Medicine*, 27: 1173-1181.
66. Luc M., Emile M. Gaydou and Jean C. Hubaud. 2000. Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion. *Analytica Chimica*, 411: 209-216.
67. Guanghou S. and Leong L. P. 2004. An improved method for analysis of major antioxidants of *Hibiscus esculentus* Linn. *Journal of Chromatography A*, 1048: 17-24.
68. Z.Mold Zin et. al. 2006. Antioxidative activities of chromatographic fractions obtained from root, fruit and leaf of *Mengkudu (Morinda citrifolia L.)*. *Food Chemistry*, 94: 169-178.
69. Tsimogiannis D.I. and Oreopoulou V. 2004. Free radical scavenging and antioxidant activity of 5,7,3',4'-hydroxy-substituted flavonoids. *Innovative Food Science and Emerging Technologies*, 5: 523-528.
70. Dimitrios I. T. and Vassiliki O. 2006. The contribution of flavonoid C-ring on the DPPH free radical scavenging efficiency. A kinetic approach for the 3',4'-hydroxy substituted members. *Innovative Food Science and Emerging Technologies*, 7: 140-146.

71. Robin van den Berg et. al. 1999. Applicability of an improved Trolox equivalent antioxidant capacity (TEAC) assay for evaluation of antioxidant capacity measurements of mixtures. *Food Chemistry*, 66: 511-517.
72. Maisuthisakul P., Ponsawatmanit R. and Gordon M H. 2007. Characterization of the phytochemicals and antioxidant properties of extracts from Teaw (*Cratoxylum formosum* Dyer). *Food Chemistry*, 100: 1620-1629.
73. Li-chen W. et al. 2006. Antioxidant and antiproliferative activities of red pitaya. *Food Chemistry*, 95: 319-327.
74. Mariken J. T. J. Arts. et. al. 2003. A Critical appraisal of the use of the antioxidant capacity (TEAC) assay in defining optimal antioxidant structures. *Food Chemistry*, 80: 409-414.
75. Ascensión M.S. et. al. 2006. Controlled atmosphere preserves quality and phytonutrients in wild rocket (*Diplotaxis tenuifolia*). *Postharvest Biology and Technology*, 40: 26-33.
76. Joan-Hwa Y., Hsiu-Ching L. and Jeng-Leun M. 2002. Antioxidant properties of several commercial mushrooms. *Food Chemistry*, 77: 299-235.
77. Guido R.M.M.H. et. al. 2006. Structure and activity in assessing antioxidant activity in vitro and in vivo "A critical appraisal illustrated with the flavonoids". *Environmental Toxicology and Pharmacology*, 21: 191-198.
78. Pier-Giorgio P. 2000. Flavonoids as Antioxidants. *Journal of Natural Products*, 63: 1035-1042.
79. Hollman P.C.H. and Katan M.B.. 1999. Dietary Flavonoids: Intake, Health Effects and Bioavailability. *Food and Chemical Toxicology*, 37: 937-942.

80. Kaeko M. and Junji T. 2003. Antioxidative flavonoid quercetin: implication of its intestinal absorption and metabolism. *Archives of Biochemistry and Biophysics*, 417: 12-17.
81. Augustin S. et. al. 2002. Absorption and metabolism of polyphenols in the gut and impact on health. *Biomed Pharmacother*, 56: 276-282.
82. Tapiero H. et. al. 2002. Polyphenols: do they play a role in the preventive of human pathologies. *Biomed Pharmacother*, 56: 200-207.
83. Christine F.S. and Martyn T.S. 2000. Potential Health Impacts of Excessive Flavonoid Intake. *Free Radical Biology & Medicine*, 29: 375-383.
84. Julia P. et. al. 1998. Flavonoids: Dietary Occurrence and Biochemical Activity. *Nutrition Research*, 18: 1995-2018.
85. Ivonne M.C.M.R. et. al. 2002. The pro-oxidant chemistry of the natural antioxidants vitamin C, vitamin E, carotenoids and flavonoids. 2002. *Environmental Toxicology and Pharmacology*, 11: 321-333.
86. Thomas W. 2004. Absorption and Metabolism of Flavonoids. *Free Radical Biology & Medicine*, 36: 829-837.
87. Andreas M.P. 1998. Antioxidant status, Diet, Nutrition and Health. CRC Press. New York, USA.
88. Steven I.B. and Harry S. 1997. Oxidants, Antioxidants and Free Radicals. Taylor & Francis. Washington DC, USA.
89. Donald A. 1998. Free radical and Antioxidant protocols, Methods in molecular biology, 186. Humana Press Inc. Totowa, New Jersey, USA.
90. Marcel R. and Pedro B.C. 1994. Free radicals and oxidation phenomena in biological system. Marcel Dekker Inc. New York, USA.