

REFERENCES

- Agarwal S. B., Karavadara N., and Khakhkhar V. (2004): Bird Flu, A Diagnostic Dilemma in the Present Scenario. *J Indian Academy of Clin Med* 5 (4), 345-357.
- Alexander D.J. (1982): Avian influenza recent developments. *Veterinary Bulletin* 52, 341-357.
- Alexander DJ. (2000): A review of avian influenza in different bird species. *Vet Microbiol* 74, 3-13.
- Alexander D.J., Parsons G. and Manvell R.J. (1986): Experimental assessment of the pathogenicity of eight avian influenza A viruses of H5 subtype for chickens, turkeys, ducks and quail. *Avian Pathol* 15, 647-662.
- Alexander D.J., Wilson G.W.C. and Russell P. (1985): Newcastle disease outbreaks in Great Britain during 1984. *The Veterinary Record* 117, 429-434.
- Alexander D. J., Capua I., and Brown I. H. (2004): Avian influenza viruses and influenza in humans.
http://library.wur.nl/frontis/avian_influenza/01_alexander.pdf
- Ardans A.A. (1999): *Orthomyxoviridae*. In: D.C. Hirsch and Y.C. Zee (eds.) *Veterinary Microbiology*. Blackwell Science Inc.: Oxford, England. 396-402.
- Bano S, Naeem K, Malik SA. (2003): Evaluation of pathogenic potential of avian influenza virus serotype H9N2 in chicken. *Avian Dis* 47 Suppl, 817-822.
- Beare AS, Webster RG. (1991): Replication of avian influenza viruses in humans. *Arch Virol* 119, 37-42.

Becker WB. (1966): The isolation and classification of Tern virus: influenza A-Tern South Africa. 1961. *J Hyg (Lond)* 64, 309-320.

Bethge P. (2006): Tracking the spread of avian influenza. *Der Spiegel*. Available from: <http://www.spiegel.de/international/spiegel/0,1518,396338,00.html>.

Buxton Bridges C, Katz JM, *et al.* (2000): Risk of influenza A (H5N1) infection among health care workers exposed to patients with influenza A (H5N1), Hong Kong. *J Infect Dis* 181, 344-348.

Capua I, Grossele B, and Bertoli E, *et al.* (2000): Monitoring for highly pathogenic avian influenza in wild birds in Italy. *Vet Rec* 147(22), 640.

Capua I, Marangon S, and Selli L, *et al.* (1999): Outbreaks of highly pathogenic avian influenza (H5N2) in Italy during October 1997 to January 1998. *Avian Pathol* 28, 455-460.

Capua I, Mutinelli F, and Marangon S, *et al.* (2000): H7N1 avian influenza in Italy (1999-2000) in intensively reared chicken and turkeys. *Avian Pathol* 29, 537-543.

Capua I, Mutinelli F. (2001): Low pathogenicity (LPAI) and highly pathogenic (HPAI) avian influenza in turkeys and chicken. In: Capua I, Mutinelli F. (eds.), *A Colour Atlas and Text on Avian Influenza*, Papi Editore, Bologna, 13-20.

Carpenter James W., Richard E. Corstvet, and John P. Thilsted, *et al.* (1972): A Bacteriologic Survey of the Respiratory Tract of Mourning Doves in Oklahoma and a Serologic Survey of Those Doves for Antibodies to Certain Pathogens. *Avian Dis* 6 (3), 671-679.

Cauthen AN, Swayne DE, and Schultz-Cherry S, *et al.* (2000): Continued circulation in China of highly pathogenic avian influenza viruses encoding the haemagglutinin gene associated with the 1997 H5N1 outbreak in poultry and humans. *J Virol* 74, 6592-6599.

Chen H, Smith GJ, and Zhang SY, *et al.* (2005): Avian flu: H5N1 virus outbreak in migratory waterfowl. *Nature* 436, 191-192.

Chen H, Deng G, and Li Z, *et al.* (2004): The evolution of H5N1 influenza viruses in ducks in southern China. *Proc Natl Acad Sci USA* 101, 10452-10457.

Chotpitayasunondh T, Ungchusak K, and Hanshaoworakul W, *et al.* (2005): Human disease from influenza A (H5N1) Thailand, 2004. *Emerg Infect Dis* 11, 201-209.

Claas EC, Osterhaus AD, and van Beek R, *et al.* (1998): Human influenza A H5N1 virus related to a highly pathogenic avian influenza virus. *Lancet* 351, 472-477.

de Jong MD, Bach VC, and Phan TQ, *et al.* (2005): Fatal avian influenza A (H5N1) in a child presenting with diarrhea followed by coma. *N Engl J Med* 352, 686-691.

Doan C. Nguyen, and Timothy M. Uyeki, *et al.* (2005): Isolation and Characterization of Avian Influenza Viruses, Including Highly Pathogenic H5N1, from Poultry in Live Bird Markets in Hanoi, Vietnam, in 2001. *J Virol* 79 (7), 4201-4212.

Elbers AR, Koch G, Bouma A. (2005): Performance of clinical signs in poultry for the detection of outbreaks during the avian influenza A (H7N7) epidemic in The Netherlands in 2003. *Avian Pathol* 34, 181-187.

Ellis TM, Bousfield RB, and Bissett LA, *et al.* (2004): Investigation of outbreaks of highly pathogenic H5N1 avian influenza in waterfowl and wild birds in Hong Kong in late 2002. *Avian Pathol* 33 (5), 492-505.

Food and Agriculture Organization [of the United Nations] [FAO] (2005): Potential risk of highly pathogenic avian influenza (HPAI) spreading through wild water bird migration. [online] Available from:
http://www.fao.org/ag/AGInfo/eims_search/simples_result.asp.

FAO (2006): Avian Influenza: questions and answers. Available from:
<http://www.fao.org/ag/againfo/subjects/en/health/diseases-cards/avian.html>.

Feldmann A, Schafer MK, and Garten W, *et al.* (2000): Targeted infection of endothelial cells by avian influenza virus A/FPV/Rostock/34 (H7N1) in chicken embryos. *J Virol* 74, 8018-8027.

Fouchier RA, Olsen B, and Bestebroer TM, *et al.* (2003): Influenza A virus surveillance in wild birds in Northern Europe in 1999 and 2000. *Avian Dis* 47 Suppl, 857-60.

Fouchier RA, Schneeberger PM, and Rozendaal FW, *et al.* (2004): Avian influenza A virus (H7N7) associated with human conjunctivitis and a fatal case of acute respiratory distress syndrome. *Proc Natl Acad Sci USA* 101,1356–1361.

Guan Y, Shortridge KF, and Krauss S, *et al.* (1999): Molecular characterization of H9N2 influenza viruses: were they the donors of the “internal” genes of H5N1 viruses in Hong Kong? *Proc Natl Acad Sci USA* 96, 9363–9367.

Guan Y, Peiris JS, and Lipatov AS, *et al.* (2002a): Emergence of multiple genotypes of H5N1 avian influenza viruses in Hong Kong SAR. *Proc Natl Acad Sci USA*

99, 8950-8955.

Guan Y, Peiris M, and Kong KF, *et al.* (2002b): H5N1 influenza viruses isolated from geese in Southeastern China: evidence for genetic reassortment and interspecies transmission to ducks. *J Virol* 292, 16-23.

Guan Y, Peiris JS, and Poon LL, *et al.* (2003): Reassortants of H5N1 influenza viruses recently isolated from aquatic poultry in Hong Kong SAR. *Avian Dis* 47 Suppl, 911-913.

Guan Y, Shortridge KF, and Krauss S, *et al.* (2000): H9N2 influenza viruses possessing H5N1-like internal genomes continue to circulate in poultry in southeastern China. *J Virol* 74(20), 9372-9380.

Gürtler L. (2006): Virology of Human Influenza. In: Influenza Report. Kamps BS, Hoffmann C, Preiser W. Flying Publisher, Wuppertal.
<http://www.influenzareport.com/ir/virol.htm>.

Haag, D., and Gurdan, P. (1990): UÈber den hygienischen Zustand der Strassentauben in Basel. *Swiss Veterinary Journal* 7, 19-21.

Halvorson D, Karunakaran D., and Senne D., *et al.* (1983): Epizootiology of Avian Influenza: Simultaneous Monitoring of Sentinel Ducks and Turkeys in Minnesota. *Avian Dis* 27(1), 77-85.

Hien TT, de Jong M, Farrar J. (2004): Avian influenza—a challenge to global health care structures. *N Engl J Med* 351, 2363–2365.

Hinshaw VS, Webster RG, and Easterday BC, *et al.* (1981): Replication of avian influenza A viruses in mammals. *Infect Immun* 34, 354–361.

Hoffmann E, Stech J, and Leneva I, *et al.* (2000): Characterization of the influenza A virus gene pool in avian species in southern China: was H6N1 a derivative or a precursor of H5N1? *J Virol* 74, 6309-6315.

Hongquan Wan and Perez. (2005): Quail carry sialic acid receptors compatible with binding of avian and human influenza viruses. *J Virol* 10, 1016-1035.

Jones YL, Swayne DE. (2004): Comparative pathobiology of low and high pathogenicity H7N3 Chilean avian influenza viruses in chicken. *Avian Dis* 48, 119-128.

Judy Loven. (2000): Pigeons. Animal Damage Management.
<http://www.entm.purdue.edu/entomology/E-series/index.html>.

Kaletka EF and Honicke A. (2004): Review of the literature on avian influenza A viruses in pigeons and experimental studies on the susceptibility of domestic pigeons to influenza A viruses of the haemagglutinin subtype H7. *Dtsch Tierarztl Wochenschr.* 111(12), 467-472.

Katz JM, Lim W, and Bridges CB, *et al.* (1999): Antibody response in individuals infected with avian influenza A (H5N1) viruses and detection of anti-H5 antibody among household and social contacts. *J Infect Dis* 180, 1763-1770.

Kida H, Ito T, and Yasuda J, *et al.* (1994): Potential for transmission of avian influenza viruses to pigs. *J Gen Virol* 75, 2183-2188.

Klenk HD. (2005): Infection of the endothelium by influenza viruses. *Thromb Haemost* 94, 262-265.

- Klopfleisch R, Werner O, and Mundt E, *et al.* (2006): Neurotropism of highly pathogenic avian influenza virus A/chicken/Indonesia/2003 (H5N1) in experimentally infected pigeons (*Columba livia f. domestica*). *Vet Pathol* 43, 463–470.
- Krauss S, Walker D, and Pryor SP, *et al.* (2004): Influenza A viruses of migrating wild aquatic birds in North America. *Vector Borne Zoonotic Dis* 4, 177-189.
- Kwon YK, John SJ, and Kim MC, *et al.* (2005): Highly pathogenic avian influenza (H5N1) in the commercial domestic ducks of South Korea. *Avian Pathol* 34, 367-370.
- Li C, Yu K, and Tian G, *et al.* (2005b): Evolution of H9N2 influenza viruses from domestic poultry in Mainland China. *J Virol* 340, 70-83.
- Li KS, Guan Y, and Wang J, *et al.* (2004): Genesis of a highly pathogenic and potentially pandemic H5N1 influenza virus in eastern Asia. *Nature* 430, 209-213.
- Lillehaug A, C Monceyron Jonassen, and B Bergsjø, *et al.* (2005): Screening of Feral Pigeon (*Colomba livia*), Mallard (*Anas platyrhynchos*) and Graylag Goose (*Anser anser*) Populations for *Campylobacter* spp., *Salmonella* spp., Avian Influenza Virus and Avian Paramyxovirus. *Acta vet. scand.* 46, 193-202.
- Lipkind M., Weisman Y., and Esther Shihmanter, *et al.* (1981): Studies on the Ecology of Avian Influenza Viruses in Israel Avian Diseases. *First International Symposium on Avian Influenza* 47, 30.
- Liu J, Xiao H, and Lei F, *et al.* (2005): Highly pathogenic H5N1 influenza virus infection in migratory birds. *Science* 309, 1206.

- Liu M, Guan Y, and Peiris M, *et al.* (2003): The quest of influenza A viruses for new hosts. *Avian Dis* 47(3 Suppl), 849-856.
- Lu BL, Webster RG, Hinshaw VS. (1982): Failure to detect hemagglutination-inhibiting antibodies with intact avian influenza virions. *Infect Immun* 38, 530-535.
- Mo IP, Brugh M, and Fletcher OJ, *et al.* (1997): Comparative pathology of chicken experimentally inoculated with avian influenza viruses of low and high pathogenicity. *Avian Dis* 41, 125-136.
- Mutinelli F, Capua I, and Terregino C, *et al.* (2003a): Clinical, gross, and microscopic findings in different avian species naturally infected during the H7N1 low- and high pathogenicity avian influenza epidemics in Italy during 1999 and 2000. *Avian Dis* 47 Suppl, 844-888.
- Nakatani H, Nakamura K, and Yamamoto Y, *et al.* (2005): Epidemiology, pathology, and immunohistochemistry of layer hens naturally affected with H5N1 highly pathogenic avian influenza in Japan. *Avian Dis* 49, 436-441.
- Narayan O, Lang G, Rouse BT. (1969): A new influenza A virus infection in turkeys. IV. Experimental susceptibility of domestic birds to virus strain turkey-Ontario 7732-1966. *Arch Gesamte Virusforsch* 26(1), 149-165.
- Nestorowicz A, Kawaoka Y, and Bean WJ, *et al.* (1987): Molecular analysis of the haemagglutinin genes of Australian H7N7 influenza viruses: role of passerine birds in maintenance or transmission? *J Virol* 160, 411-418.
- Nettles Victor F., John M. Wood, Robert G. Webster. (1985): Wildlife Surveillance Associated with an Outbreak of Lethal H5N2 Avian Influenza in Domestic Poultry. *Avian Diseases* 29(3), 733-741.
- Noda T, Sagara H, and Yen A, *et al.* (2006) : Architecture of ribonucleoprotein

complexes in influenza A virus particles. *Nature* 439, 490-492.

Orlandella B.M., and Catanella N., *et al.* (1992): Ricerche sul ruolo del Colombo nella diffusione di agenti patogeni zoonosici III.: le salmonelle. Indagini nella città di Messina. *Acta Medica Veterinaria* (38), 123-146.

OIE. Terrestrial Animal Health Code. Chapter 2.7.12. Avian influenza.

http://www.oie.int/eng/normes/mcode/en_chapitre_2.7.12.html.

OIE 2005 (World Organisation for Animal Health). Highly pathogenic avian influenza in Mongolia in migratory birds.

http://www.oie.int/eng/info/hebdo/ais_55.html.

Ottis K, Bachmann PA. (1983): Isolation and characterization of ortho- and paramyxoviruses from feral birds in Europe. *Zentralbl Veterinarmed B* 30(1), 22-35.

Panigrahy B, Senne DA, and Pedersen JC, *et al.* (1996): Susceptibility of pigeons to avian influenza. *Avian Dis* 40, 600-604.

Peiris JS, Yu WC, and Leung CW, *et al.* (2004): Re-emergence of fatal human influenza A subtype H5N1 disease. *Lancet* 363, 617-619.

Perkins LE, Swayne DE. (2003): Comparative susceptibility of selected avian and mammalian species to a Hong Kong-origin H5N1 high-pathogenicity avian influenza virus. *Avian Dis* 47(3 Suppl), 956-967.

Perkins LE, Swayne DE. (2002a): Pathogenicity of a Hong Kong-origin H5N1 highly pathogenic avian influenza virus for emus, geese, ducks, and pigeons. *Avian Dis* 46, 53-63.

Peroulis I, O'Riley K. (2004): Detection of avian paramyxoviruses and influenza

viruses amongst wild bird populations in Victoria. *J. Aust Vet* 82(1-2), 79-82.

Perroncito CE. [it. Typhoid epizootic in gallinaceous birds.] (1878): Epizoozia tifoide nei gallinacei. Torino: Annali Accademia Agricoltura 21, 87-126.

Puthavathana P, Auewarakul P, and Charoenying PC, *et al.* (2005): Molecular characterization of the complete genome of human influenza H5N1 virus isolates from Thailand. *J Gen Virol* 86, 423–433.

Romváry J, Tanyi J. (1975): Occurrence of Hong Kong influenza A (H3N2) virus infection in the Budapest zoo. *Acta Vet Acad Sci Hung.* 25(2/3), 251-254.

Romváry J, Mészáros J, and Tanyi J, *et al.* (1976): Spreading of virus infection among wild birds and monkeys during the influenza epidemic caused by the Victoria(3)75 variant of a(H3N2) virus. *Acta Vet Acad Sci Hung* 26(3), 369-376.

Rowe T, Abernathy RA, and Hu-Primmer J, *et al.* (1999): Detection of antibody to avian influenza A (H5N1) virus in human serum by using a combination of serologic assays. *J Clin Microbiol* 37, 937–943.

Schäfer W. (1955): Vergleichende sero-immunologische Untersuchungen über die Viren der Influenza und klassischen Geflügelpest. *Zeitschr Naturforschung* 10b, 81-91.

Senne DA, Pearson JE, and Miller LD, *et al.* (1983): Virus isolations from pet birds submitted for importation into the United States. *Avian Dis* 27(3), 731-744.

Shortridge KF, Zhou NN, Guan Y, *et al.* (1998): Characterization of avian H5N1 influenza viruses from poultry in Hong Kong. *J Virol* 252(2), 331-342.

Slemons R.D., Brugh M. (1998): Rapid antigen detection as an aid in early diagnosis and control of avian influenza. In: Proceedings of the Fourth International

Symposium on Avian Influenza, Athens, Georgia, and USA. Swayne D.E. & Slemmons R.D., eds. U.S. Animal Health Association, 313–317.

Slemmons RD, Easterday BC. (1972): Host response differences among five avian species to an influenza virus —A/turkey/ontario/7732/66 (H5N9). *Bull World Health Organ* 47, 521–525.

Stubbs E.L. (1965): Fowl plague. In: Diseases of poultry, 5th ed. H. E. Biester and L. H. Schwarte, eds. Iowa State University Press, Ames, IA. 813–822.

Sturm-Ramirez, K. M., and Ellis T., *et al.* (2004): Reemerging H5N1 Influenza Viruses in Hong Kong in 2002 are Highly Pathogenic to Ducks. *J Virol* 9 (78): 4892-4901.

Swayne D.E., Halvorson D. A. (2003): Influenza. In: Diseases of poultry, 11th ed. Y. M. Saif, H. J. Barned, A.M. Fadly, J. R. Glisson, L. R. McDougald, and D. E. Swayne, eds. Iowa State Press, Ames, IA. 135-153.

Swayne DE, Suarez DL. (2000a): Highly pathogenic avian influenza. *Rev Sci Tech* 19, 463-468.

Tran TH, Nguyen TL, and Nguyen TD, *et al.* (2004): Avian influenza A (H5N1) in 10 patients in Vietnam. *N Engl J Med* 350, 1179–1188.

Vincente M., Fernandez M.V., and M.P. Perez Brena, *et al.* (1973): Antibodies against human types A and B influenza viruses in the sera of animals in Spain. *Bull. Wild Hlth Org.* 48, 378-380.

Viseshakula Nareerat, Roongroje Thanawongnuwecha, and Alongkorn Amonsina, *et al.* (2004): The genome sequence analysis of H5N1 avian influenza A virus isolated from the outbreak among poultry populations in Thailand. *J Virol* 328(2), 169-176.

Webster RG, Bean WJ, and Gorman OT, *et al.* (1992): Evolution and ecology of

influenza A viruses. *Microbiol Rev* 56, 152-179.

Webster RG, Yakhno MA, and Hinshaw VS, *et al.* (1978): Intestinal influenza: replication and characterization of influenza viruses in ducks. *J Virol* 84: 268-278.

Weisman Y., Lipkind M., and Shihmanter E., *et al.* (1986): Current Situation on Avian Influenza in Israel from 1981-1986, with Special Reference to an Epornitic in Breeding Turkeys. *Avian Dis* 47, 90-95.

WHO (2004): Avian influenza H5N1 infection in humans: urgent need to eliminate the animal reservoir. http://www.who.int/csr/don/2004_01_22/en/index.html.

WHO 2004/03/02. Avian influenza A(H5N1)- update 31: Situation (poultry) in Asia: need for a long-term response, comparison with previous outbreaks. http://www.who.int/csr/don/2004_03_02/en/index.html.

WHO 20041029. Laboratory study of H5N1 viruses in domestic ducks: main findings. http://www.who.int/csr/disease/avian_influenza/labstudy_2004_10_29/en.

WHO (2005): Avian Influenza: Assessing the pandemic threat. <http://www.who.int/csr/disease/influenza/H5N1-9reduit.pdf>.

WHO(2006b): H5N1 avian influenza: timeline. [online]

Available from: http://www.who.int/csr/disease/avian_influenza/timeline.pdf.

WHO (2007): Cumulative Number of Confirmed Human Cases of Avian Influenza A/ (H5N1) Reported to WHO.

http://www.who.int/csr/disease/avian_influenza/country/en.

Widjaja L, Krauss SL, and Webby RJ, *et al.* (2004): Matrix gene of influenza a virus

isolated from wild aquatic birds: ecology and emergence of influenza A viruses.
J Virol 78: 8771-8779.

Wood J.M., Webster R.G., and Kawaoka Y. *et al.* (1986): A lethal outbreak of H5N2 influenza in poultry in USA: virus characterization and host range. In acute virus infections of poultry. Eds. McFERRAN, J. B. McNULTY, M.S. *Martinus Nijhoff Publ., Dordrecht*, 1-21.

Xu X, Jin M, Yu Z, Li H, Qiu D, Tan Y, *et al.* (2005): Latex agglutination test for monitoring antibodies to avian influenza virus subtype H5N1. *J Clin Microbiol* 43, 1953–1955.

Xu X, Subbarao, Cox NJ, Guo Y. (1999): Genetic characterization of the pathogenic influenza A/Goose/Guangdong/1/96 (H5N1) virus: similarity of its hemagglutinin gene to those of H5N1 viruses from the 1997 outbreaks in Hong Kong. *J Virol* 261, 15-19.

Yuen KY, Chan PK, Peiris M, Tsang DN, Que TL, Shorridge KF, *et al.* (1998): Clinical features and rapid viral diagnosis of human disease associated with avian influenza A H5N1 virus. *Lancet* 351, 467–471.

Zhao Yongsheng Su Fengxian, and Sun Jialiang. (1999): Protection of Local Birds in Heilongjiang Province. *Bei Fang Huan Jing* 3, 10.