

REFERENCES

- 3Mpetrifilm™ (2005): 3Mpetrifilm™ *E. coli* and *coliform* count plates. In: Interpretation Guide (ed.) (<http://multimedia.mmm.com/mws/mediawebserver.dyn?6666660Zjcf6lVs6EVs66SbRdCOrrrrQ->, accessed on August 17, 2007).
- Alonso, J.L., Soriano, A., Carbajo, O., Amoros, I., Garelick, H. (1999): Comparison and Recovery of *Escherichia coli* and Thermotolerant Coliforms in Water with a Chromogenic Medium Incubated at 41 and 44.5°C. *Appl. Environ. Microbiol.* **65** (8), 3746-3749.
- Alhaj, N., Mariana, N.S., Raha, A.R., Ishak, Z. (2007): Prevalence of antibiotic resistance among *Escherichia coli* from different sources in Malaysia. *International J. Poult. Sci.* **6** (4), 293-297.
- Anderson, K.L., Whitlook, J.E., Harwood, V.J. (2005): Persistence and differential survival of fecal indicator bacteria in subtropical water and sediments. *Appl. Environ. Microbiol.* **71** (6), 3041-3048.
- Andersson, D.I. (2003): Persistence of antibiotic resistant bacteria. *Curr. Opin. Microbiol.* **6** (5), 452-456.
- Andrews, J.M. (2006): Determination of minimum inhibitory concentrations. *J. Antimicro. Chemo.* **48**, 5-16.
- FAO (Food and Agriculture Organization of the United Nations) (1992): Manual of food quality of food quality control 4. Rev. 1. Microbiological analysis. Washington, DC: FAO consultant. pp. 13-26.
- Asai, T., Kojima, A., Harada, K., Ishihara, K., Takahashi, T., Tamura, Y. (2005): Correlation between the usage volume of veterinary therapeutic antimicrobials and resistance in *Escherichia coli* isolated from the feces of food-producing animals in Japan. *Jpn. J. Infect. Dis.* **58**, 369-372.

AstraZeneca (2007): Worldwide incidence of antibiotic resistance on the rise (<http://www.astrazeneca.ca/en/news/release.asp?id=2000091501>, accessed August 16, 2007).

Balis, E., Vatopoulos, A.C., Opoulou, M.K., Mainas, E., Hatzoudis, G., Kontogianni, V., Malamou-Lada, H., Kitsou-Kiriakopoulou, S., Kalapothaki, V. (1996): Indications of in vitro transfer of an epidemic R plasmid from *Salmonella enteritidis* to *Escherichia coli* of the normal human gut flora. *J. Clinic. Microb.* **34** (4), 977-979.

Bambeke, F.V., Mingeot-Leclercq, M.P., Tulkens, P.M. (2006): Antibiotic efflux mechanisms (<http://www.facm.ucl.ac.be/efflux.htm>, accessed 15 August, 2007).

Bambeke, F.V., Glupczynski, Y., Plésiat, P., Pechère, J.C., Tulkens, P.M. (2003): Antibiotic efflux pumps in prokaryotic cells: occurrence, impact on resistance and strategies for the future of antimicrobial therapy. *J. Antimicro. Chemo.* **51** (5), 1055-1065.

Barlow, J. (2003): Antibiotic use on swine farms increases efficiency, profits. News Bureau, University of Illinois (<http://www.news.uiuc.edu/scitips/03/1216pigs.html>, accessed on August 15, 2007).

Guerra, B., Junker, E., Schroeter, A., Malorny, B., Lehmann, S. and Helmuth, R. (2003): Phenotypic and genotypic characterization of antimicrobial resistance in German *Escherichia coli* isolates from cattle, swine and poultry. *J. Antimicro. Chemo.* **52**, 489-492.

Bell, C., Kyriakides, A. (1998): *Escherichia coli*: A practical approach to the organism and its control in foods. 1st ed. London, United Kingdom: Blackie Academic.

Bell, J.M., Turnidge, J.D. (2002): High rates of multi-resistance in bacteremic *Escherichia coli*. Results from the SENTRY Asia-Pacific (APAC) Surveillance Program, 1998-2001. In: Gateway to the USA National Library of Medicine (<http://gateway.nlm.nih.gov/MeetingAbstracts/102267313.html>, accessed August 16, 2007).

Bettelheim, K., Thomas, G. (1997): *Escherichia coli* Antibiotic Resistotypes (<http://ecoli.bham.ac.uk/path/antir.html>, accessed on 16 August, 2007).

Biology-Online (2005): Definition of cross-resistance (<http://www.biology-online.org/dictionary/Cross-resistance>, accessed on 19 August, 2007).

BioMedicine (2007): Antibiotic resistance (<http://www.biomedicine.org/?q=/biology-definition/Antibiotic%20resistance>, accessed on 19 August, 2007).

Boerlin, P., Travis, R., Gyles, C.L., Reid-Smith, R., Lim, N.J.H., Nicholson, V., McEwen, S.A., Friendship, R., Archambault, M. (2005): Antimicrobial resistance and virulence genes of *Escherichia coli* isolates from swine in Ontario. *Appl. Environ. Microbiol.* **71** (11), 6753-6761.

Boisseau, J. (2002): Registration of veterinary drugs containing antimicrobials. Hanoi, Vietnam: Consultant's report. Hanoi, Vietnam: Project of Strengthening of Veterinary Services in Vietnam (ALA/96/20). p. 57.

Bren, L, (2001): Antibiotic resistance from down on the chicken farm. In: FDA consumer magazine (ed.). USA Food and Drug Administration (http://www.fda.gov/Fdac/features/2001/101_chic.html, accessed August 16, 2007).

Brill, R. (2007): Tiny bacteria loom large over processes of life. *Honolulu Star Bulletin*. 12 (77) (<http://starbulletin.com/2007/03/18/business/brill.html>, accessed August 20, 2007).

Bui, T.T. (2003): Su dung khang sinh trong thu y (Antibiotics use in the veterinary field). 1st ed. Hanoi, Vietnam: Agricultural University (in Vietnamese).

Bui, T.T., Pham, K.H. (1993): Examination of factors determining drug resistance of *Escherichia coli* isolated from piglets suffering of colibacillosis. *J. Vet. Sci. and Tech.* **4** (6), 57-62.

Bunke, O. (1959): Diss. In Wiss. Zeitscht of Humboldt University Berlin. In: Weber, E (1980) (ed.): Grundriss des biologischen statistik. Jena: Gustav Fisher Verlar. Pp. 619-621. (in German).

Burch, D. (2005): Problems of antibiotic resistance in pigs in the United Kingdom (<http://www.thepigsite.com/articles/1/health-and-welfare/1266/problems-of-antibiotic-resistance-in-pigs-in-the-uk>, accessed on 16 August, 2007).

Byappanhalli, M., Flowlar, M., Shively, D., Whitman, R. (2003): Ubiquity and persistence of *Escherichia coli* in a Midwestern costal stream. *Appl. Environ. Microbiol.* **69** (8), 4549-4555.

Byarugaba, D. K. (2004): Antimicrobial resistance in developing countries and responsible risk factors. *Int. J. Antimicro. Agents* **24** (2), 105-110.

Bywater, R., Deluyker, H., Deroover, E., Jong, A.D., Marion, H., McConville, M., Rowan, T., Shryock, T., Shuster, D., Thomas, V., Vallé, M., Walters, J. (2004): A European survey of antimicrobial susceptibility among zoonotic and commensal bacteria isolated from food-producing animals. *J. Antimicro. Chemo.* **54** (4), 744-754.

CCTYHN (Chi cuc Thu y Hanoi) (2005): Tinh trang kiem dich dong vat, kiem soat giet mo va kiem tra ve sinh thu y tren dia ban Hanoi (Hanoi Sub-Department of Animal Health: The current status on animal inspection and control of slaughtering and veterinary hygiene in Hanoi area). (Technical report no; 71 BC/TY/05) (in Vietnamese).

CDC (Centers for Disease Control and Prevention) (2003): Antimicrobial resistance. http://www.cdc.gov/ncidod/aip/research/ar.html#what_mech

CDC (Centers for Disease Control and Prevention) (2005a): What is an antibiotic? In: National Antimicrobial Resistance Monitoring System (NARMS), Department of Health and Human Services. Frequently asked questions about antibiotic resistance. June, 2005. Atlanta, USA (http://www.cdc.gov/narms/faq_pages, accessed on 16 August, 2007).

CDC (Centers for Disease Control and Prevention) (2005b): What is the Centers for Disease Control and Prevention (CDC) doing to monitor antibiotic resistance in food borne bacteria? In: National Antimicrobial Resistance Monitoring System (NARMS), Department of Health and Human Services. Frequently asked questions about antibiotic resistance. June, 2005. Atlanta, USA (http://www.cdc.gov/narms/faq_pages/4.htm, accessed on 16 August, 2007).

CDC (Centers for Disease Control and Prevention) (2005 c): Which antibiotics used in food-producing animals are related to antibiotics used in humans?. In: National Antimicrobial Resistance Monitoring System (NARMS), Department of Health and Human Services. Frequently asked questions about antibiotic resistance. June, 2005. Atlanta, USA (http://www.cdc.gov/narms/faq_pages/11.htm, accessed on 16 August, 2007).

Conly, J.M., Johnston, B.L. (2005): Where are all the new antibiotics? The new antibiotic paradox. *Can. J. Infect. Dis. and Med. Microbiol.* **16** (3).

Costales, A., Do, K.S., Hoang, K.G. (2007): Promoting a pro-poor pig sector development policy in Vietnam. Hanoi, Vietnam: Pro-Poor Livestock Policy Initiative. 11 p. (PPLPI summary report).

David, C. H. (2001): Emerging mechanisms of fluoroquinolone resistance. *Medscape Today* (<http://www.rxrama.com/news20010616.html>, accessed on 16 August, 2007).

Dinh, B.T. (1995): Minimum inhibiting concentration of antibiotics on the development of *Salmonella* and *Escherichia coli* isolated from diarrheic faceces of pigs. *J. Vet. Sci. and Tech.* **9** (4), 43-47.

Dinh, T. T., Nguyen, N. T., Vo, T. T. A., Le, T.H., Vo, B. L., Khuong, T.N. (2003): Initial survey on antibiotics utilization in farms and its residue in pork and chickens raise in Binh Duong province. *J. Vet. Sci. and Tech.* **10** (1), 50-57.

Dinh, X.T., Nguyen, T.T., Tran, C.T., (2005): Current status and prospects for the pig sector in Vietnam: A desk study. Hanoi, Vietnam: Pro-Poor Livestock Policy Initiative. 6 p. (PPLPI research report).

Dinh, X.T., Tran, C.T. (2001): Background paper on the Vietnamese livestock sector. Information Centre for Agriculture and Rural Development. Ministry of Agriculture and Rural Development. Hanoi, Vietnam.

Do, N.T., Cu, H.P., Van, T.H., Dao, T.H., Nguyen, X.H., Nguyen, B.H. (2006): Criteria and quantity of micro-organisms in meat in Hanoi area. *J. Vet. Sci. and Tech.* **13** (3), 48-55.

Do, N.T., Trott, D., Frost, A., Townsend, K., Cu, H.P., Nguyen, N.N., Au, X.T., Nguyen, X.H., Van, T.H., Vu, N.Q. (2003): Antibiotic resistance of *Escherichia coli* isolated from piglets having diarrhea in North Vietnam. *J. Vet. Sci. and Tech.* **9** (2), 21-27.

Dogan, H.B., Cakir, I., Baspinar, E., Halkman, A.K. (2002): Comparison of LST + MUG broth technique and conventional method for the enumeration of *Escherichia coli* in foods. *Soc. for Appl. Microbiol.* **34**, 274-278.

Donovan, S. (2002): Clinical consequences of antibiotic misuse: antibiotic resistance. In (ed.): American college of Physicians. Paper in section of infectious diseases (<http://www.acponline.org/ear/vas2002/antibiotics.htm>, accessed on August 19, 2007).

Duong, V.N. (2005): Analysis of tetracycline residues in marketed pork in Hanoi, Vietnam. Freie Universität Berlin and Chiang Mai University. Faculty of Veterinary Medicine. Thesis.

EARSS (European Antimicrobial Resistance Surveillance System) (2006): Annual reports (<http://www.rivm.nl/earss/>, accessed on August 14, 2007).

FAO (Food and Agriculture Organization of the United Nations) (2006): Livestock report 2006 (A0255/E). Rome: FAO (<http://www.fao.org/docrep/009/a0255e/a0255e00.HTM>, accessed on 16 August, 2007).

FAO/OIE/WHO (2006): Antimicrobial use in aquaculture and antimicrobial resistance. Report of joint FAO/OIE/WHO expert consultation on antimicrobial use in aquaculture and antimicrobial resistance. Seoul. (FAO/OIE/WHO consultations and workshops) (http://www.who.int/topics/foodborne_diseases/aquaculture_rep_13_16june2006%20.pdf, accessed on 16 August, 2007).

FAOSTAT (2005): Food security indicators. In: FAOSTAT database results. Table A4: Indicators of food availability, Vietnam. Rome (<http://www.mard.gov.vn/fsiu/Publication/Thuc %20trang %20ANLT %202004/Tieng %20Anh/Tables.xls>, accessed on 27 August, 2007).

FDA (Food and Drug Administration) (1996): Update on extra-label use of fluoroquinolones. US Food and Drug Administration. Department of Health and Health Services (http://www.fda.gov/cvm/CVM_Updates/71696update.html, accessed on August 19, 2007).

FDA (Food and Drug Administration) (2004): Animation narration: Antimicrobial resistance (http://www.fda.gov/cvm/cvm_scriptanimation.htm, accessed on August 17, 2007).

FDA (Food and Drug Administration) (2002): Retail meat annual report, 2002 (technical report) (http://www.fda.gov/cvm/2002_RetailMeatRpt.htm, accessed on August 17, 2007).

FDA (Food and Drug Administration) (2003): Retail meat annual report, 2003 (technical report) (http://www.fda.gov/cvm/2003_RetailMeatRpt.htm, accessed on August 17, 2007).

Feng, P. (2001): Rapid methods for detecting food borne pathogens (appendix 1). In (8th ed): FDA Bacteriological Analytical Manual online (<http://www.cfsan.fda.gov/~ebam/bam-a1.html#author>, accessed on August 17, 2007).

Finch, R., Norrby, S.R., Nord, C.E. (2005): Lack of development of new antimicrobial drugs: a potential serious threat to public health. *Lancet Infect. Dis.* **5** (2), 115-119.

Fix, D.F. (2007): Antimicrobial Chemotherapy. In: Medical microbiology site of Southern Illinois University at Carbondale (<http://www.cehs.siu.edu/fix/medmicro/chemo.htm>, accessed on August 18, 2007).

Follet, G. (2000): Antibiotic resistance in the EU-Science, politics, and policy. *J. Agrobiotech. Manag. Econ.* **3** (suppl. 2 and 3), 148-155.

FoodQuality (2002): Antibiotics use in US animal production drops. (<http://www.foodqualitynews.com/news/ng.asp?id=13057-antibiotics-use-in>, accessed on 15 August, 2007).

Fratamico, P.M., Smith, J.L. (2006): *Escherichia coli* infections. In: Riemann, H.P., Cliver, D.O. (3rd): Food-borne infections and intoxications. Florida: Elsevier Inc. Academic Press. pp. 205-208.

Freter, R., Freter, R.R., Brickner, H. (1983): Experimental and mathematical models of *Escherichia coli* plasmid transfer in vitro and in vivo. *Infect. Immu.* **39** (1), 60-84.

FSA (Food Science Australia) (2002): How useful are microbiological criteria for fresh meat? In: Meat technology update, February, 2002. Paper in Newsletter 02/1. (http://www.meatupdate.csiro.au/data/MEAT TECHNOLOGY UPDATE_02-1.pdf, accessed on August, 2007).

GAIN (Global Agriculture Information Network) (2006): Vietnam livestock and products. GAIN annual report 2006 (VM6054). Hanoi, Vietnam: USDA Foreign Agricultural Service (<http://www.fas.usda.gov/gainfiles/200609/146228906.pdf>, accessed on August 14, 2007).

GSO (General Statistics Office of Vietnam) (2006): General statistics office of Vietnam (<http://www.gso.gov.vn/>, accessed on August 14, 2007)

Ha, T.L., Hoang, T.L., Nguyen T. T. H., Phung, D.L. (1999): Antibiotic resistance of *Shigella* isolates during 1990–1992 in Vietnam. *Alliance for the Prudent Use of Antibiotics (APUA) Newsletter* **12** (1), 4-5.

Hakanen, A., Jousimies-Somer, H., Siitonen, A., Huovinen, P., Kotilainen, P. (2003): Fluoroquinolone resistance in *Campylobacter jejuni* isolates in travelers returning to Finland: association of ciprofloxacin resistance to travel destination. *Emerg. Infect. Dis.* **9** (2).

Hanashiro, A., Morita, M., Matté, G.R., Matté, M.H., Torres, E.A.F.S. (2005): Microbiological quality of selected street foods from a restricted area of São Paulo city, Brazil. *J. Food Control* **16** (5), 439-444.

Hart, W.S., Heuzenroeder, M.W., Barton, M.D. (2004): Antimicrobial Resistance in *Campylobacter* spp., *Escherichia coli* and Enterococci Associated with Pigs in Australia. *J. Vet. Med. Series B* **51** (5), 216-221.

Howard, B. (2006): Canada pork in Southeast Asia. In (ed.): Canada pork international. Presentation to Canada pork international, February, 2006. Ontario, Canada: Counsellor, Agri-Food (ASEAN) (http://www.canadapork.com/Annual_2006/, accessed on 20 August, 2007).

Hoyle, B. (2001): *Escherichia coli*. (<http://science.jrank.org/pages//2571Escherichia-coli.html>, accessed on 14 August, 2007).

HPA (British Health Protection Agency) (2005): Antibiotic-resistant *Escherichia coli* may be spreading in food supply. In: Health news. News on 12 September, 2005 (<http://health.dailynewscentral.com/content/view/1618/0>, accessed on 19 August, 2007).

HR (The House of Representatives of the United States of America) (2002): Preservation of antibiotics for human treatment Act of 2002 (107th Congress HR 3804 IH). (http://www.asm.org/ASM/files/LEFTMARGINHEADERLIST/DOWNLOAD_FILENAME/0000000238/HR3804 %5B1 %5D.html, accessed on August 17, 2007).

Inoue, M. (2001): Identification of aminoglycoside-modifying enzymes by susceptibility testing: Epidemiology of methicillin-resistant *Staphylococcus aureus* in Japan. *J. Clinic. Microb.* **39** (9). 3115-3121.

ISO 6887-2: 2003 Standard protocol (1st): Microbiology of food and animal feeding stuffs – Preparation of test samples, initial suspension and decimal dilutions for microbiological examination – Part 2: Specific rules for the preparation of meat and meat products.

ISO 7218: 1996 Standard protocol (2nd): Microbiology of food and animal feeding stuffs - General rules for microbiological examinations. Switzerland: International Organization for Standardization.

ISO 7251: 2005 Standard protocol (3rd): Microbiology of food and animal feeding stuff – Horizontal method for the detection and enumeration of presumptive *Escherichia coli* - Most probable number technique. Switzerland: International Organization for Standardization.

Istúriz, R.E., Carbon, C. (2000): Antibiotic use in developing countries. *Infect. Control Hosp. Epidemiol.* **21** (6), 394–397.

ITPC (Investment and Trade Promotion Centre) (2006): Rice exports hit a new record in 2005. Ho Chi Minh City: A trade and export gateway to Vietnam. (http://www.itpc.hochiminhcity.gov.vn/en/business_news/business_day/2006/01/folder.2006-01-09.1799069154/news_item.2006-01-09.4482504060, accessed on August 14, 2007).

Jacoby G.A. (1994): Extrachromosomal resistance in Gram-negative organisms: the evolution of β -lactamase. *Trends Microbiol.* **2**, 357-360.

Je, J., Kim, S. (2005): Antimicrobial action of novel chitin derivative. *Biochimica et Biophysica Acta (BBA) - General subjects* **1760** (1), 104-109.

Jennifer, L. (2007): Fluoroquinolones: Focus on safety. Pharmacy Times- Practical Information for Today's Pharmacist (<http://www.pharmacytimes.com/Article.cfm?Menu=1&ID=1541>, accessed on August 19, 2007).

Johnson, J.R., Kuskowski, M.A., Smith, K., O'Bryan, T.T., Tatini, S. (2005): Antimicrobial-resistant and extra intestinal pathogenic *Escherichia coli* in retail foods. *J. Infect. Dis.* **191**, 1040–1049.

Jonathan, A. (2001): The development of antibiotic resistance in *Escherichia coli*. (<http://share3.esd105.wednet.edu/mcmillend/02SciProj/jonathana/JonathanA.html>, accessed on 15 August, 2007).

Kang, H.Y., Jeong, Y.S., Oh, J.Y., Tae, S.H., Choi, C.H., Moon, D.C., Lee, W.K., Lee, Y.C., Seol, S.Y., Cho, D.T., Lee, J.C. (2005): Characterization of antimicrobial resistance and class 1 integrons found in *Escherichia coli* isolates from humans and animals in Korea. *J. Antimicro. Chemo.* **55** (5), 639-644.

Kim, B., Loeb, L.A. (1995): A screen in *Escherichia coli* for nucleoside analogs that target human immunodeficiency virus (HIV) reverse transcriptase: co expression of HIV reverse transcriptase and herpes simplex virus thymidine kinase. *J. Virol.* **69** (10), 6563-6566.

Klapthor, J.N. (2006): Additional data drawn from antimicrobial resistance: Implications for the food system. In: Institute of Food and Technologist (IFT). Paper in Fact sheet—for immediate release dated on 26th June 2007 (<http://www.ift.org/cms/?pid=1001442>, accessed on 15 August, 2007).

Klotins, K. (2004): Antimicrobial resistance in agriculture. Fact-sheet Antimicrobial Resistance in Agriculture, Ontario: Queen's Printer. (Order no. 00-075) (<http://www.omafra.gov.on.ca/english/livestock/animalcare/amr/facts/04-081.htm>, accessed on August 14, 2007).

Lalitha, M.K. (2004): Manual on antimicrobial susceptibility testing. Tamil Nadu, India: Indian Association of Medical Microbiologists. pp. 1-53 (<http://www.ijmm.org/documents/Antimicrobial.doc>, accessed August 19, 2007).

Le, K.A., Nong, T.B., Pham, V.B.B., Truong, T.B., Pham, V.C., Le, D.H., Doan, T.H.H., Nguyen, T.K.H., Truong, M.H., Nguyen, T.N.H., Nguyen, T.L., Nong, D.L., Nguyen, T.N.L., Vo, T.C.M., Chu, T.N., Le, T.M.N., Nguyen, T.P., Ngo, T.T., Pham, T.T., Le, Q.T., Pham, T.M.T., Nguyen, K.T., Hoang, K.T., Nguyen, V.V. (2002): Ket qua giam sat khang thuoc cua cac chung vi khuan gay benh o Vietnam nam 2001. Thong tin Khang thuoc cua vi khuan. Chuong trinh giam sat quoc gia ve tinh khang thuoc cua vi khuan gay benh thuong gap. Hanoi, Vietnam thang 5, 2002. (Results of antimicrobial resistance of commonly pathogenic strains in humans. In (ed): Information on bacterial antimicrobial resistance. National Antimicrobial Resistance Monitoring System of Vietnam. Hanoi/Vietnam: May, 2002) (in Vietnamese).

Licht, T.R., Christensen, B.B., Krogfelt, K.A., Molin, S. (1999): Plasmid transfer in the animal intestine and other dynamic bacterial populations: the role of community structure and environment. *Microbiol.* **145**, 2615-2622.

Lim, S.K., Lee, H.S., Nam, H.M., Cho, Y.S., Kim, J.M., Song, S.W., Park, Y.H., Jung, S.C. (2007): Antimicrobial resistance observed in *Escherichia coli* strains isolated from fecal samples of cattle and pigs in Korea during 2003–2004. *Int. J. Food Microbiol.* **116** (2), 283-286.

Luo, N., Pereira, S., Sahin, O., Lin, J., Huang, S., Michel, L., Zhang, Q. (2005): Enhanced in vivo fitness of fluoroquinolone-resistant *Campylobacter jejuni* in the absence of antibiotic selection pressure. *J. Agri. Sci.* **102** (3), 541-546.

Mammeri, H., Loo, M.V.D., Poirel, L., Martinez-Martinez, L., Nordmann, L. (2005): Emergence of plasmid-mediated quinolone resistance in *Escherichia coli* in Europe. *Antimicrob. Agents Chemother.* **49** (1), 71-76.

Mathew, A.G., Saxton, A.M., Upchurch, W.G., Chattin, S.E. (1999): Multiple antibiotic resistance patterns of *Escherichia coli* isolates from swine farms. *Appl. Environ. Microbiol.* **65** (6), 2770-2772.

Mayrhofer, S., Paulsen, P., Smulders, F.J.M., Hilbert, F. (2006): Short Communication: Antimicrobial resistance in commensal *Escherichia coli* isolated from muscle foods as related to the veterinary use of antimicrobial agents in food-producing animals in Austria. *Microbial Drug Resistance*. **12** (4), 278 -283.

McKenzie, D. (2005): Rapid test kits. In: AOAC International (<http://www.aoac.org/testkits/kits-microbiology.htm>, accessed on August 17, 2007)

Mellan, M., Benbrook, C., Benbrook, K.L. (2001): Hogging it!: Estimates of antimicrobial abuse in livestock. Analysis report summary of Union of Concerned Scientists (UCS) (http://www.ucssusa.org/food_and_environment/antibiotics_and_food/hogging-it-estimates-of-antimicrobial-abuse-in-livestock.html, accessed on August 17, 2007)

Meng, J., Doyle, M.P., Zhao, T., Zhao, S. (2001): Food microbiology. 2nd ed. Washington, D.C.: ASM press. Pp. 193-213.

Miles, T.D, McLaughlin, W., Brown, P.D. (2006): Antimicrobial resistance of *Escherichia coli* isolates from broiler chickens and humans. *BMC Vet. Res.* **2**:7.

Mitchell, J. M., Griffiths, M. W., McEwen, S. A., McNab, W. B., Yee, A. J. (1998): Antimicrobial drug residues in milk and meat: causes, concerns, prevalence, regulations, tests, and test performance. *J. Food Prot.* **61** (6), 742–756.

Mitema E.S., Kikuvi G.M., Wegener, H.C., Stohr, K. (2001): An assessment of antimicrobial consumption in food producing animals in Kenya. *J. Vet. Pharmacol. Ther.* **24**, 385-390.

Moalem, B. (2006): UN report: Global livestock sector generate more GHG emissions than transport. Paper presented on Green Car Congress. (http://www.greencarcongress.com/2006/12/un_report_global.html, accessed on 18 August, 2007).

Moldlab (2002): Sewage \ black-water contamination and *Escherichia coli*. Mold Analytical Services and Independent Laboratory (http://www.moldlab.com/sewage_screen.htm, accessed on 14 August, 2007).

Moldlab (2003): Mold analytical services & independent laboratory. Sewage \ Black-water: Contamination and *Escherichia coli*.
[\(\[http://www.moldlab.com/sewage_screen.htm\]\(http://www.moldlab.com/sewage_screen.htm\)](http://www.moldlab.com/sewage_screen.htm), accessed on 16 August, 2007).

Namvar, A., Warriner, K. (2006): Application of enterobacterial repetitive intergenic consensus–polymerase chain reaction to trace the fate of generic *Escherichia coli* within a high capacity pork slaughter line. *Int. J. Food Microbiol.* **108** (2), 155-163.

NCCLS (National Committee on Clinical Laboratory Standards) (2000): M2-A7 Procedure for performing the disk diffusion test 20 (1), USA, Clinical and Laboratory Standards Institute.

New York Times (1997): The New York Times. Federal inspectors seek source of *Escherichia coli* contamination
[\(<http://query.nytimes.com/gst/fullpage.html?sec=health&res=9904E5D71E3FF93AA2575BC0A961958260>](http://query.nytimes.com/gst/fullpage.html?sec=health&res=9904E5D71E3FF93AA2575BC0A961958260), accessed on 16 August, 2007).

Nguyen, N.Q., (2006): Vietnam pig system and R&D contribution. In (ed.): Pig system in Asia and Pacific: How can R&D enhance benefits to the poor? Paper presented at APHCA workshop held in Bangkok, Thailand, 23-24th November, 2006. Co-organized by APHCA, FAO-RAP and ILRI
[\(\[http://www.aphca.org/workshop/pigWS_nov2006/index.html\]\(http://www.aphca.org/workshop/pigWS_nov2006/index.html\)](http://www.aphca.org/workshop/pigWS_nov2006/index.html), access date 16th August, 2007).

Nguyen, T.P., Dinh, T.H.O., Tran.T.D., Luu, X.S. (2004): Bacterial resistance to antimicrobial use in shrimp and fish farms in Mekong Delta, Vietnam. In: Paper presented at an workshop on antibiotic resistance in Asian aquaculture environments held in Bangkok/Thailand
[\(\[http://www.medinfo.dist.unige.it/asiaresist/workshop_docs/Workshop_Abstarc_ts.pdf\]\(http://www.medinfo.dist.unige.it/asiaresist/workshop_docs/Workshop_Abstarc_ts.pdf\)](http://www.medinfo.dist.unige.it/asiaresist/workshop_docs/Workshop_Abstarc_ts.pdf), accessed on August 16, 2007).

Nguyen, T.V., Le, V.P., Le, C.H., Weintraub, A. (2005): Antibiotic resistance in diarrheagenic *Escherichia coli* and *Shigella* strains isolated from children in Hanoi, Vietnam. *Antimicrob. Agents Chemother.* **49** (2), 816-819.

Nguyen, V.Q., Nguyen, N., Truong, Q., Nguyen, T.T., Le, L. (1996): Role of *Escherichia coli* in diarrhea syndrome of cattle in the provinces in the Centre of Vietnam. *J. Vet. Sci. and Tech.* **4**(6), 42-47.

Vietnamnet (2006): Sumitomo opens first Vietnam branch in Ho Chi Minh City, dated 6th June, 2006 (<http://www.nhandan.com.vn>, assessed on 15 August, 2007).

Nikaido, H. (1994): Prevention of drug access to bacterial target: permeability barriers and active efflux. *Science* **264**, 382-388.

Nirdnoy, W. (2005): The contribution of plasmids to antibiotic resistance in *Campylobacter jejuni*. Bangkok, Thailand: Mahidol University, Faculty of graduate studies. Dissertation.

NZSA (New Zealand Food Safety Authority) (2005): Antibiotic resistance and food (<http://www.nzfsa.govt.nz/consumers/food-safety-topics/chemicals-in-food/antibiotic-resistance/index.htm>, accessed on August 15, 2007).

Okeke, I.N., Laxminarayan, R., Butta, Z.B., Duse, A.G., Jenkins, P., O'Brien, T., Pablos-Mendez, A., Klugman, K.P. (2005): Antimicrobial resistance in developing countries. *Lancet Infect. Dis.* **5**, 481-493.

Olofsson, S.K. (2006): Relation between drug exposure and selection of antibiotic resistant bacteria. Uppsala, Sweden: Uppsala University, Faculty of medicine, Dissertation.

Oppegaard, H., Steinum, T.M., Wasteson, Y. (2001): Horizontal transfer of a multi-drug resistance plasmid between coliform bacteria of human and bovine origin in a farm environment. *Appl. Environ. Microbiol.* **67** (8), 3732–3734.

Oram, B. (2005): Why fecal coliform testing is important—*Escherichia coli*? Wilkes university. Center for environmental quality environmental engineering and earth sciences (<http://www.water-research.net/Watershed/ecoli.htm>, accessed on 19 August, 2007).

Ornelas, L., Gellatley, J. (2001): A report on the USA pig industry. USA: Viva when pig cry (<http://www.vivausa.org/campaigns/pigs/report.htm#antibioticresistance>, access date 16th August, 2007).

Padungtod, P., Kaneene, J.B. (2006): *Salmonella* in food animals and humans in Northern Thailand. *Int. J. Food Microbiol.* **108** (3), 346-354.

- Padungtod, P., Kaneene, J.B., Hanson, R., Morita, Y., Boonmar, S. (2006): Antimicrobial resistance in *Campylobacter* isolated from food animals and humans in Northern Thailand. *FEMS Immunology and Medical Microbiology*. **47** (2), 217-225.
- Pearce, R.A., Sheridan, J.J., Bolton, D.J. (2006): Distribution of airborne micro-organisms in commercial pork slaughter processes. *Int. J. Food Microbiol.* **107** (2), 186-219.
- Pena, A., Serrano, C., Réu, C., Baeta, L., Calderon, V., Silveira, I., Sousa, J.C., Peixe, L. (2004): Antibiotic residues in edible tissues and antibiotic resistance of faecal *Escherichia coli* in pigs from Portugal. *Food additives and contaminants* **21** (8), 749-755.
- Petridis, M., Bagdasarian, M., Waldor, M. K., Walker, E. (2005): Horizontal transfer of shiga toxin and antibiotic resistance genes among *Escherichia coli* strains in house fly (Diptera: *Muscidae*) gut. *J. Med. Entomol.* **43** (2), 288–295.
- Petrocheilou, V., Richmond, M.H., Bennett, P.M. (1979): Persistence of plasmid-carrying tetracycline-resistant *Escherichia coli* in a married couple, one of whom was receiving antibiotics. *Antimicrob. Agents Chemother.* **16** (2), 225–230.
- Phan, T.V. (2004): Current status of aquatic veterinary drugs usage for aquaculture in Vietnam. In: Paper presented at a workshop on antibiotic resistance in Asian aquaculture environments held in Bangkok / Thailand. (http://www.medinfo.dist.unige.it/asiaresist/workshop_docs/Workshop_Abstarc_ts.pdf, accessed on August 16, 2007).
- Phillips, I., Casewell, M., Cox, T., Groot, D.B., Friis, C., Jones, R., Nightingale, C., Preston R., Waddell, J. (2004): Does the use of antimicrobials in food animals pose a risk to human health? *J. Antimicrob. Chemo.* **53**, 28-52.
- Prescott, J.F., Baggot, J.D. (1988): Antimicrobial therapy in veterinary medicine. London: Blackwell Scientific Publication.

Price, L.B., Johnson, E., Vailes, R., Silbergeld, E. (2005): Fluoroquinolone-resistant *Campylobacter* isolates from conventional and antibiotic-free chicken products. *Environmental Health Perspectives* **113** (5), 557-560.

Ramón-García, S., Martín, C., Aínsa, J.A., Rossi, E.D. (2006): Characterization of tetracycline resistance mediated by the efflux pump tap from *Mycobacterium fortuitum*. *J. Antimicrob. Chemo.* **57** (2), 252-259.

Rapp, R.P. (2006): Pharmacy infectious diseases practices. *Ann. Pharma.* **40**, 304-306.

Refika, H., Marlyn S.W. (2001): Advanced cystic fibrosis lung disease in children. Current opinion in pulmonary medicine. *Pulm. Med.* **7** (6), 448-453.

Rodriguez, C.N., Rodriguez-Morales, A.J., Garcia, A., Pastran, B., Meijomil, P., Barbella, R.A., Blanco, J.J., Vargas, J.A., Gutierrez, G. (2005): Quinolone antimicrobial resistance in some *Enterobacteria*: a 10-year study in a Venezuelan general hospital. *Int. J. Antimicrob. Agents* **25** (6), 546-550.

Sayah, R.S., Kaneene, J.B., Johnson, Y., Miller, R.A. (2005): Patterns of antimicrobial resistance observed in *Escherichia coli* isolates obtained from domestic- and wild-animal fecal samples, human septage, and surface water. *Appl. Environ. Microbiol.* **71** (3), 1394–1404.

Schjørring, S., Struve, C., Krogfelt, K.A. (2005): Plasmid transfer from *Klebsiella pneumoniae* to *Escherichia coli*. In: European Congress of Clinical Microbiology and Infectious Diseases. Paper presented in 15th European Congress of Clinical Microbiology and Infectious Diseases, Denmark, 2-5th April, 2005. Copenhagen: Blackwell Synergy. (<http://www.blackwellpublishing.com/eccmid15/abstract.asp?id=37125>, accessed on August 17, 2007).

Schröder, C. (2004): Antimicrobial resistance in *Escherichia coli* isolates in a large German community-based hospital 1998–2003 - trends correlated with antimicrobial use. Prague: 14th European Congress of Clinical Microbiology and Infectious Diseases (ESCMID), 1-4 May. (<http://www.blackwellpublishing.com/eccmid14/abstract.asp?id=15619>, accessed on August 17, 2007).

- Schroeder, C.M., Meng, J., Zhao, S., DebRoy, C., Torcolini, J., Zhao, C., McDermott, P.F., Wagner, D.D., Walker, R.D., White, D.G. (2003a): Antimicrobial resistance of *Escherichia coli* O26, O103, O111, O128, and O145 from animals and humans. *Emerg. Infect. Dis.* **8** (12).
- Schroeder, C.M., White, D.G., Ge, B., Zhang, Y., McDermott, P.F., Ayers, S., Zhao, S., Meng, J. (2003b): Isolation of antimicrobial-resistant *Escherichia coli* from retail meats purchased in Greater Washington, DC, USA. *Int. J. Food Microbiol.* **85** (1), 197 – 202.
- Serrano, P.H. (2005): Responsible use of antibiotics in aquaculture. Rome: FAO. p. 97. (Fisheries technical paper; 469).
- Sherley, M., Gordon, D.M., Collignon, P.J. (2004): Evolution of multi-resistance plasmids in Australian clinical isolates of *Escherichia coli*. *J. Microbiol.* **150**, 1539-1546.
- Soomro, A.H., Arain, M.A., Khaskheli, M., Bhutto, B. (2002): Isolation of *Escherichia coli* from raw milk and milk products in relation to public health sold under market conditions at Tandojam. *Pakistan J. Nutri.* **1** (3), 151-152.
- Abedon, S.T. <http://www.mansfield.osu.edu/~sabedon/black13.htm>, accessed on August 17, 2007
- Sullivan, T. J., Nguyen, T.N.T. (1971): Bacterial enteropathogens in the republic of South Vietnam. *Military Med.* **136** (1), 1-6.
- Sunde, M., Sorum, H. (2001): Self-transmissible multi-drug resistance plasmids in *Escherichia coli* of the normal intestinal flora of healthy swine. *Microb. Drug Resist.* **7** (2) 191-196.
- Takashi, I., Okamoto, R., Shimauchi, C., Okubo, T., Kuga, A., negative organisms: the evolution of β -lactamase. *Trends Microbiol.* **2**, 357-360.
- Tenover, F.C. (006): Mechanisms of antimicrobial resistance in bacteria. *Elsevier Am. J. Med.* **119**, 3-10.

Teshager, T., Herrero, I.A., Porrero, M.C., Garde, J., Moreno, M.A., Domínguez, L. (2000): Surveillance of antimicrobial resistance in *Escherichia coli* strains isolated from pigs at Spanish slaughterhouses. *Int. J. Antimicrob. Agents* **15** (2), 137-142.

Tiemersma, E., Bruinsma, N., Monen, J.C.M., Degener, J.E., Grundmann, H. (2005): Trends in antimicrobial resistance among *Escherichia coli* in Europe reported via the EARSS. In: European Congress of Clinical Microbiology and Infectious Diseases. Paper presented in 15th European Congress of Clinical Microbiology and Infectious Diseases, Denmark, 2-5th April, 2005. Copenhagen: Blackwell Synergy. (<http://www.blackwellpublishing.com/eccmid15/abstract.asp?id=37638>, accessed on August 17, 2007).

To, L.T. (2004): Antimicrobial resistance of *Salmonella* and of *Escherichia coli* isolated from pork and chicken meat in the Red River Delta. *J. Vet. Sci. and Tech.* **11** (4), 29-35.

To, L.T. (2006): Ngien cuu hien trang o nhiem mot so vi khuan o thit lon, ga tai Hanoi va ap dung bien phap han che su phat trien cua chung (A study on current situation on contamination of some bacteria in pork and chicken meat in Hanoi area and measurements for preventing from their development). Hanoi, Vietnam: Ministry of Agriculture and Rural Development. National Institute of Veterinary Research, Dissertation.

Todar, K. (2002): Bacteria resistance to antibiotics. University of Wisconsin-Madison (<http://www.textbookofbacteriology.net/>, accessed on 15 August, 2007).

Todar, K. (2005): Ken Todar's Microbial World. University of Wisconsin-Madison. In (ed.): Bacteriology at UW-Madison. Lectures and readings from introductory microbiology courses at the University of Wilconsin-Madison (http://www.bact.wisc.edu/themicrobialworld/Escherichia_coli.html, accessed on August 17, 2007).

Tortorello, M.L. (2003): Indicator organisms for safety and quality uses and methods for detection. minireview. *J. AOAC. Int.* **86** (6), 1208-1217.

Umolu, P.I., Ohenhen, E.R., Okwu, I.G., Ogiehor, I.S. (2006): Multiple Antibiotic resistant index and plasmid of *Escherichia coli* in beef in Ekpoma. *Am. J. Sci.* **2** (3), 1-4.

USDA (United States Department of Agriculture) (2005): Vietnam livestock and products Annual – September, 2005. ThePigSite (<http://www.thepigsite.com/>, accessed on August 14, 2007).

Valentine, T. (2001): The Drugging of America's Food. The spotlight. (http://www.libertylobby.org/articles/2001/20010226food_drugging.html, accessed on 15 August, 2007).

Vietnamnews (2006): Imported beef remains costly choice, Vietnamnews, dated 28th June, 2006 (<http://vietnamnews.vnagency.com.vn/showarticle.php?num=06BUS280606>, assessed on 15 August, 2007).

VMD (Veterinary Medicine Directorate Annual Report and Accounts) (2006): Sales of microbial products authorized for use as veterinary medicines, antiprotozoals, antifungals, growth promoters and coccidiostats, in the UK 2005. Assuring the safety, quality and efficacy of veterinary medicines (UK annual report and accounts 2005/2006) (<http://www.vmd.gov.uk/publications/antibiotic/salesanti05.pdf>, accessed on August 16, 2007).

Vo, T.T.A., Duijkeren, E.V., Fluit, A.C., Gaastra, W. (2007): Antimicrobial resistance in non-typhoid *Salmonella* in Vietnam. *Antimicrob. Agents Chemother.* Doi: **10**, 1128/AAC.01093-06. (Article in press).

VSPA (World Society for the Protection of Animals) (2006): Resistant bacteria in people and farm animals around the world. (<http://wspafarmwelfare.org/hhantibiotics.html>, accessed on 15 August, 2007).

Wallace, R.L. (2002): Updates and Changes to Antibiotic Regulations. In: University of Illinois Extension. Paper in the online resource for dairy industry of Illini DairyNet on February 15, 2002. (<http://www.livestocktrail.uiuc.edu/dairynet/paperDisplay.cfm?ContentID=633>, accessed August 16, 2007).

Warriner, K., Aldsworth, T.G., Kaur, S., Dodd, C.E.R. (2002): Cross-contamination of carcasses and equipment during pork processing. *J. Appl. Microbiol.* **93** (1), 169-177.

Webber, M., Paddock, L.J.V. (2001): Quinolone resistance in *Escherichia coli*. *J. Vet. Res.* **32**, 275-284.

Wegener, H.C. (1999a): The consequences for food safety of the use of fluoroquinolones in food animals. *N. Engl. J. Med.* **340** (1), 1581-1582.

Wegener, J. (1999b): The hygiene inspection system of the veterinary services in Vietnam. Consultant's report. Hanoi, Vietnam: Project of Strengthening of Veterinary Services in Vietnam (SVSV - ALA/96/20). p. 64.

Wegener, H.C. (2004): Public health impacts of the use of antimicrobials in food animals. In (ed.): IVIS website. Paper presented in Congress Quebec held 23rd World Buiatrics, Canada, 11-16th July, 2004. World Association for Buiatrics (<http://www.ivis.org/proceedings/wbc/wbc2004/WBC2004-WegenerCorrsimple.pdf>, accessed August 16, 2007).

Wheat, P.F. (2001): History and development of antimicrobial susceptibility testing methodology. *J. Antimicro. Chemo.* **48**, 1-4.

WHO (World Health Organization) (2002a): Use of antimicrobials outside human medicine and resultant antimicrobial resistance in humans. 268th fact sheet. Geneva: WHO (<http://www.who.int/mediacentre/factsheets/fs268/en/>, accessed on August 19, 2007).

WHO (World Health Organization) (2002b): Antimicrobial resistance. 194th fact sheet. Geneva: WHO (<http://www.who.int/mediacentre/factsheets/fs194/en/>, accessed on August 14, 2007).

WHO (World Health Organization) (2003): Impact of antimicrobial growth promoter termination in Denmark. In (ed.): WHO international review panel's evaluation of the termination of the use of antimicrobial growth promoters in Denmark held in Foulum, Danmark, 6-9th November, 2002 (WHO/CDS/CPE/ZFK/2003). Geneva: WHO. p. 57.

WHO (World Health Organization) (2007): Antimicrobial resistance. Geneva: WHO (http://www.who.int/foodborne_disease/resistance/en/, accessed on August 19, 2007).

Wilson, B. (2005): Survey of microbiological quality of pork pies - Western Australian. In: FSANZ (Food Standards Australia New Zealand) (ed.): Food surveillance news, spring and summer 2005. Paper in the Food Monitoring Program. (http://www.foodstandards.govt.nz/newsroom/foodsurrellancenewsletter/springsummer2005/index.cfm#_porkpies, accessed on August 17, 2007).

Yan, S.S., Gilbert, J.M. (2004): Antimicrobial drug delivery in food animals and microbial food safety concerns: An overview of in vitro and in vivo factors potentially affecting the animal gut micro flora. *Adv. Drug. Deliv. Rev.* **56** (10), 1497-1521.

Zhao, C., Ge, B., Villena, J.D., Sudler, R., Yeh, E., Zhao, S., White, D.G., Wagener, D., Meng, J. (2001): Prevalence of *Campylobacter* spp., *Escherichia coli*, and *Salmonella* serovars in retail chicken, turkey, pork and beef from the Greater Washington, D.C. area. *Appl Enviro Microbiol.* **67** (12), 5431-5436.

Zweifel, C., Baltzer, D., Stephan, R. (2004): Microbiological contamination of cattle and pig carcasses at five abattoirs determined by swab sampling in accordance with EU Decision 2001/471/EC. *Meat Sci.* **69** (3), 559-566.