

REFERENCE

- Alexander, D.J. and Spackman, D. (1981): Characterization of influenza A viruses isolated from Turkeys in England during March-May 1979. *Avian Path.* **10**, 281-293.
- Alexander, D.J.(1993): Orthomyxovirus infections. In: McFerran, J.B., McNulty, M.S.(3rded.): *Viral Infections of Vertebrates, Viral Infections of Birds.* Amsterdam, The Netherlands. pp 287-316. (Horzinek, M.C.)
- Alexander, D.J. (2000): A review of avian influenza in different bird species. *Vet.Micr.* **74**, 3-13.
- Allwinn, R., Preiser, W., Rabenau, H, Buxbaum, S., Sturmer, M., Doerr, H.W. (2002): Laboratory diagnosis of influenza in virology or serology. *Med Mic. Imm. (Berl).* **191**, 157-60.
- Altmuller A., Kunerl M., Muller K., Hinshaw V.S., Fitch W.M., Scholtissek C. (1991): Genetic relatedness of the nucleoprotein (NP) of recent swine, turkey and human influenza A virus (H1N1) isolates. *Virus Res.* **22**, 79-87.
- Bahl, A.K., Langston, A., Van Deusen, R.A., Pomeroy, B.S., Newman, J., Karunakarn, D., Halvorson, D. (1979): Prevention and control of avian influenza in turkeys. *Processing of the Annual Meeting of the United States Animal Health Association.* **83**, 355-363.
- Beigel J.H., Farrar J, Han A.M., (2005): Avian influenza A (H5N1) infection in humans. *N Engl J Med.* **353**, 1374-85.
- Bender, C., Hall, H., Huang, J., Klimov, A., Cox, N., Hay, A., Gregory, K., Cameron, V., Lim, W. and Subbarao, K. (1999): Characterization of the Surface Proteins of Influenza A (H5N1) Viruses Isolated from Humans in 1997-1998. *Virology.* **254**, 115-23.
- Bishai, F.R.and Galli, R. (1978): Enzyme-linked immunosorbent assay for detection of antibodies to influenza A and B and parainfluenza type 1 in sera of patients. *J Clin Mic.* **8**, 648-56.
- Burnet, F.M., Bull, R.D. (1943). Changes in influenza virus associated with adaptation to passage in chick embryos. *Aust. J. Exp. Biol. Med. Sci.* **21**, 55-69.

- Buxton., Bridge, C., Katz, J.M., Seto, W.H, (2000): Risk of influenza A (H5N1) infection among health care workers exposed to patients with influenza A (H5N1), Hong Kong. *J Infect Dis.* **181**, 344–8.
- Cappucci DT Jr, Johnson D.C, Brugh M, Smith T.M, Jackson C.F, Pearson J.E, Senne DA. (1985): Isolation of avian influenza virus (subtype H5N2) from chicken eggs during a natural outbreak. *Avian Dis.* **29**, 1195-2000.
- Cauthen A.N., Swayne, D.E., Schultz-Cherry S, Perdue, M.L., Suarez D.L., (2000): Continued circulation in China of highly pathogenic avian influenza viruses encoding the hemagglutinin gene associated with the 1997 H5N1 outbreak in poultry and humans. *J Virol.* **74**, 6592-9.
- Class, E.C., Osterhau, A. D., Beek van, R., Jong De, J.C., Rimmelzwaan, Senne D.A., Krauss, S., Shortridge. Webster, R.G., (1998): Human influenza A H5N1 virus related to a highly pathogenic avian influenza virus. *The Lancet.* **351**, pp 472–477.
- Fouchier, R.A. et al. (2000). Detection of influenza A viruses from different species by PCR amplification of conserved sequences in the matrix gene. *J. of Clin.Microbiol.* **38**, 4096–4101.
- Fouchie, R.A., Munster, V., Wallensten, A., (2005): Characterization of a novel influenza A virus hemagglutinin subtype (H16) obtained from black-headed gulls. *J Virol.* **79**, 2814-2.
- Frisbie, B, Tang, Y.W, Griffin, M, (2004):Surveillance of childhood influenza virus infection: what is the best diagnostic method to use for archival samples. *J. Cli. Micr.* **42**, 1181-4.
- Garcia, A., Crawford, J.M., Latimer ,J.W., Rivera-Cruz E., Perdue,M.L. (1996): Heterogeneity in the haemagglutinin gene and emergence of the highly pathogenic phenotype among recent H5N2 avian influenza viruses from Mexico. *J. Gen. Virol.*, **77**, 1493-1504.
- Garcia, A., Johnson, H., Srivastava, D., Jayawardene, D.A., Wehr, D.R., Webster, R.G. (1998): Efficacy of inactivated H5N2 influenza vaccines against lethal A/chicken/Queretaro/19/95 infection. *Avian Dis.*, **42**, 248-256.
- Guan, Y., Peiris, J.S, Lipatov, A.S. (2002a): Emergence of multiple genotypes of H5N1 avian influenza viruses in Hong Kong SAR. *Proc Natl Acad Sci. U S A.* **99**, 8950-5.
- Guan, Y., Peiris, M., Kong,K.F. (2002b): H5N1 influenza viruses isolated from geese in Southeastern China: evidence for genetic reassortment and interspecies transmission to ducks. *Virology.* **292**, 16-23.

- Guan Y, Peiris JS, Poon L.L. (2003): Reassortants of H5N1 influenza viruses recently isolated from aquatic poultry in Hong Kong SAR. *Avian Dis.* **47**, 911-3.
- Hafez, H.M. (2005): Governmental regulations and concept behind eradication and control of some important poultry disease. *World's Poultry Science Journal.* **61**, 569-591
- Halvorson, D.A. (1998): Strengths and weaknesses of vaccines as a control tool. The Fourth International Symposium on Avian Influenza. Athens: Animal Health association, 223-227.
- Halvorson, D.A., Frame, D.D., Friendshuh, A.J., Shaw, D.P. (1998): Outbreaks of low pathogenicity avian influenza in USA. The 4th the International Symposium on Avian Influenza. Athens: Animal Health Association, 36-46.
- Hoffmann, E., Stech, J., Leneva, I. (2000): Characterization of the influenza A virus gene pool in avian species in southern China: was H6N1 a derivative or a precursor of H5N1. *J. Virol.* **74**, 6309-15.
- Ito, T. (1998): Molecular basis for the generation in pigs of influenza A viruses with pandemic potential. *J. Virol.* **72**, 7367-7373.
- Julkunen I, Pyhala R, Hovi T. (1985): Enzyme immunoassay, complement fixation and hemagglutination inhibition tests in the diagnosis of influenza A and B virus infections. Purified hemagglutinin in subtype-specific diagnosis. *J. Vir.Methods.* **10**, 75-84.
- Kalin, M., Grandien, M. (1993): Rapid diagnostic methods in respiratory infection. *Curr Opin. Infect. Dis.* **6**, 150-157.
- Kilbourne, E. D. (1963): Influenza. *Med Sci.* **13**, 527-40.
- Klenk, H. D. (1974): Viral envelopes and their relationship to cellular membranes. *Curr Top Micr.Immu.* **68**, 29-58.
- Koch G. (2003): Assessment of the sensitivity and specificity of PCR for NDV on cloacal and tracheal swabs compared to virus isolation. The Joint of 7th Annual Meetings of the National Newcastle Disease and Avian Influenza Laboratories of Countries of the European Union. Italy, 114-117.
- Li, K.S., Guan. Y., Wang, J. (2004): Genesis of a highly pathogenic and potentially pandemic H5N1 influenza virus in eastern Asia. *Nature.* **430**, 209-13.
- Lisa, F.P.N., Barr, I., Nguyen, T., Noor, S.M., Tan, R.S.P., Agathe, L.V., Gupta, S., Khalil, H., To, T.L., Hassan, S.S., Ren, E.C. (2006): Specific detection of H5N1 avian influenza A virus in field specimens by a one-step RT-PCR assay. URL: <http://www.Biomedcentral.com/1471-2334/6/40>.

- Murphy, B. R., Webster, R. G. (1996): Orthomyxoviruses. In: Fields, B. N., Knipe, D.M., Howley, P.M. (3rd ed.): *Fields Virology*, Lippincott-Raven: Philadelphia. pp. 1397-1445.
- Office International des Epizooties (OIE) (1992): Highly Pathogenic Avian Influenza (Fowl Plague). In: *Manual of Standards for Diagnostic Tests and Vaccines*. 2nd ed. OIE, Paris, France. Chapter A15.
- Perdue, M.L., Garcia, M., Senne, D., Fraire, M. (1997): Virulence-associated sequence duplication at the hemagglutinin cleavage site of avian influenza viruses. *Virus Res.* **49**, 173-86.
- Pearson, J.E., Sene, D.A., Panigrahy. (2003): Diagnostic Procedures and Policies for Avian Influenza at the National Level. In: *Avian Diseases, The 3rd International Symposium on Avian Influenza*. 1992. **47**, 258-268.
- Petric, Comanor, Cathy A., Petti. (2006): Role of the Laboratory in Diagnosis of Influenza during Seasonal Epidemics and Potential Pandemics. *J. Inf. Dis.* **194**, 98-110.
- Prince, H.E., Leber, A.L. (2003): Comparison of complement fixation and haemagglutination inhibition assays for detecting antibody responses following influenza virus vaccination. *Clin. Diagn. Lab. Immunol.* **10**, 481-2.
- Schild, G.C., Newma, R.W., Webster, R.G., Major, D., Hinshaw, V.S. (1980): Antigenic analysis of influenza A virus surface antigens: considerations for the nomenclature of influenza virus. *Arch. Virol.* **83**, 171-184.
- Scholtissek, C. (1994): Source for influenza pandemics. *Eur. J. Epidemiol.* **10**, 455-458.
- Senne, D.A., Panigrahy, B., Kawaoka, Y. (1999): Survey of the hemagglutinin (HA) cleavage site sequence of H5 and H7 avian influenza viruses: amino acid sequence at the HA cleavage site as a marker of pathogenicity potential. *Avian. Dis.* **40**, 425-37.
- Shortridge, K.F., Gao, P., Guan, Y. (2000). Interspecies transmission of influenza viruses: H5N1 virus and a Hong Kong SAR perspective. *Vet. Micro.* **74** (1/2), 141-147.
- Sidorenko, Y. and Reichl, U. (2004): Structured model of influenza virus replication in MDCK cells. *Biotechnol Bioeng.* **88**, 1-14.
- Steininger, C., Kundi, M., Aberle, S.W., Aberle, J.H., Popow-Kraupp, T. (2002): Effectiveness of reverse transcription-PCR, virus isolation, and enzyme-linked immunosorbent assay for diagnosis of influenza A virus infection in different age groups. *J. Clin. Micro.* **40**, 2051-6.

- Suarez, D.L., Perdue, M.L., Cox, N., Rowe, T., Bender, C., Huang, J., Swayne, D.E. (1998): Comparisons of highly virulent H5N1 influenza A viruses isolated from humans and chickens from Hong Kong. *J. Virol.* **72**, 6678-668.
- Subbarao, K., Klimov, A., Katz, J., Regnery, H., Lim, W., Hall, H., Perdue, M., Swayne, D., Bender, C., Huang, J., Hemphill, M., Rowe, T., Shaw, M., Xu, X.,
- Swayne, D.E. (2000): Understanding the ecology and epidemiology of avian influenza viruses. In: Brown, C.E., Bolin, C.A., (ed): *Emerging Diseases of Animals, implications for zoonotic potential*. Washington, D.C: ASM Press. pp. 101-130.
- Webster, R.G., Bean, W.J., Gorman, O.T., Chambers, T.M., Kawaoka, Y. (1992): Evolution and ecology of influenza A viruses. *Microbiol. Rev.* **56**, 152- 179.
- WHO (2002): World Health Organization. Manual on animal influenza diagnosis and surveillance. Geneva. (accessed on 15th August <http://www.who.int/csr/resources/publications/influenza/en/whocdscsrncs2002.5.pdf>)
- WHO (2005): World Health Organisation . Recommendations on the use of rapid testing for influenza diagnosis. Geneva. (accessed on 15th August http://www.who.int/csr/disease/avian_influenza/guidelines/RapidTestInfluenza_web.pdf)
- WHO (2005): World Health Organisation. Guidelines for the collection of human specimens for laboratory diagnosis of avian influenza infection. Geneva. World Health Organisation, 2005. (accessed on 15th August http://www.who.int/csr/disease/avian_influenza/guidelines/humanspecimens/en/print.html)
- Xu X, Subbarao, Cox N.J, Guo Y. (1999): Genetic characterization of the pathogenic influenza A/Goose/Guangdong/1/96 (H5N1) virus: similarity of its hemagglutinin gene to those of H5N1 viruses from the 1997 outbreaks in Hong Kong. *Vir.* **261**, 15-9.
- Zambon, M. C. (2001): The pathogenesis of influenza in humans. *Rev Med Virol.* **11**, 227-241.
- Zhou, N.N., Shortridge, K.F., Claas, E.C.J., Krauss, S.L., Webster, R.G. (1999): Rapid evolution of H5N1 influenza viruses in chickens in Hong Kong. *J.Virol.* **73**, 3366-3374.

Chapter 2.1.14. in the Manual of Diagnostic Tests and Vaccines for Terrestrial Animals.

<http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5408a1.htm>

<http://www.fda.gov/cdrh/oivd/tips/rapidflu.html>

http://www.who.int/csr/disease/avian_influenza/guidelines/RapidTestInfluenza_web.pdf

http://www.who.int/csr/disease/avian_influenza/guidelines/humanspecimens/en/print.html

http://www.who.int/csr/disease/avian_influenza/guidelines/avian_labtests2.pdf

<http://www.who.int/csr/resources/publications/influenza/whocdscsrncs20025rev.pdf>



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved