

REFERENCES

- Agricultural Research Service. USDA. 2007. [Online]. Available <http://www.ars.usda.gov/research/projects/projects.htm>. (7 August 2007).
- Axelsson, F., Sorin, M.-L. (1997). Transia *Salmonella* Technical Handbook. Version1.1. Hisings Becka: Diffchamb AB, pp.6-20.
- Bailey, J.S., Line, E. (2001). In ovo gentamicin and mucosal starter culture to control *Salmonella* in broiler production. Journal of Applied Poultry Research. 10 (4), 376-379.
- Bangtrakulnonth, A., Pornreong wong, S., Pulsrokarn, C., Sawanpanyalert, P., Hendriksen, R.S., Lo Fo Wong, D.M.A., Aarestrup, F.M. (2004). *Salmonella* Serovars from Humans and Other sources in Thailand, 1993-2002. Emerging Infectious Diseases. 10 (1), 131-136.
- Beloeil, P.A., Fravalo, P., Fablet, C., Jolly, J.P., Eveno, E., Hascoet, Y., Chauvin, C., Salvat, G., Madec, F. (2004). Risk factors for *Salmonella enterica* subsp. *enterica* shedding by market-age pigs in French farrow-to-finish herds. Prev. Vet. Med. 63, 103-120.
- Berends, B. R., Van Knapen, F., Mossel, D.A.A., Burt, S.A., Snijders, J.M.A. (1998). Impact on human health of *Salmonella* spp. on pork in The Netherlands and the anticipated effects of some currently proposed control strategies. Int J Food Microbiol. 44 (3), 219-229.
- Bryan, F.L., Doyle, M.P., (1995). Health risks and consequences of *Salmonella* and *Campylobacter jejuni* in raw poultry. Journal of Food Protection. 58, 326-344.

Center of Disease Control and Prevention, USA, (2005): Infectious Disease Information; Salmonellosis. [Online]. Available www.cdc.gov/ncidod/dbmd/diseaseinfo/salmonellosis_g.htm. (20 October 2006)

Davies, P.R., Morrow, W.E.M., Jones, F.T., Deen, J., Fedorka-Cray, P.J., Harris, I.T. (1997). Prevalence of *Salmonella* in finishing swine raised in different production systems in North Carolina, USA. *Epidemiol. Infect.* 119, 237-244.

DEFRA. (2007). [Online]. Available www.defra.gov.uk. (15 August 2007).

Dorn-In, S. "Prevalence of salmonella in pre-slaughter pigs in Chiang Mai, Thailand". M.S. Thesis, Freie Universität Berlin and Chiang Mai University, 2005.

D' Aoust, J.Y., Maurer, J., Bailey, J.S. (2001a): *Salmonella* species. In: Doyle, M.P., Beuchat, L.R., Montville, T.J. (ed.): Food Microbiology: Fundamentals and Frontier. 2nd ed. Washington: ASM Press. pp. 141-178.

D' Aoust, J.Y. (2001b): *Salmonella*. In: Labbe, R.G. and Garcia, S. (ed.): Guide to Foodborne Pathogens. New York: Wiley-Interscience. pp. 163-191.

EFSA. (2005). Community Summary Report on Trends and Sources of Zoonoses, Zoonotic Agents and Antimicrobial resistance in the European Union in 2004. The EFSA Journal. 130.

EFSA. (2007). [Online]. Available www.efsa.europa.eu/en/press_room/news/wns_qmra.htm. (15 August 2007).

Ehrlich, G.H., Sirko, D.A. (1994): PCR and its role in clinical diagnostics. In: Ehrlich, G.D. and Greenberg, S.J. (eds.): PCR-based Diagnostic in infectious disease. Blackwell Scientific Publications, Boston, Massachusetts. pp. 11-13.

Fedorka-Cray, P.J., Gray, J.T., Wray, C. (2000): *Salmonella* infection in pigs. In: Wray, C. and Wray, A. (eds): *Salmonella* in Domestic animal. CAB International. pp. 190-191.

Forshell, L., Wierup, M. (2006). *Salmonella* Contamination: a significant challenge to the global marketing of animal food products. Rev. sci. tech. Off. Int. Epiz. 25(2), 541-544.

Free University of Berlin Faculty of Veterinary Medicine, Institute of meat hygiene and technology, 2004: *Salmonella* Procedure version 1 (July 2004).

Funk, J.A., Davies, P.R., Nichols, M.A., (2000). The effect of fecal sample weight on the detection of *Salmonella enterica* in swine feces. J. Vet. Diagn. Invest. 12, 412-418.

Funk, J.A., Davies, P.R., Nichols, M.A. (2001). Longitudinal study of *Salmonella enterica* in growing pigs reared in multi-site swine production systems. Vet. Micro. 83, 45-60.

Genovese, K., Anderson, R., Harvey, R., Callaway, T., Poole, T., Edrington, T., Cray, P., Nisbet, D. (2003): Competitive exclusion of *Salmonella* from the gut of neonatal and weaned pigs. Journal of Food Protection. 66(8), 1353-1359.

Haesebrouck, F., Pasmans, F., Chiers, K., Maes, D., Ducatelle, R., Decostere, A. (2004). Efficacy of vaccines against bacterial diseases in swine: What can we expect?. Vet. Microbiol. 100(3-4), 255-268.

Holt, J.G., Krieg, N.R., Sneath, P.H.A., Stanley, J.T., Williams, S.T. (2000): Facultative Anaerobic Gram Negative rod. In: Bergey's Manual of Determination Bacteriology, 9th ed. Philadelphia: Lippincott William and Wilkins. pp. 175-289.

ISO 6579 (2002): International Standard: Microbiology of food and animal feeding stuffs –Horizontal method for the detection of *Salmonella* spp. Geneva: ISO copyright office.

Jay, J.M., Loessner, M.J., Golden, D.A. (2005): Foodborne Gastroenteritis Caused by *Salmonella* and *Shigella*. In: Heldman, D.R. (ed.): Modern Food Microbiology. 7th ed. New York: Springer Science and Business Media. pp. 619-634.

Korsak, N., Jacob, B., Groven, B., Etienne, G., China, B., Ghafir, Y., Daube, G. (2003). *Salmonella* contamination of pigs and pork in an Integrated pig production system. *Journal of Food Protection*. 66(7), 1126-1133.

Kranner, S., Alban, L., Boes, B., Dahl, J. (2003). Longitudinal study of *Salmonella enterica* serotype Typhimurium infection in three Danish farrow-to-finish swine herds. *Journal of Clinical microbiology*. 41(6), 2282-2288.

Kusum, M., Bangtrakulnonth, A., Pulsrikarn, C., Aarestrup, F.M. (2006). *Salmonella* Lamphun: First isolation of a new *Salmonella* serovar in Thailand. *Southern Asian J. Trop. Med. Public Health*. 37(3), 149-152.

Leontides, L.S., Grafanakis, E., Genigeorgis, C. (2003). Factors associated with the serological prevalence of *Salmonella enterica* in Greek finishing swineherds. *Epidemiol. Infect.* 131, 599-606.

Letellier, A., Messier, S., Pare, J., Menard, J., Quessy, S. (1999). Distribution of *Salmonella* in swine herds in Quebec. *Vet. Micro*. 67, 299-306.

Malorny, B., Hoofar, J. (2005). MInireview. Toward standardization of diagnostic PCR testing of fecal samples: Lessons from the detection of *Salmonellae* in pigs. *Journal of Clinical Microbiology*. 43(7), 3033-3037.

- Mejia, W., Casal, J., Zapata, D., Sanchez, G.J., Martin, M., Mateu, E. (2006). Epidemiology of *Salmonella* infections in pig units and antimicrobial susceptibility profiles of the strains of *Salmonella* species isolated. The veterinary record. 159, 271-276.
- Mousing, J., Jensen, P.T., Halgaard, C., Bager, F., Feld, N., Neilsen, B., Neilsen, J.P., Bech-Neilsen, S. (1997). Nation-wide *Salmonella enterica* surveillance and control in Danish slaughter swine herds. Prev. Vet. Med. 29, 247-261.
- National *Salmonellas* and *Shigellas* Center, (2005). [Online]. Available http://narst.dmsc.moph.go.th/another/salmonella/Annual_Report_2005.pdf (20 February 2007).
- National *Salmonellas* and *Shigellas* Center, (2006). [Online]. Available www.dmsc.moph.go.th/ifc_nih/applications/files/Annual_report_2006.pdf. (3 August 2007).
- Neilsen, B., Baggesen, D., Bager, F., Lind, P., 1994, "Serological diagnosis of *Salmonella* infections in swine by ELISA", 13th International Pig Veterinary Science Congress. Bangkok, Thailand, 26-30 June.
- Neilsen, B., Baggesen, D., Bager, F., Hangegaard, J., Lind, P. (1995). The serological response to *Salmonella* serovars typhimurium and infantis in experimentally infected pigs. The time course followed with an indirected anti-LPS ELISA and Bacteriological examinations. Vet. Microbio. 47, 205-218.
- Neilsen, B. (2004): Microbiological safety of meat (*Salmonella* spp.). In: Jensen, W.K., Devine, C., Dikeman, M. (ed.): Encyclopedia of Meat Sciences. 1st ed. UK: Elsevier Academic Press. pp. 779-781.
- Ngasaman, R. (2007): Prevalence of *Salmonella* in breeder sows in Chiang Mai, Thailand, Freie Universitat Berlin and Chiang Mai University, Dissertation.

- Nollet, N., Maes, D., Zutter, L.D., Duchateau, L., Houf, K., Huysmans, K., Imberechts, H., Geers, R., Kruif, A.D., Hoof, J.V. (2004). Risk factors for the herd-level bacteriologic prevalence of *Salmonella* in Belgian slaughter pigs. *Prev. Vet. Med.* 65, 63-75.
- Nollet, N., Houf, K., Dewulf, J., Kruif, A.D., Zutter, L.D., Maes, D. (2005). *Salmonella* in sows: a longitudinal study in farrow-to-finish pigs herds. *Vet. Res.* 36, 645-656.
- Oliveira, C.J.B., Carvalho, L.F.O.S., Fernandes, S.A., Tavechio, A.T., Domingues, F.J.Jr. (2005). Prevalence of pigs infected by *Salmonella Typhimurium* at slaughter after an enterocolitis outbreak. *International Journal of Food Microbiology.* 105, 267-271.
- Padungtod, P., Kaneene, J.B. (2006). *Salmonella* in Food animals and humans in Northern Thailand. *Journal of Food Microbiology.* 108 (3), 346-354.
- Papenbrock, S., Stemme, K., Amtsberg, G., Verspohl, J., Kamphues, J. (2005). Investigations on prophylactic effects of coarse feed structure and/or potassium diformate on the microflora in the digestive tract of weaned piglets experimentally infected with *Salmonella Derby*. *Journal of Animal Physiology and Animal Nutrition.* 89, 84-87.
- Patchanee, P., Zessin, K.-H., Staak, C., Srikiatkarn, L., Taravijitkul, P., Tesaprateep, T. (2002). Pre-slaughter infection of *Salmonella* spp. and consideration of using The Danish Mix ELISA for monitoring Salmonella in pigs. *J.Vet.Chiangmai.* 1, 33-38.
- Proux, K., Houdayer, C., Humbert, F., Cariolet, R., Rose, V., Eveno, E., Madec, F. (2000). Development of a complete ELISA using *Salmonella* lipopolysaccharides of various serogroups allowing to detect all infected pigs. *Vet. Res.* 31, 481-490.

Public Health Agency of Canada, (2007). [Online]. Available http://www.phac-aspc.gc.ca/publicat/2007/c-enternet05-06/areport05-06_e.html#ec (20 April 2007).

Quinn, P.J., Carter, M.E., Markey, B.K., Carter, G.R. (1999). Enterobacteriaceae. Clinical Veterinary Microbiology. Spain, Harcourt Publishers Limited, 209-236.

Rajic, A., Keenliside, J., Mcfall, M.E., Deckert, A.E., Muckle, A.C., O'Connor, B.P., Dewey, C.E., McEwen, S.A. (2005). Longitudinal study of *Salmonella* species in 90 Alberta swine finishing farms. Vet. Micro. 105, 47-56.

Regulation (EC) No 2160/2003 of the European Parliament and of the council of 17 November 2003 on the control of *Salmonella* and other specified food-borne zoonotic agents. Official Journal of the European Union. [Online]. Available www.europa.eu.int (17 August 2007).

Sauli, I., Danuser, J., Geeraerd, A.H., Impe, J.F.V., Rufenacht, J., Bissig-Choisat, B., Wenk, C., Stark, K.D.C. (2005). Estimating the probability and level of contamination with *Salmonella* of feed for finishing pigs produced in Switzerland-the impact of the production pathway. International Journal of Food Microbiology. 100, 189-310.

Skov, M.N., Carstensen, B., Tornoe, N., Madsen, M. (1999). Evaluation of sampling methods for the selection of *Salmonella* in broiler flocks. Journal of applied Microbiology. 86, 695-700.

Steenhard, N.R., Jensen, T.K., Baggesen, D.L., Roepstorff, A., Moller, K. (2002). Excretion in feces and mucosal persistence of *Salmonella* Typhimurium in pigs subclinically infected with *Oesophagostomum* spp. American Journal of Veterinary Research. 63, 130-136.

Van de Wolf, P.J., Wolbers, W.B., Elbers, A.R.W., Van de Heijden, H.M.J.F., Koppen, J.M.C.C., Hunneman, W.A., Van Schie, F.W., Tielen, M.J.M. (2001a). Herd level husbandry factors associated with the serological *Salmonella* prevalence in finishing pig herds in The Netherlands. *Vet. Micro.* 78, 205-219.

Van de Wolf, P.J., A.R.W., Elbers, H.M.J.F., Van de Heijden, F.W. Van Schie, W.A., Hunneman, M.J.M., Tielen. (2001b). *Salmonella* seroprevalence at the population and herd level in pigs in The Netherlands. *Vet. Micro.* 80, 171-184.

Voogt, N., Raes, M., WAnnet, W.J.B., Henken, A.M., Van de Giessen, A.W. (2001). Comparison of selective enrichment media for the detection of *Salmonella* in poultry faeces. *Letters in Applied Microbiology.* 32, 89-92.

WHO Collaborating Center for Reference and Research on *Salmonella*, France, (2001). Antigenic Formulas of the *Salmonella* serovars. 8th ed.

Wray, C. (2001). Review of research into *Salmonella* infections in pigs.

จัดทำโดย คณิตศาสตร์ มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved