TABLE OF CONTENTS

016161	Daga
ACKNOWLEDGEMENT	iii
ABSTRACT IN ENGLISH	iv
ABSTRACT IN THAI	vi
LIST OF TABLES	xi
LIST OF FIGURES	xii
ABBREVIATIONS	xiii
1. INTRODUCTION AND OBJECTIVES	1
1.1 Introduction	1
1.2 Objectives	2
2. LITERATURE REVIEW	3
2.1 Salmonella	3
2.1.1 Historical Consideration	3
2.1.2 Microbiology	3
2.1.3 Serotyping	4
2.2 Distribution of <i>Salmonella</i> in humans and pigs	6
2.3 Salmonellosis	7
2.3.1 Foodborne Salmonellosis	7
2.3.2 Salmonellosis in animals	10
2.4 Salmonella Detection	12
2.4.1 Cultural isolation	12
2.4.2. Serological method; Enzyme linked immunosorbent assays	13
2.4.3. Molecularbiological method; Polymerase Chain Reaction	13
2.5 Public Health and Salmonellosis	13
2.6 Pork Production and Salmonella Contamination	14
2.6.1 Level of hygiene	16
2.6.2. Herd management	16

	Page
2.6.3. Feeding practices	17
2.6.4. Health disorders	18
2.7 Control of Salmonella in Pigs	18
3. MATERIAL AND METHODS	22
3.1 Study Design	22
3.2 Sample Size and Sample Selection	22
3.2.1 Sample size determination	22
3.2.2 Farm and pig selection	23
3.2.3 Environmental sample selection	23
3.3 Collection of Samples	24
3.3.1 Fecal sample	24
3.3.2 Skin swab sample	25
3.3.3 Pen swab sample	25
3.3.4 Water sample	25
3.3.5 Feed sample	26
3.3.6 Overall sample	26
3.4 Laboratory Procedures	26
3.4.1 Conventional Culture Method: ISO 6579 (2002)	26
3.4.2 Serotyping	31
3.5 Statistical Analysis	35
A CALLER AND A CLOSED OF A CLO	36
4.1 Results of Salmonella Isolation and Serotyping	36
4.1.1 Results of Salmonella Isolation 2 Mail University	36
4.1.2 Results of Salmonella Serotyping	40
4.2 Correlation between numbers of Salmonella Isolation from	⁻ 42
faecal swab and 25 g. of feces	
4.3 Incidence of Salmonella	43



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

· 191818167 .	
Table	Page
1. Salmonella species and subspecies	4
2. Antigenic structure of some common Salmonellae	6
3. Top-ten <i>Salmonella</i> serovars from human in Thailand 2005	9
4. Top-ten Salmonella serovars from human in Thailand 2006	9
5. Top-ten Salmonella serovars from animals in Thailand 2005	11
6. Top-ten Salmonella serovars from animals in Thailand 2006	12
7. Type and number of Selected samples	24
8. Typical growth of Salmonella colonies on selective and	29
differential media	t //
9. Biochemical testing results of <i>Salmonella</i>	29
10. Distribution of faecal prevalence of Salmonella obtained	36
from 7 and 18 days old piglets	
11. Distribution of skin swab prevalence of Salmonella obtained	37
from 7 and 18 days old piglets	
12. Distribution of Salmonella isolates from animals samples by date	38
13. Proportion of Salmonella isolates from various samples in the farm	ns39
14. Distribution of <i>Salmonella</i> serogroups in the farms	40
15. Distribution of <i>Salmonella</i> serogroups in each type of samples	41
16. General distribution of Salmonella serogroup	41
17. Distribution of <i>Salmonella</i> serotypes of Salmonella isolates	42 SILY
separated by group of samples	ved
18. Correlation of Salmonella isolation from faecal swab and	43
25 g of feces	

LIST OF FIGURES



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

ABBREVIATIONS AND SYMBOLS

° Celsius °C 2 **Competitive Exclusion** CE CI **Confidence** Interval DLD Department of Livestock Development EC **European Commission** et al. et alii EU **European Union** gram g h hour ISO International Standardization Organization kilogram kg ml milliliter WG MAI No. Number Salmonella S. World Health Organization WHO

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved