

REFERENCES

- Axelsson, F., Sorin, M.-L. (1997): Transia *Salmonella* Technical Handbook 1997. Version 1.1. Hisings Backa: Diffchamb AB. pp. 6-20.
- Angkititrakul, S., Chomvarin, C., Chaita, T., Kanistanon, K. (2005): Epidemiology of antimicrobial resistance in *Salmonella* isolated from pork, chicken meat and human in Thailand. *Southeast Asian J Trop Med Public Health* **36**(6), 1510-1515.
- Bahnson, B.P., Fedorha-Cray, P.J., Ladely, S.R., Mateus-Pinilla, N.E. (2006): Herd-level risk factors for *Salmonella enterica* subsp. *enterica* in U.S. market pigs. *Preventive Veterinary Medicine* **76**, 249-262.
- Bangtrakulnonth, A., Tishyudhigama. (2006): annual report of confirmed *Salmonella* and *Shigella* in Thailand 2006. The national *Salmonella* and *Shigella* center, National institute of health, Department of medical science, Ministry of public health, Thailand. pp 19.
- Bangtrakulnonth, A., Pornreongwong, S., Pulsrikarn, C., (2005): annual report of confirmed *Salmonella* and *Shigella* in Thailand 2005. The national *Salmonella* and *Shigella* center, National institute of health, Department of medical science, Ministry of public health, Thailand. pp 20.
- Bangtrakulnonth, A., Pornreongwong, S., Pulsrikarn, C., Sawanpanyalert, P., Hendriksen, R.S., Lo Fo Wong, D.M.A., Aarestrup, F.M. (2004): *Salmonella* serovars from humans and other sources in Thailand, 1993-2002. *Emerg Infect Dis.* **10**, 131-136.
- Bangtrakulnonth, A., Tishyudhigama, P., Bunyaraksyotin, G., Nantanawoot, P. (2003): annual report of confirmed *Salmonella* and *Shigella* in Thailand 2003. The national *Salmonella* and *Shigella* center, National institute of health, Department of medical science, Ministry of public health, Thailand. pp 21.

- Berends, B.R., Van Knapen, F., Mossel, D.A.A., Burt S.A., Snijders, J.M.A. (1998): Impact on human health of *Salmonella* spp. on pork in The Netherlands and the anticipated effects of some currently proposed control strategies. *Int. J. of Food Microbiology* **44**, 219-229.
- Berends, B.R., Vab Knapen, F., Snijders, J.M.A., Mossel, D.A.A. (1997): Identification and quantification of risk factors regarding *Salmonella* spp. on pork carcasses. *Int. J. of Food Microbiology* **36**, 199-206.
- Berend, B.R., Urlings, H.A.P., Snijders, J.M.A., Van Knapen, F. (1996): Identification and quantification of risk factors in animal management and transport regarding *Salmonella* spp. in pigs. *Int. J. of Food microbiology* **30**, 37- 53.
- Borch, E., Nesbakken, T., Christensen, H. (1996): Hazard identification in swine slaughter with respect to foodborne bacteria. *Int. J. of Food Microbiology* **30**, 9-25.
- Callaway, T.R, morrow, J.L., Johnso, A.K., Dailey, J.W., Wallace, F.M., Wagestrom, E.A., McGlone, J.J., Lewis, A.R., Dowd, S.E., Poole, T.L., Edrington, T.S., Anderson, R.C., Genovese, K.J., Byrd, J.A., Harvey, R.B., Nisbet, D.J. (2005): Environmental Prevalence and Persistance o *Salmonella* spp. in Outdoor swine Wallows. *Foodborne Pathogens and Disease*. **2**(3), 263-273.
- Chantong, W “*Salmonella* isolation from slaughter pigs and carcasses in a slaughterhouse in Chiang Mai, Thailand”, M.S. Thesis, Freie Universitat Berlin and Chiang Mai University, 2005
- Christensen, J., Baggesen, D. L., Neilsen, B., Stryhn, H.(2002): Herd prevalence of *Salmonella* spp. in Danish pig herds after implementation of the Danish *Salmonella* Control Program with reference to a pre-implementation study. *Veterinary Microbiology* **88**(2), 175-188.
- Davies, P.R., Bovee, F.G., Funk, J.A., Morrow, W.E., Jones, F.T., Deen, T. (1998): Isolation of *Salmonella* serotypes from feces of pigs raised in a multiple-site production system. *J. Am. Vet. Med. Assoc.* **212**, 1925-1929.

Dahoo, L., Martin, W., Stryhn, H. (2003): Veterinary epidemiological research. Canada: Charlottetown. pp. 88-92.

De Smedt, J.M. and Bolderdijk, R. (1987): Dynamics of *Salmonella* isolation with modified semisolid Rappaport-Vassiliadis medium. J. Food Prot. **50**, 658-661.

De Smedt, J.M., Bolderdijk, R., Rappold, H. and Lautenschlaeger, D. (1986): Rapid *Salmonella* detection in foods by motility enrichment on a modified semisolid Rappaport-Vassiliadis medium. J. Food Prot. **49**, 510-514.

Dorn-In, S. "Prevalence of salmonella in pre-slaughter pigs in Chiang Mai, Thailand", M.S. Thesis, Freie Universitat Berlin and Chiang Mai University, 2005

Doyle, M.P., Beuchat, L.R., Montville, T.J. (ed.) (2001): Food Microbiology. 2nd ed. Washington, D.C.: ASM Press. pp. 141-178.

Dusch, H., Altwegg, M. (1995): Evaluation of Five New Plating Media for Isolation of *Salmonella* Species. J. of Clin. Microb. **33**(4), 802-804.

Farzan, A., Friendship, R. M., Dewey, C. E. (2006): Evaluation of enzyme-linked immunosorbent assay (ELISA) test and culture for determining *Salmonella* status of a pig herd. Epidemiol. Infect. 1- 7.

Farzan, A., Friendship, R. M., Dewey, C. E. Warriner, K., Poppe, C. (2006): Prevalence of *Salmonella* spp. on Canadian pig farms using liquid or dry feeding. Preventive Veterinary medicine. **73**(4)241-254.

Holt, J.G., Krieg, N.R., Sneath, P.H.A., Staley, J.T., Williams, S.T. (2000): Facultatively Anaerobic Gram Negative Rods. In: Bergey's Manual of Determinative Bacteriology, 9 ed. Philadelphia: Lippincott Williams and Wilkins. pp. 175-289.

ISO (International Organization for Standardization). (2002): Microbiology of food and animal feeding stuffs - Horizontal method for the detection of *Salmonella* spp. ISO 6579. ISO, Geneva

Jay M.J., Loessner M.J., Golden D.A. (2005): Modern food microbiology, 7 ed. United State: Springer Science& Business media, Inc. pp. 619-650.

Kranker, S., Dahl, J., Wingstrand, A. (2001): Bacteriological and serological examination and risk factor analysis of *Salmonella* occurrence in sow herds, including risk factors for high *Salmonella* seroprevalence in receiver finishing herds. Berl. Munch. Tierarztl. Wochenschr. 114, pp 350-352.

Krieg, N.R., Holt, J.G. (1984): *Salmonella*. In: Bergey's manual of systematic bacteriology, vol. 1. London: Williams and Wilkinson. pp. 427-458.

Korsak, N., Jacob, B., Groven, B., Etienne, G., China, B., Ghafir, Y., Daube, G. (2003): Salmonella contamination of pigs and pork in an integrated pig production system. Journal of Food Protection, 2(7), 1126-1133.

Korsak, N., Degeye, J.-N., Etienne, G., Beduim, J.-M., China, B., Ghadir, Y., Daube, G. (2006): Use of a serological approach for prediction of Salmonella status in an integrated pig production system. Int. J. of Food Microbiology **108**, 246-25.

Lo Fo Wong, D.M.A., Hald, T. (2000): *Salmonella* in pork (Pre-harvest and harvest control options based on epidemiologic, diagnostic and economic research. In: Final Report Contract no: FAIR1 CT95-0400. pp. 3-67.

Lo Fo Wong, d.M.A., Dahl, j., Stege, H., van der wolf, P. J., Wingstrand, A., Leontides, L., Von, A. (2003): Recovery of *Salmonella enterica* from positive finishing pig herds. Veterinary Microbiology 97(3-4),201-214.

Murray, P.R., Rosenthal, K.S., Kobayashi, G.S., Pfaller, M.A. (2002): Medical microbiology. 4th ed. United States of America, Harcourt health sciences, pp. 266-280.

Letellier, A., Messier, S., Paré, J., Me´nard, J., Quessy, S. (1999): Distribution of *Salmonella* in swine herds in Quebec. Vet. Microbiology. **67**, 299-306.

- Nollet, N., Maes, D., Zutter, D. L., Duchateau, L., Houf, K., Huysmans, K., Imberechts, H., Geers, R., de Kruif, A., Van hoof, J. (2004): Risk factors for the herd –level bacteriological prevalence of *Salmonella* in Belgian slaughter pigs. *Preventive Veterinary Medicine* **65**, 63-75.
- Patchanee, P., Zessin, K.-H., Staak, C., Srikijsarn, L., Taravijitkul, P., Tesaprateep, T. (2002): Pre-slaughter infection of *Salmonella* spp. and consideration of using The Danish Mix ELISA for monitoring *Salmonella* in pigs. *Chiang-Mai Vet. J.* **1**, 33-38.
- Padungtod, P., Kaneene, J. B. (2006): *Salmonella* in food animals and humans in northern Thailand. *Int. J. of Food Microbiology*. **108**(3), 346-354.
- Proux, K., Houdayer, C., Humbert, F., Cariolet, R., Rose, V., Eveno, E., Madec, F. (2000): Development of a complete ELISA using *Salmonella* lipopolysaccharides of various serogroups allowing to detect all infected pigs. *Vet. Res.* **31**, 481-490.
- Popoff, M.Y. (2001): Antigenic formulas of the *Salmonella* serovars. 8th ed. Paris: WHO Collaboration Centre for Reference and Research on *Salmonella*.
- Powsey, R. K. (2002): Case study in food microbiology for food safety and quality. Cornwell. TJ International Ltd. pp. 179-190.
- Quinn, P.J., Carter, M.E., Markey, B., Carter, G.R. (1994): Clinical veterinary microbiology. Edimburgh. Mosby. pp. 209-236.
- Rajic, A., Keenlside, J., McFall, M. E., Deckert, A.E., Muckle, A.C., O'Connor, B.P., Manninen, K., Dewey, C.E., McEwen, S.A. (2005): Longitudinal study of *Salmonella* species in 90 Alberta swine finishing farms. *Veterinary Microbiology* **105**, 47-56.
- Rodriguez, A., Pangloli, P., Richards, H.A., Mount, J.R., Ann Draughon, F. (2006): Prevalence of *Salmonella* in Diverse Environmental Farm Samples. *J. of Food Protection* **69**(11), 2576-2580.

Sangaunkait, A. "Salmonella in a slaughterhouse and retail in Chaing Mai, Thailand", M.S. Thesis, Freie Universitat Berlin and Chiang Mai University, 2005

Sangvatanakul, P. (2007): Prevalence of Salmonella in piglets and in the fattening period in Chiang mai, Thailand. Freie Universitat Berlin and Chiang Mai University, Dissertation

Sauli, I., Danuser, J., Geeraerd, A.H., Van Impe, J.F., Rufenbacht, J., Bissig-Choisat, B., Wenk, C., Stark, K.D.C. (2005): Estimating the probability and level of contamination with *Salmonella* of feed for finishing pigs produced in Switzerland –the impact of the production pathway. Int. J. of Food Microbiology **100**, 289-310.

Sorensen, L.L., Alban, L., Neilsen, B., Dahl, J. (2004): The correlation between Salmonella serology and isolation of *Salmonella* in Danish pigs at slaughter. Vet. Microbiology **101**, 131-141.

Swanenburg, M., Urlings, H.A.P., Snijders, J.M.A, Keuzenkamp, D.A., Van Knapen, F. (2001): *Salmonella* in slaughter pigs: prevalence, serotypes and critical control point during slaughter in two slaughterhouses. Int. J. Food Microbiol. **70**, 243-254.

Van der Gaag, M. A., Huirne, R.B.M. (2002): Elicitation of expert knowledge in controlling Salmonella in the pork chain. Chain and network science **2**, 135-14


Van der Wolf, P.J., Bongers, J.H., Elbers, A.R.W., Franssen, F.M.M.C., Hunneman, W.A., van Exsel, A.C.A., Tielen, M.J.M. (1999): *Salmonella* infections in finishing pigs in the Netherlands: bacteriological herd prevalence, serogroup and antibiotic resistance of isolates and risk factors for infection. Vet. Microbiol. **67**, 263-275.

Van der wolf, P.J., Elbers, A.R.W., van der Heijden, H.M.J.F., van Schie, F.W., Hunneman, W.A., Tielen, M.J.M.(2001): Salmonella seroprevalence at the population and herd level in pigs in The Netherlands. Vet. Microbiology **80**, 171-184.

Van Winson, R.L, van Nes, A., Keuzenkamp, D., Urlings, H.A.P., Lipman, L.J.A., Biesterveld, S., Snijders, J.M.A., Verheijden, J.H.M., van Knapa, F. (2001): Monitoring of transmission of Salmonella enterica serovars in pig using bacteriological and serological detection methods. *Vet. Microbiology* **80**, 267-274.

Wilcock, B.P. and Schwartz, K.J. (1999): In: Leman, A.D., (ed.): Diseases of swine. 8th ed. Oxford: Blackwell Science. pp. 570-582.

WHO (2001): WHO International Training Course (Level-1) on Surveillance of Foodborne Diseases and Antimicrobial Resistance in Foodborne Pathogens. Bangkok: Global Salm-Surv. pp. 41-47 (WHO laboratory protocols).



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved