

REFERENCES

- Alberta Environment, 2003. Sulphur dioxide: environmental effects, fate and behaviour. [online]. Available: <http://www3.gov.ab.ca/env/air/pubs/SulphurDioxideEnvEffects.pdf> (May 6, 2007).
- ARPEL. 1998. Methods for Monitoring Air Quality. Report ARPELCIDA02AEREPO 198. Asocicion Regional De Empresas De Petroleo Y Gas Natural En Latinoamerica Y El Caribe, Montevideo, Uruguay. December 1998.
- Ayers, G.P., Keywood, M.D., Gillett, R., Manins, P.C., Malfroy, H. and Bardsley, T., 1998. Validation of passive diffusion samplers for SO₂ and NO₂. *Atmospheric Environment* 32, 3587-3592.
- Bamberger, R.L., Esposito, G.G., Jacobs, B.W., Podolak, G.E. and Mazur, J.F., 1978. A new personal sampler for organic vapors. *American Industrial Hygiene Association Journal* 39, 701-709.
- Bartley, D.L., Doemeny, W. and Taylor, D.G., 1983. Diffusive monitoring of fluctuating concentrations. *American Industrial Hygiene Association Journal* 44, 241-247.
- Brown, R.H., 1993. The use of diffusive samplers for monitoring of ambient air. *International Union of Pure and Applied Chemistry* 65, 1859-1874.

Burgess, T.F., 2001. A general introduction to the design of questionnaires for survey research. *Guide to the Design of Questionnaires* 11, 10-16.

Emissions of Sulfur Compounds, [Online]. Available:

<http://www.einstrumentsgroup.com/gasanalyzers/combustion/sulfur-compound-emissions.php> (June 2, 2007).

EVSE 5310 avl, 2005. Air and Gas Analysis [Online]. Available:

http://www.uta.edu/ese/evse5310/lecture_9/Chapter%2026%20%20Air%20and%20Gas%20Analysis.pdf (June 3, 2007).

Ferm, M., 1991. A Sensitive diffusional sampler. IVL Report L91-172. Swedish Environmenta Research Institute, Goteborg, Sweden.

Fish, B.R. and Durham, J.L., 1971. Diffusion coefficient of SO₂ in air. *Environment Letter* 2, 13-21.

Fluorescence spectroscopy, [Online]. Available:

http://en.wikipedia.org/wiki/Fluorescence_spectroscopy (July 19, 2007).

Gair, A.J., Penkett, S.A. and Oyola, P., 1991. Development of a simple passive technique for the determination of nitrogen dioxide in remote continental locations. *Atmospheric Environment* 25A, 1927-1939.

Gas and vapor sampling, [Online]. Available:

<http://courses.washington.edu/envh453a/Section%209.pdf> (May 9, 2007).

Gibbons, R.D. 1996. The problem with U.S. EPA's Method detection limit, American Environmental Laboratory. Pasadena Press, California.

Gorecki, T. and Namiesnik., 2002. Passive sampling. *Trends in analytical chemistry* 21, 276-291.

Goyal, S.K., 2001. Used of rosaniline hydrochloride dye of atmospheric SO₂ determination and method sensitivity analysis. *Journal of Environmental Monitoring* 3, 666-670.

Jost, W., 1960. Diffusion in solids, liquids and gases. Academic Press, New York. 42-45.

Kasper-Giebl., Puxbau, H., 1999. Technical Note. Deposition of particulate matter in diffusion tube samplers for determination of NO₂ and SO₂. *Atmospheric Environment* 33, 1323-1326.

Khaodee, W., 2006. Development of passive samplers for determination of nitrogen dioxide, sulphur dioxide and ozone in ambient air. M.S. Thesis. Chiang Mai University. Thailand.

Krochmal, D. and Gorski, L., 1991. Determination of nitrogen dioxide in ambient air by use of a passive sampling technique and triethanol-amine as absorbent. *Environmental Science and Technology* 25, 531-535.

Krochmal, D. and Kalina, A., 1997. A method of nitrogen dioxide and sulfur dioxide determination in ambient air use of passive samplers and ion chromatography. *Atmospheric Environment* 31, 3473-3479.

- Krupa, S.V. and Legge, A.H., 2000. Passive sampling of ambient gaseous air pollutants: an assessment from ecological perspective. *Environmental Pollution* 107, 31-45.
- Lícia, P.S. Cruz., Vânia, P. Campos., Jussival, A. P. Novaes and Tania, M. Tavares., 2005. Laboratory Validation of a Passive Sampler for SO₂ Atmospheric Monitoring. *Brazil Chemistry Sociedade* 16, 50-57.
- Lodge, J.P., 1989. *Methods of Air Sampling and Analysis*. Third Ed, CRC Press, New York. 274.
- Moore, G., 1987. Diffusive sampling - A review of theoretical aspects and the state-of-the-art. In: *Diffusive sampling; an alternative approach to workplace air monitoring*. Berlin, A., Brown, R.H., Saunders K.J., Eds, CEC Pub. No. 10555EN. Commission of European Communities, Brussels-Luxembourg.
- Okabe, H., Splitstone, P.L. and Ball, J.J., 1973. Ambient and source SO₂ detector based on a fluorescence method. *Journal of the Air Pollution Control Association* 23, 514.
- Orr, D.B., Hipfner, J.C., Chan, W.C., Lusic, M.A. and Hunt, J.E., 1987. The application of a passive permeation device for the measurement of ambient sulfur dioxide. *Atmospheric Environment* 21, 1473 -1475.
- PACE. 1985. Review of ambient hydrogen sulphide standards in Canada. Petroleum Association for Conservation of the Canadian Environment. Ottawa, ON. PACE Report No. 85-5.

- Palmes, E.D. and Gunnison, A.F., 1973. Personal monitoring device for gaseous contaminants. *American Industrial Hygiene Association Journal* 34, 78-81.
- Palmes, E.D., Gunnison, A.F., Dimatto, J. and Tomezyk, C., 1976. Personal sampler for nitrogen dioxide. *American Industrial Hygiene Association Journal* 37, 570-577.
- Perry, R. and Young R.J. 1977. Handbook of air pollution analysis. Chapman and Hall Ltd., New York.
- Plasance, H., Sagnier, I., Saison, J.Y., Galloo, J.C. and Guillermo, R., 2002. Performances and application of a passive sampling method for simultaneous determination of nitrogen dioxide and sulphur dioxide in ambient air. *Environmental Monitoring and Assessment* 79, 301-315.
- Pozzoli, L. and Cottica, D., 1987. An overview of the effects of temperature, pressure, humidity, storage and face velocity. In: Diffusive sampling; an alternative approach to workplace air monitoring. Berlin, A., Brown, R.H., Saunders, K.J., Eds CEC Pub. No. 10555EN. Commission of European Communities, Brussels-Luxembourg.
- Principles of Spectrophotometry, [Online]. Available:
<http://4e.plantphys.net/article.php?ch=2&id=66> (August 18, 2007).
- Reiszner, K.D. and West, P.W., 1973. Collection and determination of sulfur dioxide incorporating permeation and the West-Gaeke procedure. *Environmental Science and Technology* 7, 526 -532.

Report to Health Canada, 2002. Review of the health risks associated with nitrogen dioxide and sulfur dioxide in indoor air, [Online]. Available:

<http://www.cher.ubc.ca/PDFs/IAQNO2SO2full.pdf> (June 3, 2007).

Roger M. Cox., 2003. The use of passive sampling to monitor forest exposure to O₃, NO₂ and SO₂: a review and some case study. *Environmental Pollution* 126, 301-311.

Rugrai, W, 2003. Fabrication of a fluoride test kit based on color comparison. M.S. Thesis. Chiang Mai University. Thailand.

Smith, W.J. and F.D. Buckman, 1981. A Performance test for the aromatic cutter used in pulsed fluorescent sulfur dioxide analyzers. *Journal of the Air Pollution Control Association* 10, 1101-1103.

Sulfur Dioxide, [Online]. Available:

<http://www.epa.gov/air/airtrends/aqtrnd95/so2.html> (June 2, 2007).

Tonseth, C.P. and Dohl, J., 1993. Guidelines for validation of analytical method, 4-24.

U.S. Department of Health and Human Services (Public Health Service), 1998. "Toxicological profile for sulfur dioxide." [Online]. Available:

<http://www.atsdr.cdc.gov/toxprofiles/tp116-p.pdf> (June 5, 2007).

US EPA., 1982. Reference Method for the Determination of Sulfur Dioxide in the Atmosphere (Pararosaniline Method). Manual Reference Method. 40 CFR Part 50, Appendix A. [Online]. Available:

http://www.arb.ca.gov/bluebook/bb07/cfrtit40schap/cfr_tit_40_schap_c_chappt_50_app_a.htm (June 5, 2007).

US EPA., 2002. List of Designated Reference and Equivalent Methods. [Online]. Available: <http://www.epa.gov/ttn/amtic/criteria.html> (June 27, 2006).

UV-Vis Luminescence Spectroscopy, [Online]. Available: <http://teaching.shu.ac.uk/hwb/chemistry/tutorials/molspec/lumin1.htm> (August 18, 2007).

Van Reeuwijk, H., Fischer, P.H., Harssema, H., Briggs, D.J., Small-bone, K. and Lebet, E., 1998. Field Comparison of Two NO₂ Samplers to Assess Spatial Variation. *Environmental Monitoring and Assessment* 50, 37–51.

West, P.W. and Gaeke, G.C., 1956. Fixation of sulfur dioxide as disulfitomercurate (II) and subsequent colorimetric estimation. *Analytical Chemistry* 28, 1816–1819.

WHO. 2000. Guidelines for Air Quality. [Online]. Available: http://www.nrc.govt.nz/reports.and.news/annual.environmental.monitoring/2003-2004/Guidelines_for_Air_Quality.pdf (August 18, 2007).

Willems, J.J.H., 1993. Low-cost Methods for Measuring Air Pollutants (a Training Program). *Report R-635*. Wageningen (NI) Agricultural University, Department of Air Quality, Wageningen.

พจนีย์ หน่อฝั้น 2546. การพัฒนา Test Kit สำหรับการหาปริมาณคลอไรด์ในน้ำ. รายงานปัญหาพิเศษ วิทยาศาสตร์บัณฑิต (เคมี) มหาวิทยาลัยเชียงใหม่

พินิติพ รื่นวงษา และ ภิญโญ พานิชพันธ์ 2542. การพัฒนาชุดตรวจสอบภาคสนามสำหรับตรวจสอบ
เกลือของไอโอดีนใน iodate salt ในประเทศไทย (I-Kit). รายงานการวิจัยฉบับสมบูรณ์
เสนอต่อสำนักงานกองทุนสนับสนุนการวิจัย

ศุภชัย ไร่เทียมวงศ์ 2537. เคมีวิเคราะห์. กรุงเทพฯ จุฬาลงกรณ์มหาวิทยาลัย



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved