

## REFERENCES

- Abboud, S. and D. J. Haile (2000). "A novel mammalian iron-regulated protein involved in intracellular iron metabolism." *J Biol Chem* **275**(26): 19906-12.
- Aisen, P. (2004). "Transferrin receptor 1." *Int J Biochem Cell Biol* **36**(11): 2137-43.
- Andrews, N. C. (1999). "Disorders of iron metabolism." *N Engl J Med* **341**(26): 1986-95.
- Atar, D., P. H. Backx, et al. (1995). "Excitation-transcription coupling mediated by zinc influx through voltage-dependent calcium channels." *J Biol Chem* **270**(6): 2473-7.
- Babitt, J. L., F. W. Huang, et al. (2006). "Bone morphogenetic protein signaling by hemojuvelin regulates hepcidin expression." *Nat Genet* **38**(5): 531-9.
- Ballas, S. K. (2001). "Iron overload is a determinant of morbidity and mortality in adult patients with sickle cell disease." *Semin Hematol* **38**(1 Suppl 1): 30-6.
- Barosi, G., E. Arbustini, et al. (1989). "Myocardial iron grading by endomyocardial biopsy. A clinico-pathologic study on iron overloaded patients." *Eur J Haematol* **42**(4): 382-8.
- Barton, J. C. and L. F. Bertoli (1996). "Hemochromatosis: the genetic disorder of the twenty-first century." *Nat Med* **2**(4): 394-5.
- Bers, D. M. (2002). "Cardiac excitation-contraction coupling." *Nature* **415**(6868): 198-205.
- Brittenham, G. M., P. M. Griffith, et al. (1994). "Efficacy of deferoxamine in preventing complications of iron overload in patients with thalassemia major." *N Engl J Med* **331**(9): 567-73
- Britton RS, Leicester KL & Bacon BR. Iron toxicity and chelation therapy. *Int J Hematol* 2002; 76: 219-228.
- Cabantchik ZI, Breuer W, Zanninelli G, Cianciulli P. LPI-labile plasma iron in iron overload. *Best Practice & Research Clinical Haematology* 2005; 18: 277-287.

Cabantchik ZI, Kakhlon O, Epsztejn S, Zanninelli G, Breuer W. Intracellular and extracellular labile iron pools. *Advances in Experimental Medicine and Biology* 2002; 509: 55-75.

Carpenter CE, Mahoney AW. Contributions of heme and nonheme iron to human nutrition. *Crit Rev Food Sci Nutr* 1992; 31: 333–367.

Catterall W. Structure and regulation of voltage-gated Ca<sup>2+</sup> channels. *Annu Rev Cell Dev Biol* 2000; 16: 521–555.

Chen FE, Ooi C, Ha SY, Cheung BM, Todd D, Liang R, Chan TK, Chan V. Genetic and clinical features of hemoglobin H disease in Chinese patients. *New England Journal of Medicine* 2000; 343: 544-550.

Cherednichenko G, Feng W, Schaefer S, Blatter LA, Pessah IN. NADH oxidase activity of rat cardiac sarcoplasmic reticulum regulates calcium-induced calcium release. *Circ Res* 2004; 94: 478–486.

Cherukuri S, Potla R, Sarkar J, Nurko S, Harris ZL & Fox PL. Unexpected role of ceruloplasmin in intestinal iron absorption. *Cell Metab* 2005; 2: 309-319.

Chevion M. A site-specific mechanism for free radical-induced biological damage: the essential role of redox-active transition metals. *Free Radic. Biol. Med* 1988; 5: 27–37.

Chevion, YJ, R. Har-El, E. Berenshtein, G. Uretzky and N. Kitrossky (1993). "Copper and iron are mobilized following myocardial ischemia: possible predictive criteria for tissue injury." *Proc. Natl. Acad. Sci. USA* 90: 1102–1106.

Donovan A, B. A., Zhou Y, Shepard J, Pratt SJ, Moynihan J, Paw BH, Drejer A, Barut B, Zapata A, Law TC, Brugnara C, Lux SE, Pinkus GS, Pinkus JL, Kingsley PD, Palis J, Fleming MD, Andrews NC, Zon LI (2000). "Positional cloning of zebrafish ferroportin1 identifies a conserved vertebrate iron exporter." *Nature* 403: 776–781.

Dunn, L. L., Y. S. Rahmanto, et al. (2006). "Iron uptake and metabolism in the new millennium." *TRENDS in Cell Biology* 17: 93-100.

- Eaton, J. W., Qian, M. (2002). "Molecular bases of cellular iron toxicity." *Free Radical Biology and Medicine* 32: 833-840.
- Epsztejn S., O. K., H. Glickstein, W. Breuer and I. Cabantchik (1997). "Fluorescence analysis of the labile iron pool of mammalian cells." *Anal. Biochem* 248: 31-40.
- Esposito, B. P., Breuer, W., Sirankapracha, P., Pootrakul, P., Hershko, C., Cabantchik, Z.I. (2003). "Labile plasma iron in iron overload: redox activity and susceptibility to chelation." *Blood* 102: 2670-3677.
- Fassos FF, B. M., Daneman N, Koren L, Cameron R, Klein J, Falcitelli C, St Louis P, Daneman R, Koren G (1998). "The efficacy of diazepam in the treatment of acute iron overload in rats." *Can J Physiol Pharmacol* 76: 895–899.
- Fleming, M. D., Romano, M.A., Su, M.A., Garrick, L.M., Garrick, M.D. & Andrews, N.C. (1998). "Nramp2 is mutated in the anemic Belgrade (b) rat: evidence of a role for Nramp2 in endosomal iron transport." *Proc Natl Acad Sci U S A* 95: 1148-1153.
- Fleming MD, T. C. r., Su MA, Foernzler D, Beier DR, Dietrich WF, Andrews NC. (1997). "Microcytic anaemia mice have a mutation in Nramp2, a candidate iron transporter gene." *Nat Genet* 16: 383–386.
- Flynn, J. T., Pasko, D.A. (2000). "Calcium channel blockers: pharmacology and place in therapy of pediatric hypertension." *Pediatric Nephrology* 15: 302-316.
- Folden DV, G. A., Sharma AC, Li SY, Saari JT, Ren J (2003). "Malondialdehyde inhibits cardiac contractile function in ventricular myocytes via a p38 mitogen-activated protein kinase-dependent mechanism." *Br J Pharmacol* 139: 1310–1316.
- Fukuda, K. (2003). "Use of adult marrow mesenchymal stem cells for regeneration of cardiomyocytes." *Bone Marrow Transplantation* 32: 25-27.
- Ganz, T. (2006). "Molecular pathogenesis of anemia of chronic disease." *Pediatr. Blood Cancer* 46: 554–557.

- Goldhaber, J. and M. Qayyum (2000). "Oxygen free radicals and excitation–contraction coupling." *Antioxid Redox Signal* 2: 55–64.
- Grasbeck R, K. I., Lundberg M, Tenhunen R. (1979). "An intestinal receptor for heme." *Scand J Haematol* 23: 5-9.
- Grasbeck R, M. R., Kouvolanen I, Tenhunen R. (1982). "Spectral and other studies on the intestinal haem receptor of the pig." *Biochim Biophys Acta* 700: 137-142.
- Gunshin H, M. B., Berger UV, Gunshin Y, Romero MF, Boron WF, Nussberger S, Gollan JL, Hediger MA. (1997). "Cloning and characterization of a mammalian proton-coupled metal-ion transporter." *Nature* 388: 482-488.
- Gutteridge, J. M., Rowley, D.A., Griffiths, E., Halliwell, B. (1985). "Low-molecular-weight iron complexes and oxygen radical reactions in idiopathic haemochromatosis." *Clin Sci (Colch)* 68: 463-467.
- Harris, Z. L., Durley, A.P., Man, T.K. and Gitlin, J.D. (1999). "Targeted gene disruption reveals an essential role for ceruloplasmin in cellular iron efflux." *Proc. Natl. Acad. Sci. USA* 96: 10812–10817.
- Harrison, P. M. (1977). "Ferritin: an iron-storage molecule." *Semin. Hematol* 14: 55-70.
- Hentze, M. W., Muckenthaler, M.U., Andrews, N.C. (2004). "Balancing acts; molecular control of mammalian iron metabolism." *Cell* 117: 285-297.
- Hershko, C., Cappellini, M.D., Galanello, R., Piga, A., Tognoni, G., Masera, G. (2004). "Purging iron from the heart." *British Journal of Haematology* 125: 545-551.
- Hershko, C., R. W. Grady, et al. (1978). "Mechanism of iron chelation in the hypertransfused rat: definition of two alternative pathways of iron mobilization." *J Lab Clin Med* 92(2): 144-51.
- Hershko, C., G. Link, et al. (1998). "Pathophysiology of iron overload." *Ann N Y Acad Sci* 850: 191-201.

- Hess, P., Lansman, J.B., Tsien, R.W. (1986). "Calcium channel selectivity for divalent and monovalent cations. Voltage and concentration dependence of single channel current in ventricular heart cells." *The Journal of General Physiology* 88: 293-319.
- Horwitz, L. and E. Rosenthal (1999). "Iron-mediated cardiovascular injury." *Vasc Med* 4: 93-99.
- Incharoen, T., Thephinlap, C., Srichairatanakool, S., Chattipakorn, S., Winichagoon, P., Fucharoen, S., Vadolas, J., Chattipakorn, N. (2007). "Heart rate variability in  $\beta$ -thalassemic mice." *International Journal of Cardiology* 121: 203-204.
- Jamsai, D., Zaibak, F., Khongnium, W., Vadolas, J., Voullaire, L., Fowler, K.J., Gazeas, S., Fucharoen, S., Williamson, R., Ioannou, P.A. (2005). "A humanized mouse model for a common  $\beta$ 0-thalassemia mutation." *Genomics* 85: 453-461.
- Jamsai, D., Zaibak, F., Vadolas, J., Voullaire, L., Fowler, K.J., Gazeas, S., Peters, H., Fucharoen, S., Williamson, R., Ioannou, P.A. (2006). "A humanized BAC transgenic/knockout mouse model for HbE/ $\beta$ -thalassemia." *Genomics* 88: 309-315.
- Jorgensen NR, T. S., Henriksen Z, Civitelli R, Sorensen OH, Steinberg TH (2003). "Activation of L-type calcium channels is required for gap junction-mediated intercellular calcium signaling in osteoblastic cells." *J Biol Chem* 278: 4082-4086.
- Juan P. Liuzzi, F. A., Hyeyoung Nam, Mitchell D. Knutson, and Robert J. Cousins (2006). "Zip14 (Slc39a14) mediates non-transferrin-bound iron uptake into cells." *Proc Natl Acad Sci U S A* 103: 13612-13617.
- Julius, S., Kjeldsen, S.E., Weber, M., Brunner, H.R., Ekman, S., Hansson, L., Hua, T., Laragh, J., McInnes, G.T., Mitchell, L., Plat, F., Schork, A., Smith, B., Zanchetti, A. (2004). "Outcomes in hypertensive patients at high cardiovascular risk treated with regimens based on valsartan or amlodipine: the VALUE randomised trial." *Lancet* 363: 2022-2031.

Kaplan, J., Jordan, I., Sturrock, A. (1991). "Regulation of the transferrin-independent iron transport system in cultured cells." *Journal of Biological Chemistry* 266: 2997-3004.

Kawabata H, Y., R., Hirama, T., Vuong, P.T., Kawano, S., Gombart, A.F. and Koeffler, H.P. (1999). "Molecular cloning of transferrin receptor 2 A new member of the transferrin receptor-like family." *Journal of Biological Chemistry* 274: 20826–20832.

Ke, Y., Chen, Y.Y., Chang, Y.Z., Duan, X.L., Ho, K.P., Jiang, de. H., Wang, K., Qian, Z.M. (2003). "Post-transcriptional expression of DMT1 in the heart of rat." *J Cell Physiol* 196: 124-130.

Kuryshev YA, B. G., Fujioka H, Kannan P, Shieh CC, Cohen SA, Brown AM (1999). "Decreased sodium and increased transient outward potassium currents in iron-loaded cardiac myocytes. Implications for the arrhythmogenesis of human siderotic heart disease." *Circulation* 100: 675-683.

Lacampagne A, D. A., Bolanos P, Peineau N, Argibay JA (1995). "Effect of sulfhydryl oxidation on ionic and gating currents associated with L-type calcium channels in isolated guinea-pig ventricular myocytes." *Cardiovasc Res* 30: 799–806.

Lesbordes-Brion, J. C. et al. (2006). "Targeted disruption of the hepcidin1 gene results in severe hemochromatosis." *Blood* 108: 1402–1405.

Li, C. K., Luk, C.W., Ling, S.C., Chik, K.W., Yuen, H.L., Shing, M.M., Chang, K.O., Yuen, P.M. (2002). "Morbidity and mortality patterns of thalassaemia major patients in Hong Kong: retrospective study." *Hong Kong Medical Journal* 8: 255-260.

Lin, L. et al. (2005). "Competitive regulation of hepcidin mRNA by soluble and cell-associated hemojuvelin." *Blood* 106: 2884–2889.

Link, G., Pinson, A., Herskho, C. (1985). "Heart cells in culture: a model of myocardial iron overload and chelation." *Journal of Laboratory and Clinical Medicine* 106: 147-153.

- Lipscombe, D. (2001). "L-type calcium channels: highs and new lows." *Circ Res* 90: 933–935.
- Liu, P., Olivieri, N. (1994). "Iron-overload cardiomyopathies: new insights into an old disease." *Cardiovascular Drugs and Therapy* 8: 101-110.
- Liu, Y., Parkes, J.G., Templeton, D.M. (2003). "Differential accumulation of non-transferrin-bound iron by cardiac myocytes and fibroblasts." *Journal of Molecular and Cellular Cardiology* 35: 505-514.
- McKie A.T, B. D., Latunde-Dada GO, Rolfs A, Sager G, Mudaly E, Mudaly M, Richardson C, Barlow D, Bomford A, Peters TJ, Raja KB, Shirali S, Hediger MA, Farzaneh F, Simpson RJ. (2001). "An iron-regulated ferric reductase associated with the absorption of dietary iron." *Science* 291: 1755–1759.
- Modell, B. (1977). "Total management of thalassaemia major." *Arch Dis Child* 52: 489-500.
- Modell, B., Khan, M., Darlison, M. (2000). "Survival in beta-thalassaemia major in the UK: data from the UK Thalassaemia Register." *Lancet* 355: 2051-2052.
- Mosmann, T. (1983). "Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays." *Journal of Immunological Methods* 65: 55-63.
- Muckenthaler, M., Gray, N.K. and Hentze, M.W. (1998). "IRP-1 binding to ferritin mRNA prevents the recruitment of the small ribosomal subunit by the cap-binding complex eIF4F." *Mol. Cell* 2: 383-388.
- Muckenthaler, M. U. et al. (2004). "Molecular analysis of iron overload in beta2-microglobulin-deficient mice." *Blood Cells Mol. Dis.* 33: 125–131.
- Nemeth, E. et al. (2004). "Hepcidin regulates cellular iron efflux by binding to ferroportin and inducing its internalization." *Science* 306: 2090–2093.
- Nemeth, E. et al. (2006). "The N-terminus of hepcidin is essential for its interaction with ferroportin: structure-function study." *Blood* 107: 328–333.

- Nicolas, G. et al. (2001). "Lack of hepcidin gene expression and severe tissue iron overload in upstream stimulatory factor 2 (USF2) knockout mice." Proc. Natl. Acad. Sci. U. S. A. 98: 8780–8785.
- Nicolas, G. et al. (2002). "Severe iron deficiency anemia in transgenic mice expressing liver hepcidin." Proc. Natl. Acad. Sci. U. S. A. 99: 4596–4601.
- Ohgami, R. S., Campagna, D.R., Greer, E.L., Antiochos, B., McDonald, A., Chen, J., Sharp, J.J., Fujiwara, Y., Barker, J.E. & Fleming, M.D. (2005). "Identification of a ferrireductase required for efficient transferrin-dependent iron uptake in erythroid cells." Nat Genet 37: 1264-1269.
- Olivieri, N. F. (1999). "The beta-thalassemias." New England Journal of Medicine 341: 99-109.
- Olivieri, N. F., Brittenham, G. (1997). "Iron chelating therapy and the treatment of thalassemia." Blood 89: 739-761.
- Olivieri, N. F., Nathan, D.G., MacMillan, J.H., Wayne, A.S., Liu, P.P., McGee, A., Martin, M., Koren, G., Cohen, A.R. (1994). "Survival in medically treated patients with homozygous beta-thalassemia." New England Journal of Medicine 331: 574-578.
- Olynyk, et al. (2007). "The Regulation of Cellular Iron Metabolism." Critical Reviews in Clinical Laboratory Sciences 44(5-6): 413–459.
- Oudit, G. Y., Sun, H., Trivieri, M.G., Koch, S.E., Dawood, F., Ackerley, C., Yazdanpanah, M., Wilson, G.J., Schwartz, A., Liu, P.P., Backx, P.H. (2003). "L-type Ca(2+) channels provide a major pathway for iron entry into cardiomyocytes in iron-overload cardiomyopathy." Nature Medicine 9: 1187-1194.
- Oudit G.Y, T. M., Khaper N, Husain T, Wilson GJ, Liu P, Sole MJ, Backx PH (2004). "Taurine supplementation reduces oxidative stress and improves cardiovascular function in an iron-overload murine model." Circulation 109: 1877–1885.


- Oudit, G. Y., Trivieri, M.G., Khaper, N., Liu, P.P., Backx, P.H. (2006). "Role of L-type Ca<sup>2+</sup> channels in iron transport and iron-overload cardiomyopathy." *Journal of Molecular Medicine* 84: 349-364.
- Pak, M. et al. (2006). "Suppression of hepcidin during anemia requires erythropoietic activity." *Blood* 108: 3730-3735.
- Papanikolaou, G. P., K. (2005). "Iron metabolism and toxicity." *Toxicol Appl Pharmacol* 202: 199-211.
- Park, C. H. et al. (2001). "Hepcidin, a urinary antimicrobial peptide synthesized in the liver." *J. Biol. Chem.* 276: 7806-7810.
- Parkes, J. G., Hussain, R.A., Olivieri, N.F. & Templeton, D.M. (1993). "Effects of iron loading on uptake, speciation, and chelation of iron in cultured myocardial cells." *J Lab Clin Med* 122: 36-47.
- Parkes, J. G., Olivieri, N.F., Templeton, D.M. (1997). "Characterization of Fe<sup>2+</sup> and Fe<sup>3+</sup> transport by iron-loaded cardiac myocytes." *Toxicology* 117: 141-151.
- Pepine, C. J., Handberg, E.M., Cooper-DeHoff, R.M., Marks, R.G., Kowey, P., Messerli, F.H., Mancia, G., Cangiano, J.L., Garcia-Barreto, D., Keltai, M., Erdine, S., Bristol, H.A., Kolb, H.R., Bakris, G.L., Cohen, J.D., Parmley, W.W. (2003). "A calcium antagonist vs a non-calcium antagonist hypertension treatment strategy for patients with coronary artery disease." *The International Verapamil-Trandolapril Study (INVEST): a randomized controlled trial. JAMA* 290: 2805-2816.
- Peyssonnaux, C. et al. (2006). "TLR4-dependent hepcidin expression by myeloid cells in response to bacterial pathogens." *Blood* 107: 3727-3732.
- Ponka, P. (1997). "Tissue-specific regulation of iron metabolism and heme synthesis: distinct control mechanisms in erythroid cells." *Blood* 89: 1-25.

- Porter, J. B., Abeysinghe, R.D., Marshall, L., Hider, R.C., Singh, S. (1996). "Kinetics of removal and reappearance of non-transferrin-bound plasma iron with deferoxamine therapy." *Blood* 88: 705-713.
- Quigley JG, Y. Z., Worthington MT, Phillips JD, Sabo KM, Sabath DE, Berg CL, Sassa S, Wood BL, Abkowitz JL. (2004). "Identification of a human heme exporter that is essential for erythropoiesis." *Cell* 118: 757-766.
- Raffin SB, W. C., Roost KT, Price DC, Schmid R. (1974). "Intestinal absorption of hemoglobin iron-heme cleavage by mucosal heme oxygenase." *J Clin Invest* 54: 1344-1352.
- Raja KB, S. R., Peters TJ. (1992). "Investigation of a role for reduction in ferric iron uptake by mouse duodenum." *Biochim Biophys Acta* 1135: 141-146.
- Riedel HD, R. A., Fitscher BA, Stremmel W. (1995). "Characterization and partial purification of a ferrireductase from human duodenal microvillus membranes." *Biochem J* 309: 745-748.
- Rottbauer, W., Wessels, G., Dahme, T., Just, S., Trano, N., Hassel, D., Burns, C.G., Katus, H.A., Fishman, M.C. (2006). "Cardiac Myosin Light Chain-2 A Novel Essential Component of Thick-Myofilament Assembly and Contractility of the Heart." *Circulation Research* 99: 323-331.
- Roy, C. N., Blemings, K.P., Deck, K.M., Davies, P.S., Anderson, E.L., Eisenstein, R.S. & Enns, C.A. (2002). "Increased IRP1 and IRP2 RNA binding activity accompanies a reduction of the labile iron pool in HFE-expressing cells." *J Cell Physiol* 190: 218-226.
- Rychkov G, B. H., Harland ML, Barritt GJ (2001). "Plasma membrane Ca<sup>2+</sup> release-activated Ca<sup>2+</sup> channels with a high selectivity for Ca<sup>2+</sup> identified by patch-clamp recording in rat liver cells." *Hepatology* 33: 938-947.
- Schwartz KA, L. Z., Schwartz DE, Cooper TG, Braselton WE (2002). "Earliest cardiac toxicity induced by iron overload selectively inhibits electrical conduction." *J Appl Physiol* 93: 746-751.

- Siah CW, T. D., Olynyk JK. (2005). "Iron overload." *Clin Chim Acta* 358: 24-36.
- Sinnegger-Brauns M.J, H. A., Huber IG, Renstrom E, Wietzorrek G, Berjukov S, Cavalli M, Walter D, Koschak A, Waldschutz R, Hering S, Bova S, Rorsman P, Pongs O, Singewald N, Striessnig JJ (2004). "Isoform-specific regulation of mood behavior and pancreatic beta cell and cardiovascular function by L-type Ca 2+ channels." *J Clin Invest* 113: 1430–1439.
- Soonpaa, M. H., Field, L.J. (1998). "Survey of Studies Examining Mammalian Cardiomyocyte DNA Synthesis." *Circulation Research* 83: 15-26.
- Tanno T, Bhanu NV, Oneal PA, Goh SH, Staker P, Lee YT, Moroney JW, Reed CH, Luban NL, Wang RH, Eling TE, Childs R, Ganz T, Leitman SF, Fucharoen S, Miller JL. (2007). "High levels of GDF15 in thalassemia suppress expression of the iron regulatory protein hepcidin." *Nature Medicine* 13(9): 1096-101.
- Templeton, D. M., Liu, Y. (2003). "Genetic regulation of cell function in response to iron overload or chelation." *Biochimica et Biophysica Acta* 1619: 113-124.
- Torti, F. M. and Torti, S.V. (2002). "Regulation of ferritin genes and protein." *Blood* 99: 3505–3516.
- Truksa, J. et al. (2006). "Bone morphogenetic proteins 2, 4, and 9 stimulate murine hepcidin 1 expression independently of Hfe, transferrin receptor 2 (Tfr2), and IL-6." *Proc. Natl. Acad. Sci. U. S. A.* 103: 10289–10293.
- Tsai, C. T., et al. (2007) "Angiotensin II increases expression of  $\alpha 1C$  subunit of L-type calcium channel through a reactive oxygen species and cAMP Response Element-Binding Protein-dependent pathway in HL-1 myocytes. " *Circ Res.* 100: 1476-1485.
- Tsushima, R. G., Wickenden, A.D., Bouchard, R.A., Oudit, G.Y., Liu, P.P., Backx, P.H. (1999). "Modulation of iron uptake in heart by L-type Ca<sup>2+</sup> channel modifiers: possible implications in iron overload." *Circulation Research* 84: 1302-1309.

- Verga Falzacappa, M. V. et al. (2007). "STAT-3 mediates hepatic hepcidin expression and its inflammatory stimulation." *Blood* 109: 353–358.
- Vulpe, C. D., Kuo, Y.M., Murphy, T.L., Cowley, L., Askwith, C., Libina, N., Gitschier, J. and Anderson, G.J. (1999). "Hephaestin, a ceruloplasmin homologue implicated in intestinal iron transport, is defective in the *sla* mouse." *Nat. Genet.* 21: 195-199.
- Wallander, M. L., Leibold, E.A. & Eisenstein, R.S. (2006). "Molecular control of vertebrate iron homeostasis by iron regulatory proteins." *Biochim Biophys Acta* 1763: 668-689.
- Wang, R. H. et al. (2005). "A role of SMAD4 in iron metabolism through the positive regulation of hepcidin expression." *Cell Metab.* 2: 399–409.
- Weatherall, D. J. (1981). "The iron-loading anemias. In A. E. Martell, W. F. Anderson, D. G. Badman (Eds.)." *Development of iron chelators for clinical use* 3-12.
- Weatherall, D. J., Clegg, J.B. (1996). "Thalassemia-a global public health problem." *Nature Medicine* 2: 847-849.
- Weatherall, D. J., Clegg, J.B. (2001). "Inherited haemoglobin disorders: an increasing global health problem." *Bull World Health Organ* 79: 704-712.
- Wilkins, S. J. et al. (2006). "Iron metabolism in the hemoglobin-deficit mouse: correlation of diferric transferrin with hepcidin expression." *Blood* 107: 1659–1664.
- Winegar, B. D., Kelly, R., Lansman, J.B. (1991). "Block of current through single calcium channels by Fe, Co, and Ni. Location of the transition metal binding site in the pore." *The Journal of General Physiology* 97: 351-367.
- Wong, C. and D. R. Richardson (2003). "Beta-thalassaemia: emergence of new and improved iron chelators for treatment." *Int J Biochem Cell Biol* 35: 1144-1149.

Wood, J. C., Enriquez, C., Ghugre, N., Duessel, M.O., Aguilar, M., Nelson, M.D., Moats, R., Coates, T.D. (2005). "Physiology and Pathophysiology of Iron Cardiomyopathy in Thalassemia." Annals of the New York Academy of Sciences 1054: 386-395.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright © by Chiang Mai University  
All rights reserved