

REFERENCES

- Abdel F M., El S., Cathrine R. M. and Altaf A. E. 2005. Effects of dietary lipid source on spawning performance of Nile tilapia (*Oreochromis niloticus*) broodstock reared at different water salinities. *Aquaculture*. 248, 187– 196.
- An J.Y., Sim S.J., Lee J.S and Kim B.K. 2003. Hydrocarbon production from secondarily treated piggery wastewater by the green algae. *Botryococcus braunii*. *J. Appl. Phycol.* 15, 194–199.
- APHA AWW and WPCF. 1998. Standard method for examination of water and wastewater. 20th ed., Baltimore, Maryland, United Book Press, Inc.
- Aquaculture Production Technology Ltd. 2004. The economic traits of the ND56 tilapia hybrids [Online]. Available : <http://www.aquaculture.co.il/Technology/ND56.html> [2004 , December 3].
- AOAC (Association of Official Analytical Chemists). 1990. Methods of Analysis”, 14th ed. Arlington, Virginia. 1298p.
- Avtalion R.R and Reich L. 1989. Chromatophore inheritance in red tilapias. *Isr. J. Aquacult. Bamidgeh*. 41 (3), 98–104.
- Ayehunie S., Belay A., Hu Y., Baba T. and Ruprecht R. 1996. Inhibition of HIV-1 replication by an aqueous extract of *Spirulina platensis* (*Arthrospira platensis*). 7th IAAA Conference April 17, Knysna, South Africa. 54p.
- Babu M. 1995. Evaluation of chemoprevention of oral cancer with *Spirulina fusiformis*. *Nutrition and Cancer*. 24,197-202.

- Berns D.S., Crespi H.L. and Katz J.J. 1963. Isolation, amino acid composition and some physico-chemical properties of the protein deuterio-phycoerythrin. J. Am. Chem. Soc. 85, 8-14
- Bold H.C. and Wynne M.J. 1985. Introduction to the Algae Structure and Reproduction 2nd ed. Prentice-Hall Englewood Cliff. 706p.
- Brian O. 1986. Environmental Engineering and Earth Sciences. [Online].Available : <http://www.wilkes.edu/page/490.asp>. [2007, May 6].
- Bruno T., Castro C.A.N., Hamel J.F.P. and Palavra A.M.F. 1993. Supercritical fluid extraction of biological products, pp. 303-354. In: J.F. Kennedy and J.M.S. Cabral, Editors, Recovery Processes for Biological Materials, John Wiley & Sons, Chichester.
- Bustos A.A., Fiestas R., Ursinos J.A. and Borja P.R. 1992. Algal cultures with effluents from biological treatment of urban wastewater by anaerobiosis. Resour. Conserv. Recycl. 6, 303–312.
- Canizares R.O. 1993. Free and immobilized cultures of *S. maxima* for swine waste treatment in Mexico. Biotechnology Letters. 15, 321 – 326.
- Carlos J. N., Belen R. C and Niella F. X. 2003. Relationship between physicochemical variables and productivity in open ponds for the production of *Spirulina*: a predictive model of algal yield. Aquaculture. 221, 331–345.
- Carr G.M. and Chambers P.A. 1998. Macrophyte growth and sediment phosphorus and nitrogen in a Canadian prairie river. Freshwater Biol. 39, 525–536.
- Casillas E., Myers M. and Ames W.E. 1983. Relationship of serum chemistry values to liver and kidney histopathology in English sole (*Parophrys vetulus*) after acute exposure to carbon tetrachloride. Aquat. Toxicol. 3, 61– 78.

- Chien J.H., Su M.C., Chih H.P. and Chen H. H. 2006. Effects of dietary vitamin A or β -carotene concentrations on growth of juvenile hybrid tilapia, *Oreochromis niloticus*×*O. aureus*. *Aquaculture*. 253, 602–607
- Christie W.W. 1982. *Lipid Analysis*, 2nd ed. Pergamon, Oxford. 207p.
- Chuntapa B., Powtongsook S., Menasveta P. 2003. Water quality control using *S. platensis* in shrimp culture tanks. *Aquaculture*. 220, 355– 366.
- Clair N. S., Perry L. M. and Gene F. P. 2003. *Chemistry for Environmental Engineering and Science*, 5th edition, New York: McGraw-Hill. 688p.
- De Silva S.S., Gunasekera R.M. and Keembiyahetty C. 1986. Optimum ration and feeding frequency in *Oreochromis niloticus* young, pp. 559-564, *In* Maclean J.L., Dizon L.B. and Hosillos L.V. (eds.), *The First Fisheries Forum*. Asian Fisheries Society. Manila, the Philippines., pp. 559-564.
- Eguia M.R.R and Eguia R.V., 1993. Growth response of three *Oreochromis niloticus* strains to feed restriction. *Isr. J. Aquacult Bamidgeh*. 45 (1) , 8–17.
- Eguia M.R.R. 1996. Reproductive performance of four red tilapia strains in different seed production systems. *Isr. J. Aquacult Bamidgeh*. 48 (1), 10–18.
- Eugenia J. O., Sonia G., Ofelia A. G. and Elizabeth H. 2001. The effect of low light flux and nitrogen deficiency on the chemical composition of *Spirulina* sp. (*Arthrospira*) grown on digested pig waste. *Bioresource Technology*. 77, 19-24.
- Food and Agriculture Organization of the United Nations (FAO), 2004. *FAO Fish Stat plus*. Aquaculture Production. pp. 1970–2002.
- Galman, O.R., Moreau, J., Avtalion, R., 1988. Breeding characteristics and growth performance of Philippines red tilapia, pp. 169-175. *In* Pullin, R.S.V., Bhukaswan, T., Tonguthai, K., Maclean, J.L. (eds.), *The Second International*

- Symposium on Tilapia in Aquaculture, ICLARM Conference Proceedings 15. Department of Fisheries, Bangkok, Thailand and International Center for Living Aquatic Resources Management, Manila, Philippines, pp. 169–175.
- Getachew T. 1987. A study on an herbivorous fish, *Oreochromis niloticus*, diet and its quality in two Ethiopian Rift Valley lakes, Awasa and Zwai. J. Fish Biol. 30, 439–449.
- Goodman G. E. 2000. Prevention of lung cancer. Crit. Rev. Oncol. Hematol. 33, 187–197.
- Groff J.M and Zinkl J.G. 1999. Hematology and clinical chemistry of cyprinid fish. Vet. Clin. North Am. Exotic. 2, 741–776.
- Gonzales L.E., Canizares R.O. and Baena S. 1997. Efficiency of ammonia and phosphorus removal from a Colombian agroindustrial wastewater by the *S. platensis*. Bioresource Technol. 60, 259–262.
- Hakan T., Arnold G.E. and David E. 2003. Filtration of green algae and cyanobacteria by Nile tilapia (*Oreochromis niloticus*) in the partitioned aquaculture system. Aquaculture. 215, 93–100.
- Hayashi T. and Hayashi K. 1996. Calcium *S. platensis*, an Inhibitor of Enveloped Virus Replication, from a Blue-Green Alga *S. platensis*. Journal of Natural Products. 59 (1), 83–87.
- Hughes D.A., Wright A.J. and Finglas P.M. 1997. The effect of beta-carotene supplementation on the immune function of blood monocytes from healthy male nonsmokers. J. Lab. Clin. Med. 129, 309–317.
- Jackson G. B. 1993. Applied water and spent water chemistry. Van Nostrand Reinhold. New York. 688p.

- Jime neza C., Cossy B.R., Labella D. X. and Niell F.X. 2003. The feasibility of industrial production of *Spirulina* (Arthrospira) in Southern Spain. *Aquaculture*. 217, 179–190.
- Jun Lu., Takeuchi T. and Hiroo S. 2004. Ingestion and assimilation of three species of freshwater algae by larval tilapia *Oreochromis niloticus*. *Aquaculture*. 238, 437–449.
- Kidchakan S., Suphada K. and Mali B. 2005. Effect of a *Dunaliella* extract on growth performance, health condition, immune response and disease resistance in black tiger shrimp (*Penaeus monodon*). *Aquaculture*. 248, 207– 216.
- Kubitza F. 2000. Manejo nutricional ealimentar de tilapias. *Revista Panamarada Aquacultura*. 10 (6), 31–36.
- Koren, A., Pruginin, Y., Hulata, G., 1994. Evaluation of some red tilapia strains for aquaculture: I. Color inheritance. *Isr. J. Aquacult Bamidgeh* 46. (1), 9–12.
- Latscha T. 1991. Carotenoid in aquatic animal nutrition. pp. 68 – 79. *In* Akiyama, D. M. and Tan , R. K. H. (eds). *Proceedings of the aquaculture feed processing and Nutrition Workshop. Thailand and Indonesia, September, Thailand.*
- Lee I.M., Cook N. R. and Manson J.E. 1999. β -Carotene supplementation and incidence of cancer and cardiovascular disease: The Women's Health Study. *J. Natl. Cancer Inst.* 91, 2102-2106.
- Lisheng L. 1991. Inhibitive effective and mechanism of polysaccharide of *Spirulina platensis* on Transplanted Tumor Cells in Mice [Online]. Available: <http://www.Spirulina.com/SPLAbstract1>. [2007 May 7].
- Lissi E.A., Pizarro M., Aspee A., Romay C. 2000. Kinetics of phycocyanine bilin groups destruction by peroxy radicals. *Free Rad Biol Med*. 28, 1051-1055.

- Lu J. and Takeuchi T. 2003. Taste of Nile tilapia (*Oreochromis niloticus*) fed solely on raw *Spirulina*. Fisheries Science (Supp.1). The Japanese Society of Fisheries Science. 68, 987 – 988.
- Lu J., Takeuchi T. and Ogawa H. 2003. Flesh quality of tilapia (*Oreochromis niloticus*) fed solely on raw *Spirulina*. Fish. Sci. 72, 529–534.
- Lu J. and Takeuchi T. 2004. Spawning and egg quality of the Nile tilapia (*Oreochromis niloticus*) fed solely on raw *Spirulina* throughout three generations. Aquaculture. 234, 625-640.
- Lu J., Takeuchi T. and Hiroo S. 2004. Ingestion and assimilation of three species of freshwater algae by larval tilapia (*Oreochromis niloticus*). Aquaculture. 238, 437–449.
- Mahajan G and Kamat M. 1995. γ -Linolenic acid production from *S. platensis*. Appl. Microbiol. Biotechnol. 43, 466– 469.
- Marquez F. 1995. Inhibitory effect of oxygen accumulation on the growth of *S. platensis*, Biotechnology letters. 17, 225-228.
- Martinez M.E., Sanchez S., Jimenez J.M., Yous E.I. and Munoz F.L. 2000. Nitrogen and phosphorus removal from urban wastewater by the microalga (*Scenedesmus obliquus*). Bioresource Technol. 73, 263–272.
- Martin M., Amha B. and Brian A. 2005. Variation in fatty acid composition of *Arthrospira* (*Spirulina*) strains. Journal of Applied Phycology. 17, 137–146.
- McDonald M.E. 1987. Interaction between a phytoplanktivorous fish, *Oreochromis niloticus* and two unialgal forage population. Environ. Biol. Fishes. 18, 229–234.

- Muki S., Susan C. M., Sharon M., Shiri R. and Ami B. A. 2005. Improving gonad colour and somatic index in the European sea urchin (*Paracentrotus lividus*). *Aquaculture*. 245, 101– 109
- Nakamura H. 1982. *S. platensis*: Food for Hungry World, a Pioneer's story in Aquaculture. University of the Tree Press, Boulder Creek California.
- Nakano T., Yamaguchi T., Sato M. and Iwama G. K. 2003. Biological effects of carotenoids in fish. International Seminar "Effective Utilization of Marine Food Resource". Songkhla, Thailand. 18 December. pp. 1 – 15.
- Nandeesh M. C., Gangadhara B., Varghese T.J. and Keshavanath P. 1998. Effect of Feeding *Spirulina platensis* on the growth, proximate composition and organoleptic quality of common carp, *Aquacult., Res.* 29, 305 – 312.
- Norman I. K. and Elizabeth J. J. 2005. Carotenoid actions and their relation to health and disease. *Molecular Aspects of Medicine*. 26, 459–516.
- Northcott M.E., Beveridge M.C.M. and Ross L.G. 1991. A laboratory investigation of the filtration and ingestion rates of tilapia *Oreochromis niloticus* feeding on two species of blue-green algae. *Environ. Biol. Fishes.*, 31, 75– 85.
- Olguyn E.J., Galicia S., Angulo-Guerrero O. and Hernandez E. 2000. The effect of low light flux and nitrogen deficiency on the chemical composition of *Spirulina* sp. (*Arthrospira*) grown on digested pig waste. *Bioresour. Technol.* 77, 19– 24.
- Oonprasert P. 1995. The culture Nile tilapias. The paper to introduce Department of Fisheries. Bangkok, Thailand. 40 p.
- Osan M. B and Wing K. N. 2007. Effects of dietary palm oil source on growth, tissue fatty acid composition and nutrient digestibility of red hybrid tilapia, *Oreochromis* sp., raised from stocking to marketable size. *Aquaculture*. 262, 382–392

- Pang Q. 1988. Enhancement of Endonuclease Activity and repair DNA Synthesis by Polysaccharide of *Spirulina platensis*. Acta Genetica Sinica. 15, 374-381.
- Phromkunthong W. and Pipattanawattanakul A. 2005. Effects of *S. platensis* on growth performance and antibody levels in hybrid catfish, (*Clarias macrocephalus* X *Clarias gariepinus* (Burchell), Songklanakarin J. Sci. Technol. 27, 115-132.
- Pollution Control Department. 1994. Laws and Standards on Pollution Control in Thailand, 3rd ed., Ministry of Science Technology and Environment.
- Pongthana N., Saengwarn S and Nitham J. 2004. Effects of androgens on sex reversal of Nile Tilapia, Thai Fisheries Journal., 57, 251-259.
- Promya J. 2000. The Mass Culture of *Spirulina platensis* in Effluent from Pig Manure Biogas Digester . Mater Thesis , Department of Biology , Faculty of Science , Chiang Mai University.
- Promya J. and Traichaiyaporn S. 2001. Some nutritional value of *Spirulina platensis* cultivated in waste water from pig manure biogas digester, 26th congresson and Technology of Thailand 18-20 October, Queen Sirikit National Convention center, Bangkok, Thailand.
- Promya J and Traichaiyaporn S. 2003. Water quality improvement of effluent from pig manure biogas digester by the culture of *S. platensis* (Nordstedt) Geiteler. Journal of the Science Faculty of Chiang Mai University. 30, pp. 95-101.
- Promya J., Hongvityakorn P. and Traichaiyaporn S. 2003. The use of *S. platensis* for pigment increasing in fancy carps (*Cyprinus carpio* Linn.).1st Congress on Algae and Plankton of Thailand, Convention Center 50 year, Kasetsart University, Bangkok,Thailand , p. 8.

- Promya J., Hongvityakorn P. and Traichaiyaporn S. 2004. Meat quality improvement of red tilapia (*Oreochromis niloticus* x *Oreochromis mossambicus*) using *S. platensis* and *Cladophora* sp. 30th Congress on Science and Technology of Thailand, Impact Exhibition and Convention Center, Muang Thong Thani, Thailand. p. 54.
- Promya J. and Traichaiyaporn S. 2005a. Improvement of the dormitory effluent by *Spirulina platensis* (Nordstedt) Geiteler. 4th Asia-Pacific Phycological Forum, Rama Gardens Hotel, Bangkok., Thailand.
- Promya J. and Traichaiyaporn S. 2005b. Meat quality improvement of Sharp Tooth African Catfish (*Clarias gariepinus*) using *Spirulina platensis* and *Cladophora* sp. The Second National Conference on Algae and Plankton, 23-25 March, Holiday Hotel, Chiang Mai, Thailand.
- Promya J., Traichaiyaporn S. and Deming R. L. 2006a. Phytoremediation of domestic and industrial wastewater by *Spirulina platensis* (Nordstedt) Geiteler, 40th Western Regional Meeting American Chemical Society, 22-25 January, Double Tree Hotel Anaheim/ Orange, CA, USA.
- Promya J., Traichaiyaporn S., Deming R. L. 2006b. Effect of raw *S. platensis* feeding on growth, survival rate and immunity of red tilapia (*Oreochromis* sp.) fingerlings. The 7th Maejo University Annual Conference, 25-26 May, Maejo University, Chiang Mai, Thailand. p. 283.
- Promya J., Traichaiyaporn S., Deming R. L. 2006c. Effect of raw *Spirulina* on growth performance, nutrition valued and carotenoid in red Tilapia (*Oreochromis* sp.). The 1st Faculty of Fisheries Technology and Aquatic Resources Annual Conference, 25-26 December, Maejo University, Chiang Mai, Thailand., p. 12.

- Qureshi M.A. and Ali R.A. 1995. Phagocytic potential of Feline macrophages after exposure to a water soluble extract of *Spirulina in vitro*. Journal Immunopharmacology Japan., 9, 101-109.
- Rangel-Yagui C.O., Danesi E.D.G., Carvalho J.C.M. and Sato S. 2004. Chlorophyll production from *S. platensis*: cultivation with urea addition by fed-batch process. Bioresour. Technol. 92, 133–141.
- Reddy M.C., Subhashini J., Mahipal S.V.K., Bhat V.B., Reddy P.S., Kiranmai G., Madyastha K.M., Reddanna P. 2003. C-phycocyanin, a selective cyclooxygenase-2 inhibitor, induces apoptosis in lipopolysaccharide-stimulated RAW 264.7 macrophages. Biochem. Biophys. Res. Commun. 304, 385–392.
- Reynolds C.S. 1986. The Ecology of Freshwater Phytoplankton. 2nd ed. Cambridge University, Press.
- Rhyther J.H., Dunstan W.M. 1971. Nitrogen, phosphorous and eutrophication in the coastal marine environment, Science. 171, 1008–1013.
- Richmond A. 1998. *S. platensis*. pp. 85-119. In MA. Borowitzka and LJ. Borowitzka (Eds), Microalga biotechnology. Australia : Cambrige University Press.
- Ross E and Dominy W. 1990. The nutritional value of dehydrated blue-green algae (*S. platensis*) for poultry, Poultry Sci. 69, 794-800.
- Sanchez-Luna L.D., Converti A., Tonini G.C., Sato S., Carvalho J.C.M. 2004. Continuous and pulse feedings of urea as a nitrogen source in fed-batch cultivation of *Spirulina platensis*. Aquac. Eng. 31, 237–245.
- Sardar M.R., Thompson K.D., Penman D.J. and McAndrew B. J. 2001. Immune responses of Nile tilapia clones developmental and comparative. Immunology. 25, 37-46.

Schlösser U.G. 1982. Sammlung von Algenkulturen. Ber. Dtsch. Bot. Ges. 95, 181–276

Siew-Moi P., Miah M.S., Yeoh B.G. and Hashim M.A. 2000. *Spirulina* production in a high rate pond treating sago starch factory wastewater, 4th Asia-Pacific Conference on Algal Biotechnology, Hong Kong Convention and Exhibition Center, China

Silveira S. T., Burkert J. F. M., Costa J. A. V., Burkert C. A. V. and Kalil S. J. 2007. Optimization of phycocyanin extraction from *Spirulina platensis* using factorial design. Bioresource Technology. 98, 1629–1634.

Simonne A.H., Green N.R. and Bransby D.I. 1996. Consumer acceptability and β -carotene content of beef as related to cattle finishing diets. Journal of Food Science. 61, 1254-1256.

Soletto D., Binaghia L., Lodia A., Carvalhob J.C.M. and Convertia A .2005. Batch and fed-batch cultivations of *Spirulina platensis* using ammonium sulphate and urea as nitrogen sources Aquaculture. 243, 217– 224.

Stanca D and Popovici E. 1996. Urea as nitrogen source in modified Zarrouk's medium. Rev. Roum. Biol. 41, 25–31.

Stumm W and Morgan J.J.1996. Aquatic Chemistry. Chemical Equilibria and Rates in Natural Waters, Third Edition, Wiley-Interscience, New York., 1022 p.

Switzer L. 1982. *Spirulina* the whole food revolution. Bantam Books, Toronto, Canada.

Takeuchi T., Noto S. and Yoshizaki G. 1997. Study on the development of closed ecological recirculating aquaculture system. Aquaculture. 10, 1-4.

Tave D. 1990. Supermale tilapia. Aquaculture Magazine. 16, 69-72.

- Terry C.H., Cardinale J.L. and Smith S.A. 2000. Hematology and plasma chemistry reference intervals for cultured tilapia (*Oreochromis Hybrid*). Veterinary clinical Pathology. 29, 7-12.
- Traichaiyaporn S, 1994. Applied Phycology, Department of Biology, Faculty of Science, Chiang Mai University. 263 p.
- Traichaiyaporn S, 2000. Water quality analysis, Department of Biology, Faculty of Science, Chiang Mai University. 125 p.
- Tontulvet M and Pornphrapa P. 1982. Water quality management for pond fish culture, Department of Environment Engineering, Faculty of Engineering, Chulalongkorn University, Bangkok, Thailand. 319 p.
- Venkataraman D. M. 1983. Hypocholesterolemic effect of blue-green algae *Spirulina platensis* in albino rats. Ann Nutr Reports Int. 28, 519-530.
- Vonshak A. 1997. *Spirulina platensis* (*Arthospira*): Physiology, cell biology and biotechnology. Taylor & Francis, London. 540 p.
- Walach M.R., Bazin M. and Pirt J. 1987. Computer control of carbon–nitrogen ratio in *S. platensis*. Biotechnology and Bioengineering. 29, 520–528.
- Wang T., Carroll M. A., Albercook G. M., Owens K. R., Duderstadt K. A., Markevitch A. N., Parrish D. D., Holloway J. S., Fehsenfeld F. C., Forbes G., Ogren J. 1993. Ground-based measurements of NO_x and total reactive oxidized nitrogen (NO_y) at Sable Island, Nova Scotia, during the NARE summer intensive Journal of Geophysical Research., Volume 101, Issue D22, pp. 28991-29004.
- Watanabe W.O., Ellingson L.J., Wicklund R.I., Olla B.L. 1988a. The effects of salinity on growth, food consumption and conversion in juvenile monosex male Florida red tilapia. pp. 515-523. In Pullin, R.S.V., Bhukaswan T.,

- Tonguthai, K and Maclean, J.L. (eds). , The Second International Symposium on Tilapia in Aquaculture, ICLARM Conference Proceedings 15, 623 pp. Department of Fisheries, Bangkok, Thailand, and International Center for Living Aquatic Resources Management, Manila, Philippines.
- Watanabe W.O., French K.E., Ellingson L.J., Wicklund R.I., Olla, B.L. 1988b. Further investigations on the effects of salinity on growth in Florida red tilapia: evidence for the influence of behavior. pp. 525-530. *In* Pullin, R.S.V., Bhukaswan, T., Tonguthai, K., Maclean, J.L. Eds. , The Second International Symposium on Tilapia in Aquaculture, ICLARM Conference Proceedings 15, 623 pp. Department of Fisheries, Bangkok, Thailand and International Center for Living Aquatic Resources Management, Manila, Philippines.
- Wiwutchaiset Y. 2001. The culture tilapia (*Oreochromis niloticus*) in nets at Kron Kran. Journal Thai Fisheries Gazette. Thailand. 1, 167-177.
- Yada, Y. 1982. Study on the feeding habit of *Oreochromis nilotica*: I. The change in feeding habit of *Oreochromis nilotica* in feeding and no feeding pond. Suisan Zoshoku. 29, 229–233.