TABLE OF CONTENTS

| · 978181869 . | |
|---|-------|
| S P P P P P P P P P P P P P P P P P P P | Page |
| Acknowledgements | iii |
| Abstract (Thai) | iv |
| Abstract (English) | vii |
| Table of contents | x |
| List of tables | xiii |
| List of figures | xxii |
| List of abbreviations and Symbols | xxvii |
| Chapter 1 Introduction | 1 |
| Objectives of the study | 6 |
| Chapter 2 Literature Reviews | 7 |
| 2.1 Cultivation of <i>S. platensis</i> : nutritional value | 7 |
| 2.1 Cultivation of <i>S. platensis</i> : nutritional value and water quality improvement | |
| Copyrig 2.2 Tuptim tilapia culture iang Mai Universit | 13 |
| 2.3 The immunity S r e s e r v e | 22 |
| Chapter 3 Materials and Methods | 27 |
| 3.1Materials | 27 |
| 3.2 Method | 30 |

TABLE OF CONTENTS (continued)

| · 978181260 . | Page |
|---|--------------|
| Chapter 4 Results | 48 |
| 4.1 Mass culture of S. platensis | 48 |
| 4.1.1 Laboratory culture of <i>S. platensis</i> | 48 |
| 4.1.2 Outdoor mass culture of S. platensis | 50 |
| in the experimental tank 4.1.3 Mass cultures of <i>S. platensis</i> in cement raceway pond and earthen raceway pond | 59 |
| 4.2 Tuptim tilapia culture | 62 |
| 4.2.1 Nursing larval Tuptim tilapia in the earthen pond | 62 |
| using raw S. platensis | |
| 4.2.2 Culturing male and female juvenile Tuptim tilapias | 70 |
| in the earthen pond Chapter 5 Discussion | 61 90 |
| Copyr 5.1 Cultivation of S. platensis ang Mai Universi | 90 |
| 5.1.1 Laboratory cultures of <i>S. platensis</i> | 90 |
| 5.1.2 Outdoor mass culture of S. platensis | 91 |
| | |

in experimental tank

TABLE OF CONTENTS (continued)

| | Page |
|---|------|
| 5.1.3 Mass cultures of <i>S. platensis</i> in cement raceway pond and earthen raceway pond | 99 |
| 5.2 Tuptim tilapia culture | 99 |
| 5.2.1 Nursing larval Tuptim tilapia in earthen pond | 99 |
| using raw <i>S. platensis</i> 5.2.2 Culturing male and female juvenile Tuptim tilapias | 102 |
| in earthen pond | |
| Chapter 6 Conclusion and Recommendation | 110 |
| References | 118 |
| Appendices | 131 |
| Appendix A Analysis methods | 132 |
| Appendix B Statistic analysis of S. platensis and fish culture | 160 |
| Appendix C Data of S. platensis and fish culture | 174 |
| a Curriculum Vitae M 7 7 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 | 210 |
| Copyright [©] by Chiang Mai Universi | ty |
| All rights reserve | d |
| | |

LIST OF TABLES

| Table AN ANELLA 2 | Page |
|--|----------|
| 1 Nutritional values of fish feeds | 38 |
| 2 Statistical summary of nutritional values in fish feed before experiment | 42 |
| Statistical summary of production variable cost, β-carotene, C-phycocyanin and γ - linoleic acid contents in fish | 42 |
| 4 Statistical summary for the analysis of biomass production, production variable cost and nutritional values | 61 |
| of S. platensis cultured in 10% Sw medium for 10 days | |
| 5 Standard curve NH_3 -N = 1.22 mg mL ⁻¹ ; 430 nm | 143 |
| 6 Standard curve NO_3 -N = 0.04426 mg mL ⁻¹ ; 425 nm | 144 |
| 7 Standard curve PO_4 -P = 0.05 mg mL ⁻¹ ; 690 nm | 145 |
| 8 Statistical summary of water quality parameters in | 160 |
| modified Zm, Kw and Sw media and biomass production of <i>S. platensis</i> | íIJ |
| 9 Statistical summary in the modified Zm , Kw and Sw media of <i>S. platensis</i> cultured for 15 days | 161 0 |
| 10 Statistical summary for the analysis of pigment contents | 162 |
| and γ - linoleic acid of S. platensis cultured in modified Zm, 100%Kw, | |
| 90%Kw, 10%Sw and 5%Sw 5 media for 15 days | |

| Table | Page |
|---|------|
| o ABERD | |
| 11 Statistical summary for the analysis of biomass | 162 |
| production, production variable cost and nutritional values | |
| of S. platensis cultured in modified Zm, 100%Kw, 90%Kw, 10%Sw | |
| and 5% Sw media for 15 days | |
| 12 The statistical summary of water quality and percentage | 163 |
| removal in wastewater culture of S. platensis after15 day | |
| 13 The statistical summary of water quality and percentage | 164 |
| removal in wastewater culture of S. platensis after15-days | |
| 14 Average weight of larval Tuptim tilapia fed with experimental diet | 165 |
| for 90 days | |
| 15 Growth performance of larval Tuptim tilapia after nursing for 90 days | 165 |
| 16 The estimation of fish immunity as unit of lysozyme activity, | 166 |
| red blood cell and white blood cell count after feeding with | |
| ad Experimental diet for 90 days | IJ |
| 17 Statistical summary of water quality parameters in larval Tuptim tilapia | 167 |
| nursing ponds using raw S. platensis as feeding formulas | |
| and nursing for 90 days | C |
| 18 Statistical summary of average weight of male juvenile Tuptim tilapia | 168 |
| fed with experimental diet for 150 days | |

| Table ABERSON | Page |
|--|---------------|
| 19 Statistical summary of growth performance of the cultured | 168 |
| male juvenile Tuptim tilapia after feeding with | |
| experimental diet for 150 days | |
| 20 Average weight of female juvenile Tuptim tilapia fed with | 169 |
| experimental diet for 150 days | |
| 21 Growth performance of the cultured female juvenile Tuptim tilapia after | 169 |
| feeding with experimental diet for 150 days | |
| 22 The estimation of juvenile Tuptim tilapia immunity as unit of lysozyme | 170 |
| activity, red blood cell and white blood cell count after feeding with | |
| experimental diet for 150 day | |
| 23 Statistical summary for analyses of β -carotene, C-phycocyanin | 170 |
| and γ – linoleic acid of feed, flesh and eggs of juvenile Tuptim tilapia | |
| using raw S. platensis culture for 150 days | |
| 24 Statistical summary production variable cost and nutrition value | 171 |
| of feed juvenile Tuptim tilapia using raw <i>S. platensis</i> feed culture in the earthen pond for 150 days 25 Statistical summary nutrition value of flesh and eggs of juvenile | y d 171 |
| Tuptim tilapia using raw S. platensis feed culture in the earthen | |
| pond for 150 days | |

| Table | Page |
|---|------|
| 26 Statistical summary of gonadosomatic index in juvenile male | 172 |
| and female Tuptim tilapia cultured for 150 days 27 Statistical summary of water quality parameters in juvenile Tuptim tilapia culturing earthen pond using raw <i>S. platensis</i> feed for 150 day | 173 |
| 28 The datas of <i>S. platensis</i> culture in modified Zm control and kitchen wastewater in laboratory for 0 day | 174 |
| 29 The data of <i>S. platensis</i> culture in oil-extracted soybean fermented water in laboratory for 0 day | 175 |
| 30 The data of <i>S. platensis</i> culture in modified Zm and kitchen wastewater | 176 |
| in laboratory for 5days 31 The data of <i>S. platensis</i> culture in oil-extracted soybean fermented water in laboratory for 5 days | 177 |
| 32 The data of <i>S. platensis</i> culture in modified Zm and kitchen wastewater in laboratory for 10 days | 178 |
| 33 The data of <i>S. platensis</i> culture in oil-extracted soybean fermented water in laboratory for 10 days | 179 |
| A The data of <i>S. platensis</i> culture in modified Zm and kitchen wastewater | 180 |
| in laboratory for 15 days 35 The data of <i>S. platensis</i> culture in oil-extracted soybean fermented water | 181 |
| in laboratory for 15 days | |

| Table | Page |
|--|----------|
| 36 The data of <i>S. platensis</i> culture in modified Zm, Kw and Sw in experimental Tank for 0 day | 182 |
| 37 The data of <i>S. platensis</i> culture in modified Zm, Kw and Sw in experimental tank for 5 days | 183 |
| 38 The data of <i>S. platensis</i> culture in modified Zm, Kw and Sw in experimental tank for 10 days | 184 |
| 39 The data of <i>S. platensis</i> culture in modified Zm, Kw and Sw in experimental tank for 15 days | 185 |
| 40 The data of pigments and γ - linoleic acid of <i>S. platensis</i> cultured in modified Zm, Kw and Sw in experimental tank for 15 days | 186 |
| 41 The data biomass production, variable cost and nutritional values of S. platensis cultured in modified Zm, Kw and Sw | 186 |
| in experimental tank for 15 days 42 The data costs of <i>S. platensis</i> cultured in modified Zm, Kw and Sw | 187 |
| in experimental tank for 15 days 43 The data costs of <i>S. platensis</i> cultured in 10% Sw in cement raceway pond and earthen raceway pond for 10 days | 187 0 |
| 44 Water quality of S. platensis cultured in 10%Sw water cement | 188 |
| raceway pond and earthen raceway ponds for 0 day | |

xviii

| Table | Page |
|--|-----------------|
| o nale hor o | |
| 45 Water quality of S. platensis cultured in 10%Sw water cement | 188 |
| raceway pond and earthen raceway pond for 5 days | |
| 46 Water quality of <i>S. platensis</i> cultured in 10%Sw water cement | 188 |
| raceway pond and earthen raceway pond for 10 days | |
| 47 The data of growth performance of larval fed with experimental diet | 189 |
| for 90 days | |
| 48 The data of growth performance of growth larval Tuptim tilapia for 30 days | 189 |
| 49 The data of growth performance of growth larval Tuptim tilapia for 60 days | 190 |
| 50 The data of growth performance of growth larval Tuptim tilapia for 90 days | 190 |
| 51 The data of lysoyme activity larval Tuptim tilapia for 90 days | 191 |
| 52 The data of red blood cell larval Tuptim tilapia for 90 days | 191 |
| 53 The data of white blood cell of larval Tuptim tilapia for 90 days | 192 |
| 54 The data water quality in larval Tuptim tilapia pond with experimental diet | 192 |
| addin earthen pond for 30 days | Í J |
| 55 The data water quality in larval Tuptim tilapia pond experimental diet for 60 days | ¹⁹³ |
| 56 The data water quality in larval fed with experimental diet for 90 days | 0 193 |
| 57 The data of average weight of male juvenile Tuptim used raw | 194 |
| S. platensis feed for 150 days | |

| Table | Page |
|---|------|
| 58 The data of weight gain percentage of male juvenile Tuptim | 194 |
| using raw <i>S. platensis</i> feed for 150 days 59 The data of specific growth rate of male juvenile Tuptim using | 195 |
| raw <i>S. platensis</i> feed for 150 days 60 The data of survival rate of male juvenile Tuptim | 195 |
| using raw <i>S. platensis</i> feed for 150 days 61 The data of feed conversion ratio of male juvenile Tuptim using raw | 196 |
| <i>S. platensis</i> feed for 150 days 62 The data of protein efficiency ratio of male juvenile Tuptim using | 196 |
| raw <i>S. platensis</i> feed for 150 days 63 The data of average weight of female juvenile Tuptim using raw | 197 |
| S. platensis feed for 150 days 64 The data of weight gain percentage of female juvenile Tuptim | 197 |
| 65 The data of specific growth rate of female juvenile Tuptim using | 198 |
| raw <i>S. platensis</i> feed for 150 days 66 The data of survival rate of female juvenile Tuptim | 198 |
| using raw <i>S. platensis</i> feed for 150 days 67 The data of feed conversion ratio female juvenile Tuptim using | 199 |
| raw S. platensis feed for 150 days | 177 |

| Table | Page |
|--|------------|
| 68 The data of protein efficiency ratio female juvenile Tuptim using | 199 |
| raw <i>S. platensis</i> feed for 150 days 69 The data lysozyme activity of juvenile Tuptim tilapia using | 200 |
| raw <i>S. platensis</i> feed for 150 days 70 The data red blood cell; RBC of juvenile Tuptim tilapia using | 200 |
| raw <i>S. platensis</i> feed in earthen pond for 270 day 71 The data white blood cell; WBC of juvenile Tuptim tilapia | 201 |
| using raw <i>S. platensis</i> feed in earthen pond for 150 days 72 The data nutrition value of feed juvenile Tuptim tilapia culture using | 201 |
| raw <i>S. platensis</i> feed in earthen pond for 150 days 73 The data nutrition value of flesh juvenile Tuptim tilapia culture using | 202 |
| raw <i>S. platensis</i> feed in earthen pond for 150 days 74 The data nutrition value of egg juvenile Tuptim culture using raw <i>S. platensis</i> | 202 |
| feed in earthen pond for 150 days 75 The data costs of juvenile Tuptim tilapia culture using raw <i>S. platensis</i> feed | 203 |
| in earthen pond for 150 days 76 The data gonadosomatic index of juvenile Tuptim tilapia culture using raw <i>S. platensis</i> feed in earthen pond for 0 day | 203 203 |
| 77 The data gonadosomatic index of juvenile Tuptim tilapia culture using | 204 |
| raw S. platensis feed in earthen pond for 30 days | |

| Table | Page |
|---|------|
| 78 The data gonadosomatic index of juvenile Tuptim tilapia culture using raw <i>S. platensis</i> feed in earthen pond for 60 days | 204 |
| 79 The data gonadosomatic index of juvenile Tuptim tilapia culture using | 205 |
| raw <i>S. platensis</i> feed in earthen pond for 90 days80 The data gonadosomatic index of juvenile Tuptim tilapia culture using | 205 |
| raw <i>S. platensis</i> feed in earthen pond for 120 day 81 The data gonadosomatic index of juvenile Tuptim tilapia culture using | 206 |
| raw S. <i>platensis</i> feed in earthen pond for 150 day | 200 |
| 82 The data water quality of juvenile Tuptim tilapia culture using raw <i>S. platensis</i> feed in earthen pond for 0 day | 206 |
| 83 The data water quality of juvenile Tuptim tilapia culture using | 207 |
| raw <i>S. platensis</i> feed in earthen pond for 30 days 84 The data water quality of juvenile Tuptim tilapia culture using | 207 |
| raw <i>S. platensis</i> feed in earthen pond for 60 days 85 The data water quality of juvenile Tuptim tilapia culture using | 208 |
| raw <i>S. platensis</i> feed in earthen pond for 90 days 86 The data water quality of juvenile Tuptim tilapia culture using raw <i>S. platensis</i> feed in earthen pond for 120 days | |
| 87 The data water quality of juvenile Tuptim tilapia culture using | 209 |
| raw S. platensis feed in earthen pond for 150 days | |

LIST OF FIGURES

| | Figure Alling | Page |
|------------|---|------|
| | 1 Hybrid (F ₁) fish between female red tilapia ND5 family line and male red tilapia ND6 family | 1 |
| | 2 The stages of development of Tuptim tilapia for marketing | 3 |
| | 3 S. platensis unicellular | 4 |
| | 4 S. platensis mass | 4 |
| | 5 Important parts of the immune system | 23 |
| | 6 S. platensis (a) Stock Zm (b) 3-week fermented Kw and (c) Sw | 32 |
| | 7 (a) S. platensis (Stock Kw) and (b) S. platensis cultured in laboratory | 32 |
| | 8 (a) Production of raw S. platensis (b) Outdoor culture of S. platensis | 34 |
| | 9 (a) S. platensis filtration through plankton net (b) Dried S. platensis | 34 |
| • | and powder | |
| a ð | 10 (a) Cement raceway ponds (b) earthen raceway pond | 35 |
| Со | 11 Biomass production of raw S. platensis g Mai Universit | 36 |
| A | 12 Earthen ponds to nurse larval Tuptim tilapia eserve | 38 |
| | 13 (a) 7 days old fry Tuptim tilapia (b) larval feed | 39 |
| | 14 Production of larval Tuptim tilapia each treatment | 39 |
| | 15 (a) juvenile of Tuptim tilapia being kept in floating net and (b) Floating nets | 43 |
| | 16 (a) The preparation of feed pellets (b) The samples of fish feed pellet | 43 |

xxiii

LIST OF FIGURES (continued)

| Figure All Ba | Page |
|---|------|
| 17 120 day old juvenile Tuptim tilapia | 44 |
| 18 Earthen ponds for male and female juvenile Tuptim tilapia cultures | 44 |
| 19 Red and white blood of juvenile Tuptim tilapia | 45 |
| 20 Flesh of juvenile Tuptim tilapia | 45 |
| 21 Egg of juvenile Tuptim tilapia each treatment | 45 |
| 22 Changes of S. platensis biomass production, TN and TP of modified Zm, | 49 |
| Kw and Sw in laboratory culture for 15 days period | |
| 23 Changes of pH, TN, TP and dry weight biomass of S. platensis cultured | 51 |
| in modified Zm, Kw and Sw media in the outdoor experimental | |
| wastewater for 15 day | |
| 24 The analysis of β -carotene, C-phycocyanin and γ - linoleic acid of | 52 |
| S. platensis cultured in modified Zm, 100% Kw, 90% Kw, 10% Sw | |
| and 5% Sw media for 15 days | |
| 25 The analysis of dry weight, production variable cost and nutritional values | 54 |
| of <i>S. platensis</i> cultured in modified Zm, 100% Kw, 90% Kw, 10% Sw and 5% Sw media for 15 days | ty |
| 26 Changes of water temperature, DO and BOD of <i>S. platenssis</i> cultured | 57 |
| in wastewater for 15 days | |
| 27 Changes of COD, NO ₃ -N, NO ₂ -N, NH ₃ -N, ON, TON and TKN | 58 |
| of S. platensis cultured in wastewater for 15 days | |

xxiv

LIST OF FIGURES (continued)

| Figure | Page |
|---|------------------------|
| 28 Changes air and water temperature, pH, DO, BOD, COD, NO ₃ -N, NO ₂ -N, | 60 |
| NH ₃ -N, TP and optical density of <i>S. platensis</i> cultured in | |
| the wastewater for 10 days | |
| 29 Changes of average weight of larval Tuptim tilapia fed with | 62 |
| raw S. platensis cultured in the earthen pond for 90 days | |
| 30 The analysis of weight gain percentage, specific growth rate, | 64 |
| survival rate, feed conversion ratio and protein efficiency ratio | |
| of larval Tuptim tilapia nursing for 90 days | |
| 31 The analysis of lysozyme activity as turbidity, red blood cell, | 66 |
| white blood cell count of larval Tuptim tilapia nursing for 90 days | |
| 32 The analysis of pH, alkalinity, conductivity, TDS, DO, PO ₄ -P | 69 |
| and NH ₃ -N using raw S. platensis as feeding formulas in larval Tuptim | |
| tilapia nursing pond for 90 day | |
| 33 Changes of average weight of male juvenile Tuptim tilapia using | 70 |
| raw <i>S. platensis</i> feed culture in the earthen pond for 150 days 34 The analysis of weight gain percentage, specific growth rate, | Y ₇₂ |
| survival percentage, feed conversion ratio, protein efficiency ratio of | C |
| the cultured male juvenile Tuptim tilapia being raised for 150 days | |
| 35 Changes of average weight of female juvenile Tuptim tilapia using | 73 |
| raw S. platensis feed culture in the earthen pond for 150 days | |

LIST OF FIGURES (continued)

| Figure | Page |
|--|----------|
| o AHEHA | |
| 36 The analysis of weight gain percentage, specific growth rate, | 75 |
| survival rate, feed conversion ratio, protein efficiency ratio | |
| of female juvenile Tuptim tilapia using raw S. platensis | |
| feed culturing in the earthen pond for 150 days | |
| 37 The analysis of lysozyme activity, red blood cell and white blood cell count | 77 |
| of juvenile Tuptim tilapia for 150 days | |
| 38 The analysis of β -carotene in feed, flesh and eggs of juvenile Tubtim tilapia | 79 |
| using raw S. platensis culturing for 150 days | |
| 39 The analysis of C-phycocyanin in feed, flesh and eggs of juvenile Tuptim | 79 |
| tilapia using raw S. platensis cultured for 150 days | |
| 40 The analysis of γ -linoleic acid in feed, flesh and eggs of juvenile | 80 |
| Tuptim tilapia using raw S. platensis cultured for 150 days | |
| 41 The analysis of percent protein in feed, flesh and eggs of juvenile | 83 |
| Tuptim tilapia using raw <i>S. platensis</i> feed cultured in the earthen | íIJ |
| 42 The analysis of percent carbohydrate in feed, flesh and eggs of juvenile Tuptim tilapia using raw <i>S. platensis</i> feed cultured in the earthen | ty 83 |
| pond for 150 days | |
| 43 The analysis of percent fat in feed, flesh and eggs of juvenile Tuptim tilapia | 84 |

using raw S. platensis feed cultured in the earthen pond for 150 days


XXV

xxvi

LIST OF FIGURES (continued)

| Figure | Page |
|---|------|
| 44 The analysis of percent fiber in feed, flesh and eggs of juvenile Tuptim tilapia | 84 |
| using raw S. platensis feed cultured in the earthen pond for 150 days | |
| 45 The analysis of percent moisture in feed, flesh and eggs of juvenile Tuptim | 85 |
| tilapia using raw S. platensis feed cultured in the earthen pond for 150 days | |
| 46 The analysis of percent ash in feed, flesh and eggs of juvenile Tuptim tilapia | 85 |
| using raw S. platensis feed cultured in the earthen pond for 150 days | |
| 47 The analysis of gonadosomatic index of male and female juvenile | 86 |
| Tuptim tilapia culturing in the earthen pond for 150 days | |
| 48 The analysis of pH, alkalinity, conductivity, TDS, DO, PO ₄ -P and | 88 |
| NH ₃ -N in juvenile Tuptim tilapia culturing pond using | |
| raw S. platensis feed for 150 days | |
| 49 Blood from each tilapia was collected by using a 1-mL syringe | 158 |
| with 25 G needle from the caudal blood vessels. | íIJ |
| Copyright [©] by Chiang Mai Universi | ty |
| All rights reserve | d |

LIST OF ABBREVIATIONS AND SYMBOLS




xxvii



$\mu g L^{-1}$ microgram per liter g mL⁻¹ gram per milliliter $\mu s cm^{-1}$ microsemen per centimeter kitchen wastewater Kw oil-extracted soybean fermented water Sw Zm Zarrouk's medium CD commercial diet raw Spirulina platensis RS gamma-linoleic acid GLA food and agriculture organization of the FAO **United Nations** GMA AOAC association of official analytical chemists gonadosomatic index GSI deoxyribonucleic acid DNA nitrogen free extract NFE KI 5517 SL standard length body weight BW IR ingestion rate ingestion efficiency IE assimilation rate AR AE assimilation efficiency

LIST OF ABBREVIATIONS (continued) AND SAMBOLS



LIST OF ABBREVIATIONS (continued) AND SYMBOLS

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved