

## TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	vi
TABLE OF CONTENTS	viii
LIST OF TABLES	xi
LIST OF FIGURES	xiii
ABBREVIATIONS AND SYMBOLS	xvi
 CHAPTER 1 INTRODUCTION	1
Principles and Rational	1
Research Objectives	3
Scope of the Study	3
Educational Application Advantages	4
 CHAPTER 2 LITERATURE REVIEW	5
Topography and Climate of Thailand	5
Wetlands in Thailand	11
Aquatic Plants	13
The Lotus and the Water lilies	14
Relationship of the Lotus to Water lilies	16
Circumscription of water lilies and Nymphaeaceae	18
The position of <i>Nymphaea</i> and <i>Barclaya</i> within Nymphaeaceae s. str.	19

## TABLE OF CONTENTS (CONTINUED)

	Page
Taxonomic Literature	20
1. Classification of the Families Nelumbonaceae and Nymphaeaceae	20
2. Anatomical studies of the Families Nelumbonaceae and Nymphaeaceae	23
3. Palynology of the Families Nelumbonaceae and Nymphaeaceae	26
4. Taxonomic studies on Nelumbonaceae and Nymphaeaceae	28
5. Taxonomic studies on Nelumbonaceae and Nymphaeaceae in Thailand	30
Ethnobotanical Literature	33
The study of the use of Nelumbonaceae and Nymphaeaceae	33
The uses of Nelumbonaceae	33
The uses of Nymphaeaceae	33
Pharmacological uses	34
 CHAPTER 3 TAXONOMIC REVISION	 36
Methodology	36
Results	39
Characters of Taxonomic Importance	39
Nelumbonaceae	39
Nymphaeaceae	50
Ecology and Distribution	62
Taxonomy	66
1. Typification of Thai Nelumbonaceae and Nymphaeaceae	66
2. Nelumbonaceae	66
3. Nymphaeaceae	76
Discussion	117

# TABLE OF CONTENTS (CONTINUED)

	<b>Page</b>
CHAPTER 4 ETHNOBOTANICAL STUDIES	121
Materials and Methods	121
Results	122
1. Uses of <i>Nelumbo nucifera</i> in Thailand	127
2. Uses of Nymphaeaceae in Thailand	144
3. Abundance of Nelumbonaceae and Nymphaeaceae	152
Discussion	153
CHAPTER 5 WEBSITE	157
Materials and Methods	157
Results	157
Discussion	168
CHAPTER 6 GENERAL DISCUSSION AND CONCLUSION	169
REFERENCES	178
APPENDIX A. Forms for information recording	189
CURRICULUM VITAE	191

## LIST OF TABLES

Table	Page
1. Comparison of Thai Nelumbonaceae and Nymphaeaceae species mentioned in different literature sources.	32
2. Distribution of the species of <i>Nelumbo</i> , <i>Nymphaea</i> and <i>Barclaya</i> in Thailand.	64
3. Thai names of <i>Nelumbo nucifera</i> recorded at 53 localities throughout Thailand and mentioned in Sinthusan (1982) and Lakhakul (1992).	73
4. The five subgenera of <i>Nymphaea</i> and their characters as defined by Conard (1905) and Schneider and Williamson (1993).	85
5. Comparison of Thai Nelumbonaceae and Nymphaeaceae names mentioned in different literature sources.	118
6. Localities visited in Thailand to interview 280 local people about uses of <i>Nelumbo</i> and <i>Nymphaea</i> species.	122
7. Age and gender of the informants interviewed totaling 280 persons.	126
8. Twenty uses of <i>Nelumbo nucifera</i> recorded through interviews with 280 informants at 59 localities throughout Thailand with indication of prevalence of use.	130
9. Prices obtained for various products derived from <i>Nelumbo nucifera</i> according to interviews with 280 informants at 53 localities throughout Thailand with indication of number of informants providing information.	141
10. Regional variation in <i>Nelumbo nucifera</i> use frequencies by categories mentioned by 280 informants at 53 localities throughout Thailand.	142
11. Variation in average number of different uses of <i>Nelumbo</i> known by 280 informants in four regions of Thailand.	143
12. Variation in commercialization of <i>Nelumbo nucifera</i> in different regions of Thailand.	143

## LIST OF TABLES (CONTINUED)

Table	Page
13. Uses of <i>Nymphaea</i> spp. in Thailand. Information obtained in field survey for this study.	146
14. Regional variation in frequency of use of Thai <i>Nymphaea</i> mentioned by 280 informants at 53 localities throughout Thailand.	150
15. Regional variation in frequencies of uses of Thai <i>Nymphaea</i> for food, based on information from 280 informants at 53 localities throughout Thailand.	150
16. Regional variation in use frequencies of Thai <i>Nymphaea</i> for medicine based on interviews with 280 informants at 53 localities throughout Thailand.	151
17. Variation in average number of different uses of Thai <i>Nymphaea</i> . ( <i>Nymphaea rubra</i> , <i>Nymphaea pubescens</i> , <i>Nymphaea nouchali</i> and <i>Nymphaea capensis</i> var. <i>zanzibariensis</i> ) known by 280 informants in four regions of Thailand, specified for all uses mentioned and separately for medicinal and food uses.	151
18. Variation in commercialization of Thai <i>Nymphaea</i> in different regions of Thailand given as number of informants mentioning each plant part sold locally or at regional, national, or international markets.	152
19. Comparison of leaf character of <i>Nelumbo nucifera</i> and the species of Nymphaeaceae in Thailand.	161
20. Comparison of leaf and flower character of <i>Nelumbo nucifera</i> and the species of Nymphaeaceae in Thailand.	162

## LIST OF FIGURES

Figure		Page
1	Map of Thailand and neighboring countries.	5
2	Map of Thailand and wetlands in Thailand divided into four natural regions of Thailand.	6
3	Floristic regions and provinces of Thailand.	10
4	Types of aquatic plants.	14
5	Lotus and water lilies.	15
6	Cladograms of the Nymphaeales and allied groups.	17
7	Cladogram showing the relationships of the major groups of angiosperms.	21
8	Mature pollen grain stage of <i>Nelumbo nouchali</i> Burm. f.	27
9	Mature pollen grain stage of <i>Nymphaea</i> .	28
10	Rhizome of <i>Nelumbo nucifera</i> Gaertn. with stolon and root.	40
11	Rhizome of <i>Nelumbo nucifera</i> Gaertn., showing the big air canals inside.	40
12	The root of <i>Nelumbo nucifera</i> Gaertn. at the node.	41
13	Leaves of <i>Nelumbo nucifera</i> Gaertn.	42
14	Transverse section of the leaf of <i>Nelumbo nucifera</i> Gaertn.	43
15	Transverse section of petiole of <i>Nelumbo nucifera</i> Gaertn.	44
16	The perianth of <i>Nelumbo nucifera</i> Gaertn.	45
17	The androecium of <i>Nelumbo nucifera</i> Gaertn.	46
18	Gynoecium showing stigma, ovary and ovule of <i>Nelumbo nucifera</i> Gaertn.	47
19	Transverse section of peduncle of <i>Nelumbo nucifera</i> Gaertn.	48
20	Transverse section of peduncle of <i>Nelumbo nucifera</i> Gaertn.	48
21	The fruit of <i>Nelumbo nucifera</i> Gaertn.	49
22	The seed of <i>Nelumbo nucifera</i> Gaertn.	49
23	Rhizome and tuber of Nymphaeaceae.	50
24	Leaf of <i>Nymphaea rubra</i> Roxb. ex Salisb.	51
25	Leaf anatomical feature of Nymphaeaceae.	53
26	Transverse section of petiole of subgenus <i>Brachyceras</i>	54

## LIST OF FIGURES (CONTINUED)

Figure		Page
27	Transverse section of petiole of subgenus <i>Lotos</i> .	55
28	Transverse section of peduncle of subgenus <i>Brachyceras</i> .	56
29	Transverse section of peduncle of subgenus <i>Lotos</i> .	57
30	Perianth of Nymphaeaceae.	58
31	Androecium of <i>Nymphaea rubra</i> Roxb. ex Salisb.	59
32	Gynoecium of <i>Nymphaea rubra</i> Roxb. ex Salisb.	60
33	Fruit of <i>Nymphaea</i> .	61
34	Seeds of Nymphaeaceae.	61
35	Stingless bee foraging for pollen in the flower of <i>N. rubra</i> Roxb. ex Salisb. and <i>N. cyanea</i> Roxb.	63
36	Distribution of <i>Nelumbo nucifera</i> Gaertn.	64
37	<i>Nelumbo nucifera</i> Gaertn..	70
38	Line drawing of <i>Nelumbo nucifera</i> Gaertn.	71
39	Distribution of <i>Nelumbo nucifera</i> Gaertn. in Thailand.	72
40	Cultivated forms of <i>Nelumbo nucifera</i> Gaertn.	75
41	<i>Barclaya motleyi</i> Hook. f. on herbarium sheet.	79
42	<i>Barclaya longifolia</i> Wall.	81
43	Line drawing of <i>Barclaya longifolia</i> Wall.	82
44	Distribution of <i>Barclaya longifolia</i> Wall. in Thailand.	83
45	<i>Nymphaea cyanea</i> Roxb.	88
46	Line drawing of <i>Nymphaea cyanea</i> Roxb.	89
47	Distribution of <i>Nymphaea cyanea</i> Roxb. in Thailand.	90
48	<i>Nymphaea nouchali</i> Burm. f.	94
49	Line drawing of <i>Nymphaea nouchali</i> Burm. f.	95
50	Distribution of <i>Nymphaea nouchali</i> Burm. f.	96
51	<i>Nymphaea pubescens</i> Willd.	100
52	Line drawing of <i>Nymphaea pubescens</i> Willd.	101

## LIST OF FIGURES (CONTINUED)

Figure		Page
53	Distribution of <i>Nymphaea pubescens</i> Willd.	102
54	<i>Nymphaea rubra</i> Roxb. ex Salisb.	105
55	Line drawing of <i>Nymphaea rubra</i> Roxb. ex Salisb.	106
56	Distribution of <i>Nymphaea rubra</i> Roxb. ex Salisb.	107
57	<i>Nymphaea capensis</i> var. <i>zanzibariensis</i> (Casp.) Conard.	111
58	<i>Nymphaea</i> 'Jongkolnee'.	112
59	<i>Nymphaea lotus</i> L.	115
60	<i>Victoria amazonica</i> (Poepp.) Sowerby	117
61	Food from rhizomes of <i>Nelumbo nucifera</i> Gaertn.	131
62	Food from stolon of <i>Nelumbo nucifera</i> Gaertn.	132
63	The Uses of pods and seeds of <i>Nelumbo nucifera</i> Gaertn. for food.	133
64	The medicinal uses of <i>Nelumbo nucifera</i> Gaertn.	134
65	Rituals and Miscellaneous uses of <i>Nelumbo nucifera</i> Gaertn.	135
66	Harvesting flowers of lotus.	139
67	Preparing leaves and stamen of <i>Nelumbo nucifera</i> Gaertn. for commercialization.	140
68	Uses of <i>Nymphaea</i> spp.	147

## ABBREVIATIONS AND SYMBOLS

μ, μm	micron, one thousandth of a millimeter, 0.0001 cm.
a.s.l.	above sea level
ca.	<i>circa</i> (about)
cf.	confer
comb. nov	<i>combinatio nova</i> ( new combination of name and epithet)
cult.	<i>cultus</i> (cultivated)
cv.	<i>cultivarietas</i> (cultivar)
diam.	<i>diametro</i> (in diameter)
e.g.	<i>exempli gratia</i> ( for example)
f.	<i>filius</i> (son)
hb.	herbarium
i.e.	<i>id est</i> (that is)
in syn.	<i>in synonymia</i> ( in synonymy)
m.	<i>meter</i> (metre)
n.v.	<i>non visus</i> (not seen)
nom. illeg.	<i>nomen illegitimum</i> (illegitimate name)
nom. legit.	<i>nomen legitimum</i> (legitimate name)
nom. nud.	<i>nomen nudum</i> ( name unaccompanied by a description of reference to a published description)
nov.	<i>novus</i> (new)
p.	<i>pagina</i> (page)
p.p.	<i>pro parte</i> (in part)
s.l.	<i>sensu lato</i> (in a broad sense)
s.n.	<i>sine numero</i> (without number)
s. str.	<i>sensu stricto</i> (in a narrow sense)
sp.	species
subg.	subgenus
subsp.	subspecies


## ABBREVIATIONS AND SYMBOLS

var.

variety

v.s.

*vidisiccam* (I have it in a dried state)



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved