

REFERENCES

- Abee, T., L. Krockel and C. Hill. 1995. Bacteriocins: modes of action and potentials in food preservation and control of food poisoning. *Int. J. Food Microbiol.* 28: 169–185.
- Adhikari, K., A. Mustapha, I.U. Grun and L. Fernando. 2000. Viability of microencapsulated bifidobacteria in set yogurt during refrigerated storage. *J. Dairy Sci.* 83: 1946-1951.
- Adikhari, K., A. Mustapha and I.U. Grun. 2003. Survival and metabolic activity of microencapsulated *Bifidobacterium* in stirred yoghurt. *J. Food Sci.* 68: 275-280.
- Alhaique, F., E. Santucci, M. Carafa, T. Covello, E. Murtas, F.M. Riccieri. 1996. Gellan sustained release formulations: preparation of gel capsules and release studies. *Biomaterials* 17: 1981-1986.
- Araki, C. 1956. Structure of the agarose constituent of agar-agar. *Bull. Chem. SOC. Japan* 29: 543-544.
- Araki, C. 1966. Some recent studies on the polysaccharides of agarophytes. In: *Proceedings of the Fifth International Seaweed Symposium*. E.G. Young. J.L. McLachlan (Eds.). Pergamon Press. Oxford, pp. 3-17.
- Armisen, R. and F. Galatas. 1987. Production, properties and uses of agar. In: *Production and utilisation of products from commercial seaweeds*. D.J. McHugh (Ed.). FAO fishing tech. paper. Rome. Italy, pp.1-57.
- Aslani, P. and R.A. Kennedy. 1996. Studies on diffusion in alginate gels. I. Effect of cross-linking with calcium or zinc ions on diffusion of acetaminophen. *J. Control. Rel.* 42: 75-82.
- Audet, P., C. Paquin and C. Lacroix. 1988. Immobilized growing lactic acid bacteria with *k*-carrageenan-locust bean gum gel. *Appl. Microbiol. Biotechnol.* 29: 11–18.

- Axelsson, L. 1990. *Lactobacillus reuteri* A number of gut the bacteria flora. Studies on antagonism, metabolism and genetics, PhD thesis, Sweden University of Agricultural Sciences.
- Axelsson, L. 1998. Lactic Acid Bacteria: Classification and Physiology. In: Lactic Acid Bacteria, Microbiology and Functional Aspects. Ed. S. Salminen and A. von Wright, Marcel Decker Inc, New York, USA.
- Berthold, A., K. Crenier and J. Kreuter. 1996. Influence of crosslinking on the acid stability and physicochemical properties of chitosan microspheres. *S.T.P. Pharma. Sci.* 6: 358-364.
- Bodeau-Bellion, C. 1983. Analysis of carrageenan structure. *Physiol. veg.* 21: 785-793.
- Brady, L.J., D.D. Gallaher and F.F. Busta. 2000. The role of probiotic cultures in the prevention of colon cancer. *J. Nutr.* 130: 410S-414S.
- Camelin, I., C. Lacroix, C. Paquin, H. Prevost, R. Cachon and C. Divies. 1993. Effects of chelants on gellan gum rheological properties and setting temperature for immobilization of living bifidobacteria. *Biotechnol. Prog.* 9: 291-297.
- Caunt, P. and H.A. Chase. 1987. Degradation of n-valeric acid by alginic entrapped *Alcaligenes denitrificans*. *Appl. Microbiol. Biotechnol.* 25: 453-458.
- Chandramouli, V., K. Kalasapathy, P. Peiris and M. Jones. 2004. An improved method of microencapsulation and its evaluation to protect *Lactobacillus* spp. In simulated gastric conditions. *J. Microbiol. Meth.* 56: 27-35.
- Chen, R.H., M.L. Tsaih and W.C. Lin. 1996. Effects of chain flexibility of chitosan molecules on the preparation, physical, and release characteristics of the prepared capsule. *Carbohydr. Polym.* 31: 141-148.
- Chevalier, P. and J. de la Noue. 1985. Wastewater nutrient removal with microalgae immobilized in carrageenan. *Enzyme Microbiol. Technol.* 7: 621-624.
- Chu, C., H. Kumagai and K. Nakamura. 1996. Application of polyelectrolyte complex gel composed of xanthan and chitosan to the immobilization of *Corynebacterium glutamicum*. *J. Appl. Polym. Sci.* 60: 1041-1047.

- Clark, P.A. and J.H. Martin. 1994. Selection of *Bifidobacterium* for use as dietary adjuncts in cultured dairy foods: III-Tolerance to simulated bile of human stomachs. *Cultured Dairy Products J.* 29: 18-21.
- Cleveland, J., T.J. Montville, I.F. Nes and M.L. Chikindas. 2001. Bacteriocins: safe, natural antimicrobials for food preservation. *Int. J. Food Microbiol.* 71: 1-20.
- Craigie, J.S. 1990. Cell walls. In: *Biology of the red algae*. K.M. Cole and R.G. Sheath (Eds.). Cambridge University Press. New York, pp. 221-257.
- Dave, R.I. and N.P. Shah. 1997. Viability of yoghurt and probiotic bacteria in yoghurts made from commercial starter culture. *Int. Dairy J.* 7: 31-41.
- Deasy, P.B. and K.J. Quigley. 1991. Rheological evaluation of deacetylated gellan gum (Gerlite) for pharmaceutical use. *Int J. Pharm.* 73: 117-123.
- Declerck, S., D.G. Strullu, C. Plenchette and T. Guillemette. 1996. Entrapment of *in vitro* produced spores of *Glomus versiforme* in alginate beads: *in vitro* and *in vivo* inoculum potentials. *J. Biotechnol.* 48: 51-57.
- De Riso, L., E. de Alteriis, F. La Cara, A. Sada and P. Parascandola. 1996. Immobilization of *Bacillus acidocaldarius* whole-cell rhodanese in polysaccharides and insolubilized gelatin gels. *Biotechnol. Appl. Biochem.* 23: 127-131.
- De Giulio, B., P. Orlando, G. Barba, R. Coppola, M. de Rosa, A. Sada, P. P. de Prisco and F. Nazzaro. 2005. Use of alginate and cryo-protective sugars to improve the viability of lactic acid bacteria after freezing and freeze-drying. *World J. Microbiol. Biotechnol.* 21:739–746.
- De Vuyst, L. and B. Degeest. 1999. Heteropolysaccharides from lactic acid bacteria. *FEMS Microbiol. Rev.* 23: 153-177.
- Dimantov, A., M. Greenberg, E. Kesselman and Shimoni. 2003. Study of high amylase corn starch as food grade enteric coating in a microcapsule model systems. *Innov. Food Sci. Eng. Technol.* 5: 93-100.
- Dinakar, P. and V.V. Mistry. 1994. Growth and viability of *Bifidobacterium longum* in cheddar cheese. *J. Dairy Sci.* 77: 2854-2864.
- Draget, K.I., G. Skjak-Braek, B.E. Christensen, O. Gisered and O. Smidsrod. 1996. Swelling and partial solubilization of alginic gel beads in acidic buffer. *Carbohydr. Polym.* 29: 209-715.

- Duckworth, M. and W. Yaphe. 1971. The structure of agar. Part 1. Fractionation of a complex mixture of polysaccharides. *Carbohydr. Res.* 16: 189-197.
- Dugas, J. 2008. "Background of lactic acid bacteria" [Online]. Available. [\(25 October 2008\).](http://www.waksmanfoundation.org/labs/mbl/lactic.html)
- Favaro-Trindale, C.S. and C.R.F. Grosso. 2002. Microencapsulation of *L. acidophilus* (La-05) and *B. lactis* (Bb-12) and evaluation of their survival at pH values of the stomach and in bile. *J. Microencap.* 19(4): 485-494.
- Ferchichi, M., J. Frere, K. Mabrouk and M. Manai. 2001. *Lactococcin* MMFII, a novel class IIa bacteriocin produced by *Lactococcus lactis* MMFII, isolated from a Tunisian dairy product. *FEMS Microbiol. Letters.* 205: 49–55.
- Fuller, R. 1992. History and development of probiotics. In: R. Fuller (ed.) Probiotics. The Scientific Basic, Chapman and Hall, London, pp.1-8.
- Gibson, G.R. 1998. Dietary modulation the human gut microbiota using prebiotics. *British J. Nutr.* 80(40): S209-S212.
- Gibson, G.R. and M.B. Roberfroid. 1995. Dietary modulation of the human colonic microbita: Introduction the concept of prebiotics. *J. Nutr.* 125: 1401-1412.
- Gill, H.S. 1998. Stimulation of the immune system by lactic cultures. *Int. Dairy J.* 8: 535–544.
- Gin, H., B. Dupuy, C. Baquey, D. Ducassou and J. Aubertin. 1987. Agarose encapsulation of islet of Langerhans: reduced toxicity *in vitro*. *J. Microencap.* 4: 239-242.
- Goderska, K., M. Zybals and Z. Czarnecki. 2003. Characterization of microencapsulated *Lactobacillus rhamnosus* LR7 strain. *Polish J. Food Nutr. Sci.* 12/53: 21–24.
- Gorin, P.A.J. and J.F.T. Spencer. 1966. Exocellular alginic acid from *Azotobacter vinelandii*. *Can. J. Chem.* 44: 993-998.
- Govan, J.R.W., J.A.M. Fyfe and T.R. Jarnian. 1981: Isolation of alginic producing mutants of *Pseudomonas fluorescens*, *Pseudomonas putida* and *Pseudomonas mendocina*. *J. Gen. Microbiol.* 125: 217-220.
- Grasdalen, H. and O. Smidsrod. 1987. Gelation of gellan gum. *Carbohydr. Polym.* 7: 371-393.

- Greenplastics.com. 2002. "Biopolymer and Bioplastic" [Online]. Available. <http://www.biobasics.gc.ca/english/View.asp?x=790>. (20 October 2008).
- Groboillot, A.F., C.P. Champagne, G.D. Darling and D. Poncelet. 1993. Membrane formation by interfacial cross-linking of chitosan for encapsulation of *Lactobacillus lactis*. *Biotechnol. Bioeng.* 42: 1157-1163.
- Guiseley, K.B. 1987. Natural and synthetic derivatives of agarose and their use in biochemical separations. In: *Industrial polysaccharides: genetic engineering, structure/properties relations and applications*. M. Yalpani (Ed.). Elsevier Science Publishers BV. Amsterdam, pp. 139-147.
- Guiseley, K.B. 1970. The relationship between inethoxyl content and gelling temperature of agarose. *Carbohydr. Res.* 13: 247-256.
- Hamilton-Miller, J.M. 2003. The role of probiotics in the treatment and prevention of *Helicobacter pylori* infection. *Int. J. Antimicrob. Agents.* 22: 360-366.
- Hammes, W.P. and P.S. Tichaczek. 1994. The potential of lactic acid bacteria for the product of safe and wholesome food. *Z. Lebensm. Unters. Forsch.* 198: 193-201.
- Hansen, E.B. 2002. Commercial bacteria starter culture for fermented foods of the future. *Int. J. Food Microbiol.* 78: 119-131.
- Hansen, L.T., P.M. Allan-Wojtas., Y.L. Jin and A.T. Paulson. 2002. Survival of Ca-alginate microencapsulated *Bifidobacterium* spp. in milk and simulated gastrointestinal conditions. *Food Microbiol.* 19: 35-45.
- Haug, A., B. Larsen and O. Smidsrod. 1974. Uronic acid sequence in alginate from different sources. *Carbohydr. Res.* 32: 217-225.
- Huges, D.B. and D.G. Hoover. 1991. Bifidobacteria: Their potential for use in American dairy products. *Food Technol.* 45(4): 74-83.
- Indergaard, M. and K. Ostgaard. 1991. Polysaccharides for food and pharmaceutical uses. In: *Seaweed Resources in Europe: Use and Potential*. M.D. Gury & G. Blunden (Eds.). John Wiley & Sons Ltd. Chichester, England, pp. 169-184.
- Innvista.com. 2008. "Prebiotics" [Online]. Available. <http://www.innvista.com/HEALTH/nutrition/biotics/prebiot.htm>. (15 January 2008).

- Jolly, L., S.J.F. Vincent, P. Duboc and J.R. Neeser. 2002. Exploiting exopolysaccharides from lactic acid bacteria. *Antonie van Leeuwenhoek*. 82: 367-374.
- Kailasapathy, K. 2002. Microencapsulation of probiotic bacteria: Technology and potential application. *Curr. Issues Intest. Microbiol.* 3: 39-48.
- Kalliomaki, M., S. Salminen, T. Poussa, H. Arvilommi and E. Isolauri. 2003. Probiotics and prevention of atopic disease: 4-year follow-up of a randomised placebo-controlled trial. *Lancet*. 361:1869-1871.
- Kebary, K.M.K. 1996. Viability of *Bifidobacterium* and its effect on quality of frozen zabady. *Food Res. Intl.* 29: 431-437.
- Kebary, K.M.K., S.A. Hussein and R.M. Badawi. 1998. Improving viability of bifidobacterium and their effect on frozen ice milk. *Egypt. J. Dairy Sci.* 26: 319-337.
- Khalida, S., G. Godward, N. Reynolds, R. Arumugaswamy, P. Peiris and K. Kailasapathy. 2000. Encapsulation of probiotic bacteria with alginate-starch and evaluation of survival in simulated gastro-intestinal conditions and in yoghurt. *Int. Food Microbiol.* 62: 47-55.
- Khalil, A.H. and E.H. Mansour. 1998. Alginate encapsulated bifidobacteria survival in mayonnaise. *J. Food Sci.* 63(4): 702-705.
- Kierstan, M. and C. Bucke. 1977. The immobilization of microbial cells, subcellular organelles and enzymes in calcium alginate gels. *Biotechnol. Bioeng.* 19: 387.
- Kim, S., S.Y. Cho, S.H. Kim, O. Song, II-S. Shin, D.S. Cha and H.J. Park. 2008. Effect of microencapsulation on viability and other characteristics in *Lactobacillus acidophilus* ATCC 43121. *Food Sci. Technol.* 41(3): 493-500.
- King, A.H. 1995. Encapsulation of Food ingredients: a review of available technology, focusing on hydrocolloids. In *Encapsulation and controlled release of food ingredients*. S.J. Risch and GA. Reineccius (Eds.). Washington DC. American Chemical Society, pp. 213-220.
- Kirjavainen, P.V., S.J. Salminen and E. Isolauri. 2003. Probiotic bacteria in the management of atopic disease: underscoring the importance of viability. *J. Pediatr. Gastroenterol. Nutr.* 36: 223-227.

- Klaenhammer, T.R. 1993. Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiol. Rev.* 12: 39–85.
- Klien, J., J. Stock and K.D. Vorlop. 1983. Pore size and properties of spherical calcium alginate biocatalysts. *Eur. J. Appl. Microbiol. Biotechnol.* 18(1): 86-91.
- Krasaekoort, W., B. Bhandari and H. Deeth. 2003. Evaluation of encapsulation techniques of probiotics for yoghurt. *Int. Dairy J.* 13: 3–13.
- Krasaekoort, W., B. Bhandari and H. Deeth. 2004. The influence of coating material on some properties of alginate beads and survivability of microencapsulated probiotic bacteria. *Int. Dairy J.* 14: 737-743.
- Krasaekoort, W., B. Bhandari and H. Deeth. 2006. Survival of probiotics encapsulated in chitosan-coated alginate beads in yoghurt from UHT- and conventionally treated milk during storage. *Food Sci. Technol.* 39: 177-183.
- Lacroix, C., C. Paquin and J.P. Arnaud. 1990. Batch fermentation with entrapped growing cells of *Lactobacillus casei*. *Appl. Microbiol. Biotechnol.* 32: 403-409.
- Lee, Y.L. and S. Salminen. 1996. The coming age of probiotics. *Trends Food Sci. Technol.* 6: 241-245.
- Lee, K.Y. and T.R. Heo. 2000. Survival of *Bifidobacterium longum* immobilized in calcium alginate beads in simulated gastric juices and bile salt solution. *Appl. Environ. Microbiol.* 66: 869–873.
- Lim, K., C.S. Huh and Y.J. Baek. 1993. Antimicrobial susceptibility of *bifidobacteria*. *J. Dairy Sci.* 76(8): 2168–2174.
- Madene, A., M. Jacquot, J. Scher and S. Desobry. 2006. Flavour encapsulation and controlled release- A review. *Int. J. Food Sci. Technol.* 41: 1-21.
- Mandal, S., A.K. Puniya and K. Singh. 2006. Effect of alginate concentrations on survival of microencapsulated *Lactobacillus casei* NCDC-298. *Int. Dairy J.* 16: 1190-1195.
- Martinsen, A., C. Skjak-Braek and O. Smidsrod. 1989. Alginate as immobilization material. I. Correlation between chemical and physical properties of alginate gel beads. *Biotechnol. Bioeng.* 33(1): 79–89.

- Mishra, V., N. Prasad. 2005. Application of *in vitro* methods for selection of *Lactobacillus casei* strain as potential probiotics. *Int. J. Food Microbiol.* 103: 109-115.
- Mortazavian, A., S.H. Razavi, M.R. Ehsani and S. Sohrabvandi. 2007. Review Article: Principles and methods of microencapsulation of probiotic microorganisms. *Iran. J. Biotechnol.* Vol 5: 1-18.
- Murano, E. 1995. Chemical structure and quality of agars from *Gracilaria*. *J. Appl. Phycol.* 7: 245-254.
- Murano, E. 1998. Use of natural polysaccharides in the microencapsulation techniques. *J. Appl. Ichthyol.* 14: 245-249.
- Muriana, P.M. and T.R. Klaenhammer. 1991. Purification and partial characterization of lactacin F, a bacteriocin produced by *Lactobacillus acidophilus* 11088. *Appl. Environ. Microbiol.* 57: 114-121.
- Muthukumarasamy, P., P. Allan-Wojtas and R.A. Holley. 2006. Stability of *Lactobacillus reuteri* in different type of microcapsules. *J. Food Sci.* Vol 71: 20-24.
- Nase, L., K. Hatakka, E. Savilahti, M. Saxelin, A. Ponka, T. Poussa, R. Korpeala and J.H. Meurman. 2001. Effect of long-term consumption of a probiotic bacterium, *Lactobacillus rhamnosus* GG, in milk on dental caries and caries risk in children. *Caries Res.* 35: 412-420.
- Nes, I.F., D.B. Diep, L.S. Havarstein, M.B. Brurberg, V. Eijsink and H. Holo. 1996. Biosynthesis of bacteriocins in lactic acid bacteria. *Antonie Van Leeuwenhoek.* 70: 113-128.
- Neufeld, R.J., Y. Peleg, J.S. Rokein, O. Pines and I. Goldberg. 1991. L-malic acid formation by immobilized *Saccharomyces cerevisiae* amplified for fumarase. *Enzyme Microbiol. Technol.* 13: 991 -998.
- Nissen-Meyer, J., H. Holo, L.S. Havarstein, K. Sletten and I.F. Nes. 1992. A novel lactococcal bacteriocin whose activity depends on the complementary action of two peptides. *J. Bacteriol.* 174: 5686-5692.
- Norton, I.T., D.M. Goodall, K.R.J. Austen and E.R. Morris. 1986. Dynamics of molecular organisation in agarose sulphate. *Biopolym.* 25: 1009- 1029.

- Norton, S. and C. Lacroix. 1990. Gellan gum gel as entrapment matrix for high temperature fermentation processes: a rheological study. *Biotechnol. Tech.* 4: 351-360.
- O'Neill, M.A., R.R. Selvendran and V.J. Morris. 1983. Structure of the acidic extracellular gelling polysaccharides produced by *Pseudomonas elodea*. *Carbohydr. Res.* 124: 123-133.
- Ouwehand, A.C., S. Salminen and E. Isolauri. 2002. Probiotics: an overview of beneficial effects. *Antonie Van Leeuwenhoek*. 82: 279-89.
- Ouyang, W., H. Chen., M.L. Jones., T. Metz., T. Haque., C. Martoni and S. Prakash. 2004. Artificial cell microcapsule for oral delivery of live bacterial cells for therapy: design, preparation, and in-vitro characterization. *J. Pharm. Pharmaceut Sci.* 7(3):315-324.
- Picot, A. and C. Lacroix. 2003. Effect of micronization on viability and thermotolerance of probiotic freeze-dried cultures. *Int. Dairy J.* 13: 455-462.
- Pszczola, D.E. 2001. Say cheese with new ingredient developments. *Food Technol.* 55(12): 56-66.
- Rao, A.V., N. Shiwnarain and I. Maharaj. 1989. Survival of microencapsulated *Bifidobacterium pseudolongum* in simulated gastric and intestinal juices. *Can. Inst. Food Sci. Technol. J.* 22: 345-349.
- Rees, D.A. 1969. Structure, conformation and mechanisms in the formation of polysaccharides and networks. In: *Advance in Carbohydrates Chemistry and Biochemistry*. 24: 267-332.
- Reid, G., J. Jass, M.T. Sebulsky and J.K. McCormick. 2003. Potential uses of probiotics in clinical practice. *Clin. Microbiol. Rev.* 16: 658-672.
- Renn, D.W. 1990. Seaweeds and biotechnology - inseparable companions. In: *Thirteenth International Seaweed Symposium*. S.C. Lindstroni, P.W. Gahrielson (Eds). Kluwer Academic Publishers. Dordrecht, Reprinted from *Hydrobiologia* 204/205, pp. 7-13.
- Rochas, C. and M. Rinaudo. 1984. Mechanism of gel formation in κ -carrageenan. *Biopolym.* 23: 735-745.

- Rozier, A., C. Mazuel, J. Grove and B. Plazzonet. 1989. Gelrite: a novel, ion-activated, *in situ* gelling polymer for ophthalmic vehicles. Effect bioavailability of timolol. *Int. J. Pharm.* 57: 163-168.
- Ruas-Madiedo, P., J. Hugenholtz and P. Zoon. 2001. An overview of the functionality of exopolysaccharides produced by lactic acid bacteria. *Int. Dairy J.* 0: 1-9.
- Sakai, K. and T. Yamanami. 2006. Thermotolerant *Bacillus licheniformis* produce optically active L-lactic acid from kitchen TY7 refuse under open condition. *J. Biosci. Bioeng.* Vol 102 (2): 132-134.
- Sanderson, G.R. 1990. Gellan gum. In: *Food gels*. P. Harris (Ed.). Elsevier Applied Science. London, pp. 201-232.
- Sanders, M.E. 2000. Considerations for use of probiotic bacteria to modulate human health. *J. Nutr.* 130: 384S-390S.
- Sanzgiri, Y.D., S. Maschi, V. Crescenzi, L. Callegaro, E.M. Topp and V.J. Stella. 1993. Gellan-based system for ophthalmic sustained delivery of methylprednisolone. *J. Control. Rel.* 26: 195-201.
- Shah, N.P. and R.R. Ravula. 2000. Microencapsulation of probiotic bacteria and their survival in frozen fermented dairy desserts. *The Aust. J. Dairy Technol.* 55: 139-144.
- Sheu, T.Y. and R.T. Marshall. 1993. Microencapsulation of lactobacilli in calcium alginate gels. *J. Food Sci.* 54(3): 557-561.
- Sheu, T.Y., R.T. Marshall and H. Heymann. 1993. Improving survival of culture bacteria in frozen desserts by microentrapment. *J. Dairy Sci.* 76: 1902-1907.
- Shinonaga, M., Y. Kawamura, K. Shimbo and T. Yaniane. 1996. Continuous production of phospholipase D by *Streptomyces lydicus* D-121 immobilized with cross-linked chitosan beads. *J. Ferment Bioeng.* 81: 310-314.
- Simon, L., C. Fremaux, Y. Cenatiempo and J.M. Berjeaud. 2002. Sakacin G, a new type of antilisterial bacteriocin. *Appl. Environ. Microbiol.* 68: 6416-6420.
- Skjak-Braek, G. and A. Martinsen. 1991. Application of some algal polysaccharides in biotechnology. In: *Seaweed Resources in Europe: Use and Potential*. M.D. Gury & G. Blunden (Eds). John Wiley & Sons Ltd, Chichester. England, pp. 219-257.

- Smidsrod, O. 1974. Molecular basis for some physical properties of alginate in the gel state. *Chem. Soc. Farad. Disc.* 57: 263-274.
- Smidsrod, O. and G. Skjak-Braek. 1990. Alginate as immobilization matrix for cells. *Tibtech.* 8: 71-78.
- Smidsrod, O. and G. Skjak-Braek. 1990. Alginate for cell immobilization. *Trends in Food Sci. Technol.* 8: 71-75.
- Sriamornsak, P. 1998. Lecture (567225) of pharmaceutical technology 5. Department of Pharmaceutical technology. Faculty of Pharmacy. Silpakorn University. 18p.
- Stanley, N. 1987. Production properties and uses of carrageenans. In: *Production and utilisation of products from commercial seaweeds*. D.J. McHugli (Ed.). FAO fishing tech. paper. Rome, Italy, pp. 116-146.
- Sultana, K., G. Godward, N. Reynolds, R. Arumugaswamy, P. Peiris and K. Kailasapathy. 2000. Encapsulation of probiotic bacteria with alginate-starch and evaluation of survival in simulated gastrointestinal conditions and in yoghurt. *Int. J. Food Microbiol.* 62: 47-55.
- Sun, W. and M.W. Griffiths. 2000. Survival of bifidobacteria in yogurt and simulated gastric juice following immobilization in gellan-xanthan beads. *Int. J. Food Microbiol.* 61: 17-25.
- Takata, I., T. Tosa and I. Chibata. 1977. Screening of matrix suitable for immobilization microbial cells. *J. Solid-phase Biochem.* 2: 225-236.
- Tako, M. and S. Nakamura. 1988. Gelation mechanism of agarose. *Carbohydr. Res.* 180: 277-284.
- Tanaka, H., M. Masatose and I. A. Veleky. 1984. Diffusion characteristics of substrates in Ca-alginate beads. *Biotechnol. Bioeng.* 26(1): 53-58.
- Tosa, T., T. Sato, T. Mori, K. Yamamoto, I. Takata, Y. Nishida and I. Chihata. 1979. Immobilization of enzymes and microbial cell using carrageenan as matrix. *Biotechnol. Bioeng.* 21: 1967-1979.
- Triamchanchoochai, S. 2002. Microencapsulation of *Lactobacillus fermentum* 71.11. Thesis of master degree of Biopharmaceutical sciences. Faculty of Graduate studies. Mahidol University. pp 7-8.

- Trindade, C.S.F. and C.R.F. Grosso. 2000. The effect of the immobilization of *Lactobacillus acidophilus* and *Bifidobacterium lactis* in alginate on their tolerance to gastrointestinal secretions. *Milchwissenschaft*. 55: 496-499.
- Truelstrup-Hansen, L., P. M. Allan-Wojtas., Y. L. Jin and A. T. Paulson. 2002. Survival of Ca-alginate microencapsulated *Bifidobacterium* spp. in milk and simulated gastrointestinal conditions. *Food Microbiol.* 19(1): 35-45.
- Tsen, J., Y. Lin and V. King. 2004. Fermentation of banana media by using κ -carrageenan immobilized *Lactobacillus acidophilus*. *Int. J. Food Microbiol.* 91: 215-220.
- Tun, T., K. Inoue, H. Hayashi, T. Aung, Y.J. Gu, R. Doi, H. Kaji, Y. Echigo, W.J. Wang, H. Setoyania, M. Imaniura, S. Maetani, N. Morikawa, H. Iwata and Y. Ikada. 1996. A newly developed three layer agarose microcapsule for a promising biohybrid artificial pancreas: rat to mouse xenotransplantation. *Cell Transplant.* 5: S59-S63.
- Tzeng, J.W., L.S. Fan, Y.R. Can and T.T. Hu. 1991. Ethanol fermentation using immobilized cells in a multistage fluidized bed bioreactor. *Biotechnol. Bioeng.* 38: 1253-1260.
- Vilstrup, P. 2001. Microencapsulation of food ingredients. *Food RA Leatherhead Publishing*, p.1.
- Vorlop, K.D. and J. Klein. 1981. New developments in the field of cell immobilization . Formations of biocatalysts by ionotropic gelation. In *Enzyme technology*, Vol. 3. R.M. Lafferty (Ed.). Springer-Verlag, Heidelberg, pp. 219-240.
- Walsh, P.K., F.V. Isdell, S.M. Noone, M.G. O'Donovan and D.M. Malone. 1996. Growth patterns of *Saccharomyces cerevisiae* microcolonies in alginate and carrageenan gel particles: Effect of physical and chemical properties of gels. *Enzyme Microb. Technol.* 18: 366-372.
- Watase, M. and K. Nishinari. 1983. Rheological properties of agarose gels with different molecular weights. *Rheol. Acta*. 22: 580- 587.
- Welman, A.D. and I.S. Maddox. 2003. Exopolysaccharides from lactic acid bacteria: perspectives and challenges. *Trends in Biotechnol.* 21(6): 269-274.

- Wikipedia. 2007. “Food additive (nisin)” [Online]. Available. <http://www.en.wikipedia.org/wiki/Nisin>. (20 January 2008).
- Wikipedia. 2008. “Lactic acid bacteria” [Online]. Available. http://www.en.wikipedia.org/wiki/Lactic_acid_bacteria. (28 October 2008).
- Willetts, A. 1988. Use of immobilized microbial cells for accelerated maturation of beer. *Biotechnol. Lett.* 10: 473-478.
- Wollowski, I., G. Rechkemmer and B.L. Pool-Zobel. 2001. Protective role of probiotics and prebiotics in colon cancer. *Anim. J. Clin. Nutr.* 73: 451S-455S.
- Yoo, S., Y. Song, P. Chang and H. G. Lee. 2006. Microencapsulation of α -tocopherol using sodium alginate and its controlled release properties. *Int. J. Biol. Macromole.* 38: 25-30.
- Yoshino, T., Y. Machida, H. Onishi and T. Nagai. 1996. Characteristics of drug loading, drug release and degradation of chitosan microspheres prepared using the dry-in-oil method. *S.T.P. Pharma. Sci.* 6: 122-128.