

TABLE OF CONTENTS

	Page
Acknowledgment	iii
Abstract in Thai	iv
Abstract in English	v
List of Figures	viii
Chapter I : Introduction	1
1.1 Statement and Significance of the Problem	1
1.2 Objectives	2
1.3 Outcomes of this Study from Theoretical Perspectives	3
1.4 Scope of Study	3
1.5 Research Design and Methods	3
1.6 Working Places and Equipment	4
Chapter II : Preliminaries	5
2.1 Preliminaries	5
2.2 Definition of the Mobility Model	5
2.3 A Sample Instance of the Model	8
2.4 Problem Definitions	10
2.5 Breadth-First Search	11
2.6 Growth of Functions	14
2.7 Complexity Theory	16
2.8 Graph Theory	17

Chapter III : Algorithms to Solve UCP and SRP	19
3.1 The Algorithms	19
3.2 Time Complexities of UCP and SRP	24
Chapter IV : Intractability	27
4.1 (u,v) -Hamiltonian Path on a Grid	27
4.2 Gadgets	27
4.3 Time Complexity for the Access Point Location Problem	30
4.4 Example of Reducing UVHAMG into APLP	31
Chapter V : Conclusions	35
5.1 Summary	35
5.2 Open Problems	35
5.3 Suggestions	37
References	38
Vita	40

LIST OF FIGURES

Figure	Page
2.1 Sample instance of the mobility model	9
2.2 BFS algorithm	12
2.3 Sample graph	17
3.1 Integer boundaries of the intersected area of any two circles	20
3.2 The given mobility model in two-dimensional grid	21
3.3 Matrix A_1 represents all intersected areas of circles in Figure 3.2	21
3.4 Matrix A_2 representing coordinates of the obstacles in Figure 3.2	21
3.5 Matrix portions $[A_1]$, $[A_2]$, and the resulting matrix A_3 for the corresponding sources s_1 and s_2 in Figure 3.2	22
3.6 Matrix portions $[A_1]$, $[A_2]$, and the resulting matrix A_3 the corresponding sources s_2 and s_3 in Figure 3.2	22
3.7 An instance of the problem	25
3.8 Checking all edges except $\overline{es_b}$	25
4.1 Gadgets in group 1 represents group of points that has degree one	28
4.2 Gadgets in group 2 represents group of points that has degree two in pattern one	28
4.3 Gadgets in group 3 represents group of points that has degree two in pattern two	29
4.4 Gadgets group 4 represents group of points that has degree three	29
4.5 Gadgets group 5 represents group of points that has degree four	29
4.6 Gadgets group 6 represents pattern of sources and obstacles according to an edge in UVHAMG	30

4.7	Example of an instance, graph $G = (V, E)$ on an integer grid, for UVHAMG	31
4.8	The result of laying gadget 6 and assigning u_a and u_b corresponding to the graph G in Figure 4.7	32
4.9	Example of an intermediate constructed instance	33
4.10	Example of a mobility instance	33
4.11	A YES instance of APLP	34