

## TABLE OF CONTENTS

	Page
<b>Acknowledgements</b>	iii
<b>Abstract (English)</b>	v
<b>Abstract (Thai)</b>	vii
<b>Table of Contents</b>	ix
<b>List of Tables</b>	xiii
<b>List of Figures</b>	
 <b>Chapter 1 General introduction</b>	1
 <b>Chapter 2 Literature review</b>	
2.1 Basidiomycota (Macrofungi)	4
2.1.1 Life cycle of mushroom (Basidiomycota)	5
2.1.2 Classification of Basidiomycota	5
2.2 The boletes	7
2.3 Taxonomy of boletes	10
2.3.1 Taxonomy of boletes based on morphological characters	10
2.3.2 Taxonomy of boletes based on molecular phylogeny	23
2.3.3 The current taxonomy of boletes	28

## TABLE OF CONTENTS (CONTINUED)

	Page
2.4 Diversity of the boletes worldwide	28
2.4.1 Diversity of the boletes in America, Europe, and Africa	28
2.4.2 Diversity of the boletes in Asia	30
2.4.3 Diversity of the boletes in Thailand	31
2.5 Significance of boletes	41
2.5.1 Bioactive compound and medicine from boletes	42
2.5.2 Edible species of boletes	42
2.5.3 Toxic and unpleasant taste species of boletes	44
2.5.4 Mycorrhizal associations	45
2.6 The national park in northern Thailand	46

## Chapter 3 Materials and methods

3.1 Collecting sites	48
3.2 Collecting methods	50
3.3 Taxonomy methods	51
3.4 Statistic methods	54
3.5 Culture and edibility information of some edible and wild boletes	55

# TABLE OF CONTENTS (CONTINUED)

	Page
3.6 Phylogenetic study	55
3.6.1 DNA Extraction	55
3.6.2 PCR amplification and sequencing of 28S rDNA and ITS	56
3.6.3 Phylogenetic analysis	57
<b>Chapter 4 Diversity of boletes in northern Thailand</b>	
4.1 Diversity of boletes in upper northern Thailand	58
4.2 Culturing of some boletes from upper northern Thailand	67
4.3 Molecular study of some boletes found in upper northern Thailand	68
4.3.1 DNA extraction, PCR amplification and PCR product purification	69
4.3.2 Higher level relationships of <i>Boletales</i>	73
4.3.3 The major clade of <i>Boletales</i>	73
<b>Chapter 5 Suborder <i>Boletineae</i></b>	
<i>Boletaceae (Boletus)</i>	81
<i>Boletaceae (Boletellus)</i>	85
<i>Boletaceae (Heimioporus)</i>	88
<i>Boletaceae (Tylopilus)</i>	93

## TABLE OF CONTENTS (CONTINUED)

	Page
<b>Chapter 6 Suborder Schlerodermatineae</b>	
6.1 <i>Boletinellaceae</i> ( <i>Phlebopus</i> )	99
6.2 <i>Gyroporaceae</i> ( <i>Gyroporus</i> )	110
<b>Chapter 7 Suborder Suillineae</b>	
<i>Suillaceae</i> ( <i>Suillus</i> )	114
<b>General discussion</b>	116
<b>References</b>	119
<b>Appendix A</b>	134
<b>Appendix B</b>	136
<b>Curriculum Vitae</b>	141

## LIST OF TABLES

Table	Page
2.1 Some boletes species reported from some Asian countries and Thailand	34
3.1 Fourteen study sites of national parks in upper northern Thailand	48
4.1 Distribution of boletes taxa collected from 14 sites of 8 national parks in Northern Thailand during 2005-2006 (2 collections from each site)	60
4.2 Overlapping boletes taxa found in eight national parks	64
4.3 Thai boletes species observed to be eaten by local people and knowledge from literature data	66
4.4 28S rDNA and ITS sequences of selected boletes taxa investigated in this study	72
5.1 The current names of <i>Heimioporus</i> species	88
6.1 Species list of the <i>Phlebopus</i> member	101

## LIST OF FIGURES

Figure	Page
1.1 Schematic presentation of the relationship between chapters of the thesis	3
2.1 Life cycle of mushroom	6
2.2 Life cycle of boletes	9
2.3 Longitudinal section through bolete basidiocarp	11
2.4 Bolete basidiospores and longitudinal section through the bolete hymenophore	20
2.5 Cross-section of the bolete hymenophore	20
2.6 Types of bolete cuticle	22
2.7 The different steps in PCR	24
2.8 The exponential amplification of the gene in PCR	24
2.9 Verification of the PCR product on gel	25
2.10 Ribosomal RNA gene (rDNA) diagrams	26
2.11 Some edible species boletes	44
2.12 Some toxic and unpleasant taste species boletes	45

## LIST OF FIGURES (CONTINUED)

Figure	Page
3.1 Northern Thailand National Parks map	49
3.2 Forest type in National Park	50
3.3 An annotation form for recording macroscopic characters of boletes in this study	52
4.1 Frequency of boletes taxa found in 14 studied sites	63
4.2 Common species of boletes found in 14 studied sites	63
4.3 Three-dimensional correspondence analysis of boletes species recorded from 8 national parks of northern Thailand.	65
4.4 Cultivation of some boletes	70
4.5 Comparison of DNA products extracted by using 2 different methods	71
4.6 PCR amplification using LROR/LR5 and ITS4/ITS5 for amplified 28S rDNA and ITS region of some boletes	71
4.7 PCR product of some boletes species after purified by using NucleoSpin® Extract II PCR clean-up Kit (Macherey Nagel, Catalog no. 740609.50).	71
4.8 Phylogenetic relationship of 36 boletes in Northern Thailand specimens inferred from the 28S rDNA sequences dataset.	75
4.9 Phylogenetic relationship of 5 different taxa of <i>Rubinoboletus ballouii</i> (= <i>Tylopillus ballouii</i> ) specimens collected from Doi Suthep Pui national park inferred from the 28S rDNA sequences dataset.	76

## LIST OF FIGURES (CONTINUED)

Figure	Page
4.10 <i>Rubinoboletus ballouii</i> CMU-SL032	77
4.11 <i>Rubinoboletus ballouii</i> CMU-SL037	77
4.12 <i>Rubinoboletus ballouii</i> CMU-SL039.	78
4.13 <i>Rubinoboletus ballouii</i> CMU-SL042	79
5.1 <i>Boletus borneensis</i>	83
5.2 ITS sequence of <i>Boletus borneensis</i> CMU-SL019	84
5.3 <i>Boletellus emodensis</i>	87
5.4 Basidiocarps and basidiospores of <i>Heimioporus</i> spp. for comparison with the collection in this study	89
5.5 <i>Heimioporus retisporus</i>	91
5.6 28S rDNA and ITS sequences of <i>Heimioporus retisporus</i> CMU-SL073	92
5.7 Phylogeny tree base on maximum parsimony (MP) analyses of ITS sequences	92
5.8 <i>Tylopilus virens</i>	94
5.9 28S rDNA sequence of <i>Tylopilus virens</i> CMU-SL053park inferred from the 28S rDNA sequences dataset.	95
5.10 ITS sequences of <i>Tylopilus virens</i> CMU-SL053	96
5.11 Phylogeny tree of <i>Tylopilus</i> species based on maximum parsimony (MP) analyses of 28S rDNA sequences and ITS sequences	97



## LIST OF FIGURES (CONTINUED)

Figure	Page
6.1 Basidiocarps of genera in 6 families belong to suborder <i>Sclerodermatineae</i>	99
6.2 <i>Phlebopus portentosus</i> SL020	103
6.3 <i>Phlebopus siamensis</i> sp. nov. CMU-SL008 (holotype)	104
6.4 <i>Phlebopus siamensis</i> sp. nov. CMU-SL021	105
6.5 <i>Phlebopus siamensis</i> sp. nov. CMU-SL006	105
6.6 <i>Phlebopus siamensis</i> sp. nov. CMU-SL007	106
6.7 <i>Phlebopus siamensis</i> sp. nov. CMU-SL010	106
6.8 <i>Phlebopus siamensis</i> sp. nov. CMU-SL013-15	107
6.9 Phylogeny tree base on maximum parsimony (MP) analyses of 28S rDNA sequences and ITS sequences.	108
6.10 Some species of <i>Phlebopus</i> that close related with the new taxa in this study.	110
6.11 <i>Gyroporus castaneus</i>	112
7.1 <i>Suillus granulatus</i>	115