

References

- Adams, A.E., and Mackenzie, W.S., 1998, *Atlas of Sedimentary Rock Under The Microscope*, William Clowers, London, 104 p.
- Assavapatchara, S., 1998, The Lithostratigraphy of Upper Palaeozoic Carbonate Rocks in The Southeastern Part of Changwat Loei, *M.Sc. thesis*, Chulalongkorn University, 196 p.
- Barr, S.M., and Macdonald, A.S., 1991, Toward a Late Paleozoic-Early Mesozoic Tectonic Model for Thailand, *Journal of Thai Geosciences*, Vol.1, pp.11-12.
- Baum, F., and Hahn, L., 1977, Geological Map of Northern Thailand 1: 250,000, Sheet (Phayao) 3: Federal Institute for Geosciences and Natural Resources, Germany.
- Bouma, A.H., 1969, Methods for The Study of Sedimentary Structures, Wiley-Interscience, London, 458 p.
- Bunopas, S., 1981, Paleogeographic History of Western Thailand and Adjacent Parts of Southeast Asia-A Plate Tectonics Interpretation, *Ph.D. Thesis*, Victoria University of Wellington, New Zealand, Reprinted as Geol. Surv. 5, Geol. Surv. Div., DMR., Bangkok, 810 p.
- Caridroit, M., 1993, Permian Radiolarian from NW Thailand, In: *Proceedings of the International Symposium on Biostratigraphy of Mainland Southeast Asia: Facies and Paleontology* (T. Thanasuthipitak, ed.), Department of Geological Sciences, Chiang Mai University, Thailand, pp. 83-95.
- Chaodumrong, P., Assavapatchara, S., and Jongautchariyakul, S., 2004, Comparative Research on Permian Strata and Fauna Between West Yunnan and West Thailand, *Preliminary report*, Bangkok, Thailand, 232 p.
- Charoenprawat, A., Wongwanich, T., Tantivanit, W., and Theetiparivatra, V., 1984, Geological Map of Sheet Changwat Loei (NE 47-12), Scale 1:250,000: Geological Survey Division, Department of Mineral Resources, Bangkok, Thailand.
- Charoentitirat, T., 1995, Fusulinid Fauna in Permo-Carboniferous Limestone of The Eastern Part of Changwat Loei, *M.Sc. thesis*, Chulalongkorn University, 171 p.

- Chonglakmani, C., and Sattayararak, N., 1984, Geological Map of Sheet Changwat Phetchabun (NE 47-16), Scale 1:250,000: Geological Survey Division, Department of Mineral Resources, Bangkok, Thailand.
- Department of Mineral Resources, 1987, Geological Map of Thailand on 1: 2,500,000 scale, Geological Survey Division, Department of Mineral Resources, Bangkok, Thailand.
- Flügel, E., 1982, *Microfacies Analysis of Limestone*, Springer-Verlag: Berlin-Heidelberg, 633 p.
- Folk, R. L., 1962, Special Subdivision of Limestone Types, In: *Classification of Carbonate Rocks*, The American Association of Petroleum Geologists (W. E. Ham., ed.), Talsa-Oklahoma, pp. 62-84.
- Fontaine, H., and Suteethorn, V., 1988, Late Palaeozoic and Mesozoic Fossils of West Thailand and Their Environments, *CCOP Techniquecal Bullatin* , Vol 20, pp. 19-53.
- Fontaine, H., Suteethorn, V., and Verchard, D., 1993, Carboniferous and Permian Limestones in Sop Pong Area: Unexpected Lithology and Fossils, In: *Proceeding of International Symposium on Biostratigraphy of Mainland Southeast Asia: Facies & Paleontology* (T. Thanasuthiphitak, ed.), Chiang Mai University, Thailand, Vol 2, pp. 319-336.
- Grant, E.R., 1976, Permian Brachiopods from Southern Thailand, Journal of Paleontology, v.50 (Supplement to no.3), Paleontological Society Memoir 9, 269 p. 71 pl.
- Javanaphet, J.C., 1969, Geological Map of Thailand, scale 1:1,000,000: Department of Mineral Resources, Bangkok, Thailand.
- Metcalfe, I., 2002, Permian Tectonic Framework and Palaeogeography of SE Asia: *Journal of Asian Earth Sciences*, Vol. 20, pp. 551-566.
- Panjasawatwong, Y., 1999, Petrology and Tectonic Setting of Eruption of Basaltic Rocks Penetrated in Well GTE-1, San Kamphaeng Geothermal Field, Chiang Mai, Northern Thailand, In: *Proceedings of Internation Symposium on Shallow Tethys 5* (B. Ratanasthien, and S.L. Rieb, eds.), Chiang Mai University, Thailand, pp. 242-264.

- Sashida, K., Igo, H., Adachi, S., Ueno, K., Kaijiwara, Y., Nakornsri, N., and Sardsud, A., 2000, Late Permian to Middle Triassic Radiolarian Faunas from Northern Thailand, *Journal of Palaeontology*, Vol. 75, No. 5, pp. 789-811.
- Sashida, K., Igo, H., Hisada, K. I., Nakornsri, N., and Amphornmaha, A., 1993, Occurrence of Paleozoic and Early Mesozoic Radiolaria in Thailand (Preliminary Report), *Journal of Southeast Asia Earth Science*, Vol 8, pp. 97-108 .
- Tucker, M.E., Wright, P.V., and Dickinson, J.A.D., 1994, *Carbonate Sedimentology*, Blackwell Scienctific Publications, London, 482 p.
- Ueno, K., and Igo, H., 1997, Late Paleozoic Foraminifers from the Chiang Dao Area, Northern Thailand: Geologic Age, Faunal Affinity, and Paleobiogeographic Implication, In: *Proceedings of the XIII International Congress on the Carboniferous and Permian*, pp. 339-354.
- Waterhouse, J.B., 1973, Permian Brachiopod Correlations for SE. Asia: Geological Society of Malaysia Bulletin, No.6, pp.187-212.
- Waterhouse, J.B., 1982, An Early Permian Cool Water Fauna from Pebby Mudstones in South Thailand, *Geological Magazine*, Vol.119, pp.337-354.
- Waterhouse, J.B., and Piyasin, S., 1970, Mid-Permian Brachiopods from Khao Phrik, Thailand, *Paleontographica*, Vol.135A (3-6), pp.83-197, pl.14-32.
- Wilson, J. L., 1975, *Carbonate Facies in Geologic History*, Springer-Verlag, Heidenberg-Berlin, 471 p.
- Yanagida, J., 1970, Permian Brachiopods from Khao Phrik near Ratburi, Thailand, *Geology and Palaeontology of Southeast Asia*, Vol.8, pp.69-96, pl.14-16.