

## REFERENCES

- Abe, K. and Uchida, K. 1989. Correlation between derepression of catabolite control of xylose metabolism and a defect in the phosphoenolpyruvate: mannose phosphotransferase system in *Pediococcus halophilus*. *J. Bacteriol.*, 171: 1793-1800.
- Abdel-Bar, N., Harris, N.D. and Rill, R.L. 1987. Purification and properties of an antimicrobial substance produced by *Lactobacillus bulgaricus*. *J. Food Sci.*, 52: 411-415.
- Abee, T., Krockel, L. and Hill, C. 1995. Bacteriocins: modes of action and potential in food preservation and control of food poisoning. *Int. J. Food Microbiol.*, 28: 169-185.
- Adams, M.R. and Hall, C.J. 1988. Growth inhibition of food borne pathogens by lactic and acetic acids and their mixtures. *Int. J. Food Sci. Technol.*, 23: 287-292.
- Ahmad, N. and Marth, E.H. 1989. Behaviour of *Listeria monocytogenes* at 7, 13, 21 and 35 degree in tryptose broth acidified with acetic, citric or lactic acid. *J. Food Prot.*, 52: 688-695.
- Allison, G., Fremaux, C., Ahn, C. and Klaehammer, T.R. 1994. Expansion of the bacteriocin activity and host range upon complementation of two peptides encoded within the lactacin F operon. *J. Bacteriol.*, 176: 2235-2241.
- Altschul, S.F., Madden, T.L., Shaffer, A.A., Zhang, J., Zhang, Z., Miller, W. and Lipman, D.J. 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic. Acid Res.*, 25: 3389-3402.
- Ammor, S., Dufour, E., Zagorec, M., Chaillou, S. and Chevallier, I. 2005. Characterization and selection of *Lactobacillus sakei* strains isolated from traditional dry sausage for their potential use as starter cultures. *Food Microbiol.*, 22: 529-538.

- Anderson, D.G. and McKay, L.L. 1983. Simple and Rapid Method for Isolating Large Plasmid DNA from Lactic Streptococci. *Appl. Environ. Microbiol.*, 46:549-552.
- Atlas, R.M. *Handbook of Microbiology Media*. USA : CRC Press, Inc.,1946.
- Axelsson, L. and Lindgren, S.E. 1987. Characterization and DNA homology of *Lactobacillus* strains isolated from pig intestine. *J. Appl. Bacteriol.*, 62: 433-440.
- Axelsson, L., Chung, T.C., Dobrogosz, W.J. and Lindgren, S.E. 1989. Production of a broad spectrum antimicrobial substance by *Lactobacillus reuteri*. *Microb. Ecol. Health Dis.*, 2: 131-136.
- Axelsson, L. : "Lactic Acid Bacteria: Classification and Physiology." in *Lactic acid bacteria: Microbiology and Functional Aspects*, 2nd ed. Marcel Dekker Inc., New York, pp.1-72, 1998.
- Bacus, J. 1994. Update: meat fermentation. *Food technol.*, 38: 59-63.
- Barefoot, S.F., Chen, Y.R., Hugher, T.A., Bodine, A.B., Shearer, M.Y. and Hughes, M.D. 1994. Identification and purification of a protein that induces production of the *Lactobacillus acidophilus* bacteriocin Lactacin. *Microbiol.*, 60: 3522-3528.
- Benthin, S. and Villadsen, J. 1995. Different inhibition of *Lactobacillus delbrueckii* subsp. *bulgaricus* by D- and L-lactic acid: effects on lag phase, growth rate and cell yield. *J. Appl. Bacteriol.*, 78: 647-654.
- Barrow, G.I. 1963. Microbial antagonism by *Staphylococcus aureus*. *J. Gen. Microbiol.*, 31: 471-481.
- Berry, E.D., Liewen, M.B., Mandigo, R.W. and Hutkins, R.W. 1990. Inhibition of *Listeria monocytogenes* by bacteriocin-producing *Pediococcus* during the manufacture of fermented semidry sausage. *J. Food Prot.*, 53: 194-197.
- Berry, E.D., Hutkins, R.W. and Mandigo, R.W. 1991. The use of bacteriocin-producing *pediococcus acidilactici* to control post processing *Listeria monocytogenes* contamination of frankfurters. *J. Food Prot.*, 54: 681-686.
- Betzl, D., Ludwig, W., Schleifer, K.H. 1990. Identification of lactococci and enterococci by colony hybridization with 23S rRNA-targeted oligonucleotide probes. *Appl. Environ. Microbiol.*, 56: 2927-2929.

- Blom, H. and Mörtvedt, C. 1991. Anti-microbial substances produced by food-associated microorganisms. *Biochem. Soc. Trans.*, 19: 694–698.
- Brandt, L.J. and Bernstein L.H. 1976. Bile salt: their role in cholesterol synthesis, secretion and lithogenesis. *Am. J. Gastroenterol.*, 65: 17-30.
- Bromberg, R., Moreno, I., Zaganini, C.L., Delboni, R.R. and Oliveira, J.D. 2004. of bacteriocin-producing lactic acid bacteria from meat and meat products and its spectrum of inhibitory activity. *Braz. J. Microbiol.*, 35: 1-14.
- Brock, T.D., Peacher, B. and Pierson, D. 1993. Survey of the bacteriocins of enterococci. *J. Bacteriol.*, 86: 702-707.
- Brooks, J.L., Moore, A.S., Patchett, R.S., Collins, M.D. and Kroll, R.G. 1992. Use of the polymerase chain reaction and oligonucleotide probes for the rapid detection and identification of *Carnobacterium* species from meat. *J. Appl. Bacteriol.*, 72: 294–301.
- Brosius, J., Palmer, J.L., Kennedy, J.P. and Noller, H.F. 1978. Complete nucleotide sequence of a 16S ribosomal RNA gene from *Escherichia coli*. *Proc. Natl. Acad. Sci. USA.*, 75: 4801-4805.
- Bruno, M E.C. and Montville, T.J. 1993. Common mechanistic action of bacteriocins from lactic acid bacteria. *Appl. Environ. Microbiol.*, 59: 3003-3010.
- Buchman, G.W., Banerjee, S. and Hansen, J.N. 1998. Structure, expression, and evolution of a gene encoding the precursor of nisin, a small protein antibiotic. *J. Biolchem.*, 263: 16260-16266.
- Byczkowski, J. and Gessner, T. 1988. Biological role of superoxide ion-radical. *Int. J. Biochem.*, 20: 569-580.
- Campbell-Platt, G. : “Fermented meats a world perspective.” in *Fermented meats*. Blackie Academic and Professional Publishers, Glasgow., Scotland, pp. 39-52, 1995.
- Campanini, M., Pedrazzoni, I., Barbuti, S. and Baldini, P. 1993. Behaviour of *Listeria monocytogenes* during the maturation of naturally and artificially contaminated salami: effect of lactic-acid bacteria starter cultures. *Int. J. Food Microbiol.*, 20: 169-75.
- Caplice, E. and Fitzgerald, G.F. 1999. Food fermentation: role of microorganism in food production and preservation. *Int. J. Food Microbiol.*, 50: 131-149.

- Carl, S. Pederson. *Micrology of food fermentation*. New York: The avipublishing company, Inc., 1978.
- Chateau, N., Deschamps, A.M. and Hadj Sassi, A. 1994. Heterogeneity of bile salts resistance in the *Lactobacillus* isolates of a probiotic consortium. *Lett in Appl Microbiol.*, 18: 42-44.
- Chen, Y.S., Yanagida, F. and Hsu, J.S. 2006. Isolation and characterization of lactic acid bacteria from suan-tsai (fermented mustard), a traditional fermented food in Taiwan. *Appl. Microbiol.*, 101: 125-130.
- Christensen, D.P. and Hutkins, R.W. 1992. Collaps of the proton motive force in *Listeria monocytogenes* caused by a bacteriocins produced by *Pediococcus acidilactici*. *Appl. Environ. Microbiol.*, 58: 3312-3315.
- Cintas, L.M., Casaus, P., Fernández, M.F. and Hernández, P.E. 1998. Comparative antimicrobial activity of enterocin L50, pediocin PA-1, nisin A and lactocin S against spoilage and foodborne pathogenic bacteria. *Food Microbiol.*, 15: 289-298.
- Cintas, L.M., Casaus, M.P., Herranz, C., Nes, I.F. and Hernandez, P.E. 2001. Review: bacteriocin of lactic acid bacteria. *Int. J. Food Sci. and Technol.*, 7: 281-305.
- Cleveland, J., Montville, T.J., Nes, I.F. and Chikindas, M.L. 2001. Bacteriocins: safe, natural antimicrobials for food preservation. *Int. J. Food Microbiol.*, 71: 1-20.
- Cocolin, L., Manzano, M., Cantoni, C. and Comi, G. 2001. Denaturing gradient gel electrophoresis analysis of the 16S rRNA gene V1 region to monitor dynamic changes in the bacterial population during fermentation of Italian sausages. *Appl. Environ. Microbiol.*, 67: 5113-5121.
- Cogan, T.M. *Les levains lactiques mesophiles*. Une revue : Lait 60., 1980.
- Collins, M.D., Farrow, J.A.E., Phillips, B.A., Ferusu, S. and Jones, D. 1987. Classification of *Lactobacillus divergens*, *Lactobacillus piscicola* and some catalase-negative, asporogenous, rod-shaped bacteria from poultry in a new genus, *Carnobacterium*. *Int. J. Syst. Bacteriol.*, 37: 310-316.
- Collins, M.D., Farrow, J.A.E., Phillips, B.A., Ferusu, S. and Williams, A.M. 1989. 16S ribosomal ribonucleic acid sequence analysis of lactococci and related

- taxa. Description of *Vagococcus fluvialis* gen. nov., sp. nov. *J. Appl. Bacteriol.*, 67: 453-460.
- Collins, M.D., Rodrigues, U., Ash, C., Aguirre, M., Farrow, J.A.E., Martinez-Murcia, A., Phillips, B.A., Williams, A.M. and Wallbanks, S. 1991. Phylogenetic analysis of the genus *Lactobacillus* and related lactic acid bacteria as determined by reverse transcriptase sequencing of 16S rRNA. *FEMS Microbiol. Lett.*, 77: 5 – 12.
- Collins, M.D., Samelis, J., Metaxopoulos, J. and Wallbanks, S. 1993. Taxonomic studies on some leuconostoc-like organisms from fermented sausages: description of a new genus *Weissella* for the *Leuconostoc paramesenterodes* group of species. *J. Appl. Bacteriol.*, 75: 595-603.
- Conner, D.E. Scott, V.N. and Bernard, D.T. 1990. Growth, inhibition, and survival of *Listeria monocytogenes* as affected by acidic condition. *J. Food Prot.*, 53: 652-655.
- Conner, D.E.: “Naturally occurring compounds.” in *Antimicrobials in Foods*, 2nd ed. Marcel Dekker Inc., New York, pp. 441-468, 1993.
- Cords, B.R. and Dychdala, G.R. : “Sanitizers: halogens, surface-active agents, and peroxides.” in *Antimicrobials in Foods*, 2nd ed. Marcel Dekker Inc., New York, pp. 469-537, 1993.
- Davey, G.P. and Richardson, B.C. 1981. Purification and some properties of diplococci from *Streptococcus cremoris* 364. *Appl. Environ. Microbiol.*, 41:84-89.
- Davidson, P.M., Post, L.S., Braner, A.L. and McCurdy, A.R. : “Naturally occurring and miscellaneous food antimicrobials.” in *Antimicrobials in Foods*, eds. Marcel Dekker Inc., New York, pp. 385-392, 1983.
- Degnan, A.J., Yousef, A.E. and Luchansky, J.B. 1992. Use of *Pediococcus acidilactici* to control *Listeria monocytogenes* in vacuum-packaged wieners. *J. Food Prot.*, 55, 98– 103.
- De Bruyn, I.N., Holzapfel, W.H., Visser, L. and Louw, A.I. 1988. Glucose metabolism by *Lactobacillus divergens*. *J. Gen. Microbiol.*, 134: 2103-2109.

- Dellaglio, F., Dicks, L. M. T. and Torriani, S. : “The genus *Leuconostoc*” in *The Genera of lactic acid bacteria*, eds. Chapman and Hall., London, pp. 235-278, 1995.
- De Martinis, E.C.P., Alves, V.F. and Franco, B.D.G.M. 2002. Fundamentals and perspectives for the use of bacteriocins produced by lactic acid bacteria in meat products. *Int. Food reviews.*, 18: 191-208.
- Delves-Broughton, J. 1990. Nisin and its used as a food preservative. *Food Technol.*, 44: 100-117.
- Delves-Broughton, J., Blackburn, P., Evans, R.J. and Hugenholtz, J. 1996. Application of the bacteriocin, nisin., *Antonie van Leeuwenhoek*.
- de Vos, W.M., Kuipers, O.P., ven der Meer, J.R. and Siezen, R.J. 1995. Maturation pathway of nisin and other lantibiotics: posttranslationally modified antimicrobial peptides exported by Gram-positive bacteria. *Mole. Microbiol.*, 17:427-437.
- Devriese, L.A., Pot, B. and Collins, M.D. 1993. Phenotypic identification of the genus *Enterococcus* and differentiation of phylogenetically distinct enterococcal species and species groups. *J. Appl. Bacteriol.*, 75: 399-408.
- De Vuyst, L. and Vandamme, E.J. *Bacteriocins of Lactic Acid Bacteria*. London: Blackie Academic and Professional., 1994.
- De Vuyst, L. And Vandamme, E.J. *Antimicrobial potential of lactic acid bacteria*. London: Blackie Academic and Professional., 1994a.
- Dicks, L.M.T., Dellaglio, F. and Collins, M.D. 1995. Proposal to reclassify *Leuconostoc oenos* as *Oenococcus oeni* (corrig) gen. nov., comb. nov. *Int. J. Syst. Bacteriol.*, 45: 395-397..
- Erkkilä , S. and Petäjä, E. 2000. Screening of commercial meat starter cultures at low pH and in the presence of bile salts for potential probiotic use. *J. Meat Sci.*, 55: 297-300.
- Ehrmann, M., Ludwig, W. and Schleifer, K.H. 1994. Reverse dot blot hybridization: a useful method for the direct identification of lactic acid bacteria in fermented food. *FEMS Microbiol. Lett.*, 117: 143–150.

- Earnshaw, R.G. : “The antimicrobial action of lactic acid bacteria: natural food preservation systems.” in *The Lactic Acid Bacteria in Health and Disease*. Elsevier Applied Science., London and New York, pp. 211-232, 1992.
- El-Gazzar R.E. and Marth E.H. 1992. Food borne-disease investigating procedures and economic assessment. *J. Environ. Health.*, 55:24–27.
- Eklund, T. 1984. The effect of carbon dioxide on bacterial growth and on uptake processes in the bacterial membrane vesicles. *Int. J. Food Microbiol.*, 1: 179-185.
- Farber, J.M. 1991. Microbiological aspects of modified-atmosphere packaging technology – a review. *J. Food Prot.*, 54:58-70.
- Foegeding, P.M., Thomas, A.B., Pilkington, D.H. and Klaenhammer, T.R. 1992. Enhanced control of *Listeria monocytogenes* by in situ-produced during dry fermented sausage production. *Appl. Environ. Microbiol.*, 58: 884-890.
- Fredericq, P. 1948. Actions antibiotiques reciproques chez les Enterobacteriaceae. *Rev. Belge. Pathol. Med. Exp.*, 19: 1-107.
- Fukui, S., Ôi, A., Ôbayashi, A. and Kitahara, K. 1957. Studies on the pentose metabolism by microorganisms. I.A new type-lactic acid fermentation of pentoses by lactic acid bacteria. *J. Gen. Appl. Microbiol.*, 3: 258-268.
- Garriga, M., Hugas, M., Aymerich, T. and Monfort, J.M. 1993. Bacteriocinogenic activity of lactobacilli from fermented sausages. *J. Bacteriol.*, 75: 142-148.
- Gagliano, V.J. and Hinsdill, R.D. 1970. Characterization of a *Staphylococcus aureus* bacteriocin. *J. Bacteriol.*, 104: 117-125.
- Garvie, E.I. *Genus Leuconostoc in Bergey 's Manual of Systematic Bacteriology*. 2 Vol. Baltimore : Williams Wilkins MD., 1986a.
- Garvie, E.I. : *Genus Pediococcus, in Bergey 's Manual of Systematic Bacteriology*. 2 Vol. Baltimore : Williams and Wilkins., pp. 1075-1079, 1986b.
- Gilliland, S.E. 1979. Beneficial interrelationships between certain microorganisms and humans: candidate microorganisms for use as dietary adjuncts. *J. Food. Prot.*, 42: 164-167.
- Goldin, B. and Gorbach, S. : “Probiotics for humans.” in *Probiotics the scientific basis*. Chapman and Hall., London, pp. 355-376, 1992.

- Goldin, B., Gorbach, S., Saxelin, M., Barakat, S., Gualtieri, L. and Salminen, S. 1992. Survival of *Lactobacillus* species (Strain GG) in human gastrointestinal tract. *Digestive Diseases and Sciences.*, 37: 121-128.
- González, B., Glaasker, R., Kunji, E.R.S., Driessen, A.J.M., Suarez, J.E. and Konings, W.N. 1996. Bactericidal mode of action of plantaricin C. *Appl. Environ. Microbiol.*, 62: 2701-2709.
- Gould, G.W. : “Antimicrobial compound.” in *Biotechnology and Food Ingredients*, eds. Goldberg, I. and Williams, R., Van Nostrand Reinhold., New York, pp. 461-483, 1991.
- Gratia, A. 1946. Techniques selectives pour la recherche systematique des germes antibiotiques. *C. R. Seances Soc. Biol. Paris.*, 140: 1053-1055.
- Gross, E. and Morell, J.L. 1971. The structure of nisin. *J. Am. Chem. Soc.*, 93: 4634-4635.
- Hamden, I.Y. and Mikolajcik, E.M. 1974. Acidolin: an antibiotic produce by *Lactobacillus acidophilus*. *J. Antibiot.*, 27: 631-636.
- Hansen, J.N., Banerjee, S. and Buchman, L.W. 1990. Potential of small ribosomally synthesized bacteriocins in the design of new food preservatives. *J. Food Saf.*, 10: 119-130.
- Harris, L.J., Fleming, H.P. and Klaenhammer, T.R. 1992. Developments in nisin research, *Fd. Res. Int.*, 25: 57-66.
- Hastings, J.W., and Stiles, M.E. 1991. Antibiosis of *Leuconostoc gelidum* isolated from meat. *J. Appl. Bacteriol.*, 70: 127-134.
- Havenaar, R., Brink, B.T. and Huis in't Veld, J.H.J. : “Selection of strains for probiotic use.” in *Probiotics*. R. Fuller, ed. Chapman and Hall., London, pp. 209-224, 1992.
- Hertel, C., Ludwig, W., Obst, M., Vogel, R.F., Hammes, W.P., Schleifer, K.H. 1991. 23S rRNA-targeted oligonucleotide probes for the rapid identification of lactobacilli. *Syst. Appl. Microbiol.*, 14: 173-177.
- Hertel, C., Ludwig, W., Pot, B., Kersters, K., Schleifer, K.H. 1993. Differentiation of lactobacilli occurring in fermented milk products by using oligonucleotide probes and electro-phoretic protein profiles. *Syst. Appl. Microbiol.*, 16: 463-467.

- Hood, S.K. and Zottola, E.A. 1998. Effect of low pH on the ability of *Lactobacillus acidophilus* to survive and adhere to human intestinal cells. *J. Food Sci.*, 53:1514-1516.
- Hoover, D.G. and Harlander, S.K. : "Screening methods for detecting bacteriocin activity." in *Bacteriocin of Lactic Acid Bacteria*, eds. Academic Press Inc., London, pp. 22-29, 1993.
- Holzappel, W.H., Geizen, R. and Schillinger, U. 1995. Biological preservation of foods with reference to protective culture, bacteriocins and food grade enzyme. *Int. J. Food Microbiol.*, 24:343-362.
- Holzappel, W.H. and Gerber, E.S. 1983. *Lactobacillus divergens* sp. Nov., a new heterofermentative *Lactobacillus* species producing L (+)-Lactate. *Syst. Appl. Microbiol.*, 4: 522-534.
- Hotchkiss, J.H., Chen, J.H. and Lawless, H.T. 1999. Combined effects of carbon dioxide addition and barrier films on microbial and sensory changes in pasteurized milk. *J. Dairy Sci.*, 82: 690-695.
- Huang, L., Forsberg, C.W. and Gibbins, L.N. 1986. Influence of external pH and fermentation products on *Clostridium acetobutylicum* intracellular pH and cellular distribution of fermented products. *Appl. Environ. Microbiol.*, 51: 1230-1234.
- Hugas, M., Garriga, M., Aymerich, T. and Monfort J.M. 1993. Biochemical characterization of lactobacilli isolated from dry sausages. *Int. J. Food microbiol.*, 18: 107-113.
- Hugas, M., Garriga, M., Aymerich, T. and Monfort J.M. 1995. Inhibition of *listeria* in dry fermented sausages by the bacteriocinogenic *Lactobacillus sake* CTC494. *J. Appl. Bacteriol.*, 79: 322-330.
- Hugas, M., Neumeier, B., Pagés, F., Garriga, F. and Hammer, W.P. *Die antimikrobielle Wirkung von Bakteriozinbildenden Kulturen in Fleischwaren: II) Vergleich des Effektes unterschiedlicher bakteriozinbildender Laktobazillen auf Listerien in Rohwurst.* Fleischwirtsch., 1996.
- Hugas, M. and Monfort, J.M. 1997. Bacterial starter cultures for meat fermentation. *Food Chem.*, 59: 574-554.

- Hugas, M. 1999, "Meat-borne lactic acid bacteria for safety in meat and meat products", Food Microbiology and Food Safety Into the Next Millennium. Proceeding of the 17<sup>th</sup> International Conference, International Committee on Food Microbiology and Hygiene. Veldhoven, The Netherlands, p. 44-49.
- Hurst, A., 1981. Nisin. *Adv. Appl. Microbiol.*, 27: 85-123.
- Jack, R.W., Tagg, J.R. and Ray, B. 1995. Bacteriocins of Gram positive bacteria. *Microbiol Rev.*, 59:171-200.
- Jarvis, B. and Farr, J. 1971. Partial purification, specificity and mechanism of action of the nisin-inactivating enzyme from *Bacillus cereus*. *Biochem. Biophys. Acta.*, 227: 232-240.
- Jay, J.M. 1982. Antimicrobial properties of diacetyl. *Appl. Environ. Microbiol.*, 44: 525-532.
- Jay, J.M. *Modern Food Microbiology*. 3rd ed. New York : Van Nostrand Reinhold., 1986.
- Jeppesen, V.F. and Huss, H.H. 1993a. Characteristics and antagonistic activity of lactic acid bacteria isolated from chilled fish products. *Int. J. Food Microbiol.*, 18: 305-320.
- Jiménez-Díaz, R., Rios-Sanchez, R.M., Desmazeaud, M., Ruiz-Barba, J.L. and Piard, J.C. 1993. Plantaricins S and T, two new bacteriocin produce by *Lactobacillus plantalum* LPCO10 isolated from a green olive fermentation. *Appl. Environ. Microbiol.*, 59: 1416-1424.
- Jin, L., Ho, Y., Abdullah, N. and Jalaludin, S. 1998. Acid and bile tolerance of *Lactobacillus* isolated from chicken intestine. *Lett. Appl. Microbiol.*, 27:183-185.
- Joerger, M.C. and Klaenhammer, T.R. 1986. Characterization and purification of helveticin J and evidence for a chromosomally determined bacteriocin produced by *Lactobacillus helvaticus* 481. *J. Bacteriol.*, 167: 439-446.
- Johnson, J.L. *Bacterial classification III. Nucleic acids in bacterial classification, in Bergey 's Manual of Systematic Bacteriology*, 1 Vol. Baltimore: Williams and Wilkins., 1984.
- Jones, D.: "Composition and differentiation of the genus *streptococcus*". in *Streptococci*. eds. Academic Press., London, pp.1-49, 1978.

- Kabara, J.J. "Medium-chain fatty acids and esters". in *Antimicrobials in Foods*, 2nd ed. Marcel Dekker Inc., New York, pp. 307-342, 1993.
- Kandler, O. 1983. Carbohydrate metabolism in lactic acid bacteria. *Antoine vanLeeuwenhoek.*, 49: 209–224.
- Kandler, O., and Weiss, N. *Regular, non-sporing Gram-positive rods, in Bergey 's Manual of Systematic Bacteriology*, 2 Vol. Baltimore: Williams an Wilkins., 1986.
- Kalchayanand, N., Hanilin, M.B. and Ray, B. 1992. Sublethal injury makes Gram-negative and resistant Gram-positive bacteria sensitive to the bacteriocins pediocin AcH and nisin. *Lett. Appl. Microbiol.*, 15: 239-243.
- Kashket, E.R. 1987. Bioenergetics of lactic acid bacteria: cytoplasmic pH and osmotolerance. *FEMS Microbiol. Rev.*, 46: 233-244.
- Kekessy, D.A. and Piguet, J.D. 1970. New method for detecting bacteriocin production. *Appl. Microbiol.*, 20: 282-283.
- Kelly, W.J., Davey, G.P. and Ward, L.J. 1998. Characterization of lactococci isolated from minimally processed fresh fruit and vegetables. *Int. J. Food Microbiol.*, 45: 85-92.
- Ketkaew, W., Assavanig, A and Boonkumklao, P. 2005, "Production of bacteriocin by *Enterococcus faecium* HF84 from human gastro-intestinal tract". 31st Congress on Science and Technology of Thailand at Suranaree University of Technology, Bangkok, p.18 – 20.
- Kim, W.J. 1993. Bacteriocins of lactic acid bacteria: their potentials as food biopreservative. *Food Rev. Int.*, 9: 299-313.
- Klaenhammer, T.R., 1993. Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiol. Rev.*, 12: 39–86.
- Klijn, N., Weerkamp, A.H., De Vos, W.M. 1991. Identification of mesophilic lactic acid bacteria by using polymerase chain reaction-amplified variable regions of 16S rRNA and specific DNA probes. *Appl. Environ. Microbiol.*, 57: 3390-3393.
- Kok, J., Holo, H., van Belkum, M. J., Haandrikman, A.J. and Nes, I. F. : "Non-nisin bacteriocins in lactococci: biochemistry, genetics and mode of action". in

- Bacteriocins of Lactic Acid Bacteria*, eds. Academic Press., New York, pp. 121-150, 1993.
- Koneman, E.W., Sommers, H.M., Allen, S.D. and Dowell V.R. *Color Atlas and Textbook of Diagnostic Microbiology*. 2th ed. Philadelphia : J.B.-Lippincott Company., 1983.
- Kong, S., and Davison, A.J. 1980. The role of interactions between O<sub>2</sub>, H<sub>2</sub>, OH., e<sup>-</sup> and O<sub>2</sub><sup>-</sup> in free radical damage to biological systems. *Arch. Biochem. Biophys.*, 204: 13-29.
- Kordel, M. and Sahl, H.G. 1986. Susceptibility of bacterial, eukaryotic and artificial membranes to the disruptive action of the cationic peptides Pep5 and nisin. *FEMS Microbiol Lett.*, 34: 139-144.
- Kostinek, M., Pukall, R., Rooney, A.P., Schillinger, U., Hertel, C., Holzappel, W.H., Franz, C.M.A.P. 2005b. *Lactobacillus arizonensis* is a later heterotypic synonym of *Lactobacillus plantarum*. *Int. J. Syst and Evolut Microbiol.*, 55: 2485-2489.
- Kuipers, O.P., Rollema, H.S., Yap, W.M.G.J., Boot, H.J., Siezen, R.J. and de Vos, W.M. 1992. Engineering dehydrated amino acid residue in the antimicrobial peptide nisin. *J. Biol. Chem.*, 267: 24340-24346.
- Kuipers, O.P., Beerthuyzen, M.M., Siezen, R.J. and de Vos, W.M. 1993. Characterization of the nisin gene cluster *nisABTCIPR* of *Lactococcus lactis*, requirement of expression of the *nisA* and *nisL* genes for development of immunity. *Eur. J. Biochem.*, 216: 281-291.
- Lane, D.L., Field, K.G., Olsen, G.J., Stahl, D.A., Sogin, M.L. and Pace, N.R. 1985. Rapid determination of 16S ribosomal RNA sequences for phylogenetic analysis. *Proc. Natl. Acad. Sci. USA.*, 82: 6955-6959.
- Lewus, C.B., Kaiser, A. and Montville, T.J. 1991. Inhibition of food-borne pathogens by bacteriocins from lactic acid bacteria isolated from meat. *Appl. Environ. Microbiol.*, 57: 1683-1688.
- Leroy, F. and De Vuyst, L. 2004. Lactic acid bacteria as functional starter cultures for the food industry. *Trends in Food Sci and Technol.*, 15:67-78.
- Lloyd, A.G. and Drake J.J.P. 1995. Problems posed by essential food preservatives. *Br. Med. Bull.*, 31: 214-219.

- Lindgren, S.E. and Dobrogosz, W.J. 1990. Antagonistic activities of lactic acid bacteria in food and feed fermentations. *FEMS Microbiol. Rev.*, 87: 149-164.
- Linnett, P.E. and Strominger, J.L. 1973. Additional antibiotic inhibition of peptidoglycan synthesis. *Antimicrob. Agents Chemother.*, 4: 231-236.
- Lücke, F.K. 2000. Utilization of microbes to process and preservemeat. *Meat Sci.*, 56: 105–115.
- Mayr-Harting, A., Hedges, A.J., and Berkeley, R.C.W.: “Method for studying bacteriocins”. in *Methods in Microbiology*, eds. Academic Press, Inc., London, pp. 315-422, 1972.
- Martinez-Murcia, A.J. and Collins, M.D. 1990. A phylogenetic analysis of the genus *Leuconostoc* based on reverse transcriptase sequencing of 16S rRNA. *FEMS Microbiol Lett.*, 70: 73-84.
- Mayrá-Mäkinen, A., Suomalainen, T. *Lactobacillus casei* spp. *rhamnosus*, bacterial preparations comprising said strain and use of said strain and preparations for the controlling of yeast and moulds. U.S : Patent US.,1995.
- McKay, L.L., and Baldwin, K. 1990. Application for biotechnology: present and future improvements in lactic acid bacteria. *FEMS Microbiol. Rev.*, 87: 3-14.
- McMullen, L.M. and Stiles, M.E. 1996. Potential for use of bacteriocin-producing lactic acid bacteria in the preservation of meats. *J. Food Prote.*, 64–71 (Suppl.).
- Michael, J.P., Ebenezer, R.V., Blair, S.K and Peter, A.V. 1988. Inhibition of *Listeria monocytogenes* by Using Bacteriocin PA-1 Produced by *Pediococcus acidilactici* PAC 1.0. *Appl. Environ. Microbiol.*, 54: 2349-2353.
- Moll, G.N., van den Akker, E., Hauge, H.H., Nissen-Meyer, J., Nes, I.F., Konings, W.N. and A.J.M. 1999b. Complementary and overlapping selectivity of the two-peptide bacteriocins plantaricin EF and JK. *J. Bacteriol.*, 181: 4848-4852.
- Montel, M.C., Talon, R., Fournoud, J. and Champomier, M.C. 1991. A simplified key for identifying homofermentative *Lactobacillus* and *Carnobacterium* spp. from meat. *J. Appl. Bacteriol.*, 70: 469-472.
- Mortvedt-Abildgaard, C.I., Nissen-Meyer, J., Jelle, B., Grenov, B., Skaugen, M., Nes, I.F., 1995. Production and pH-dependent bactericidal activity of lactocin S, a

- Lantibiotic from *Lactobacillus sack* L45. *Appl. Environ. Microbiol.*, 61: 175-179.
- Nes, I.F., Diep, D.B., Havarstein, L.S., Brurberg, M.B., Eijsink, V., Holo, H. 1996. Biosynthesis of bacteriocins in lactic acid bacteria. *Antoine van Leeuwenhoek.*, 70: 113–128.
- Nielsen, J.W., Dickson, J.S. and Crouse, J.D. 1990. Use of a bacteriocin produced by *Pediococcus acidilactici* to inhibit *Listeria monocytogenes* associated with fresh meat. *Appl. Environ. Microbiol.*, 56: 2142-2145.
- Nissen, H., Holck, A., and Dainty, R.H. 1994. Identification of *Carnobacterium* spp. and *Leuconostoc* spp. in meat by genus-specific 16S rRNA probes. *Lett. Appl. Microbiol.*, 19: 165-168.
- Nissen-Meyer, J., Havarstein, L.S., Holo, H., Sletten, K. and Nes, I.F. 1993. Association of the lactococcin A immunity factor with the cell membrane: purification and characterization of the immunity factor. *J. Gen. Microbiol.*, 139: 1503-1509.
- Noonpakdee, W., Santivarangkna, C., Jumriangrit, P., Sonomoto, K and Panyim, S. 2002. Isolation of nisin-producing *Lactococcus lactis* WNC 20 strain from nham, a traditional Thai fermented sausage. *Int J. Food Microbiol.*, 81: 137-145.
- Oh, S., Kim, S.H. and Worobo, R.W. 2000. Characterization and Purification of a Bacteriocin Produced by a Potential Probiotic Culture, *Lactobacillus acidophilus* 30SC. *J. Dairy Sci.*, 83 :2747–2752.
- Orla-Jensen, S. 1919. The lactic acid bacteria, Host and Son, Copenhagen. *Microbiol.*, 47: 1–24.
- O' Sullivan, L., Ross, R.P. and Hill, C. 2002. Potential of bacteriocin-producing lactic acid bacteria for improvements in food safety and quality. *Biochim.*, 84: 593-604.
- Quadri, L.E.N., Sailer, M., Roy, K.L., Vederas, J.C. and Stiles, M.E. 1994. Chemical and genetic characterization of bacteriocins produce by *Carnobacterium piscicola* LV17B. *J. Biol. Chem.*, 269: 12204-12211.
- Quadri, L.E.N., Sailer, M., Terebiznik, M.R., Roy, K.L., Vederas, J.C. and Stiles, M. E. 1995. Characterization of the protein conferring immunity to the

- antimicrobial peptide carnobacteriocin B2 and expression of carnobacteriocins B2 and BM1. *J. Bacteriol.*, 177: 1144-1151.
- Quere, F., Deschamps, A., Urdaci, M.C. 1997. DNA probe and PCR-specific reaction for *Lactobacillus plantarum*. *J. Appl. Microbiol.*, 82: 783– 790.
- Park, Y.S., Lee, J.Y., Kim, Y.S. and Shin, D.H. 2002. Isolation and characterization of lactic acid bacteria from feces of newborn baby and from Dongchimi. *J. Agricul and Food Chem.*, 50: 2531-2536.
- Peeva, V., Ivanova, P., Harizanova, N. and Dimov, S. 2006. A preliminary characterization of a novel bacteriocin-like substance from *Enterococcus durum* M-3. *Biotechnol.*, 5: 120-127.
- Phithakpol, B., Varayanond, W., Reungmanee-paitoon, S. and Wood, H. *The traditional Fermented Foods of Thailand*. Kasetsrt University, Bangkok, Thailand, Institute of Food Rsearch and Products Development., 1995.
- Piard, J.C. and Desmazeaud, M. 1991. Inhibiting factors produced by lactic acid bacteria: Oxygen metabolites and catabolism end-products. *Lait.*, 71: 525-541.
- Podolak, P.K., Zayas, J.F., Kastner, C.L. and Fung, D.Y.C. 1996. Inhibition of *Listeria monocytogenes* and *Escherichia coli* O157:H7 on beef by application of organic acids. *J. Food Prot.*, 59: 370-373.
- Pot, B., Devriese, L.A., Hommez, J., Miry, C., Vandemeulebroecke, K., Kersters, K. and Haesebrouck, F. 1994. Characterization and identification of *Vagococcus fluvialis* strains isolated from domestic animals, *J. Appl. Bacteriol.*, 77: 362-369.
- Prasad, J., Gill, H., Smart, J. and Gopal, P.K. 1998. Sselection and characterization of *Lactobacillus* and *Bifidobacterium* strains for use as probiotic. *Int. Dairy Journal.*, 8: 993-1002.
- Pulusani, S.R., Rao, D.R. and Sunki, G.R. 1979. Antinicrobial activity of lactic culture: partial purification and characterization of antimicrobial compound(s) produced by *Streptococcus thermophilus*. *J. Food Sci.*, 44: 575-578.
- Østergard, A., Embarek, P.K.B., Wedell-Neergaard, C., Huss, H.H. and Gram, L. 1998. Characterization of ani-listerial lactic acid bacteria isolated from Thai fermented fish products. *J. Food Microbiol.*, 15: 223-233.

- Raccach, M., Baker, R.C., Degenstein, J.M., and Mulnix, E.J. 1979. Potential application of microbial antagonism to extend storage ability of a flesh type food. *J. Food Sci.*, 44: 43-46.
- Raccach, M. 1987. Pediococci and biotechnology. *CRC Crit. Rev. Microbiol.*, 14: 291-309.
- Rao, D.R., and Reddy, J.C. 1984. Effect of lactic fermentation of milk on milk lipids. *J. Food Sci.*, 49: 748-750.
- Rauch, P.J.G., Kuipers, O.P., Siezen, R.J., de Vos, W.M. : "Genetics and protein engineering of nisin". in *Bacteriocins of Lactic Acid Bacteria*. Blackie Academic and Professional., London, 223-249, 1994.
- Ray, B. : "Bacteriocins of starter culture bacteria as food biopreservative: an overview". In *food biopreservatives of microbial origin*. CRC Press., Boca Raton, Florida, pp. 177-205, 1992.
- Ray, B. 1993. Sublethal injury, bacteriocins and food microbiology. *ASM News.*, 59: 285-291.
- Richards, R.M.E., Xing, D.K.L. and King, T.P. 1995. Activity of *p*-aminobenzoic acid compared with other organic acids against selected bacteria. *J. Appl. Bacteriol.*, 78: 209-215.
- Reddy, G.V., Shahani, K.M., Friend, B.A. and Chandan, R.C. 1984. Natural Antibiotic activity of *Lactobacillus acidophilus* and *bulgaricus*: III. Production and partial purification of bulgarican from *Lactobacillus bulgaricus*. *Cult Prod. J.*, 5: 7-11.
- Reeves, P., 1965. The bacteriocin. *Rev. Bacteriol.*, 29:25-45.
- Reinheimer, J.A., Candioti, M.C., Zalazar, C.A. and Demkow, M.R. 1988. Inibizione di batteri coliformi con colture commerciali di *Streptococcus thermophilus* e *Lactobacillus bulgaricus*. *Scienza e Tecnica Lattiero-Casearia.*, 39: 349-366.
- Reiter, B. and Hännuly, B.G. 1984. Lactoperoxidase antibacterial systems: natural occurrence, biological functions and practical applications. *J. Food Prot.*, 47: 724.
- Reisinger, P., Seidel, H., Tschesche, H. and Hammes, W.P. 1980. The effect of nisin on murein synthesis. *Microbiol.*, 127:187-193.


- Ronald, M Atlas. *Microbiological media for the examination of food*. Tokyo: CRC press, Inc., 1946.
- Rosenbach, F.J. 1884. Mikro-Organismen bei den Wund-Infektions-Krankheiten des Menschen. J.F. Bergman, Wiesbaden.
- Ryan, M.P., Rea, M.C., Hill, C. and Ross, R.P. 1996. An application in cheddar cheese manufacture for a strain of *Lactococcus lactis* producing a novel broad-spectrum bacteriocin, lacticin 3147. *Appl. Environ. Microbiol.*, 62: 612-619.
- Sabine, D. B. 1963. An antibiotic-like effect of *Lactobacillus acidophilus*. *Nature (London)*, 199: 811.
- Sahl, H.G., Jack, R.W., Bierbaum, G. 1995. Biosynthesis and biological activities of lantibiotics with unique post-translational modifications. *Eur. J. Biochem.*, 230:827–853.
- Sahl, H.G., Kordel, M. and Benz, R. 1987. Voltage-dependent depolarization of bacterial membrane and artificial lipid bilayers by the peptide antibiotic nisin. *Arch. Microbiol.*, 149: 120-124.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. 1989. *Molecular Cloning: a Laboratory Manual*. 2nd ed. New York : Cold Spring Harbor Laboratory Press., 1989
- Sanz, B., Selgas, D., Parejo, I. and Ordonez, J.A. 1988. Characteristics of lactobacilli isolated from dry fermented sausages. *Int. J. Food Microbiol.*, 6: 199-205.
- Schillinger, U. and Kaya, M. and Lücke, F. K. 1991. Behaviour of *Listeria monocytogenes* in meat and its control by a bacteriocin-producing strain of *Lactobacillus sake*. *J. Appl. Bacteriol.*, 70: 473-478.
- Schillinger, U. and Holzappel, W.H. : “The genus *Carnobacterium*”. in *The Genera of Lactic Acid Bacteria*, eds. Chapman and Hall., London, pp. 307-326, 1995.
- Schillinger, U., Geisen, R. and Holzappel, W.H. 1996. Potential of antagonistic microorganisms and bacteriocins for the biological preservation of foods. *Trends food Sci. Technol.*, 7: 158-164.
- Schillinger, U. and Lücke, F.K. 1987. Identification of lactobacilli from meat and meat products. *J. Food Microbiol.*, 4: 199-208.

- Schillinger, U., Lücke, F.K. 1989. Antibacterial activity of *Lactobacillus sake* isolated from meat. *Appl. Environ. Microbiol.*, 55: 1901-1906.
- Schleifer, K.H. and Stackebrandt, E. 1983. Molecular systematics of procaryotes, *Annu. Rev. Microbiol.*, 37: 143-187.
- Schleifer, K.H., Kraus, J., Dvorak, C., Kilpper-Bälz, R., Collins, M. D. and Fischer, W. 1985. Transfer of *Streptococcus lactis* and related streptococci to the genus *Lactococcus* gen. nov. *Syst. Appl. Microbiol.*, 6: 183-195.
- Sharpe, M. E. : "The genus *Lactobacillus*, in the Procaryotes". in *A Handbook on Habitats, Isolation and Identification of Bacteria*, eds. Springer-Veerlag., Berlin, pp. 1653-1674, 1981.
- Sherman, J.M. and Wing, H.U. 1937. *Streptococcus durans* N. Sp. *J. Dairy Sci.*, 20: 165-167.
- Siegers, K. and Entian, K.D. 1995. Genes involved in immunity to the lantibiotic nisin produced by *Lactococcus lactis* 6F3, *Appl. Environ. Microbiol.*, 61:1082-1089.
- Skytta, E., Hereijgers, W. and Mattila-Sandholm, T. 1991. Broad spectrum antibacterial activity of *Pediococcus damnosus* and *Pediococcus pentosaceus* in minded meat. *Food Microbiol.*, 8: 231-237.
- Silva, M., Jacobus, N.V., Deneke, C. and Gorbach, S.L. 1987. Antimicrobial substance from a human *Lactobacillus* strain. *Antimicrob. Agents Chemother.*, 31: 1231-1233.
- Smith, J.L. and Palumbo, S.A. 1983. Use of starter cultures in meat. *J. Food Prot.*, 46: 997-1006.
- Smulders, F.J.M., Barendsen, P., van Logtestijn, J.G., Mossel, D.A.A. and van Der Marel, G.M. 1986. Review: Lactic acid: considerations in favor of its acceptance as a meat decontaminant. *J. Food Technol.*, 21: 419-436.
- Sneath, P. H. A. and Jones. D. 1986. Genus *Brochothrix*, a new genus tentatively placed in the family Lactobacillaceae. *Int. J. Syst. Bacteriol.*, 26:102-104.
- Stevens, K.A., Klaps, N.A., Sheldom, B.W. and Khaenhammer, T.R. 1992. Antimicrobial action of nisin against *Salmonella typhimurium* lipopoly saccharide mutants. *Appl. Environ. Microbiol.*, 58: 1786.

- Stiles, M.E., Hastings, J.W. 1991. Bacteriocin production by lactic acid bacteria: potential for use in meat preservation. *Trends in Food Sci and Technol.*, 2: 247–251.
- Stiles, M.E. 1996. Biopreservation by lactic acid bacteria. *Antonie van Leeuwenhoek* 70: 331-345.
- Stiles, M.E., Holzapfel, W.H. 1997. Review article: Lactic acid bacteria of foods and their current taxonomy. *Int. J. Food Microbiol.*, 36: 1-29.
- Stiles, M.E. : “Less recognized or presumptive foodborne pathogenic bacteria”. in *Foodborne Bacterial Pathogens*. Marcel Dekker., New york, pp. 673-733, 1989.
- Swetwivatthana, A., Leutz, U., Lohtong, N. and Fischer, A.. 1999. Controlling the growth of *Salmonella anatum* in Nham. *Fleischforsch. Entwickl.*, 9: 124-128.
- Tagg, J.R., Dajani, A.S. and Wannamaker, L.W. 1976. Bacteriocins of gram-positive bacteria. *Bacteriol. Rev.*, 40: 722-756.
- Tagg, J.R. and McGiven, A.R. 1971. Assay system for bacteriocins. *Appl. Microbiol.*, 21: 943.
- Tahara, T., Oshimura, M., Umezawa, C. and Kanatani, K. 1996. Isolation, partial characterization, and mode of action of acidocin J1132, a two-component bacteriocin produce by *Lactobacillus acidophilus* JCM 1132. *Appl. Environ. Microbiol.*, 62: 892-897.
- Talarico, T.L., Casas, I.A., Chung, T.C. and Dobrogosz, W.J. 1988. Production and isolation of reuterin, a growth inhibitor produced by *Lactobacillus reuteri*. *Antimicrob. Agents Chemother.*, 32: 1854-1858.
- Thiravattanamontri, P., Tanasupawat, S., Noonpakdee, W., Valyasevi, R. 1998. Catalases of bacteria isolated from Thai fermented foods. *Food Biotechnol.*, 12: 221-238.
- Tilsala-Timisjärvi, A., Alatosava, T. 1997. Development of oligonucleotide primers from the 16S-23S rRNA intergenic sequence for identifying different dairy and probiotic lactic acid bacteria by PCR. *Int. J. Food Microbiol.*, 35: 49–56.
- Thomson, J.D., Higgins, D.G. and Gibson, T.J. 1994. Clustal W. Improving the sensitivity of progressive multiple sequence alignment through sequence

- weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acid Res.*, 22: 4673-46780.
- van Belkum, M.J., Hayema, B.J., Kok, J., Holo, H., Nes, I.F., Konings, W.N. and Abee, T. : "Lactococcal bacteriocins: genetics and mode of action". in *Bacteriocins, Microcins and Lantibiotics*. Springer-Verlag., Berlin, pp.59-69, 1992.
- van der Wal, F.J., Luirink, J. and Oudega, B. 1995. Bacteriocin release proteins: mode of action, structure, and biotechnical application, *FEMS Microbiol. Rev.*, 17: 381-399.
- Vaughan, E.E., Caplice, E., Looney, R., O'Rourke, N., Covrney, H. and Daly, C.G.F. 1994. Isolation from food sources, of lactic acid bacteria that produced antimicrobials. *J. Appl. Bacteriol.*, 76: 118-123.
- Venema, K. and Venema, G., Kok, J. 1995. Lactococcal bacteriocins: mode of action and immunity. *Trends Microbiol.*, 3: 299-304.
- Weiss, N. : "The genera *Pediococcus* and *Arococcus*". in *The Prokaryotes*, 2nd ed. Springer-Verlag., New York, pp.1502-1507, 1991.
- Weisburge, W.G., Burns, S.M., Pelletier, D.A. and Lane, D.J. 1991. 16S ribosomal DNA amplification for phylogenetic study. *J. Bacteriol.*, 173: 697-703.
- Williams, A.M., and Collins, M.D. 1992. Genus and species-specific oligonucleotide probes derived from 16S rRNA for the identification of vagococci. *Lett. Appl. Microbiol.*, 14: 17-21.
- Williams, A.M., Fryer, J.L. and Collins, M.D. 1990. *Lactococcus piscium* sp. nov. a new *Lactococcus* species from salmonid fish. *Lett. FEMS Microbiol.*, 68: 109-114.
- Williams, A.M., Rodrigues, U.M. and Collins, M.D. 1991. Intrageneric relationships of enterococci as determined by reverse transcriptase sequencing of small-subunit rRNA. *Res. Microbiol.*, 142: 67-74.
- Winkowski, K., Crandall, A.D. and Montville, T.J. 1993. Inhibition of *Listeria monocytogenes* by *Lactobacillus bavaricus* MN in beef systems at refrigeration temperature. *Appl. Environ.*, 59:2552-2557.

- Woolford, M.K. 1975. Microbiological screening of food preservatives, cold sterilants and specific antimicrobial agents as potential silage additives. *J. Sci. Food Agric.*, 26: 229-237.
- Wong, H.C. and Chen, Y.L. 1988. Effects of lactic acid bacteria and organic acids on growth and germination of *Bacillus cereus*. *Appl. Environ. Microbiol.*, 54: 2179-2184.
- Worobo, R.W., Van Belkum, M.J., Sailer, M., Roy, K.L., Vederas, J.C. and Stiles, M.E. 1995. A signal peptide secretion-dependent bacteriocin from *Carnobacterium divergens*. *J. Bacteriol.*, 177: 3143-3149.
- Yang, D. and Woese, C.R. 1989. Phylogenetic structure of the “*Leuconostocs*” : and interesting case of a rapidly evolving organism. *Syst. Appl. Microbiol.*, 12:145-149.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved