

REFERENCES

- Adler, S. R., Fosket, J. R., Kagawa-Singer, M., McGraw, S. A., Wong-Kim, E., Gold, E., et al. (2000). Conceptualizing menopause and midlife: Chinese American and Chinese women in the US [Electronic version]. *Maturitas*, 35(1), 11-23.
- Aekplakorn, W., Chaiyapong, Y., Neal, B., Chariyalertsak, S., Kuanusont, C., Phoolcharoen, W., et al. (2004). Prevalence and determinants of overweight and obesity in Thai adults: results of The Second National Health Examination Survey. *Journal of Medical Association of Thailand*, 87, 685-93.
- Alexandra, L. L., & LaRosa, J. H., & Bader, H., (2001). *New dimensions in women's health* (2nd.ed.). Boston: Jones and Bartlett.
- Amagai, T., Takahashi, Y., Matsushita, H., Morknoy, D., Sukasem, P., & Tabucanon, M. (1999). A survey on polycyclic aromatic hydrocarbon concentrations in soil in Chiang Mai, Thailand. *Environment International*, 25, 563-572.
- Ananthigo, P. (1998). *Prevalence and determinants of mental health problems among menopausal women in northern area of Thailand*. Bangkok: Department of Mental Health, Ministry of Public Health.
- Arpanantikul, M. (2002). *Midlife experience: Voice from the city women of Bangkok*. Unpublished doctoral dissertation, University of Washington, Seattle.

Arpanantikul, M. (2004). Midlife experiences of Thai women. *Journal of Advanced Nursing*, 47, 49-56.

Arpanantikul, M. (2006). Self-care processes experienced by Middle-aged Thai women. *Health care for Women International*, 27, 893-907.

Avert.org (2004). *The history of the AIDS Epidemic in Thailand*. Retrieved July 7, 2004, from <http://www.avert.org/aidsthai.html>.

Bangkokbank. (2004). *Health product and health services: another industry in which Thailand is competitive*. Retrieved December 2, 2004, from <http://www.bangkokbank.com>

Banister, E. M. (1999). Women's midlife experience of their changing bodies. *Qualitative Health Research*, 9(4), 520-537.

Baruch, G. H. (1984). The psychological well-being of women in the midlife years. In G. Baruch & J. Brooks-Gunn (Eds.), *Women in midlife* (pp. 161-180). New York: Plenum.

Berg, J. A. (1999). The perimenopausal transition of Filipino American midlife women: biopsychosociocultural dimensions. *Nursing Research*, 48(2), 71-77.

Bhavilai, P. B. (2006). *Karma for today's traveler*. Chiang Mai: Nuntapun.

Bhuripanyo, K, Leowathana, W., Ruangratangamporn, Mahanonda, N, Sriratanasathavorn, C. Chotinaiwattarakul, C. et al., (2000). Are routine check ups necessary?: The Shinawatra's employee study. *Journal of Medical Association of Thailand*, 83(suppl.2), 163-171.

Boonyoung, N. (2003). *Health-seeking behaviors of southern Thai middle-aged women by type of health insurance*. Unpublished doctoral dissertation, University of Washington, Seattle.

Boyd, C. O. (2000). Philosophical foundations of qualitative research. In P. L. Munhall & C. O. Boyd (Eds.), *Nursing research* (2nd ed., pp. 66-93). London: Jones and Bartlett.

Brooks-Gunn, J., & Kirsh, B. (1984). Life events and the boundaries of midlife for women. In B. Grace & B. Jeanne (Eds.), *Women in midlife* (pp. 11-30). New York: Plenum Press.

Burnard, P. & Naiyapatana, W. (2004). Culture and communication in Thai nursing: A report of an ethnographic study. *International Journal of Nursing Studies*, 755-765.

Calvaresi, E., & Bryan, J. (2003). Symptom experience in Australian men and women in midlife [Electronic version]. *Maturitas*, 44(3), 225-236.

Campbell, J. C., & Bunting, S. (1991). Voices and paradigms: Perspectives on critical and feminist theory in nursing. *Advances in Nursing Science*, 13, 1-15.

Carlson, S. L. (1999). An exploratory of complexity and generalivity as explanations of midlife women's graduate school experiences and reasons for pursuit of a graduate degree. *Journal of Women & Aging*, 11, 39-51.

Carolan, M. (2000). Menopause: Irish women's voices. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 29(4), 397-404.

Carstan, M. C. (2004). African American professional women as sandwich generation caregivers: A qualitative study. (Doctoral dissertation, University of La Verne, California, 2004). *Dissertation Abstract International*, 65, 3148.

Chaikittisilpa, S., Limpaphayom, K., Chompootweep, S., & Taechakraichana, N. (1997). Symptoms and problems of menopausal women in Klong Toey slum. *Journal of Medical Association of Thailand*, 80, 257-261.

Chareonsanti, J. & Tiansawad, S. (2006, February). *Symptoms, susceptibility to stress, and sources of stress among midlife professional women: A pilot study*. Paper presented at the Research and Knowledge Management Towards Best Practice in Nursing Seminar, Chiang Mai, Thailand.

Chiang Mai Office. (2004). *Strategic plans for integrated development for Chiang Mai 2004-2007*. Retrieved November 20, 2004, from <http://www.chiangmai.go.th>.

Chiang Mai Province Office (2004). *Chiang Mai Economic*. Retrieved March 6, 2004, from <http://www.chiangmai.go.th>.

Chiang Mai Province Office (2007). *Chiang Mai*. Retrieved December 10, 2007, from <http://www.chiangmai.go.th>

Chirawatkul, S., Patanasri, K., & Koochaiyasit, C. (2002). Perceptions about menopause and health practises among women in northeast Thailand. *Nursing and Health Sciences*, 4, 113-121.

Choowattanapakorn, T. (1999). The social situation in Thailand: The impact on elderly people. *International Journal of Nursing Practice*, 5, 95-99.

- Choi, B. C. K. (2005). An international comparison of women's occupational health issues in the Philippines, Thailand, Malaysia, Canada, Hong Kong and Singapore: the CIDA-SEAGEP study. *Occupational Medicine*, 55, 515-522.
- Chuengsatiansup, K. (1982). แนวคิดเรื่องเจ็บไข้ได้ป่วย [Concept of illness]. Bangkok: Design.
- Chumpirom, W., Taiyapirom, N., Parisunyakul, S., & Ratanawarang, K. (2004). *Stress and stress management of personal at the Faculty of Nursing Chiang Mai University*. Chiang Mai: Faculty of Nursing, Chiang Mai University.
- Daly, E. B. (1995). Health meanings of Saudi women. *Journal of Advanced Nursing*, 21, 853-857.
- Dane, B. (2000). Thai women: meditation as a way to cope with AIDS. *Journal of Religion and Health*, 39, 5-21.
- Dasa, P. (2001). *Exercise behaviors and perceived barriers to exercise among female faculty members in Chiang Mai University*. Unpublished master's thesis, Chiang Mai University, Chiang Mai, Thailand.
- Dennerstein, L., Dudley, E. C., & Guthrie (2003). Predictors of declining self-rated health during the transition to menopause, *Journal of Psychosomatic Research*, 147-153.
- Duffy, M. E., (1988). Determinant of health promotion in midlife women. *Nursing Research*, 37, 358-362.
- Dusitsin, N. (2003). *Country-specific information: Menopausal programme in Thailand*. Retrieved March 6, 2004, from <http://www.gfmer.ch>.

Fuller, T. D., Edwards, J. N., Sermsri, S., & Vorakitphokatorn, S. (1993). Gender and Health: some Asian evidence. *Journal of Health and Social Behavior*, 34, 252-271.

Glazer, G., Zeller, R., Delumba, L., Kalinyak, C., Hobfoll, S., Winchell, J., et al. (2002). The Ohio midlife women's study. *Health Care for Women International*, 23, 612-630.

Guthrie, J. R., Dennerstein, L., Taffe, J. R., Ebeling, P. R., Randolph, J. F., Burger, H. G., et al. (2003). Central abdominal fat and endogenous hormone during the menopausal transition. *Fertility and Sterility*, 76(6), 1335-1340.

Hall, J. M., & Stevens, P. E. (1991). Rigor in feminist research. *Advances in Nursing Science*, 13, 16-29.

Harding, S. (1987). Introduction: is there a feminist method? In S. Harding (Ed.), *Feminism and methodology* (pp. 1-13). Bloomington: Open University.

Harding, S. (1999). The instability of the analytical categories of feminist theory. In

E. C. Polofroni & M. Welch (Eds.), *Perspectives on philosophy of science in nursing: an historical and contemporary anthology* (pp. 396-410). Philadelphia:

Lippincott.

Higgins, P. G. & Learn, C. D. (1999). Health practices of adult Hispanic women.

Journal of Advanced Nursing, 29(5), 1105-1112.

- Ho, S. C., Chan, S. G., Yip, Y. B., Chan, S. Y., Sham, A. (2003). Factors associated with menopausal symptoms reporting in Chinese midlife women [Electronic version]. *Maturitas*, 44, 149-156.
- Ho, S. C., Chan, S. G., Yip, Y. B., Cheng, A., Yi, Q., & Chan, C. (1999). Menopausal symptoms and symptom clustering in Chinese women [Electronic version]. *Maturitas*, 33(3), 219-227.
- Howell, L. C. (2003). *Implications of personal values in women's midlife development*. *Counseling & Values*, 54. Retrieved April 11, 2003, from <http://rdsweb2.rdsinc.com/texis/rds/>.
- Hunter, M. S. & O'Dea, I. (1999). Perception of future health risks in mid-aged women: estimates with and without behavioral changes and hormonal replacement therapy [Electronic version]. *Maturitas*, 33, 37-43.
- Huffman, S. B. Myers, J. E., Tingle, L. R., & Bond, L. A. (2005). Menopause symptoms and attitudes of African American women: Closing the knowledge gap and expanding opportunities for counseling. *Journal of Counseling and Development*, 83, 48-56.
- Hwu, Y-J., Coates, V. E., Boore, J. R. P. (2001). The evolving concept of health in nursing research: 1988-1998. *Patient Education and Counseling*, 42, 105-114.
- Ibrahim, S. A., Scott, F. E., Cole, D. C., Shannon, H. S., & Eyles, J. (2001). Job strain and self-reported health among working women and men: An analysis of the

1994/5 Canadian national Population Health Survey. *Women & Health*, 33(1-2), 105-124.

Im, E.-O., (2000). A feminist critique of research on women's work and health. *Health Care for Women International*, 21, 105-119.

Im, E.-O., & Meleis, A. I. (2001). Women's work and symptoms during midlife: Korean immigrant women. In A. I. Meleis (Ed.), *Women's work, health and quality of life* (pp. 83-103). New York: The Haworth Medical.

Jamjan, L. & Jerayingmongkol, P. (2002). Self-image of people in their fifties. *Nursing and Health Sciences*, 4(suppl. A), 4.

Kamsan, J. (2001). *Adaptation of female teachers during perimenopausal period*. Unpublished master's thesis, Chiang Mai University, Thailand.

Kenney, J. W. (1992). The consumer's views of health. *Journal of Advanced Nursing*, 17, 829-834.

Kenney, J. W., (2000). Women's 'inner balance': A comparison of stressors, personality traits and health problems by age groups. *Journal of Advanced Nursing*, 31(3), 639-650.

Kenney, J. W. & Bhattacharjee, A. (2000). Interactive model of women's stressors, personality traits and health problems. *Journal of Advanced Nursing*, 32(1), 249 - 258.

- Klohn, E. C., Vandewater, E. A., & Young, A. (1996). Negotiating the middle years: ego-resiliency and successful midlife adjustment in women. *Psychology and Aging, 11*(3), 431-442.
- Kraipornsak, P. (2001). *Women's health and development :Country profile, Thailand*. Retrieved February 9, 2004, from <http://www.journ.freeseve.co.th>
- Kuh, D., Hardy, R., Rodgers, B., & Wadsworth, M. E. J. (2002). Lifetime risk factors for women's psychological distress in midlife. *Social Science & Medicine, 55*, 1957-1973.
- Lachman, M. E. (2004). Development in midlife. *The Annual Review of Psychology, 55*, 305-311.
- Laffrey, S. C. (1986). Development of a health conception scale. *Research in Nursing & Health, 9*, 107-113.
- Lamchang, S. Chontawan, R. Suklertrakul, T., & Kunaviktikul, W. (2003). *Health status and health promoting behaviors among academic staff of health science faculties in Chiang Mai University*. Unpublished research report, Chiang Mai University, Chiang Mai, Thailand.
- Larson, J. S. (1991). *The measurement of health: concepts and indicators*. New York: Greenwood.
- Lee, L. (2002). A preliminary study on the concept of health among the Chinese, *Counselling Psychology Quarterly, 15*, 179-189.

- Li, C., Wilawan, K., Samsioe, G., Lidfeldt, J., Agardh, C-D., & Nerbrand, C. (2002). Health profile of middle-aged women: The women's health in the Lund Area (WHILA) study. *Human Reproduction, 17*(5), 1379-1385.
- Lincoln, Y. S., & Guba, E. G. (1985). *Naturalistic inquiry*. Beverly Hills: Sage.
- Lippert, L. (1997). Women at midlife: Implications for theories of women's adult development. *Journal of Counseling & Development, 76*, 16-22.
- Lundberg, P. C. (1999). Meaning and practices of health among married Thai immigrant women in Sweden. *Journal of Transcultural Nursing, 10*(1), 31-36.
- Maharaj Nakorn Chiang Mai Hospital. (2006). *Annual Report*. Chiang Mai: Copy document.
- Marks, N. F., Bumpass, L. L., & Jun, H. J. (2001). *Family roles and well-being during the middle life course*. (Rep. No. 2001-13). Madison: University of Wisconsin-Medison, Center for Demography and Ecology.
- Martire, L. M., Stephens, M. A., & Townsend, A. L., (1998). Emotional support and well-being of midlife women: role –specific mastery as a mediational mechanism. *Psychological Aging, 33*, 396-404.
- Mitchell, E. S. & Woods, N. F. (1996). Symptom experiences of midlife women: observations from the Seattle Midlife Women's Health Study [Electronic version]. *Maturitas, 25*(1), 1-10.
- Morrison, L. (2004). Traditions in transition: young people's risk for HIV in Chiang Mai, Thailand. *Qualitative Health Research, 14*(3), 328-344.

- Morse, J. M. (1992). *Qualitative health research*. Newbury Park: SAGE.
- Morse, J. M., & Field, P. A. (1996). *Nursing research: the application of qualitative approaches* (2nd ed.). London: Chapman & Hall.
- Morse, J. M., & Richards, L. (2002). *Read me first for a user's guide to qualitative methods*. Thousand Oaks: Sage.
- Muecke, M. (1994). Worries and worriers in Thailand. *Health Care for Women International*, 15, 503-519.
- Muecke, M. (2001). Women's work: Volunteer AIDS care giving in northern Thailand. *Women & Health*, 33(1/2), 21-37.
- Munin, V. (1998). *Relationship between self-esteem, social support, and self-care behaviors of climacteric teachers in secondary school Muang Chiang Mai District*. Unpublished master's thesis, Chiang Mai University, Chiang Mai, Thailand.
- Muntaner, C. Sorlie, P., O' Campo, P., Johnson, N., & Backlund, E. (2001). Occupational hierarchy, economic sector, and mortality from cardiovascular disease among men and women: Finding from the National Longitudinal Mortality Study. *Advance Epidemiology*, 11(3), 194-201.
- Nakachi, K., Limtrakul, P., Sonklin, P., Sonklin, O., Jarern, C. T., Lipigorngoson, S., et al. (1999). Risk factors for lung cancer among Northern Thai women: Epidemiological, nutritional, serological, and bacteriological surveys of residents in high- and low-incidence areas. *Japanese Journal of Cancer Research*, 90, 1187-1195.

Nateetanasombat, K., Fongkaew, W., Sripichyakan, K., & Sethabouppha, H. (2004).
The lived experience of retired women. *Thai Journal of Nursing Research*, 8(2),
111-125.

National Economic and Social Development Board (2003). *The 9th National
Economic and Social Development Plan*. Retrieved October 3, 2003, from
<http://www.thailandoutlook.com>

National Statistic Office (2003). *Key statistics of Thailand 2003*. Bangkok: Statistical
Forecasting Bureau.

Nationmaster. (2004). *Encyclopedia: Chiang Mai Province*. Retrieved February 16,
2004, from <http://www.nationmaster.com>

Nolan, J. W. (1986). Developmental concerns and the health of midlife women.
Nursing Clinics of North America, 21(1), 151-159.

Office of the Civil Service Commission. (2007). *Policy and strategies*. Retrieved
December 10, 2007, from
<http://www.ocsc.go.th/ocscems/frontweb/view.jsp?categoryID=CAT0000013>

Office of the National Economic and Social Development Board. (2004). *Thailand in
brief 2004*. Bangkok: Petchrung.

Ofstedal, M. B., Reidy, E., & Knodel, J. (2003). *Gender differences in economic
support and well-being of older Asians* (Rep. No. 03-540). Ann Arbor:
University of Michigan, Population Studies Center.

- Oleson, V. L. (2000). Feminisms and qualitative research at and into the millennium. In N. K. Denzin & Y. S. Lincoln (Eds.), *Handbook of qualitative research* (2nd ed., pp. 215-255). Thousand Oaks: Sage.
- Paribatra, S. M. R. (2003). Some Reflections on Thai Monarchy. *Southeast Asian Affairs*, 291-309.
- Parisunyakul, S., Yimyam, S., Baosoung, C., & Sansiriphun, N. (2000). Health promotion service system for midlife women [Abstract]. *Chiang Mai University Research Abstracts*. Planning Division, Chiang Mai University, Chiang Mai, Thailand.
- Pavalko, E. & Gong, F. (2003). *Work and family issues for midlife women and their families* (Rep. No. R01-AG11564). Indiana: Indiana University, Department of Sociology.
- Phananiramai, M. (1997). Population Changes and Economic Development in Thailand: Their Implications on Women's Status. *TDRI Quarterly Review*, 12(3), 15-26.
- Pincharoen, S. & Congdon, J. C. (2003). Spirituality and health in older Thai persons in the United States. *Western Journal of Nursing Research*, 25(1), 93-108.
- P. A Payutto, (2003). สุขภาวะองค์รวมแนวพุทธ [Holistic health in Buddhism]. Bangkok: Sahadham.
- Police, C. P. (2004). *Statistic*, Retrieved February 16, 2004, from <http://www.cm.police.go.th>

PolitInfo.com United States (2003). *Country Profile: Thailand*. Retrieved February 16, 2004, from <http://www.politinfo.com>

Pope, S. K., Sowers, M. F., Welch, G. W., & Albrecht, G. (2001). Functional limitations in women at midlife: the role of health conditions, behavioral and environmental factors. *Women Health Issues, 11*(6), 494-502.

Punyahotra, S., Dennerstein, L., & Lehert, P. (1997). Menopausal experiences of Thai women. Part 1: Symptoms and their correlates [Electronic version]. *Maturitas, 26*, 1-7.

Punyahotra, S. & Street, A. (1998). Exploring the discursive construction of menopause for Thai women. *Nursing Inquiry, 5*, 96-103.

Ramaswami, S. & Sheikh, A. A. (1989). Buddhist psychology: Implications for healing. In A. A. Sheikh & K. S. Sheikh (eds.). *Healing East & West* (p. 91-123). New York: John Wiley & Sons.

Richards, M., Kuh, D., Hardy, R., & Wadsworth, M. (1999). Lifetime cognitive function and timing of the natural menopause. *Neurology, 53*(2), 308-314.

Richter, K. (1992). Role strain, deprivation and conflict. In B. Yoddumnern-Attig, K. Richter, A. Soonthornhdhada, C. Sethaput, & A. Pramualratana, *Changing roles and statuses of women in Thailand; a documentary assessment* (p.98-104).

Nakhonpathom: The Institute for Population and Social Research.

Reinharz, S., (1992). *Feminist methods in social research*. New York: Oxford university press.

Ritzer, G. (1992). *Sociological theory* (3rd ed). Singapore: McGraw-Hill.

Rook, K. Dooley, D. & Catalano P., (1991). Stress transmission: the effects of husbands' job stressor on the emotional health of their wives. *Journal of Marriage and the Family*, 53, 165-177.

Rosenbaum, J. N. (1991). The health meanings and practices of older Greek-Canadian widows. *Journal of Advanced Nursing*, 16, 1320-1327.

Rousseau, M. E. (1998). Women's midlife health: Reframing menopause. *Journal of Nursing-Midwifery*, 43(3), 208-223.

Sampselle, C. M. Harris, V. Harlow, S. D. Sower, M. (2002). Midlife development and menopause in African and Caucasian women. *Health care for Women International*, 23, 351-363.

Seibold, C., Richards, L., & Simon, D. (1994). Feminist method and qualitative research about midlife. *Journal of Advanced Nursing*, 19, 394-402.

Sennott-Miller, L. (1995). Older women in Latin America: the health and socioeconomic situation of this important subgroup. *Health Care Women International*, 16(5), 413-424.

Sermisri, S., Pummanpuen, S., & Pany-Ngam, P-K. (2005). Gender differences in seeking health care of the poor in rural Thailand. *Journal of Public and Development*, 3, 85-93.

- Shields, V. R., & Dervin, B. (1993). Sense-making in feminist social science research: a call to enlarge the methodological options of feminist studies. *Women's Studies International Forum*, 16, 65-81.
- Shin, K. R. (2002). Using hermeneutic phenomenology to elicit a sense of body at mid-life. *International Journal of Qualitative Methods*, 1(2), Retrieved October 31, 2004, from <http://www.ualberta.ca/ijqm>.
- Sivaraksa, S. (2004). *Health for the poor: In quest of reform of health for the poor*. Retrieved February 2, 2004, from <http://www.sulak-sivaraksa.org/project-17.php>
- Skeggs, B. (2001). Feminist ethnography. In P. Atkinson, A. Coffey, S. Delamont, J. Lofland, & L. Lofland (Eds.), *Handbook of ethnography* (pp. 426-442). London: Sage.
- Skidmore, M. (2002). Menstrual madness: Women's health and well-being in urban Burma. *Women & Health*, 35(4), 81-99.
- Smith, J. A. (1981). The idea of health: A philosophical inquiry. *Advanced in Nursing Science*, 3(3), 43-50.
- Sobieszczyk, T., Knodel, J., & Chayovan, N. (2003). Gender and wellbeing among older people: evidence from Thailand. *Aging & Society*, 23, 701-735.

Soonthorndhada, A. (1992). Domestic role behavior, expectations and adaptations: past to present. In B. Yoddumnern-Attig, K. Richter, A. Soonthorndhada, C. Sethaput, & A. Pramualratana, *Changing roles and statuses of women in Thailand; a documentary assessment* (p.65-69). Nakhonpathom: The Institute for Population and Social Research.

Soonthornpun, K. (2000). The relationship between hot flush and menstrual status in climacteric Thai women. *Songkla Medical Journal*, 19, 121-127.

Speziale, H. J. S., & Carpenter, D. R. (2007). *Qualitative research in nursing: Advancing the humanistic imperative* (4th ed.). Philadelphia: Lippincott Williams & Wilkins.

Springer, J. F. & Gable, R. W. (1981). Modernization and sex roles: the status of women in the Thai bureaucracy. *Sex Roles*, 7(7), 723-737.

Sriaka, J. (2000). *Perceived barriers to exercise and exercise behavior among nurses*. Unpublished master's thesis, Chiang Mai University, Thailand.

Suriyasarn, B. (1993). *Role and status of Thai women: From past to present*.

Retrieved February 2, 2004, from

<http://www.busakorn.addr.com/women/women-all>

Suwatana, P., Meekhangvan, J., Tamrongterakul, T., Tanapat, Y., Asavarait, S., & Boonjitpimon, P. (1991). Menopausal symptoms among Thai women in

Bangkok. *Maturitas*, 13, 217-228.

Thanawut, W. (2004). *หัวใจใหม่-ชีวิตใหม่* [New heart-new life]. Chiang Rai: Pitisuksa.

- Tonguthai, P., Thomson, S., & Bhongsug, M. (1998). Women and development in Thailand. In P. Schoeffel & K. Kirk (Eds.). *Country briefing paper: women in Thailand* (pp. 3-12). Bangkok: Countesy of Gender and Development Institute.
- Tonmulkayakul, O., Chanprasit, C., Tiansawad, S., & Fongkaew, W. (2000). *A study of folk and popular health care system for promoting health among middle-aged women in Lanna society*. Bangkok: Health System Research Institute, Ministry of Public Health.
- Tourism Authority of Thailand (2004). *Target of tourism in Thailand 1995-2004*. Retrieved July 8, 2004, from http://www2tat.or.th/stat/web/static_index.php.
- Tumsap, M. (2001). *Health promotion behavior of teachers attached to the General Education Department, Chiang Mai Province*. Unpublished master's thesis, Chiang Mai University, Chiang Mai, Thailand.
- Tyson, P. O. & Pongruengphant, R. (2004). Five-year follow-up study of stress among nurses in public and private hospital in Thailand. *International Journal of Nursing Studies*, 41, 247-254.
- Unescap. (2001). *Chiang Mai*. Retrieved February 17, 2004, from <http://www.unescap.org>
- United Nation. (2005). *Civil service system in the Asean Region: A comparative perspective*. Retrieved January 21, 2005, from <http://www.unpan.org/unpan016238.pdf>.
- Vanlandingham, M., Knodel, J., Saengtienchai, C., & Pramualratana, A. (1998). In the company of friends: Peer influence on Thai male extramarital sex. *Social Sciences & Medicine*, 47, 1993-2011.

Verbrugge, L. M. (1983). Multiple roles and physical health of women and men.

Journal of Health and Social Behavior, 24(1), 16-30.

Verhoevan, C. Maes, S., Kraau, V., & Joekes, K. (2003). The job demand-control-social support model and wellness/health outcomes: A European study.

Psychology and health, 18, 421-440.

Villarruel, A. M. Harlow, S. D., Lopez, M., & Sowers, M. F., (2002). El cambio de vida: conceptualizations of menopause and midlife among urban Latina women,

Research and Theory for Nursing Practice, 16, 91-102.

Waughfield, C. G. (1998). *Mental health concepts* (4th ed.). Albany: Delmar.

Whitbourne, S. K. (2001). *Adult development & aging: Biopsychosocial perspectives*.

New York: John Wiley & Sons.

Whiteman, M. K., Staropoli, C. A., Benedict, J. C., Borgeest, C., & Flaws, J. A.

(2003). Risk factors for hot flashes in midlife women. *Journal of Womens*

Health, 12(5), 459-472.

Wibulpolprasert, S. (2002). *Thai health profile 1999-2000*. Bangkok: Bureau of Policy and Strategy, Ministry of Public Health.

Wibulpolprasert, S. (2005). *Thai health profile 2000-2004*. Bangkok: Bureau of Policy

and Strategy, Ministry of Public Health.

Woods, N. F., Laffrey, S., Duffy, M., Lentz, M., Mitchell, E. S., Taylor, D., et al.,

(1988). Being healthy: Women's images. *Advances in Nursing Science*, 11(1),

36-46.

Woods, N. F., Mariella, A., & Mitchell, E. S. (2002). Pattern of depressed mood across the menopausal transition: Approaches to studying patterns in longitudinal data. *Acta Obstetrica et Gynecologica Scandinavica*, 81(7), 623-632.

Woods, N. F. & Mitchell, E. S. (1997). Women's images of midlife: Observations from the Seattle Midlife Women's Health Study. *Health Care Women International*, 18, 439-453.

Worldfacts (2004). *Chiang Mai*. Retrieved February 17, 2004, from <http://www.worldfacts.us/Thailand-chiang-Mai>

Wyn, B. & Solis, B. (2001). Women's health issues across the lifespan. *Women's Health Issues*, 11, 148-159.

Yoddumnern-Attig, B. (1992). Thai family structure and organization: changing roles and duties in historical perspective. In B. Yoddumnern-Attig, K. Richer, A. Soonthorndhada, C. Sethaput, & A. Pramualratana (Eds.), *Changing roles and statuses of women in Thailand* (p. 8-24). Bangkok: The institute for population and social research, Mahidol University.