

## TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	iii
ABSTRACT (IN ENGLISH)	v
ABSTRACT (IN THAI)	ix
LIST OF TABLES	xviii
LIST OF FIGURES	xx
ABBREVIATIONS	xxvii
CHAPTER I INTRODUCTION	1
1. PROBLEMS AND RESEARCH RATIONALE	1
2. LITERATURE REVIEW	4
2.1 General consideration and medical importance of <i>Chrysomya megacephala</i>	4
2.2 General reproductive system of insects	8
2.2.1 Male reproductive system	8
2.2.2 Female reproductive system	10
2.3 Previous studies involving the morphology of the reproductive organs of insects	12
2.3.1 Male reproductive system	12
2.3.2 Female reproductive system	17

2.3.3 External reproductive organs	23
2.4 Morphological changes of the reproductive organs of insects exposed to substances	24
2.5 Endocrine control of the reproductive system of male and female dipterans	27
2.6 Ovulation, fertilization and oviposition of insects	30
2.7 Human estrogen hormone	31
2.8 Studies involving effects of human steroid hormones on insects	32
3. PURPOSE OF THIS STUDY	34
4. SIGNIFICANCE OF THE RESEARCH	35
CHAPTER II MATERIALS AND METHODS	36
1. Rearing of <i>Chrysomya megacephala</i> in the laboratory	36
2. Light microscopic study and measurements of the reproductive organs of <i>Chrysomya megacephala</i>	37
2.1 Male reproductive organs	37
2.1.1 Testes	37
2.1.2 Male accessory glands, vas deferens and ejaculatory duct	39
2.2 Female reproductive organs (ovaries, ovarioles, female accessory glands and spermathecae)	40
3. SEM investigation of the reproductive system of <i>Chrysomya megacephala</i>	40

4. TEM investigation of the reproductive system of <i>Chrysomya megacephala</i>	41
5. Effect of human contraceptive on adult males and females <i>Chrysomya megacephala</i>	43
5.1 Preparation of chemicals	43
5.2 Experiment I: Effect of human contraceptive fed to male <i>C. megacephala</i>	44
5.3 Experiment II: Effect of human contraceptive fed to female <i>C. megacephala</i>	46
5.4 Experiment III: Effect of human contraceptive fed to male and female <i>C. megacephala</i>	47
6. STATISTICAL ANALYSIS	52
CHAPTER III RESULTS	53
1. Male reproductive organs of <i>Chrysomya megacephala</i>	53
1.1 Testis	55
1.2 Male accessory glands	64
1.3 Vas deferent and ejaculatory duct	71
2. Female reproductive organs of <i>Chrysomya megacephala</i>	81
2.1 Ovary and ovariole	83
2.1.1 Ovarian morphology	83
2.1.2 Changes in the ovariole during egg development	88

2.1.3 Development of the follicular epithelium in *C.**megacephala* 95

2.2 Female accessory glands 99

2.3 Spermathecae 107

2.4 Genital chamber 110

3. The external genitalia: male and female of *Chrysomya megacephala* 1204. Efficacy of the human contraceptive on the male and female reproductive system of *Chrysomya megacephala* 1284.1 Effect of human contraceptive fed to male *C. megacephala* (Experiment I) 1284.2 Effect of human contraceptive fed to female *C. megacephala* (Experiment II) 1334.3 Effect of human contraceptive fed to male and female *C. megacephala* (Experiment III) 1384.4 Morphological changes in internal reproductive organs of *C. megacephala* treated male and female with 0.072 mg/ml HC, using SEM 1434.5 Cellular changes in the testes and ovarioles of *C. megacephala* treated male and female with 0.072 mg/ml HC, using TEM 146

4.5.1 Cellular changes in the testis and ovariole of the parental flies 146


4.5.2	Cellular changes in the testis and ovariole of the first generation	149
4.5.3	Cellular changes in the testis and ovariole of the second generation	152
4.5.4	Cellular changes in the testis and ovariole of the third generation	155
CHAPTER IV DISCUSSION		158
CHAPTER V CONCLUSION		188
REFERENCES		195
CURRICULUM VITAE		216

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
 Copyright© by Chiang Mai University  
 All rights reserved

## LIST OF TABLES

Table		Page
1	Conditions for treatment of adult <i>C. megacephala</i> in Experiment I: the effect of feeding human contraceptive to male flies only	46
2	Conditions for treatment of adult <i>C. megacephala</i> in Experiment II: the effect of feeding human contraceptive to female flies only II	47
3	Conditions for treatment of adult <i>C. megacephala</i> in Experiment III: the effect of feeding human contraceptive to both female and male flies	48
4	Number of ovarioles in untreated female <i>C. megacephala</i> after crossing with male treated with human contraceptive	131
5	Percentage of total females in each ovarian stage for each treatment of the parental flies, first, second and third generations when males were treated with human contraceptive	132
6	Number of ovarioles in female <i>C. megacephala</i> treated with human contraceptive after crossing with untreated male	135
7	Percentage of total females in each ovarian stage for each treatment of parental flies, first, second and third generations after females were treated with human contraceptive	137

- 8     Number of ovarioles in female *C. megacephala* treated with human  
contraceptive after crossing with males treated with human  
contraceptive 140
- 9     Percentage of total females in each ovarian stage for each treatment  
of the parental flies, first, second and third generations after males  
and females were treated with human contraceptive 142



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright© by Chiang Mai University  
All rights reserved

## LIST OF FIGURES

Figure		Page
1	General diagrammatic structure of the male reproductive organs	10
2	General diagrammatic structure of the female reproductive organs	12
3	Naturally occurring molecules with juvenile hormone (JH) activity	28
4	Structure of 20-dihydroxyecdysone	29
5	Structure of human estradiol	32
6	Illustration of a testis of <i>C. megacephala</i> showing where daily measurements were made along the long axis and the widest point of each testis	39
7	Diagram of Experiment I of efficacy of human contraceptive on male <i>C. megacephala</i>	49
8	Diagram of Experiment II of efficacy of human contraceptive on female <i>C. megacephala</i>	50
9	Diagram of Experiment III of efficacy of human contraceptive on male and female <i>C. megacephala</i>	51
10	Whole internal reproductive tract in male <i>C. megacephala</i>	54
11	The illustrated of change the shape of the testes of <i>C. megacephala</i> from just after emergence (day 0) until 29 days old	56



12	Median length (A) and width (B) of the testes of <i>C. megacephala</i> from just after emergence (day 0) until 29 days old illustrating the change in both length and width of the testes throughout the male fly lifetime	57
13	Light microscopy shows the progressive color change of the testes of <i>C. megacephala</i> just after emergence (day 0) until flies were 29 days old	58
14	Scanning electron micrographs of internal male reproductive system <i>C. megacephala</i>	60
15	TEM micrographs of the testis of a 3 day-old of <i>C. megacephala</i> showing the strata forming the testis wall	61
16	Transmission electron micrographs of the testes of 3 old-day male adult <i>C. megacephala</i> .	62
17	Median length (A) and width (B) of the male accessory glands of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old illustrating the change in both length and width of the glands	65
18	SEM micrographs of the accessory glands of male <i>C. megacephala</i>	66
19	TEM micrographs of accessory gland composition dissected from 3-day-old male <i>C. megacephala</i>	69
20	TEM micrographs of accessory glands dissected from 3-day-old male <i>C. megacephala</i>	70

21	Median length (A) and width (B) of the vas deferens of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old illustrating the change in both length and width of the ducts	72
22	Median length (A) and width (B) of the ejaculatory duct of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old illustrating the change in both length and width of the ducts	73
23	TEM micrographs of vas deferens of <i>C. megacephala</i>	76
24	TEM micrographs of vas deferens of <i>C. megacephala</i>	77
25	Electron micrographs of the ejaculatory duct of <i>C. megacephala</i>	79
26	Micrographs of internal reproductive organs of female <i>C. megacephala</i>	82
27	Light micrograph of internal reproductive organs of female <i>C. megacephala</i> .	85
28	Median (+/- range) length (A) and width (B) of the ovaries of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old illustrating the change in both length and width of the ovaries	86
29	SEM micrographs of the ovaries of 3-day-old <i>C. megacephala</i>	87
30	Light microscope images showing the development of the ovarioles of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old and illustrating the successive ovarian stages	91
31	Light micrographs of a fully developed egg from a 10-day-old <i>C. megacephala</i>	93

32	Median (+/- range) length (A) and width (B) of the ovarioles of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old illustrating the change in the ovarioles	94
33	TEM micrographs of ovarioles of 3-day-old <i>C. megacephala</i>	96
34	TEM micrographs of ovarioles of 7 day-old <i>C. megacephala</i>	98
35	Median length (A) and width (B) of the female accessory glands of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old illustrating the change in both length and width of the glands	100
36	SEM micrograph of female accessory glands of <i>C. megacephala</i>	101
37	TEM micrographs of the epithelial cells of female accessory glands of 3 day-old <i>C. megacephala</i>	104
38	TEM micrographs of female accessory glands of 3 day-old <i>C. megacephala</i> . The first and second stage of development of the accessory gland cells	105
39	TEM micrographs of female accessory glands of 3 day-old <i>C. megacephala</i> . The third stage of development of the accessory gland cells	106
40	SEM micrograph of the spermathecae of <i>C. megacephala</i>	107
41	TEM micrographs of spermathecae of 3 day-old <i>C. megacephala</i>	109
42	Median length (A) and width (B) (+/- maximum and minimum values) of the genital chamber of <i>C. megacephala</i> from just after emergence (day 0) until 9 days old illustrating the change in both length and width of the genital chamber during maturation	111

43	Micrographs of the genital chamber of <i>C. megacephala</i>	113
44	TEM micrographs of the tubular genital chamber of a 3 day-old <i>C. megacephala</i> . Transverse section showing the first-layer	115
45	TEM micrographs of the tubular genital chamber of a 3 day-old <i>C. megacephala</i> . Transverse section showing the second-layer	116
46	TEM micrographs of the tubular genital chamber of a 3 day-old <i>C. megacephala</i> . Transverse section of the genital chamber showing the fourth-layer consisting of multi-layer cells	118
47	TEM micrographs of the tubular genital chamber of a 3day-old <i>C. megacephala</i> . Transverse section of the genital chamber showing the fifth layer consisting of columnar cells	119
48	SEM micrograph of the male genitalia of <i>C. megacephala</i>	122
49	SEM micrograph of the aedeagus of male <i>C. megacephala</i>	123
50	SEM micrograph of the female genitalia of <i>C. megacephala</i>	125
51	SEM micrograph of the sensilla found on the cercus of the female genitalia of <i>C. megacephala</i>	126
52	SEM micrograph of the sensilla found on the cercus of the female genitalia of <i>C. megacephala</i>	127
53	The number of gravid female <i>C. megacephala</i> out of the ten dissected and observed at 7 days after emergence in each treatment group for four generations (Experiment I)	130

54	The number of gravid female <i>C. megacephala</i> out of the ten dissected and observed at 7 days after emergence in each treatment group (Experiment II)	134
55	The number of gravid female <i>C. megacephala</i> out of the ten dissected and observed at 7 days after emergence in each treatment group (Experiment III)	139
56	SEM micrographs of the internal male reproductive organs of <i>C. megacephala</i> during a study examining the effect of human contraceptive on the morphology of the reproductive system	144
57	SEM micrographs of ovarioles of female <i>C. megacephala</i> during a study examining the effect of human contraceptive on the reproductive system morphology	145
58	TEM micrographs of the testes of parental male <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	147
59	TEM micrographs of the ovariole of parental female <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	148
60	TEM micrographs of the testes of first generation male <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	150

61	TEM micrographs of ovarioles of the first generation <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	151
62	TEM micrographs of the testes from second generation of male <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	153
63	TEM micrographs of ovarioles of the second generation of female <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	154
64	TEM micrographs of the testes of the third generation <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	156
65	TEM micrographs of ovarioles from the third generation female <i>C. megacephala</i> in a study examining the effect of human contraceptive on the morphology of the reproductive system	157

## ABBREVIATIONS



cm	centimeter
cm <sup>3</sup>	square centimeter
°C	degree Celsius
et al	et alibi
g	gram
hr	hour
HC	human contraceptive: Microgest® Thailand
kV	kilovolt
L	liter
<	less than
>	more than
min	minute
mm	millimeter
mg	milligram
ml	milliliter
μm	micrometer
n	number examined
ng	nanogram
%	percentage
pH	potential of hydrogen
w/v	weight by volume

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved