TABLE OF CONTENTS

| | PAGE |
|----------------------------------|------|
| ACKNOWLEDGEMENT | iii |
| ABSSTRACT (IN ENGLISH) | iv |
| ABSSTRACT (IN THAI) | vii |
| LIST OF TABLES | x |
| LIST OF FIGURES | xi |
| CHAPTER I INTRODUCTION | 1 |
| LITERATURE REVIEW | 5 |
| CHAPTER II MATERIALS AND METHODS | 25 |
| CHAPTER III RESULTS | 34 |
| CHAPTER IV DISCUSSION | 50 |
| REFERENCES | 63 |
| CURRICULUM VITAE | 88 |

ลิขสิทธิมหาวิทยาลัยเชียงใหม Copyright[©] by Chiang Mai University All rights reserved

LIST OF TABLES

| TABLE | | PAGE |
|-------|---|------|
| | | |
| /1 | Time domain parameters | 10 |
| 2 | Frequency domain parameters | 13 |
| 3 | Composition of experiment diets | 27 |
| 54 | Effects of curcuminoids administration on body weight, | 36 |
| | energy intake, and visceral fat in high-fat diet induced obese rats | |
| 5 | Effects of curcuminoids admistration on fasting plasma | 39 |
| | parameters and HOMA index in high-fat diet induced obese rats | |
| 6 | Effect of curcuminoids administration on tissues-triglyceride | 43 |
| | concentrations in high-fat diet induced obese rats | |
| 7 | Heart rate variability (HRV) indexes at baseline | 47 |
| 8 | Effect of curcuminoids administration on heart rate variability | 48 |
| | (HRV) indexes in high-fat diet induced obese rats | |
| 9 | Correlation between heart rate variability (HRV) and visceral fat | 49 |
| | and plasma parameters in rats consumed normal diets or high-fat | |
| | diets for 12 weeks | |

LIST OF FIGURES

| FIGURE | PAGE |
|---|------|
| 1 A stemless rhizomatous of <i>Curcuma longa</i> Linn and powder | 19 |
| 2 Chemical structures of curcuminoids | 21 |
| 3 Correlation between visceral fat and plasma free fatty acid concentrations in rats received normal diet or high-fat diet for 12 | 40 |
| weeks | |

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved