

REFERENCES

1. Abderhalden, E., Fromme, G., Hirsch, P., and Von, D.B. (1913). γ -Aminobuttersaure aus d-glutaminsa ure unter dem einflu von mikroorganismen. *J. Physiol. Chem.* 82, 131-135.
2. Ackermann, D. U., Wege, G. A., and Aporrhegma, Z. (1910). Ein Fäulnisversuch mit lysinfreiem Eiweiß. Zeitschrift für, *Physiologische Chemie*. 64, 91-94.
3. Ahsan, N., Lee, S.H., Lee, D.G., Lee, H., Lee, S.W., Bahk, J.D., and Lee, B.H. (2007). Physiological and protein profiles alternation of germinating rice seedlings exposed to acute cadmium toxicity. *C. R. Biologies*. 330, 735-746.
4. Akama, K., Akihiro, T., Kitagawa, M., and Takaiwa, F. (2001). Rice (*Oryza sativa*) contains a novel isoform of glutamate decarboxylase that lacks an authentic calmodulin-binding domain at the C-terminus. *Biochem. Biophys. Acta*. 1522, 143-150.
5. Akama, K., and Takaiwa, F. (2007). C-terminal extension of rice glutamate decarboxylase (OsGAD2) functions as an autoinhibitory domain and overexpression of a truncated mutant results in the accumulation of extremely high levels of GABA in plant cells. *J. Exp. Bot.* 1-9.
6. Allan, W.L., and Shelp, B.J. (2006). Fluctuations of gamma-aminobutyrate, gamma-hydroxybutyrate, and related amino acids in *Arabidopsis* leaves as a function of the light-dark cycle, leaf age, and N stress. *Can. J. Bot.* 84, 1339-1346.
7. Ansari M.I, Lee R.H, and Chen S.G. (2005). A novel senescence-associated gene encoding γ -aminobutyric acid (GABA):pyruvate transaminase is upregulated during rice leaf senescence. *Physiol. Plant.* 123,1-8.
8. Anawachkul, M., and Jiamyangyuen, S. (2009). Study of GABA content and development of GABA enriched yogurt from germinated red rice (Munpoo rice). Proceedings of 47th Kasetsart University Annual Conference: Agro-Industry, Bangkok (Thailand), 1-11.
9. Aoki, H., Uda, I., Tagami, K., Furuya, Y., Endo, Y., and Fujimoto, K. (2003). Production of a new Tempeh-like fermented soybean containing a high level of gamma-aminobutyric acid by anaerobic incubation with *Rhizopus*. *Biosci. Biotechnol. Biochem.* 67, 1018-1023.

10. Ashida, K., Iida, S., and Yasui, T. (2006). Lack of 26 kDa globulin accompanies increased free amino acid content in rice (*Oryza sativa L.*) grains. *J. Cereal Sci.* 43, 387-392.
11. Aurisano, N., Bertani, A., and Reggiani R. (1995). Anaerobic accumulation of 4-aminobutyrate in rice seedlings: causes and significance. *Phytochem.* 38, 1147-1150.
12. Baum, G., Lev, Y.S., and Fridmann, Y. (1996). Calmodulin binding to glutamate decarboxylase is required for regulation of glutamate and GABA metabolism and normal development in plants. *J. EMBO.* 15, 2988-2996.
13. Bautista, G.M. (1994). Glutamic acid decarboxylase activity as a viability index of artificially dried and stored rice. *Cereal Chem.* 41, 188-191.
14. Bewley, J.D., and Black, M. : Seeds:Physiology of Development and Germination, 2nd ed. Plenum Press., London, pp. 248-326, 1994. *Biochim. Biophys. Acta.* 11, 524, 26-36.
15. Blaner, W. S., and Churchich, J. (1979). Succinic semialdehyde dehydrogenase. Reactivity of lysyl residues. *J. Biol. Chem.* 254, 6, 1794-1798.
16. Bollag, D.M., Rozycki, M.D., and Edelstein, S. : Protein methods, 2nd ed. A John Wiley & sons, Inc., New York, pp. 107-193, 1996.
17. Bouché, N., and Fromm, H. (2004). GABA in plants: just a metabolite?. *Trends. Plant. Sci.* 9, 3, 109-115.
18. Bouché, N., Fait, A., Bouchez, D., Moller, S.G., and Fromm, H. (2003). Mitochondrial succinic-semialdehyde dehydrogenase of the gamma-aminobutyrate shunt is required to restrict levels of reactive oxygen intermediates in plants. *Proc. Natl. Acad. Sci. U. S. A.* 100, 6843-6848
19. Bowery, N., Enna, S.J., and Olsen, R.W. (2004). Six decades of GABA. *Biochem. Pharmacol.* 68, 1477-1478.
20. Bouman, B.A.M., Peng, S., Castañeda, A.R., and Visperas, R.M. (2005). Yield and water use of irrigated tropical aerobic rice systems. *Agric Water Management*, 74, 2, 87-105.
21. Brenda . 2009. “GABA structure”. [online]. Available http://www.brendaenzymes.info/index.php4?page=information/all_enzymes.php4&e_no=1.2.1.24. (3 August 2009).
22. Brown, A.W. Macgregor, K.B., and Shelp, B.J. (2006). Gamma-aminobutyrate: defense against invertebrate pests?. *Trends. Plant. Sci.* 11, 424-427.

23. Brown, A.W., Hall D.E., and Macgregor, K.B. (2002). Insect footsteps on leaves stimulate the accumulation of 4-aminobutyrate and can be visualized through increased chlorophyll fluorescence and superoxide production. *Plant. Physiol.* 129, 1430-1434.
24. Buck, K., Voehringer¹, P., Ferger, B. (2009). Rapid analysis of GABA and glutamate in microdialysis samples using high performance liquid chromatography and tandem mass spectrometry. *J. Neurosci. Methods.* 182 ;78-84.
25. Callewaert. D.M., Rosemblatt, M.S., Suzuki, K., and Tchen, T.T. (1973). Succinic semialdehyde dehydrogenase from a *Pseudomonas* species. I. Purification and chemical properties. *J. Biol. Chem.* 248, 6009-6013.
26. Cao, X., Wen, H., Li, C., and Gu, Z. (2009). Differences in functional properties and biochemical characteristics of congeneric rice proteins. *J. Cereal. Sci.* Article in press.
27. Cash, C., Ciesielski, L., Maitre, M., and Mandel, P. (1977). Purification and properties of rat brain succinic semialdehyde dehydrogenase. *Biochimie.* 59, 257-268.
28. Cash, C.D., Maitre, M., Ossola, L., and Mandel, P. (1978). Purification and properties of two succinate semialdehyde dehydrogenases from human brain. *Biochem. Biophys. Acta.* 11, 524, 26-36.
29. Chahal, A.S., Jalota, S.K., Choudhury, B.U., and SharmaYield, P.K. (2007). Evapotranspiration and water productivity of rice (*Oryza sativa* L.)-wheat -(*Triticum aestivum* L.) system in Punjab (India) as influenced by transplanting date of rice and weather parameters. *Agric. Water. Management.* 88, 14-22.
30. Chakraborty, M., Lahiri, P., Anderson, G.M., and Chatterjee, D. (1991). Use of high-performance liquid chromatography for assay of glutamic acid decarboxylase, Its limitation in use for post-mortem brain. *J. Chromatogr.* 571, 235-240.
31. Champagne E.T., Wood D.F., and Juliano B.O.:The rice grain and its gross composition, 3rd ed. The Am assoc of cereal chem Ltd., St. Paul, pp. 77-80, 2004.
32. *Chemguide*. 2009. “Carrying out HPLC”. [online]. Available www.chemguide.co.uk/.../chromatography/hplc1.gif (25 June 2009)
33. Chung , H.J., Jang , S.H., Cho, H.Y., Lim, S.T. (2009). Effects of steeping and anaerobic treatment on GABA (gamma-aminobutyric acid) content in germinated waxy hull-less barley. *LWT - Food Sci. Technol. Res.* 42;1712-1716

34. Clarke, G., O'Mahony, S., Malone, G., and Dinan, T.G. (2007). An isocratic high performance liquid chromatography method for the determination of GABA and glutamate in discrete regions of the rodent brain. *J. Neuro. Methods.* 15,160, 223-30.
35. Clibnall, A.C. : Protein metabolism in plant, 2nd ed. Oxford University Press., H. Milford, pp. 306, 1939.
36. Coleman, S.T. (2001). Expression of a glutamate decarboxylase homologue is required for normal oxidative stress tolerance in *Saccharomyces cerevisiae*. *J. Biol. Chem.* 276, 244-250.
37. Counce, P.A., Keisling, T.C., and Mitchell, A.J. (2000). A uniform objective and adaptive system for expressing rice development. *Crop. Sci.* 40, 436-443.
38. Cozzani, B.I., Mitsuri, A., and Santoni, C. (1970). Purification and general properties of glutamate decarboxylase from *Clostridium perfringens*. *J. Biol. Chem.* 118, 135-141.
39. Desiderio, A.M. (1987). Simultaneous determinaiion of gamma-aminobutyric acid and polyamines by high-performarnce liquid chromatography. *J. Chromatogr.* 419, 285-90.
40. *Division of medical devices (in Japan)*.2009. “Proteomics and Mass Spectrometry”. [online] Available dmd.nihs.go.jp/latex/allergenomics-e.html. (12 July 2009).
41. Durkin, T.M., Anderson, G.M., and Cohen, D.J. (1988). High-performance liquid chromatographic analysis of neurotransmitter amino acids in brain *J. Chromatogr. Biomed. Appl.* 428, 9-15.
42. Edmund J.B.:The anxiety & Phobia workbook, 4th ed. New Harbinger publication, Inc., Oakland, P. 327, 2005.
43. Em-On, C. (2009). Preparation and study on red yeast rice prepared from glutinous rice using *Monascus purpureus* isolated from Chinese traditional red yeast rice. Ph.D. Thesis, Chiang Mai University, Thailand.
44. Fait, A., Angelovici, R., Less, H., Ohad, I., Urbanczyk-Wochniak, E., Fernie, A.R. and Galili, G. (2006). Arabidopsis seed development and germination is associated with temporally distinct metabolic switches. *Plant .Physiol.* 142, 839-854.
45. Fait, A., Yellin, A., and Fromm, H. (2005). GABA shunt deficiencies and accumulation of reactive oxygen intermediates: insight from Arabidopsis mutants. *FEBS. Lett.* 579, 415-420.

46. Feng , W. Y., Komatsu , S., Furukawa, T., Koshiba, T., and Kohno, Y. (2008). Proteome analysis of proteins responsive to ambient and elevated ozone in rice seedlings. *Ecosyst. Environ.* 125, 255-265.
47. Fernie, A.R., Roscher, A., Ratcliffe, R.G., and Kruger, N.J. (2001). Fructose 2,6-bisphosphate activates pyrophosphate: fructose-6-phosphate L-phosphotransferase and increases triose phosphate to hexose phosphate cycling in heterotrophic cells. *Planta.* 212, 250-263.
48. Finch-Savage, W.E., and Leubner-Metzger, G. (2006). Seed dormancy and the control of germination. *New Phytol.* 171, 501-523.
49. Geigenberger, P., and Stitt, M. (1993). Sucrose synthase catalyses a readily reversible reaction in vivo in developing potato tubers and other plant tissues. *Planta.* 189, 329-339.
50. GenomeNet Database Resources. 2009. "GABA transminase" [online]. Available http://www.genome.jp/dbgetbin/www_bget?K00823+2.6.1.19+R01648. (3 August 2009).
51. GenomeNet Database Resources. 2009. "glutamate decarboxylase". [online]. Available <http://www.genome.jp/Fig/reaction/R00261.gif>. (3 August 2009).
52. GenomeNet Database Resources. 2009. "Succinic dehydrogenase". [online]. Available http://www.genome.jp/dbgetbin/www_bget?K00135+1.2.1.16+R00713+R00714
53. Gibthai, 2009 "technical note" [online] Available http://www.gibthai.com/services/technical_detail.php?ID=18&page=3, (13 July 2009).
54. Grist, D.H. : Characteristic of the plant, Rice. 4th ed. Longman, green and Co, Ltd., London, pp. 57-58, 1965.
55. Hayakawa, K., Kimura, M., Kasaha, K., Matsumoto, K., Sansawa, H., and Yamori, Y. (2004). Effect of a γ -aminobutyric acid-enriched dairy product on the blood pressure of spontaneously hypertensive and normotensive Wistar-Kyoto rats. *Br. J. Nutr.* 92, 411.
56. Helel, A. (1996). Mobilization of starch and protein in germinating rice grains. *J. king. Saud. Univ.* 8, 2, 127-138.
57. Helms, R., and Slaton, N. (1994). Rice stand establishment. Rice production handbook. University of Arkansas Cooperative Extension Service, 17-20.

58. Hemalatha, K.P.J., and Prasad, D.S. (2003). Changes in the metabolism of protein during germination of sesame (*Sesamum indicum* L.) seeds. *Physiol. Plant.* 58, 3.
59. Holdiness, M.R., Justice, J.B., Salamone, J.D., and Neill, D.B. (1981). Gas chromatographic-mass spectrometric determination of glutamic acid decarboxylase activity in subregions of rat brain. *J. Chromatogr.* 9, 225, 283-90.
60. Horie, H., and Rechnitz, G.A. (1995). Simultaneous determination of qualitatively important components in green tea infusions using capillary electrophoresis, *Anal. Lett.* 28, 259.
61. Horikoshi, I., and Morita, Y. (1982). Changes in Infrastructure and Subunit Composition of Protein Body in Rice Endosperm during Germination. *Agric. Biol. Chem.* 46, 1, 269-274.
62. Hoshikawa, K., and Ishi, R. (1989). Gas exchange characteristics of "young" rice seedlings raised in box. *Proceedings of Crop Science Society of Japan*, 43, 5-6.
63. Huang, J., Mei, L.H., Wu, H., and Lin, D.Q. (2007). Biosynthesis of gamma-aminobutyric acid (GABA) using immobilized whole cells of *Lactobacillus brevis*. *World J. Microbiol. Biotechnol.* 23, 865-871.
64. Huaqin, H., and Li, J. (2008). Proteomic analysis of phosphoproteins regulated by abscisic acid in rice leaves. *Biochem. Biophys. Res. Commun.* 371, 883-888.
65. Iimure , T., Kihara, M., Hirota, N., Zhou, T., Hayashi , K., Ito, K., (2009). A method for production of gamma-amino butyric acid (GABA) using barley bran supplemented with glutamate. *Food. Res. Int.* 42;319-323.
66. Inatomi, K., and Slaughter, J. C. (1975). Glutamate decarboxylase from barley embryos and roots, general properties and the occurrence of three enzymic forms. *Biocheml. J.* 147, 479-484.
67. Inoue, K., Shirai, T., Ochiai, H., Hayakawa, K., Kimura, M., and Sansawa, H. (2003). Blood-pressure-lowering effect of a novel fermented milk containing gamma-aminobutyric acid (GABA) in mild hypertensive. *Eur J. Clin. Nutr.* 57, 490-495.
68. Insomphun, S. (2003). Rice (*Oryza sativa* L.). Faculty of Agriculture, Chiang Mai, Thailand. [online]. Available.
<http://agronomy.agri.cmu.ac.th/elearning/agron313/rice.doc>, (30 July 2009).

69. *Isoelectric focusing* and staining of the isozymes PGI and PGM .2009. "Isoelectric focusing" [online] available <http://folk.ntnu.no/vmbossaa/moscou.htm>. (12 July 2009).
70. *Isoelectric focusing*; 2009 [online] available <http://folk.ntnu.no/vmbossaa/moscou.htm> 30 July 2009
71. Jones, B., and Gersdorff, C.E.F. (1927). The globulins of rice, *Oryza Sativa*. *J. Biol. Chem.* 415-426.
72. Juliano, B.O. : The rice caryopsis and its composition, 1st ed, Rice Chemistry and Technology. American Association of Cereal Chemists Inc., St. Paul, pp. 16-74, 1972.
73. Kagan, I.A., Coe, L.B., Smith, L.L., Huo, C-J., Dougherty, C.T., and Strickland, J.R. (2008). A Validated Method for Gas Chromatographic Analysis of γ -aminobutyric Acid in Tall Fescue Herbage. *J. Agric. Food Chem.* 56, 5538-5543.
74. Kašička, V. (2005). ELECTROPHORESIS of Proteins. *Encyclopedia of Anal Sci*, 460-471.
75. Kato-Noguchi, H., and Ohashi, C. (2005). Anoxic accumulation of amino acids in rice coleoptiles. *Environ. Control. Biol.* 43, 291-294.
76. Kehr, J. (1998). Determination of γ -aminobutyric acid in microdialysis samples by microbore column liquid chromatography and fluorescence detection. *J. Chromatogr. B: Biomed. Sci. Appl.* 708, 49-54.
77. Khan, M.J., Gul, B., and Webber, D.J. (2009). Effect of germination regulating chemicals on seed germination of Halogeton Glomeratus for alleviation of salinity stress. *Pak. J. Bot.* 41, 3, 1205-1212.
78. Khan, M.M.K., and Komatsu, K. (2004). Rice proteomics: recent developments and analysis of nuclear proteins. *Phytochem.* 65, 12, 1671-1681.
79. Khuhawar, M.Y., and Rajper. A.D. (2003).Liquid chromatographic determination of gamma-aminobutyric acid in cerebrospinal fluid using 2 hydroxynaphthaldehyde as derivatizing. *J.Chromatogr B.* 788, 413-418.
80. Kiba, N., Miwa, T., Tachibana, M., Tani, K., and Koizumi, H. (2002). Chemiluminometric sensor for simultaneous determination of L-Glutamate and L-lysine with immobilized oxidases in a Flow Injection System. *Anal. Chem.* 74, 1269.
81. Kigel, J., and Gallli, G. : Seed development and germination, 1st ed. Marcel Dekker, Inc., New York, pp.17-21, 103-138, 791-809, 2003.

82. Kikui, S., Sasaki, T., Maekawa, M., Miyao, A., Hirochika, H., Matsumoto, H., Yamamoto, Y. (2005). Physiological and genetic analyses of aluminium tolerance in rice, focusing on root growth during germination. *J. Inorg. Biochem.* 99, 1837-1844.
83. Kim, W. T., Li, X., and Okita , W.T. (1993). Expression of Storage Protein Multigene Families in Developing Rice Endosperm. *Plant. Cell. Physiol.* 34, 4, 595-603.
84. Kinnersley, A.M., and Turano, F.J. (2000). Gamma-aminobutyric acid (GABA) and plant responses to stress. *Crit. Rev. Plant. Sci.* 19, 479-509.
85. Komatsu, S and Hirano, H. (1992). Rice seed globulin: A protein similar to wheat seed glutenin. *Phytochem.* 31, 10, 3455-3459.
86. Komatsuzaki, N., Shima, J., Kawamoto, S., Momose, H., and Kimura, T. (2005). Production of gamma-aminobutyric acid (GABA) by *Lactobacillus paracasei* isolated from traditional fermented foods. *J. Food. Microbiol.* 22, 497-504.
87. Komatsuzaki, N., Tsukahara, K., and Toyoshima, H. (2007). Effect of soaking and gaseous treatment on GABA content in germinated brown rice. *J. Food. Microbiol.* 78, 556-560.
88. Kono, I., and Himeno, K. (2000). Change in gamma-aminobutyric acid content during beni-koji making. *Biosci. Biotechnol. BioChem.* 64, 617-619.
89. Kuo, Y. H., Rozan, P., Lambein, F., Frias, J., and Valverde, C.V. (2004). Effects of different germination conditions on the contents of free protein and non-protein amino acids of commercial legumes. *Food.Chem.* 86,537-545.
90. Lacerda, J.E., Campos, R.R., Araujo, G.C., Andreatta-Van Leyen, S., Lopes, O.U., and Guertzenstein, P.G. (2003). Cardiovascular responses to microinjections of GABA or anesthetics into the rostral ventrolateral medulla of conscious and anesthetized rats. *Braz. J. Med. Biol. Res.* 36, 1269-1274.
91. Lea, P.J., Robinson, S.A., and Stewart, G.R. : The enzymology and metabolism of glutamine, glutamate and asparagines, 1st ed, Academic press., San Diego, pp. 121-159, 1990.
92. Lee, Y.R., Kim, J.Y., Woo, K.S., Hwang, I.G., Kim, K. H., Kim, K.J., Kim, J.H. and Jeong, H.S. (2007). Changes in the chemical and functional components of Korean rough rice before and after germination. *Food. Sci. Biotech.* 16, 6, 1006-1010 .
93. Liu, H., Sanuda-Pena, M., Harvey-White, J.D., Judith, D., Kalra, S., and Cohen, S. (1998). Determination of submicromolar concentrations of neurotransmitter amino

- acids by fluorescence detection using a modification of the 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate method for amino acid analysis *J. Chromatogr A.* 828, 383.
94. Lu, X., Chen, Z., Gu, Z., and Han, Y. (2008). Isolation of gamma-aminobutyric acid-producing bacteria and optimization of fermentative medium. *Biochem Eng J.* 41, 48-52.
 95. Lujan, R., Shigemoto, R., and Lopez-Bendito, G. (2005) .Glutamate and GABA receptor signalling in the developing brain. *Neuroscience*. 130, 567-80.
 96. Luo, J., Shao-qing, T., Pei-song, H., Louise, A., Gui-ai, J., and Jian, T. (2007). Analysis on Ffactors affecting seedling establishment in rice. *Rice .Sci.* 14, 1.
 97. Maeda, S., Shinmura, H., Nakagawa, K., Asai, T., and Morita, A. (2007). Comparison of the free amino acid content and certain other agronomical traits of germinated and non-germinated brown rice in monoculture and mixed plantings. *SABRAO Journal of Breeding and Genetics*. 39,2, 107-115.
 98. Manchengo, G. P. : Handbook of Detection of Enzymes on Electrophoretic, 2nd ed. Gels. CRC press Ltd., Florida, pp. 145-146, 1996.
 99. Manna, K.M., Naing, K.M., and Pe, H. (1995). Amylase activity of some roots and sprouted cereals. *Food. Nutr. Bull.* 16, 1-4.
 100. Masclaux-Daubresse, C. (2002). Diurnal changes in the expression of glutamate dehydrogenase and nitrate reductase are involved in the C/N balance of tobacco source leaves. *Plant. Cell. Environ.* 25, 1451-1462.
 101. Matsumoto, T., Yamaura, I., and Funatsu, M. (1986). Purification and properties of glutamate decarboxylase from Squash. *Agric. Biol. Chem.* 50, 6, 1413-1417.
 102. Matsuo, T., Satoh, H., Yoon, K.M., and Omura, T. (1997). Oil component and fatty acid cComposition of giant embryo mutant. *Jpn. J. Breed.* 37, 185-191
 103. Mayer, A.M., and Mayber, A. P. : Metabolism of germinating seeds, The germination of seed, 3rd ed, Pergamon Press Ltd., Great Britain, pp. 85-130, 1982.
 104. Mikola, M., Brinck, O., and Jones, B.L. (2001). Characterization of oat endoproteinas that hydrolyze oat avenins. *Cereal. Chem.* 78, 55-58.
 105. Mishira, A., and Salokhe, V. M. (2008). Seedling characteristics and the early growth of transplanted rice under different water regimes. *Expl. Agric.* 44, 365-383.
 106. Miura, D., Ito, Y., and Mizukuchi, A. (2006). Hypocholesterolemic Action of Pre-Germinated Brown Rice in Hepatoma-Bearing. *Life. Sci.* 79, 259-26.

107. Moldenhauer, K.A.K., Gravois, K.A., Lee, F.N., Norman, R.J., Bernhardt, J.L., Wells, B.R., Helms, R.S., Dilday, R.H., Rohman, P.C. and Blocker, M.M.. (1994). Registration of ‘LaGrue’ rice. *Crop. Sci.* 34, 1123-112.
108. Nagaoka, H. (2005). Treatment of Germinated Wheat to Increase Level of GABA and IP6 Catalyzed by Endogenous Enzyme. *Biotechnol. Prog.* 21, 405-410.
109. Narayan, V.S., and Nair, P.M., (1991). Potato tuber succinate semialdehyde dehydrogenase:Purification and characterization. *Arch Biochem. Biophys.* 275, 469-477.
110. Naval, M.V., Gómez-Serranillos, M.P., Carretero, M.E., and Arce, C.D. (2006). Value of high-performance liquid chromatographic analysis of amino acids in the determination of *Panax ginseng* radix extract effect in cultured neurons. *J. Chromatogr A.* 1121, 242-247.
111. Nemoto, K., Morita, S., and Baba, T. (1995). Shoot and Root Development in Rice Related to the Phyllochron. *Crop. Sci.* 35, 24-29.
112. Niranjala J. K., Tillakaratne, T., Lali, M.K., Michael, K., and Gibson, S. (1995) Gamma-aminobutyric acid (GABA) metabolism in mammalian neural and nonneural tissues. *Camp. Biochem. Physiol.* 112, 2, 247-263.
113. O'Farrell, P.H. (1975). High resolution two-dimensional electrophoresis of proteins. *J. Biol. Chem.* 250, 4007-4021.
114. Office of Agricultural economic. 2009. “News” [online]. Available <http://www.oae.go.th/main.php?filename=index> (30 June 2009).
115. Oh, S.H. (2003). Stimulation of γ -aminobutyric acid synthesis activity in brown rice by a chitosan/glutamic acid germination solution and calcium/calmodulin. *J. Biochem and Mol. Biol.* 36, 3, 319-325.
116. Oh, S.H., and Choi, W.G. (2001). Changes in the levels of gamma-aminobutyric acid and glutamate decarboxylase in developing soybean seedlings. *J. Plant. Research.* 114, 309-313.
117. Ohtsubo, K., Suzuki, K., Yasui, Y., and Kasumi, T. (2005). Bio-functional components in the processed pre-germinated brown rice by a twin-screw extruder. *J. Food. Compost. Anal.* 18, 303-316.
118. On-anong, N. : Rice; Science and Technology, 1th ed. Kasetsart university imprint., Bangkok, pp. 138, 2006.

119. Pahuja, J., and Albert, T.W. (1984). Use of an optimum wavelength to detect glutamic acid and its metabolites in human serum by reversed-phase HPLC. *Rapid. J. Liq. Chromatogr.* 7, 2261-2268.
120. Palanivelu, R., Brass, L., Edlund, A.F., and Preuss, D. (2003). Pollen tube growth and guidance is regulated by POP2, an *Arabidopsis* gene that controls GABA levels. *Cell.* 114, 47-59.
121. Palaty, J., Burton, R., and Abbott, F.S. (1994). Rapid assay for gamma-aminobutyric acid in mouse brain synaptosomes using gas chromatography-mass spectrometry. *J. Chromatogr B. Biomed Appl.* 2, 662, 85-90.
122. Panatda Jannoey, Hataichanoke Niamsup, Saisamorn Lumyong, Toshisada Suzuki , Takeshi Katayama and Griangsak Chairote. Comparison of gamma-aminobutyric acid (GABA) production in Thai rice grains. *World J. Microbial. and Biotech. Inpress.*
123. Park, K.B., and Oh, S.H. (2006). Enhancement of gamma-aminobutyric acid production in chungkukjang by applying a *Bacillus subtilis* strain expressing glutamate gecarboxylase from *Lactobacillus brevis*. *Biotechnol. Lett.* 28, 1459-1463,
124. Park, K.B., and Oh, S.H. (2007). Production of yogurt with enhanced levels of gamma-aminobutyric acid and valuable nutrients using lactic acid bacteria and germinated soybean extract. *Bioresour. Technol.* 98, 1675-1679.
125. Pasco, C., Jeffries, Q., Davies, A.J., Downard, A.D., Roddick- Lanzilotta, L., and Gorton,L.(1999). Characterization of a thermophilic L-glutamate dehydrogenase biosensor for amperometric determination of L-glutamate by flow injection analysis. *Biosens. Bioelectron.* 14, 2. 171-178.
126. Patton, W.F. (2005).Protein detection and imaging in IEF gels. *J. Sep. Sci. Tech.* 7, 165-179.
127. *Proteomics and Mass Spectrometry.* 2009. [online] Available dmd.nihs.go.jp/latex/allergenomics-e.html. 12 July 2009
128. Qu, Y., Arckens, L., Vandenbussch, E., Geeraerts, S., and Vandesande, R. (1998). Simultaneous determination of total and extracellular concentrations of the amino acid neurotransmitters in cat visual cortex by microbore liquid chromatography and electrochemical detection. *J. Chromatogr. A.* 798, 19-26.


129. Reggina, R., Nebuloni, V., and Brambilla, I. (2000). Anaerobic accumulation of amino acids in rice roots: role of the glutamine synthetase/ glutamate synthase cycle. *Amino Acids.* 18, 207-217.
130. Reisi ,P., Alaei, H., Babri, S., Sharifi, M.R., Mohaddes, G., Soleimannejad, E. (2009). Determination of the extracellular basal levels of glutamate and GABA at dentate gyrus of streptozotocin-induced diabetic rats. *Pathophysiol.* 16;63-66
131. Richard, D., Ling, B., Authier, N., Faict, W.W., Eschalier, A., and Coudore, F. (2005). GC/MS profiling of *gamma*-hydroxybutyrate and precursors in various animal tissues using automatic solid-phase extraction. preliminary investigations of its potential interest in postmortem interval determination. *Anal. Chem.* 77, 1354-1360.
132. Rimsten, L., Haraldsson, A.K., Andersson, R., Alminger, M., Sandberg, A.S. and Aman, P. (2003). Effects of malting on beta-glucanase and phytase activity in barley grain. *J. Sci. Food. Agric.* 82, 904-912.
133. Roberts, E. (1974). γ -Aminobutyric acid and nervous system functions A perspective. *Biochem. Pharmacol.* 23, 2637-2649.
134. Rossetti, V., and Lombard, A. (1996).Determination of glutamate decarboxylase by high-performance liquid chromatography. *J. Chromatogr B.* 681, 63-67.
135. Rossomando, F.E. : HPLC in Enzymatic analysis, 2nd ed. A John wiley & Sons, Inc., Canada, pp. 262, 1998.
136. Saikura, T., Horino, T. and Mori., Y. (1994). Accumulation of gamma-aminobutyric acid (GABA) in the rice germ during water soaking. *Biosci. Biotechnol. Biochem.* 58, 2291-2292.
137. Satyanarayan, V., and Madhusudanan, P. N. (1985). Purification and characterization of glutamate decarboxylase from *Solanum tuberosum*. *Eur. J. Biochem.* 15, 53-60.
138. Schabes, F.I., and Sigstad, E.E. (2006). Optimizing condition to study seed germination by calorimetry using soybean (*Glycine max* [L.] Merr.) seeds. *Thermochimica Acta.* 450, 96-101.
139. Schägger, H. : SDS electrophoresis techniques, membrane protein purification and crystallography, academic Press., California, pp 85-103, 2003.

140. Schousboe I., Bro B., and Schousbde A. (1977). Intra mitochondrial localization of the 4-aminobutyrate-2-oxoglutarate transaminase from ox brain. *Biochem. J.* 162, 303-307.
141. Shelp, B.J., Bown, A.W. and McLean, M.D. (1999). Metabolism and functions of gamma-aminobutyric acid. *Trends. Plant. Sci.* 4, 447-451.
142. Shen, Z.J., Wang, Z.G., Li, X.P., Hu, C.H., Yang, S.D., Shengwn, H., Shengwu, W.J. (1998), 25, 543.
143. Shimizu, M.M., and Mazzafera, P. (1998). Compositional changes of proteins and amino acids in germinating coffee seeds. *Physiol. Plant.* 105, 122-131.
144. Sigstad, E.E., and Prado, F.E. ((1999). A microcalorimetric study of *Chenopodium quinoa Willd.* seed germination. *Thermochimica Acta*, 326, 159-164.
145. Siragusa, S., Angelis, M.D., Cagno, R.D., Rizzello, C.G., Coda, R., and Gobbetti, M. (2007). Synthesis of gamma-aminobutyric acid by lactic acid bacteria isolatedfrom a variety of Italian cheeses. *Appl. Environ. Microbiol.* 7283-7290.
146. Smith, B.P., and Williams, H.H. (1951). Transaminase studies in germinating seeds *Arch. Biochem. Biophys.* 31, 366-374.
147. Smith, C.W., and Dilday, R.H. : Germination and seedling development. Rice, origin, history, technology and production, 1st ed, John Wiley & Son, Inc., New Jersey, pp.132-135, 2003.
148. Snedden, W.A., and Fromm, H. (2001). Calmodulin as a versatile calcium signal transducer in plants. *NewPhytol.* 151, 35-66.
149. Sodek, L., Lea, P.J., and Miflin, B.J. (1980). Distribution and properties of a potassium dependent asparaginase isolated from developing seeds of *Pisum sativum* and other plants. *Plant Physiol.* 65, 22-26.
150. Spink, D.C., Porter, T.G., Wu, S.J., and Martin, D.L. (1985). Characterization of three kinetically distinct forms of glutamate decarboxylase from pig brain. *J. Biochem.* 231, 695-703.
151. Srijessadaruk, V. Khon Khan University. (2009). KKU news. [online] http://www.news.kku.ac.th/kkunews/index.php?option=com_content&task=view&id=1398&Itemid=40 (18 Febuary 2009).
152. Srivastava, L.M. : Seed germination, mobilization of food reserves, and seed dormancy. plant growth and development, 1st ed, John Wiley & Son, Inc., Canada, pp. 447-471, 2002.

153. Steward, F. C., Thompson, J. F., and Dent, C.E. (1949). γ -Aminobutyric acid: A constituent of the potato tuber? *Science*. 110, 439-440.
154. Stitt, M. (2002). Steps towards an integrated view of nitrogen metabolism. *J. Exp. Bot.* 53, 959-970.
155. Strigáčová, J., Chovanec, P., Liptaj, T., Hudecová, D., Turský , T., Šimkovič, M., and Varečka, L. (2001). Glutamate decarboxylase activity in *Trichoderma viride* conidia and developing mycelia. *Arch Microbiol.* 175,32-40.
156. Su, Y.C., Wang, J.J., and Lin, T.T. (2003). Production of the secondary metabolites gamma aminobutyric acid and monacolin K by *Monascus*. *J. Ind Microbiol. Biotechno.* 30, 41-46.
157. Takahashi, N., Matsuo, T., Kumazawa, K., Ishii, R., Ishihara, K., and Hirata, H. (1995). Physiology of seed germination. In Science of rice plant. *Physiol. Food. Agric. Policy. Researcenter*. 2, 35-45.
158. Takahashi, T., Furukawa, A., Hara, S., and Mizoguchi, H. (2004). Isolation and characterization of sake yeast mutants deficient in gamma-aminobutyric acid utilization in sake brewing. *J. Biosci. Bioeng.* 97, 412-418.
159. Tsukatani , T., Higuchi,T., and Matsumoto, K. (2005). Enzyme-based microtiter plate assay for gamma-aminobutyric acid: Application to the screening of gamma-aminobutyric acid-producing lactic acid bacteria. *Analytica. Chimica. Acta* . 540, 293-297.
160. Tunnicliff G., and Raess, B.U.: GABA aminotransferase inhibitors as potential antiepileptic agents. Wiley-Liss Ltd., New York, pp.189-204, 1991.
161. Van Cauwenbergh, O.R. (2002). Plant pyruvate-dependent gamma-aminobutyrate transaminase: identification of an *Arabidopsis* cDNA and its expression in *Escherichia coli*. *Can. J. Bot.* 80, 933-941.
162. Vasanits, A., and Molnar-Perl, L. (1999). Temperature, eluent flow-rate and column effects on the retention and quantitation properties of phenylthiocarbamyl derivatives of amino acids in reversed-phase high-performance liquid chromatography, *J. Chromatogr. A*. 832, 109-122.
163. Wang, W., Meng, B., Ge1, X., Song, S., Yang, Y., Yu, X., Wang, L., Hu,S., Liu, S., and Yu, J.(2008). Proteomic profiling of rice embryos from a hybrid rice cultivar and its parental lines. *Proteomics*. 8, 4808-4821.
164. Xing, S.G., Jun, Y.B., Hua, Z.W. (2007). Higher accumulation of gamma-aminobutyric acid induced by salt stress through stimulating the activity of

- diamine oxidase in Glycine max (L.) Merr.roots. *J. Ind. Microbiol. Biotechnol.* 45, 560-566.
165. Yamagata, H., Sugimoto,T., Tanaka, K., and Kasai, Z. (1982). Biosynthesis of storage proteins in developing rice seeds. *Plant. Physiol.* 70, 1094-1100.
 166. Yamamoto, T., Nanjoh, C., and Nuruma, I. (1985). Determination of endogenous GABA released from the cerebral cortex slices of the rat by high-performance liquid chromatography with a series-dual electrochemical detector . *Neurochem.* 7, 77-82.
 167. Yamauchi, P.V., and Chuong. (1995). Rice seedling establishment as affected by cultivar, seed coating with calcium peroxide, sowing depth, and water level. *Field Crops Research.* 41,123-134.
 168. Yamaura, I., Matsumoto, T., Funatsu, M., and Shinohara, T. (1988). Purification and some properties of succinic semialdehyde dehydrogenase from barley seeds. *Agric. Biol. Chem.* 52, 2929-2930.
 169. Yang, P., Li, X., Wang, X., Chen, H., Chen, F., and Shen, S.(2007). Proteomic analysis of rice (*Oryza sativa*) seeds during germination. *Proteomics.* 7, 3358-3368.
 170. Yang, S.Y., Lu, Z.X., Lu, F.X, Bie, X.M., Sun, L.J., and Zeng, X.X. (2006). A simple method for rapid screening of bacteria with glutamate decarboxylase activities. *J. Rapid Methods Autom. Microbiol.* 14, 291-298.
 171. Yang, F., Basu, T.K. and Ooraikul, B. (2001). Studies on germination conditions and antioxidant contents of wheat grain. *Int. J. Food Sci. Nutr.* 52, 319-330.
 172. Yoshida, S. : Fundamental of rice crop science. The international of rice research institute press., Los Banos, pp.269-270, 1981.
 173. Yu, C.L., Yan, S.P., Wang, C.C., Hua, H.T., Sun, W.N., Yan, C.Q., Chen, J.P., Yang, L. (2008). Pathogenesis-related proteins in somatic hybrid rice induced by bacterial blight. *Phytochem.* 69,10, 1989-96.
 174. Yun, S.J. and Oh, S.H. (1998). Cloning and characterization of a tobacco cDNA encoding calcium/calmodulin-dependent glutamate decarboxylase. *Mol. Cells*, 8, 125-129.
 175. Zhao, Z.S. and Jiang, J.Y. (2002). Preliminary study on high nutritive and functional large embryo rice. *J. Acta. Agric.* 18, 5-8.

176. Zhang, H., Yao, H.Y., and Chen, F. (2006). Accumulation of gamma-aminobutyric acid in rice germ using protease. *Biosci. Biotechnol. Biochem.* 70, 1160-1165.
177. Zhang, H., Yao, H.Y., Chen, F., and Wang, Xi. (2007). Purification and characterization of glutamate decarboxylase from rice germ. *Food. Chem.* 101, 1670-1676.
178. Zhang, H., Yao, H.Y., Chen, F., and Wang, Xi. (2007). Some molecular properties of glutamate decarboxylase from rice germ. *Food. Chem.* 105, 65-71



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright[©] by Chiang Mai University
All rights reserved