

REFERENCES

- Ashenden, T. W. and Edge, C. P., 1995. Increasing concentrations of nitrogen dioxide pollution in rural Wales. *Environmental Pollution* **87**, 11-16.
- Atkins, D.H.F. and Lee, D.S., 1995. Spatial and temporal variation of rural nitrogen dioxide concentrations across the United Kingdom. *Atmospheric Environment* **29**, 223-239.
- Atkins, D.H.F., Sandalls, J., Law, D.V., Hough, A.M. and Stevenson, K., 1986. The Measurement of Nitrogen Dioxide in the Outdoor Environment Using Passive Diffusion Tube Samplers, United Kingdom Atomic Energy Authority Report, AERE R-12133, Harewell Laboratory, Oxfordshire.
- Avol, E.L., Linn, W.S. and Peng, R.C., 1989. Experimental exposures of young asthmatic volunteers to 0.3 ppm nitrogen dioxide and to ambient air pollution. *Toxicology and Industrial Health* **5**, 1025-1034.
- Bates, D., 1992. Health indices of the adverse effects of air pollution: the question of coherence. *Environmental Research* **59**, 336-49.
- Bhugwant, C. and Hoareau, J.-L., 2003. Variability of NO₂ in different environments at a moderately polluted island over the southwestern Indian Ocean. *Atmospheric Research* **66**, 241-259.
- Bower, J.S., Lampert, J.E., Stevenson, K.J., Atkins, D.H.F. and Law, D.V., 1991. A diffusion tube survey of NO₂ levels in urban areas of the UK. *Atmospheric Environment* **25B**, 255-265.

- Brown, R.H., 2000. Monitoring the ambient environment with diffusive samplers: Theory and practical consideration. *Journal of Environmental Monitoring* **2**, 1-9.
- Brunekreef, B., 1999. Air pollution kills babies. *Epidemiology* **10**,661–62.
- Brunemann, K.D. and Hoffman D., 1978. Chemical studies on tobacco smoke LIX. Analysis of volatile nitrosamines in tobacco smoke and polluted indoor environment. *International journal of Epidemiology* **19**, 345-356.
- Bush, T., Smith, S., Stevenson, K. and Moorcroft, S., 2001. Validation of Nitrogen Dioxide Diffusion Tube Methodology in the UK. *Atmospheric Environment* **35**, 289–296.
- Chalermrom, P., 2008. Development of Test Kit for Determination of nitrogen dioxide in ambient air using passive sampling technique. M.S.Thesis. Faculty of Science, Chiang Mai University.
- Chauhan, A.J., Krishna, M.T., Frew, A.J. and Holgate, S.T., 1998. Exposure to nitrogen dioxide (NO₂) and respiratory disease risk. *Review on Environmental Health* **13**, 73-90.
- Chiang Mai Land Transport Bureau, Department of Land Transport, Ministry of Transport [online] Available. <http://www.dlt.go.th/statistics-web/newcar.html>. (March, 2008)
- Chiang Mai Provincial Operation Center [online] Available. <http://www.Chiangmai.poc.net/login.php> (February, 2008)
- Christian, G.D., 2001. Analytical Chemistry. John Wiley & Sons, New York. European monitoring and evaluation programme, 1977. Manual for sampling and

chemical analysis. Lillestrøm, Chemical Co-ordinating Centre, Norwegian Institute for Air Research, EMEP/CHEM 3/77.

Chunram, N., Kamen, R.M., Deming, R.L. and Vinitketkumnuen, U., 2007. Mutagenicity of outdoor and indoor PM 2.5 from urban areas of Chiang Mai, Thailand. *Chiang Mai Medicine Journal* **46**, 1-11.

Colls, J., 2002. Air Pollution. Taylor & Francis Group. London, England and New York, USA. 1-560.

Cox, R.M., 2003. The use of passive sampling to monitor forest exposure to O₃, NO₂ and SO₂: a review and some case studies. *Environmental Pollution* **126**,301-311.

Curriculum and Instruction Development Department, Ministry of Education. 2000. Chiang Mai Nobburi Srinakornping (in Thai). Bongkok. 9-13.

Delgado-Saborit, J. M. and Esteve-Cano, V., 2006. Field study of diffusion collection rate coefficients of a NO₂ passive sampler in a Mediterranean coastal area. *Environmental Monitoring and Assessment* **120**, 327-345.

De Santis, F., Dogeroglu, T., Menichelli, S., Vazzana, C. and Allegrini, I., 2001. The use of a new passive sampler for ozone and nitrogen oxides monitoring in ecological effects research. In: Proceedings of the International Symposium on Passive Sampling of Gaseous Air Pollutants in Ecological Effects Research. *The Scientific World* **1**, 475-482.

Environment Canada, National Pollutant Release Inventory. 2004. [online] Available.

<http://www.ec.gc.ca/default.asp?lang=En&n=28DD35DC-1> (January, 2009).

Eupean union [online] Available. <http://ec.europa.eu/environment/air/quality.htm>. (March, 2008)

- Ezcurra, A., Ortiz de Zarate, I., Dhin, P.D. and Lacaux, J.P., 2001. Cereal waste burning pollution observed in the town of Vitoria (northern Spain). *Atmospheric Environment* **35**, 1377-1386.
- Fagundez, L.A., Fernandez, V.L., Marine, T.H., Martin, I., Persano, D.A., Benitez, M.R., Sadaniowski, I.V., Codnia, J. and Zalts, A., 2001. Preliminary air pollution monitoring in San Miguel, Buenos Aires. *Environmental Monitoring and Assessment* **71**, 61-70.
- Faiz, A. and Sturm, P.J., 2000, Air pollution and road traffic in developing countries, *Atmospheric Environment* **34**, 4745-4746.
- Fenger, J., 1999. Urban air quality. *Atmospheric Environment* **33**, 4877-4900.
- Ferm, M. and Svanberg, P.A., 1998. Cost efficient techniques for urban and background measurements of SO₂ and NO₂. *Atmospheric Environment* **32**, 1377-1381.
- Gair, A.J. and Penkett, S.A., 1995. The Effects of Wind Speed and Turbulence on the Performance of Diffusion Tube Samplers. *Atmospheric Environment* **29**(18), 2529-2533.
- Gair, A.J., Penkett, S.A. and Oyola, P., 1991. Development of a simple passive technique for determination of nitrogen dioxide in remote continental location. *Atmospheric Environment* **25A**, 1927-1939.
- Gilbert, N.L., Woodhouse, S., Stieb, D.M. and Brook, J.R., 2003. Ambient nitrogen dioxide and distance from a major highway. *The Science of the Total Environment* **312**, 43-46.

- Glasius, M., Carlsen, M.F., Hansen, T.S. and Lohse, C., 1999. Measurements of nitrogen dioxide on Funen using diffusion tubes. *Atmospheric Environment* **33**, 1177-1185.
- Gorecki, T. and Namiesnik, J., 2002. Passive sampling. *Trend in Analytical Chemistry* **21(4)**, 276-291.
- Hargreaves, K.J., 1989. The Development and Application of Diffusion Tubes for Air Pollution Measurement. *Ph.D. Thesis*, University of Nottingham
- Heal, M.R. and Cape, J.N., 1997. A numerical evaluation of chemical interferences in the measurement of ambient nitrogen dioxide by passive diffusion sampler. *Atmospheric Environment* **31**, 1911-1923.
- Hisham, M. W. M. And Grosjean, D., 1990. Sampling of atmospheric nitrogen dioxide using triethanolamine interference from peroxyacetyl nitrate (PAN). *Atmospheric Environment* **24A**, 2523-2525.
- IUPAC Compendium of Chemical Terminology, 1997. Repeatability. [online] Available. <http://www.iupac.org/goldbook/R05293.pdf> (December,2008)
- Jetter, J. J., Guo, Z., McBrian, J. A. and Flynn, M. R., 2002. Characterization of emissions from burning incense. *The science of the total environment* **295**, 51-67.
- Koo, L.C., Ho JH-C., Ho C-Y., Matsuki, H., Shimizu, H., Mori, T. and Tominaga, S., 1990. Personal exposure to nitrogen dioxide and its association with respiratory illness in Hong Kong. *American Review of Respiratory Diseases* **141**, 1119-1126.

- Kotchabhakdi, N., 2007. Development of passive sampling devices for indoor formaldehyde determination. M.S.Thesis. Faculty of Science, Chiang Mai University.
- Kraft, M., Eikmann, T., Kappos, A. Kunzli, N., Rapp, R., Schneider, K., Seitz, H., Voss, J.U. and Wichmann, H.E., 2005. The German view: Effects of nitrogen dioxide on human health – derivation of health – related short-term and long-term values. *Environmental Health* **208**, 305-318.
- Krochmal, D. and Kalina, A., 1997. Measurements of nitrogen dioxide and sulphur dioxide concentrations in urban and rural areas of Poland using a passive sampling method. *Environmental pollution* **96**, 401-407.
- Krochmal, D. and Kalina, A., 1997. A method of nitrogen dioxide and sulphur dioxide determination in ambient air use of passive samplers and ion chromatography. *Atmospheric Environment* **31**(20), 3473-3479.
- Kunzli, N., Kaiser, R., Medina, S., Studnicka, M., Chanel, O., Filliger, P., Herry, M., Horak, F., Puybonnieux-Textier, V., Quenel, P., Schneider, J., Seethaler, R., Vergnaud, J.-C. and Sommer, H., 2000. Public-health impact of outdoor and traffic-related air pollution: A European assessment. *Lancet* **356**, 795–801.
- Lee R.S. and Lin J.M., 1996. Gaseous aliphatic aldehydes in smoke from burning raw materials of Chinese joss sticks. *Bulletin of Environmental Contamination and Toxicology* **57**, 361-366.
- Lee, S.C. and Wang, B., 2004. Characteristics of emissions of air pollutants from burning of incense in a large environmental chamber. *Atmospheric Environment* **38**, 941-951.


- Lewis, A.C., Kupiszewska, D., Bartle, K.D. and Pilling, M.J., 1995. City centre concentrations of polycyclic aromatic hydrocarbons using supercritical fluid extraction. *Atmospheric Environment*, **29**, 1531-1542.
- Li, C.-S. and Ro, Y.-S., 2000. Indoor characteristics of polycyclic aromatic hydrocarbons in the urban atmosphere of Taipei. *Atmospheric Environment* **34**, 611-620.
- Lin, J.M. and Tang, C.S., 1994. Characterization and aliphatic aldehyde content of particulates in Chinese incense smoke. *Bulletin of Environmental Contamination and Toxicology* **53**, 895-901.
- Lin, J.M. and Wang, L.H., 1994. Gaseous aliphatic aldehydes in Chinese incense smoke. *Bulletin of Environmental Contamination and Toxicology* **53**, 374-381.
- Lofroth, G., Stensman, C. and Brandhorst-Satzkorn, M., 1991. Indoor sources of mutagenic aerosol particulate matter: smoking, cooking and incense burning. *Mutation Research* **261**, 21-28.
- Madany, I. and Crump, D.R., 1994. The burning of incense as an indoor source of volatile organic compounds. *Indoor Environment* **3**, 292-298.
- Madsen, C., Carlsen, K. C. L., Hoek, G., Oftedal, B., Nafstad, P., Meliefste, K., Jacobsen, R., Nystad, W., Carlsen, K.H. and Brunekreef, B., 2007. Modeling the intra-urban variability of outdoor traffic pollution in Oslo, Norway-A GA2 LEN project. *Atmospheric Environment* **10**, 1-12.
- Mage, D., Ozolins, G., Guntis, P., Webster, A., Orthofer, R., Vandeweerd, V. and Gwynne, M., 1996. Urban air pollution in megacities of the world. *Atmospheric Environment* **30**, 681-686.
- Ministry for the Environment, New Zealand [online] Available. <http://www.mfe.govt>.

- nz/publications/air/air-quality-tech-report-43/html/page6.html (March, 2008)
- Mulik, J.D., Lewis, R.G. and McClean, W.A., 1989. Modification of a high efficiency passive sampler to determine nitrogen dioxide or formaldehyde in air. *Analytical Chemistry* **61**, 187-189.
- Norththern Meteorological Center [online] Available. <http://www.cmnet.tmd.go.th/Forecast/climate.xls> (February, 2008)
- Office of Energy Regional 9 (Phitsanulok), 2004. Energy. [online] Available. <http://www.region9.ms.energy.go.th/Sknow.asp?khowID=22> (October, 2008)
- Ortiz de Zarate, I., Ezcurra, A., Lacaux, J.P., Van Dinh, P. and Diaz de Argandona, J., 2005. Pollution by cereal waste burning in Spain. *Atmoapheric Research* **73**, 161-170.
- Ostro B., Sanchez J., Aranda C. and Eskeland G., 1996. Air pollution and mortality: results from a study of Santiago, Chile. *Journal of Exposure Analysis Environmental Epidemiology* **6**, 97-114.
- Ozden, O. and Dogeroglu, T., 2007. Field evaluation of a tailor-made new passive sampler for the determination of NO₂ levels in ambient air. *Environmental Monitoring and Assessment*. DOI 10.1007/s10661-007-9921-x.
- Palmes, E. D., Gunnison, A. F., Dimatto, J. and Tomezyk, C., 1976. Personal sampler for nitrogen dioxide. *American Industrial Hygiene Association Journal* **37**, 570-577.
- Panyaping, K., 2003. Application of Simple Passive Sampler for Determination of Nitrogen Oxide in Chiang Mai City. Proceeding of the 9th International Joint Seminar of the Regional Deposition Processes in the Atmosphere.

- Perkauskas, D. and Mikeliniskiene, A., 1998. Evaluation of SO₂ and NO₂ concentration levels in Vilnius (Lithuania) using passive diffusion samplers. *Environmental pollution* **102**, 249-252.
- Plasance, H., Piechocki-Minguy, A., Garcia-Fouque, S. and Galloo, J.C., 2004. Influence of meteorological factor on the NO₂ measurements by passive diffusion tube. *Atmospheric Environment* **38**, 573-580.
- Pollution Control Department. [online] Available. [http://www.pcd.go.th/AirQuality/Regional Default Thai.Cfm](http://www.pcd.go.th/AirQuality/RegionalDefaultThai.Cfm).(March, 2008)
- Sahai, S., Sharma, C., Singh, D.P., Dixit, C.K., Singh, N., Sharma, P., Singh, K., Bhatt, S., Ghude, S., Gupta, V., Gupta, R.K., Tiwari, M.K., Garg, S.C., Mitra, A.P. and Gupta, P.K., 2007. A study for development of emission factors for trace gases and carbonaceous particulate species from in situ burning of wheat straw in agricultural fields in India. *Atmospheric Environment* **41**, 9173-9186.
- Sato, S., Makino, R., Takahashi, Y., Sugimura, T. and Miyazaki, T., 1980. Mutagenicity of smoke condensates from joss strick. *Mutation Research* **77**, 31-36.
- Schoental, R. and Gibbard, S., 1967. Carcinogens in Chinese incense smoke. *Nature* **216**, 612.
- Spectrophotometer [online] available. <http://4e.plantphys.net/article.php?ch=7&id=66>.
(February, 2008)
- Stevenson, K., Bush, T. and Mooney, D., 2001. Five years of nitrogen dioxide measurement with diffusion tube sampler at over 1,000 sites in the UK. *Atmospheric Environment* **35**, 281-287.

- Sturm, P., 2000. Introduction to transport and air pollution. *Atmospheric Environment* **34**, 4,579-4,580.
- Tang, Y.S., Cape, J.N. and Sutton, M.A., 2001. Development and type of passive sampler for monitoring atmospheric NO₂ and NH₃ concentration. In: Proceedings of the international symposium on passive sampling of gaseous air pollutants in ecological effects research. *The Scientific World* **1**, 513-529.
- Test kit. [online] Available. <http://www.clu-in.org/char/technologies/color.cfm>.
- Tunncliffe, WS, Burge, P.S. and Ayres, J.G., 1994. Effect of domestic concentrations of nitrogen dioxide on airway responses to inhaled allergen in asthmatic patients. *Lancet* **344**, 1733-1736.
- United State Environmental Protection Agency [online] Available. <http://www.epa.gov/air/criteria.html>. (October, 2007)
- Varshney, C.K. and Singh, A.P., 2003. Passive sampler for NO_x Monitoring: A critical review. *The Environmentalist* **23**, 127-136.
- Vatanasapt, V., Martin N., Sriplung, H., Chindavijak, K., Sontipong, S., Sriamporn, S., Parkin, D.M. and Ferlay, J., 1993. cancer in Thailand 1988-1991.IARC Technical Report, Lyon. **16**, 2-3.
- Verma, S.K., Deb, M.K. and Verma, D., 2008. Determination of nitrogen dioxide in ambient air employing diffuse reflectance Fourier transform infrared spectroscopy. *Atmospheric Research* **90**, 33-40.
- Wang, B., Lee, S.C., Ho, K.F. and Kang, Y.M., 2007. Characteristics of emissions of air pollutants from burning of incense in temples, Hong Kong. *Science of the Total Environment* **377**, 52-60.

- Wang, K.Y., Shallcross, D.E., Hadjinicolaou, P. and Giannakopoulos, C., 2004. Ambient vehicular pollutions in the urban area of Taipei: Comparing normal with anomalous vehicle emissions. *Water, Air and Soil Pollution*. **156**, 29-55.
- World Health Organization (WHO). 2005. WHO Air quality guidelines for particulate matter, ozone, nitrogen dioxide and sulfur dioxide. 16-17.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved