

## REFERENCES

- Abd-Allah, A.T., Thompson, S.N., Borchardt, D.B. and Wanas, M.Q.A. 1999. *Biomphalaria glabrata*: a laboratory model illustrating the potential of pulmonate gastropods as freshwater biomonitoring of heavy metal pollutants. *Malacologia*, 41(2): 345-353.
- Abellan, P., Sanchez-Fernandez, D., Velasco, J. and Millan, A. 2005. Assessing conservation priorities for insects: status of water beetles in southeast Spain. *Biological Conservation*, 121: 79-90.
- Abramovitz, J.N. 1996. Imperiled waters, impoverished further: The decline of freshwater ecosystems. Worldwatch Paper 128. Worldwatch Institute, Washington, DC.
- Achard, F., Eva, H.D., Stibig, H.J., Mayaux, P., Gallego, J., Richards, T. and Malingreau, J.P. 2002. Determination of deforestation rates of the world's humid tropical forest. *Science*, 27: 999-1002.
- Allan, R. 1997. Mining and metals in the environment. *Journal of Geochemical Exploration*, 58: 95-100.
- Allan, J.D. and Flecker, A.S. 1993. Biodiversity conservation in running water. *BioScience*, 43: 32-43.
- Allen, L.H. 1998. Zinc and micronutrient supplements for children. American *Journal of Clinical Nutrition*, 68(2): 495S-498S.
- Ansaldo, M., Nahabedian, D.E., Holmes-Brown, E., Agote, M., Ansay, C.V., Verrengia Guerrero, N.R. and Wider, E.A. 2006. Potential use of glycogen level as biomarker of chemical stress in *Biomphalaria glabrata*. *Toxicology*, 224: 119-217.
- Ansaldo, M., Luquet, C.M., Evelson, P.A., Polo, J.M. and Llesuy, S. 2000. Antioxidant levels from diffent Antarctic fish caught around South Georgia Island and Shag Rocks. *Polar Biology*, 23: 160-165.
- APHA, AWWA and WEF. 1998. Standard Methods for the Examination of Water and Wastewater. American Public Health Association, Washington DC.

- Arctic Monitoring and Assessment Programme (AMAP). 1997. Arctic Pollution issues: a state of the arctic environment report; Oslo, Norway.
- Arctic Monitoring and Assessment Programme (AMAP). 2002. Arctic pollution 2002. Oslo, Norway, p. 112.
- Arnold, S.M. and Middaugh, J.P. 2004. Use of traditional foods in healthy diet in Alaska: risks in perspective. *Mercury, State of Alaska*, 8(11). *Epidemiol Bull*, Second Edition, vol. 2.
- Ash, C., Stone, R. 2003. A question of dose. *Science*, 300: 925.
- Auzoux, S., Domart-Coulon, I. and Doumenc, D. 1993. Gill cell cultures of the butterfish clam *Ruditapes decussatus*. *Journal of Marine Biotechnology*, 1: 79-81
- Ayatollahi, M. 2002. Study of the impact of blood lead level on humoral immunity in humans. *Toxicology and Industrial Health*, 18: 39-44.
- Aziz, N.A., Morgan, A.J. and Kille, P. 1999. Metal resistance in earthworms; genetic adaptation or physiological acclimation. *Pedobiologia*, 43: 594-601.
- Barnes, R.D. 1986. Invertebrate Zoology. Gettysburg College, Pennsylvania, Harcourt Brace Jovanovich College Publishers, USA.
- Basaran, N. and Undege, U. 2000. Effects of lead on immune parameters in occupationally exposed workers. *American Journal of Industrial Medicine*, 38: 349-354.
- Bayne, B.L., Brown, D.A., Burns, K., Dixon, D.R., Ivanovici, A., Livingstone, D.R., Lowe, D.M., Moore, M.N., Stebbing, A.R.D. and Widdows, J. 1985. The Effects of Stress and Pollution on Marine Animals. Praeger, New York, USA.
- Bebianno, M.J. and Langston, W.J. 1998. Cadmium and metallothionein turnover in different tissues of the gastropod *Littorina littorea*. *Talanta*, 46: 301-313.
- Benavides, M.P., Gallego, S.M., and Tomaro, M.L. 2005. Cadmium toxicity in plants. *Braz. Journal of Plant Physiology*, 17: 21-34.
- Ben-Shlomo, R. and Nevo, E. 1988. Isozyme polymorphism as monitoring of marine environments: The interactive effect of cadmium and mercury pollution on the shrimp, *Palaemon elegans*. *Marine Pollution Bulletin*, 19: 314-317.

- Besser, J.M., Brumbaugh, W.G., May, T.W. and Schmitt, C.J. 2007. Biomonitoring of lead zinc and cadmium in streams draining lead-mining and non-mining areas, southeast Missouri, USA. *Environmental Monitoring Assessment*, 129: 227-241.
- Boening, D.W. 2000. Ecological effects, transport and fate of mercury; a general review. *Chemosphere*, 40: 1335-1351.
- Bogdanova, A.Y., Gassmann, M. and Nikinmaa, M. 2002. Copper ion redox state is critical for its effects on ion transport pathways and metaemoglobin formation in trout erythrocytes. *Chemico-Biological Interaction*, 139: 43-59.
- Bogdanova, A.Y., Virkki, L.V., Gusev, G.P. and Nikinmaa, M. 1999. Copper effects on ion transport across lamprey erythrocyte membrane: Cl<sup>-</sup>/OH<sup>-</sup> exchange induced by cuprous ions. *Toxicology Applied Pharmacology*, 159: 204-213.
- Bopp, S.K. and Lettieri, T. 2007. Gene regulation in the marine diatom (*Thalassiosira pseudonana*) upon exposure to polycyclic aromatic hydrocarbons (PAHs). *Gene*, 396: 293-302.
- Bradford. 1976. MM. A rapid and sensitive for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*, 72: 248-254.
- Brandt, R.A.M. 1974. The non-marine aquatic mollusca of Thailand. *Archiv für Molluskenkunde*, 105: 1- 423.
- Braune, B., Muir, D., Demarch, B. Gamberg, M., Poole, K., Currie, R. et al. 1999. Spatial and temporal trends of contaminants in Canadian Arctic freshwater and terrestrial ecosystems: a review. *Science of the Total Environment*, 230: 145-208.
- Britton, J.C. and Morton, B.S. 1982. A Dissection Guide, Field and Laboratory Manual for the Induced Bivalve *Corbicula fluminea*. *Malacology Review* (Supplement), 3: 1-82.
- Brook, B.W., Sodhi, N.S. and Ng, P.K.L. 2003. Catastrophic extinctions follow deforestation in Singapore. *Nature*, 424: 420-423.
- Bryan, G.W. and Langston, W.J. 1992. Bioavailability, accumulation and effects of heavy metals in sediments with special reference to United Kingdom Estuaries: a review. *Environmental Pollution*, 76: 89-131.

- Buijsman, E. 2004. Jaaroverzicht luchtkwaliteit 2002. Rijksinstiuut voor Volksgezondheid en Milieu (RIVM), Bilthoven.
- Burrel, D.C. 1977. Atomic Spectrometric Analysis of Heavy – Metal Pollutants in Water. Institute of Marine Science, University of Alaska Fairbanks, Alaska, p. 331.
- Bury, N.R., Walker, P.A. and Glover, C.N. 2003. Nutritive metal uptake in teleost fish. *Journal of Experimental Biology*, 206: 11-23.
- Camakaris, J., Voskoboinik, I. and Mercer, J.F. 1999. Molecular mechanisms of copper homeostasis. *Biochemical Biophysical Research Communications*, 261: 225-232.
- Campbell, H.A., Handy, R.D. and Nimmo, M. 1999. Copper uptake kinetics across the gills of rainbow trout (*Oncorhynchus mykiss*) measured using an improved isolated perfused head technique. *Aquatic Toxicology*, 46: 177-190.
- Camusso, M., Balestrini, R., Muriano, F., Mariani, M. 1994. Use of freshwater mussel *Dreissena polymorpha* to assess trace metal pollution in the lower river Po (Italy). *Chemosphere*, 29(4): 729-745.
- Cervera, A., Maymó, A.C., Sendra, M., Martínez-Pardo, R. and Garcerá, M.D. 2004. Cadmium effects on development and reproduction of *Oncopeltus fasciatus* (Heteroptera: Lygaeidae). *Journal of Insect Physiology*, 50: 737-749.
- Chaleamwat, K. 2001. Mollusk Aquaculture. Ruakaew Publisher, Bangkok. p. 253. (in Thai)
- Chelomin, V.P., Bobkova, E.A., Lukyanova, O.N. and Chekmasova N.M. 1995. Cadmium-induced alterations in essential trace element homoeostasis in the tissues of scallop *Mizuhopecten yessoensis*. *Comparative Biochemistry and Physiology Part C*, 110 (3): 329-335.
- Cheney, M.A., Keil, D. and Qian, S. 2008. Uptake and effect of mercury on amino acid losses from the gills of the bivalve mollusks *Mytilus californianus* and *Anodonta californiensis*. *Journal of Colloid and Interface Science*, 320: 369-375.

- Cheng, T.G. 1988. In vivo effects of heavy metals on cellular defense mechanisms of *Crassostrea virginica*: total and differential cell counts. *Journal of Invertebrate Pathology*, 51: 207-214.
- Cheng, T.G. 1981. Bivalves. In: Ratcliffe, N.A., Rowley, A.F. (Eds.), *Invertebrate Blood Cells*. Academic Press, London, p. 233-299.
- Cheng, T.G. and Rodrick, G.E. 1975. Lysosomal and other enzymes in the haemolymph of *Crassostrea virginica* and *Mercenaria mercenaria*. *Comparative Biochemistry and Physiology Part B*, 52: 443-447.
- Chesters, J.K. 1991. Trace element-gene interactions with particular reference to zinc. *Proceedings of the Nutrition Society*, 50: 123-129.
- Cheung, C.C.C. and Lam, P.K.S. 1998. Effect of cadmium on the embryos and juveniles of a tropical freshwater snail *Physa acuta* (Draparnaud, 1805). *Water Science Technology*, 38: 263-270.
- Chithamvong, Y.P. 1992. Bithyniidae (Gastropoda: Prosobranchia) of Thailand: comparative external morphology. *Malacological Review*, 25: 21-38.
- Choi, C.Y., An, K.W., Nelson, E.R. and Habibi, H.R. 2007. Cadmium affects the expression of metallothionein (MT) and glutathione peroxidase (GPX) mRNA in goldfish, *Carassius auratus*. *Comparative Biochemistry and Physiology Part C*, 145: 595-600.
- Choi, H. J., Ahn, I.-Y., Kim, K.-w., Kim, H.-A. and Lee, I.-S. 2003. Subcellular distribution of naturally elevated cadmium in the Antarctic clam *Laternula elliptica*. *Bulletin Environmental Contamination and Toxicology*, 71: 83-89.
- Choi, H. J., Ahn, I.-Y., Ryu, S.-K., Lee, Y.S., Lee, I.-S. and Jeong, K.-H. 2001. Preliminary evidence for a metallothionein-like Cd-binding protein in the kidney of the Antarctic clam *Laternula elliptica*. *Ocean Polar Research*, 23: 337-345.
- Clavier, J. 1992. The ormer (*Haliotis tuberculata*) fishery of France and the Channel Islands. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), *Abalone of the World*. Blackwell Scientific Publications, Cambridge, MA, p. 454-460.

- Coeurdassier, M., Vaufleury, A., Crini, N., Scheifler, R. and Badot, P.M. 2005. Assessment of whole effluent toxicity on aquatic snail: bioaccumulation of Cr, Zn and Fe and individual effects in bioassays. *Environmental Toxicology and Chemistry*, 24: 198-204.
- Coeurdassier, M., Vaufleury, A., Scheifler, R., Morhain, E. and Badot, P.M. 2004. Effects of cadmium on the survival of three life-stages of the freshwater pulmonate *Lymnaea stagnalis* (Mollusca, Gastropoda). *Bulletin Environmental Contamination and Toxicology*, 72: 1083-1090.
- Coeurdassier, M., Vaufleury, A. and Badot, P.M. 2003. Bioconcentration of cadmium and toxic effect on life-history traits of pond snail (*Lymnaea palustris* and *Lymnaea stagnalis*) in laboratory bioassays. *Archives of Environmental Contamination and Toxicology*, 454: 102-109.
- Cooney, J.D. 1995. In: Rand, G.M., editor. Freshwater tests in Fundamentals of Aquatic Toxicology. Washington, DC: Taylor & Francis, p. 91-138.
- Cortes-Altamirano, R., Hernandez-Becerril, D.U., Luna-Soria, R. 1996. Red tides in Mexico: A review. In: T. Yasumoto, Y. Oshima, Y. Fukuyo, Algal Blooms, Intergovernmental Oceanographic Comisión of UNESCO, Paris, p. 110-104.
- Cortes-Altamirano, R., Manrique, F.A. and Luna-Soria, R. 1995a. Presencia de mareas rojas en la costa este Glfo de California. *Revista Latinoamericana de Microbiologia*, 37: 337-342.
- Cortes-Altamirano, R., Hernandez-Becerril, D.U., Luna-Soria, R. 1995b. Mareas rojas en Mexico: Una revision. *Revista Latinoamericana de Microbiologia*, 37: 343-352.
- Cossa, D. 1989. A review of the use of (*Mytilus* ssp.) as quantitative indicator of cadmium and mercury contamination in coastal water. *Oceanologica Acta*, 12: 417-432.
- Cotton, F.A. and Wilkinson, G. 1989. Advanced inorganic chemistry. New York, John Wiley & Sons Ltd, p. 755-755.
- Cunningham, P.A. 1979. The Use of Bivalve Molluscs in Heavy Metal Pollution Research, Marine Pollution: Functional Responses. Department of Biology, North Carolina Central University, Durham, North Carolina, p. 183-221.

- Dallinger, R., Berger, B., Triebeskorn-Köhler, R. and Köhler, H. 2001. Soil biology and ecotoxicology. In: Barker, G.M. (Ed.), *The Biology of Terrestrial Mollusks*. CAB International, Wallingford, p. 489-525.
- Dallinger, R. and Rainbow, P. 1993. Ecotoxicology of metals in invertebrates. Lewis, Chelsea, MI: SETAC Special Publications.
- Danilatos, G.D. and Robinson, V.N.E. 1979. Principles of Scanning Electron Microscope at High Specimen Chamber Pressures. *SCANNING*, 2: 72-82.
- Davies, B.E. 1990. Lead. In: Alloway, B.J. (Ed.), *Heavy Metals in Soils*. Halsted Press/Blackie, Glasgow, p. 177-196.
- De Boeck, G., Meeus, W., Coen, W.D. and Blust, R. 2004. Tissue-specific Cu bioaccumulation patterns and differences in sensitivity to waterborne Cu in three freshwater fish: rainbow trout (*Oncorhynchus mykiss*), common carp (*Cyprinus carpio*), and gibel carp (*Carassius auratus gibelio*). *Aquatic Toxicology*, 70: 179-188.
- Depledge, M.H., Aagaard, A. and Györkös, P. 1995. Assessment of trace metal toxicity using molecular, physiological and behavioural biomarkers. *Marine Pollution Bulletin*, 31(1-3): 19-27.
- Desouky, M.M.A. 2006. Tissue distribution and subcellular localization of trace metals in the pond sail *Lymnaea stagnalis* with special reference to the role of lysosomal granules in metal sequestration. *Aquatic Toxicology*, 77: 143-152.
- Duchrow, R.M. 1983. Effects of lead tailings on benthos and water quality in three Ozark streams. *Trans Missouri Acad Science*, 17: 5-17.
- Dudgeon, D. 2003. The contribution of scientific information to the conservation and management of freshwater biodiversity in tropical Asia. *Hydrobiologia*, 500: 295-314.
- Duncan, J.R. and Lockwood, J.L. 2001. Extinction in a field of bullets: a search for causes in the decline of the world's freshwater fishes. *Biological Conservation*, 102: 97-105.
- Dwight, E.L. 2002. Methods for Maintaining Insect Cell Cultures. *Journal of Insect Science*2; 9. Published online 2002 May 20.

- Dwyer, F.J., Schmitt, C.J., Finger, S.E. and Mehrle, P.M. 1988. Biochemical changes in longear sunfish, *Lepomis megalotis*, associated with lead, cadmium and zinc from mine tailings. *Journal of Fish Biology*, 33: 307-317
- Egeland, G.M. and Middaugh, J.P. 1998. Use of traditional foods in a healthy diet in Alaska: risks in perspective. State of Alaska. Epidemiology Bulletin, 2(1).
- Egeland, G.M. and Middaugh, J.P. 1997. Balancing fish consumption and benefits with mercury exposure. *Science*, 278: 1904-1905.
- Elder, J.F. and Collins, J.J. 1991. Freshwater mollusks as indicators of bioavailability and toxicity of metals in surface-water systems, *Reviews of Environmental Contamination and Toxicology*, 122: 37-79.
- Elliott, N.G., Swain, R., and Ritz, D. A. 1985. The influence of cyclic exposure on the accumulation of heavy metals by *Mytilus edulis* planulatus (Lamarck). *Marine Environmental Research*, 15: 17-30.
- Eisler, R. 1980. Trace metal concentration in marine organisms. El Shenawy, N.S.; Pergamon Press, N. Y.; 2000. Ecotoxicological studies on the effects of the organic pesticides (Atrazine and Lindane) on the marine mussel, *Mytillus edulis*. Ph.D. thesis, Suez Canal University, Islamia, Egypt.
- Environment Australia. 1998a. The Southern Synthesis Part A Fauna of Australia Volume 5. Department of the Environment, Australian Biological Resources Study, Canberra, CSIRO Australia, p. 563.
- Environment Australia. 1998b. The Southern Synthesis Part B Fauna of Australia Volume 5. Department of the Environment, Australian Biological Resources Study, Canberra, CSIRO Australia, p. 1234.
- Faculty of Engineering. 2003. Multidisciplinary Study for Integrated Management of the Pong River. Research progress report for Khon Kaen University. Khon Kaen, Thailand.
- FAO. 2004. Annuaire de statistiques des Pêches 2002. Production de l'Aquaculture, vol. 94/2. Statistiques No. 181 et Pêches No. 67, Rome, p. 206.
- Farlinger, S. and Campbell, A. 1992. Fisheries management and biology of northern abalone, *Haliotis kamtschatkana*, in the northerneast Pacific. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), Abalone of the World. Blackwell Scientific Publications, Cambridge, MA, p. 395-405.

- Fernandez-Cabezudo, M.J., Ali, S.A., Ullah, A., Hasan, M.Y., Kosanovic, M., Fahim, M.A., Adem, A. and al-Ramadi, B.K. 2007. Pronounced susceptibility to infection by *Salmonella enterica* serovar *Typhimurium* in mice chronically exposed to lead correlates with a shift to Th2-type immune responses. *Toxicology and Applied Pharmacology*, 218: 215-226.
- Frati, F., Fanciulli, P.P. and Posthuma, L. 1992. Allozyme variation in referente and metal exposed natural populations of *Orchesella cineta* (Insecta: Collembola). *Biochemical Systematics and Ecology*, 20: 297-310.
- Gagnaire, B., Thomas-Guyon, H. and Renault, T. 2004. In vitro effects of cadmium and mercury on Pacific oyster, *Crassostrea gigas* (Thunberg), haemocytes. *Fish & Shellfish Immunology*, 16: 501-512.
- Gale, N.L., Wixson, B.G., Hardie, M.G. and Jennett, J.C. 1973. Aquatic organisms and heavy metals in Missouri's new lead belt. *Water Resource Bulletin*, 9: 673-688.
- Gatlin, D.M. III, O'Connell, J.P. and Scarpa, J. 1991. Dietary zinc requirement of the red drum, *Sciaenops ocellatus*. *Aquaculture*, 92: 259-265.
- Gillespie, R.B. and Guttman, S.I. 1999. Chemical-Induced Changes in the Genetic Structure of Populations: Effects on Allozymes. In: Genetics and Ecotoxicology. Forbes, V. E. (ED), Taylor and Francis, New York, p: 55-77.
- Glahder, C.M., Appel, P.W.U. and Asmud, G. 1999. Mercury in soap in Tanzania. NERI Technical Report No. 306, p. 23.
- Goldberg, E.D., Bowen, V.T., Farrington, J.W., Harvey, G., Martin, J.H., Parker, P.L., Risebrough, R.W., Robertson, W., Schneider, E. and Gamble, E. 1978. The mussel watch. *Environmental Conservation*, 5: 101-125.
- Golterman, H.L., Clymo, R.S. and Ohnstad, M.A.M. 1978. Methods for Physical and Chemical Analysis of Fresh Waters. 2<sup>nd</sup> ed., Blackwell Scientific Publications osney Mead, Oxford, p. 214.
- Gomot, A. 1998. Toxic effects of cadmium on reproduction, development and hatching in the freshwater snail *Lymnaea stagnalis* for water quality monitoring. *Ecotoxicology Environmental Safety*, 41 B: 288-297.

- Gourmelon, A. and Ahtiainen, J. 2007. Developing test guidelines on invertebrate development and reproduction for the assessment of chemicals, including potential endocrine active substances. The OECD perspective. *Ecotoxicology*, 16: 161-167.
- Goyer, R.A. and Clarkson, T.W. 2001. Toxic effects of Metals. In: Klaussen CD, editor. Casarett and Dull's toxicology: the basic science of poisons. New York: McGraw-Hill, p. 811-867.
- Grandjean, P., White, R.F., Nielsen, A., Clearly, D. and deOliveria Santos, E.C. 1999. *Environmental Health Perspective*, 107: 7.
- Green, A.J., El Hamzaoui,M., EL Agbani, M.A. and Franchimont, J. 2002. The conservation status of Moroccan wetlands with particular reference to waterbirds and to changes since 1978. *Biological Conservation*, 104: 71-82.
- Greenberg, N., Carr, J.A. and Summers, C.H. 1992. Standard Methods for the Examination of Water and Wastewater. American Public Health Association, Washington DC.
- Grigal, D.F. 2002. Inputs and outputs of mercury from terrestrial watersheds: a review *Environmental Research*, 10: 1-39.
- Grime, J.P., Blythe, G.M. and Thornton, J.D. 1970. Food selection by the snail *Cepaea nemoralis* L. In: Watson, A. (Ed.), Animal Populations in Relation to Their Food Resources. Symp. British Ecological Society, Aberdeen, 1969. Blackwell, Oxford/Edinburgh, p. 73-99.
- Gupta, P., Husain, M.M., Shanker, R., Dogra, R.K., Seth, P.K. and Maheshwari, R.K. 2003. Exacerbation of soft tissue lesions in lead exposed virus infected mice. *Biomedical Environmental Science*, 16: 369-378.
- Guzmán del Proò, S.A. 1992. A review of the biology of abalone and its fishery in Mexico. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), Abalone of the World. Blackwell Scientific Publications, Cambridge, MA, p. 341-360.
- Hall Jr., L.W., Scott, M.C. and Killen, W.D. 1998. Ecological risk assessment of copper and cadmium in surface waters of Chesapeake Bay watershed. *Environmental Toxicology and Chemistry*, 17: 1172-1189.

- Han, B.C., Jeng, W.L., Tsai, Y.N., and Jeng, M.S. 1993. Depuration of copper and zinc by green oysters and blue mussels of Taiwan. *Environmental Pollution*, 82: 93-97.
- Hansen, B.H., Romma, S., Garmo, O.A., Olsvik, P.A. and Andersen, R.A. 2006. Antioxidative stress proteins and their gene expression in brow trout (*Salmo trutta*) from three rivers with diffent heavy metal levels. *Comparative Biochemistry and Physiology Part C*, 143: 263-274.
- Hansen, J.C. and Gilman, A.P. 2005. Exposure of Arctic populations to methylmercury from consumption of marine food: an updated risk-benefit assessment. *Information Journal Circumpolar Health*, 64: 121-136.
- Handy, R.D., Eddy, F.B. and Baines, H. 2002. Sodium-dependent copper uptake across epithelia: a review of rationale with experimental evidence from gill and intestine. *Biochimica et Biophysica Acta (BBA)-Biomembranes*, 1566: 104-115.
- Hebel, D.K., Jones, M.B. and Depledge, M.H. 1997. Responses of crustaceans to contaminants exposure: a holist approach. *Estuarine, Coastal Shelf Science*, 44: 177-184.
- Hercules, C.A. 2000. Quick Start™ Bradford Protein Assay. Instruction Manual, For technical service call your local Bio-Rad office, or in US. Bio-Rad Laboratories, Inc., Alfred Novel, USA.
- Hudson, C.A., Cao, L., Kasten-Joly, J. Kirkwood, J.N. and Lawrence, D.A. 2003. Susceptibility of lupus-prone NZM mouse strain to lead exacerbation of systemic lupus erythematosus symptoms. *Journal of Toxicology Environment Health*, 66: 895-918.
- Humphrey, S. and Lister, K.B. 2004. Biological assessment Study: Indian Creek and Courtois Creek, Washington County, 2001-2002. Missouri Department of Natural Resources, Jefferson City, MO.
- Ivanina, A.V., Taylor, C., and Sokolova I.M. 2008a. Effects of elevated temperature and cadmium exposure on stress protein response in eastern oysters *Crassostrea virginica* (Gmelin). *Aquatic Toxicology*.

- Ivanina, A.V., Habinck, E. and Sokolova I.M. 2008b. Differential sensitivity to cadmium of key mitochondrial enzymes in the eastern oyster, *Crassostrea virginica* Gmelin (Bivalvia: Ostreidae). *Comparative Biochemistry and Physiology Part C*, 148: 72-79.
- Jacqueline, S.L. 2000. Freshwater Molluscs. BC Conservation Data Centre, Ministry of Environment, Lands and Parks.
- Jha, A.N. 1998. Use of aquatic invertebrates in genotoxicological studies. *Mutation Research*, 399: 1-2.
- Jing, G., Li, Y., Xie, L. and Zhang, R. 2006. Metal accumulation and enzyme activities in gills and digestive gland of pearl oyster (*Pinctada fucata*) exposed to copper. *Comparative Biochemistry and Physiology Part C*, 144: 184-190.
- Jiraungkoorskul, W., Upatham, E.S., Kruatrachue, M., Shaphong, S., Vichasri Grams, S., Pokethitiyook, P. 2003. Biochemical and histopathological effects of glyphosate herbicide on Nile tilapia (*Oreochromis niloticus*). *Environmental Toxicology*, 18: 260-267.
- Joachim, N. 2003. ICP Emission Spectrometry: A Practical Guide. Federal Republic of Germany, p. 267.
- Johnson, D.W., Al-Harassy, A. and Al-Harthy, M. 1992. The sultanate of oman abalone fishery. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), *Abalone of the World*. Blackwell Scientific Publications, Cambridge, MA, p. 448-453.
- Kamaruzzaman, B.Y., Ong, M.C., Zeleha, K. and Shahbudin, S. 2008. Levels of Heavy Metals in Green-Lipped Mussel *Perna veridis* (Linnaeus) from Muae Estuary, Johore, Malaysia. *Pakistan Journal of Biological Sciences*, 11: 2249-2253.
- Kammenga, J.E., Dallinger, R., Donker, M.H., Köhler, H.-R., Simonsen, V., Triebeskorn, R. and Weeks, J. 2000. Biomarkers in terrestrial invertebrates for ecotoxicological soil risk assessment. *Reviews of Environmental Contamination and Toxicology*, 164: 93-147.

- Kamunde, C.N., Grosell, M., Lott, J.N.A. and Wood, C.M. 2001. Copper metabolism and gut morphology in rainbow trout (*Oncorhynchus mykiss*) during chronic sublethal dietary copper exposure. Canadian *Journal of Fisheries and Aquatic Science*, 58: 293-305.
- Keawjam, R.S. 1986. The apple snail of Thailand: distribution, habitats and shell morphology. *Malacological Review*, 19: 61-81.
- Kijiviriya, V. 1990. The studies of the Asiatic clams (*Corbicula*, Mülfeld, 1811) in Thailand: electrophoretic estimates of enzyme variation and the use of anatomy as a species indicator. Ph.D. Thesis. Mahidol University.
- Kim, S.G., Jee, J.H. and Kang, J.C. 2004. Cadmium accumulation and elimination in tissues of juvenile olive flounder, *Paralichthys olivaceus* after subchronic cadmium exposure. *Environmental Pollution*, 127: 117-123.
- Klinhon, U. 1989. The Thiaridae (Prosobranchia: Gastropod) of Thailand: their morphology, anatomy, allozyme and systematic relationship. Ph.D. Thesis. Mahidol University.
- Kobayashi, J. 1971. Relation between Itai-Itai disease and the pollution of river water by cadmium from mine. In: Jenkins, S.H.(Ed.), Advances in Water Pollution Research 1970, vol. 1. Pergamon Press, Oxford, p. 1-25.
- Kovach, W. L. 1999. MVSP—A Multivariate Statistical Package for Windows, Version 3.1. Kovach Computing Services, 85 Nant-y-Felin, Pentraeth, Anglesey LL75 8UY, Wales, U.K.
- Kowalewska, G. 1999. Phytoplankton—the main factor responsible for transport of polynuclear aromatic hydrocarbons from water to sediments in the Southern Baltic ecosystem (extended abstract). *Journal of Marine Science*, 56S: 219-222.
- Krenkle, P.A. 1975. Heavy Metal in the Aquatic Environment. Proceedings of the International Conference held in Nashvill, Tennessee, December 1973, p. 352.
- Krisch, K. 1971. Carboxylic eater hydrolases. The Enzyme Vol.5 (Boyer, P.D., Ed.). Academic Press. New York, p. 43-70.

- Labrot, F., Ribera, D., Saint Denis, M. and Narbonne, J.F. 1996. In vitro and in vivo studies of potential biomarkers of lead and uranium contamination: lipid peroxidation, acetylcholinesterase, catalase and glutathione peroxidase activities in three non-mammalian species. *Biomarks*, 1: 21-28.
- Lall, S.P. 1989. The minerals. In: Halver, J.E. (Ed.), Fish Nutrition. Academic Press, San Diego, CA, p. 219-257.
- Langston, W.J., Bebianno, M.J. and Burt, G.R. 1998. Metal handling strategies in mollusks. In: Langston, W.J., Bebianno, M.J. (Eds.), Metal metabolism in aquatic environments. Chapman and Hall, London, p. 219-283.
- Laurance, W.F. 1999. Reflections on the tropical deforestation crisis. *Biological Conservation*, 91: 109-117.
- Lauwerys, R.P., Bernard, A.B., Roels, H. and Buchet, J. P. 1995. Health risk assessment of long-term exposure to non-genotoxic chemicals: Application of biological indices. *Toxicology Letters*, 77: 39-44.
- Lei, A-P., Hu, Z-L., Wong, Y-S. and Tam, N.F-Y. 2007. Removals of fluoranthene and pyrene by different microalgal species. *Bioresource Technology*, 98: 273-280.
- Lei, A-P., Wong, Y-S. and Tam, N.F-Y. 2002. Removal of pyrene by different microalgal species. *Water Science Technology*, 46: 195-201.
- Li, A., Li, J., Lei, Q. Wang, F. and Chuang, J. 1995. Application of different forms of trace minerals in feed for fish and prawn. In: Li, A., Shiao, S. (Eds.), The Proceeding of the Second Symposium of World's Chinese Scientist on Nutrition and Feeding of Finfish and Shellfish. Ocean University of Qingdao Press, Qingdao, China, p. 33-46.
- Lister, K.B. and Humphrey, S. 2005. Biological assessment and fine sediment study: Big River (lower): Irondale to Washington State Park, St Francois, Washington and Jefferson Counties, Missouri. Missouri Department of Natural Resources, Jefferson City, MO.
- Locquin, M. 1983. Handbook of Microscopy. Butterworth & Co (publishers) Ltd., p. 322.
- Lorris, G.C., and Barbara S.S. 1994. Basic Environmental Toxicology. Library of Congress Cataloging – in – Publication Data, USA, p. 626.

- Luoma, S.N., Van Geeg, A., Lee, B.G. and Cloren, J.E. 1998. Metal uptake by phytoplankton during a bloom in South San Francisco Bay: implications for metal cycling in estuaries. *Limnology Oceanography*, 43: 1007-1016.
- Lyman, C.E., Newbury, D.E., Goldstein, J.I., Williams, D.B., Romig, A.D., Armstrong, J. T., Echlin, P., Fiori, C. E., Joy, D. C., Lifshin, E. and Klaus-Ruediger, P. 1990. Scanning Electron Microscopy, X – Ray Microanalysis, and Analytical Electron Microscopy : A Laboratory Workbook. Plenum Press, New York, p. 407.
- Macdonald, R., Mackay, D. and Hickie, B. 2002. Contaminant amplification in the environment. *Environmental Science Technology*, 34: 457a-462a.
- Machii, A. and Wada, K.T. 1989. Some marine invertebrates tissues culture. In: Mitsuhashi, J., (eds). Invertebrates Cell System Application, volume 2. Boca Raton, CRC Press, p. 225-233.
- Mage, A. and Julshamn, K. 1993. Assessment of zinc status in juvenile Atlantic salmon (*Salmo salar*) by measurement of whole body and tissue levels of zinc. *Aquaculture*, 117: 179-191.
- Mahaffey, K.R., Clichner, R.P. and Bodurow. C.C. 2004. Blood organic mercury and dietary mercury intake. National Health and Nutrition Examination Survey, 1999 and 2000. *Environmental Health Perspective*, 112: 562-570.
- Mance, G. 1987. Pollution Treat of Heavy Metals in Aquatic Environments. Elsevier applied science publishers Ltd., p. 372.
- Manzl, C., Enrich, J., Ebner, H., Dallinger, R. and Krumschnabel, G. 2004. Copper-induced formation of reactive oxygen species causes cell death and disruption of calcium homeostasis in trout hepatocytes. *Toxicology*, 196: 57-64.
- Mason, A.Z. and Jenkins, K.D. 1995. Metal detoxification in aquatic organism. In: Tessier, A., Turner, D.R. (Eds.), Metal speciation and bioavailability in aquatic systems. John Wiley and Sons, Chichester, p. 479-603.
- Master, L.L., Frack, S.R. and Stein, B.A. (Eds.). 1998. Rivers of Life: Critical Watersheds for Protecting Freshwater Biodiversity: The Nature Conservancy, Arlington, Virginia.

- Meador, J.P., Stein, J.E., Reichert, W.L. and Varanasi, V. 1995. Bioaccumulation of polycyclic aromatic hydrocarbons by marine organisms. *Reviews of Environmental Contamination and Toxicology*, 143: 65-79.
- Merian, E., Anke, M., Ihnat, M. and Stoeppe, M. 2004. Elements and their Compounds in the Environment. 2<sup>nd</sup> Edition, WILE-VCH Verlag GmbH&Co.KGaA, Weinheim.
- Mermet, J.M. 1994. Quality of calibration inductively coupled plasma atomic emission spectrometry, *Spectrochim. Acta Part B*, 49: 1313-1324.
- Mishra, K.P., Singh, V.K., Rani, R., Yadav, V.S., Chandran, V., Srivastava, S.P. and Seth, P.K. 2003. Effect of lead exposure on the immune response of some occupationally exposed individuals. *Toxicology*, 188: 251-259.
- Molina, R.E., Manrique, F.A. and Garcia, J. 1997. Nota sobre un florecimiento de *Stephanopyxis palmeriana* (Greville) Grunow (Bacillariophyceae) en la bahia Kun Kaak, Golfo de California. *Hidrobiological*, 7: 84-86.
- Morel, F.M.M., Krämer, A.M.L. and Amoyt, M. 1998. The chemical cycle and bioaccumulation of mercury. *Ann. Rev. Ecolog. Syst.*, 29: 543-566.
- Moriarty, F. 1990. Ecotoxicology: the study of pollutants in ecosystems. 2<sup>nd</sup>. Ed. London: Academic Press.
- MRC. 2006. Identification of Freshwater Invertebrates of the Mekong River and its Tributaries. Executive Summary. Mekong River Commission, Phnom Penh.
- Münzinger, A. 1987. *Biomphalaria glabrata* (Say), a suitable organism for a biotest. *Environmental Technology Letters*, 8: 141-148.
- Murray, L.A., Raab, A., Marr, I.L. and Feldmann, J. 2003. Biotransformation of arsenate to arsenosugars by (*Chlorella vulgaris*). *Applied Organometallic Chemistry*, 17: 669-674.
- Nakano, E., Watanabe, L.C., Pires Ohlweiler, F., de Braganca Pereira, C.A. and Kawano, T. 2003. Establishment of the dominant lethal test in the freshwater mollusk *Biomphalaria glabrata* (Say, 1818). *Mutation Research*, 536: 145-154.
- Nanda, S. 1993. The environmental impact of a chloro-alkali factory in a river basin in eastern India. *Environmentalist*, 13: 121-124.

- National Academy of Sciences (NAS). 2000. Toxicological Effects of Methylmercury. Washington D.C., 2000. Online. Available HTTP: <<http://nap.edu/book/0309071402/html>> (accessed 1 June 2007).
- Nevo, E., Noy, R., Latvie, B., Beiles, A. and Muchtar, S. 1986. Genetic diversity and resistance to marine pollution: Theory and Practice. Biology. *Journal of the Linnean Society* (London), 29: 139-144.
- Nie, Z. 1992. A review of abalone culture in China. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), Abalone of the World. Blackwell Scientific Publications, Cambridge, MA, p. 592-602.
- Nobmann, E.D., Boyers, T., Lanier, A.P., Hankin, J.H. and Jackson, M.L. 1992. The diet of Alaska native adults: 1987-1988. American *Journal of Clinical Nutrition*, 55: 1024-1032.
- Norum, U., Bondgaard, M. and Bjerregaard, P. 2003. Copper and zinc handling during moult cycle of male and female shore crabs *Carcinus maenas*. *Marine Biology*, 142: 757-769.
- Notten, M., Oosthoek, A., Rozema, J. and Aerts, R. 2005. Heavy metal concentrations in soil-plant-snail food chain along a terrestrial soil pollution gradient. *Environmental Pollution*, 138: 178-190.
- NRC (Nation Research Council). 1993. Nutrient Requirements of Fish. National Academy Press, Washington, DC, p. 114.
- Nriagu, J.O. 1998. Tales told in lead. *Science*, 281: 1622-1623.
- Nriagu, J.O. 1992. Impact of heavy metals on the environment. In: Nriagu, J.O., editor. Trace metals in the environment, vol. 2. Amsterdam: Elsevier, p. 444.
- Nriagu, J.O. and Pacyna, J.M. 1988. Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature*, 333: 134-139.
- Nriagu, J.O. 1988. A silent epidemic of environmental metal poisoning. *Journal of Environmental Pollution*, 50: 139-161.
- Nriagu, J.O. 1980. Production, uses and properties of cadmium. In: Nriagu, J.O. (Ed.), Cadmium in the Environmental. Part I: Ecological Cycling. John Wiley and Sons, New York, p. 35-70.
- Nriagu, J.O. 1978. The Biogeochemistry of Lead in the Environment. Elsevier/North-Holland Biomedical Press, Amsterdam.

- Nudelman, F., Shimon, E., Klein, E., Rousseau, M., Bourrat, X., Lopez, E., Addadi, L. and Weiner, S. 2008. Forming nacreous layer of the shells of the bivalves *Atrina rigida* and *Pinctada margaritifera*: An environmental and cryo-scanning electron microscopy study. *Journal of Structural Biology*, 162: 290-300.
- O'Conner, T.P. 1996. Trends in chemical concentrations in mussels and oysters collected along the US coast from 1986 to 1993. *Marine Environmental Research*, 41: 183–200.
- Ogino, C. and Yang, G.Y. 1978. Requirement of rainbow trout for dietary zinc. *Bulletin Japanese Society of Fisheries Science*, 44: 1015-1018.
- Okay, O.S., Donkin, P., Peter, L.D. and Livingstone, D.R. 2000. The role of algae (*Isochrysis galbana*) enrichment on the bioaccumulation of benzo [a]pyrene and its effects on the blue mussel (*Mytilus edulis*). *Environmental Pollution*, 110: 103-113.
- Pain, D.J. 1995. Lead in the environment. In: Hoffman, D.J., Rattner, B.A., Burton, G.A., Cairns, J. (Eds.), *Handbook of Ecotoxicology*. CRC Press, Boca Raton, p. 356-391.
- Park, S.C., Smith, Jr.T.J. and Bisesi, M.S. 1992. Activities of phosphomonoesterase and phosphodiesterase from *Lumbricus terrestris*. *Soil Biology and Biochemistry*, 24: 873-876.
- Parker, D.O., Haaker, P.L. and Togstadt, H.A. 1992. Case histories for three species of California abalone: *Haliotis corrugata*, *H. fulgens* and *H. cracherodii*. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), *Abalone of the World*. Blackwell Scientific Publications, Cambridge, MA, p. 384-394.
- Perez-Losada, M., Jara, C.G., Bond-Buckup, G. and Crandall, K.A. 2002. Conservation phylogenetics of Chilean freshwater crabs Aegla (Anomura, Aeglidae): assigning priorities for aquatic habitat protection. *Biological Conservation*, 105: 345-353.
- Phillips, D.J.H. 1977. The use of biological indicator organisms to monitor trace metal pollution in marine and estuarine environment-a review. *Environmental Pollution*, 13: 281-317.

- Pipe, R.K. 1992. Generation of reactive oxygen metabolites by the haemocytes of the mussel *Mytilus edulis*. *Development and Comparative Immunology*, 16: 111-122.
- Pipe, R.K. 1986. Light and electron microscope localization of  $\beta$ -glucuronidase activity in the stomach and digestive gland of the marine gastropod *Littorina littorea*. *Histochemical Journal*, 18: 175-183.
- Pollution Control Department, Bangkok, Thailand (PCD). 1996. Notification of the Ministry of Science, Technology and Environment, No. 3, B.E. 2539 (1996) : Specifying of the Control of Industrial Effluent Standard with the sources from Factories and Industrial Estates, published in the Royal Government Gazette, Vol. 113, Part 13 D, dated February 13, B.E.2539 (1996).
- Popham, J.D., and D'Auria, J.M. 1981. Statistical models for estimating seawater metal concentrations from metal concentrations in mussels (*Mytilus edulis*). *Bulletin Environmental Contamination and Toxicology*, 27: 660-670.
- Pomponi, S.A. and Willoughby, R. 1994. Sponge cell culture for production of bioactive metabolites. In: van Soest, van Kempen and Braekman(eds). *Sponges in time and space*. Balkema, Rotterdam, p. 395-400.
- Prince, J.D. and Shepherd, S.A. 1992. Australian abalone fisheries and their management. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), *Abalone of the World*. Blackwell Scientific Publications, Cambridge, MA, p. 407-426.
- Rabb, S. A. and Olesik, J. W. 2008. Assessment of high precision, high accuracy Inductively Coupled Plasma-Optical Emission Spectroscopy to obtain concentration uncertainties less than 0.2% with variable matrix concentrations. *Spectrochimica Acta Part B* 63: 244-256.
- Rainbow, P.S. and Phillips, D.J.H. 1993. Cosmopolitan biomonitor of trace metals, *Marine Pollution Bulletin*, 26(11): 593-603.
- Rainbow, P.S., Wolowicz, M., Fialkowski, W., Smith, B.D., Sokolowski, A. 2000. Biomonitoring of trace metals in the Gulf of Gdansk, using mussels (*Mytilus trossulus*) and barnacles (*Ballanus improvisus*). *Water Research*, 6(34): 1823-1829.

- Raftos, D.A., Stillman, D.L. and Cooper, E.L. 1990. *In vitro* culture of tissue from the tunicate *Styela clava*. *In Vitro Cell Developmental Biology*, p. 2962-970.
- Raftos, D.A., Cooper, E.L., Habicht, G.S. and Beck, G. 1991. Invertebrate cytokine: tunicate cell proliferation stimulated by an interleukin 1-like molecule. *Proceedings of the National Academy of Sciences USA*, 88: 9518-9522.
- Raymond, M., Callaghan, A., Fort, P. and Pasteur, N. 1991. World-wide migration of amplified insecticide resistance genes in mosquitoes. *Nature*, 350: 151-153.
- Regoli, F. 1998. Metals and antioxidant enzymes in gills and digestive gland of the Mediterranean mussel *M. Galloprovincialis*. *Archives of Environmental Contamination and Toxicology*, 34: 48-63.
- Regoli, F. and Orlando, E. 1993. *Mytilus galloprovincialis* as bioindicators of lead pollution: biological variables and cellular responses. *Science of the Total Environmental* (Suppl. 2): 1283-1292.
- Rettberg, T.M., Evans-Norris, S. and MacIntosh, J. 2005. Analysis of metals with reference-material quality accuracy and precision. Abstract Paper of American Chemistry Society, 203: U413-U414.
- Riisgard, H.U., Kiorboe, T., Mohlenberg, F., Drabake, I. and Pheiffer Madsen, P. 1985. Accumulation, elimination and chemical speciation of mercury in the bivalves *Mytilus edulis* and *Macoma balthica*. *Marine Biology*, 86: 55-62.
- Roesijadi, G. 1992. Metallothioneins in metal regulation and toxicity in aquatic animals. *Aquatic Toxicology*, 22: 81-114.
- Ryck, F.M. 1974. Water quality survey of the southeast Ozark mining area, 1965-1971. Aquatic Series 10. Missouri Department of Conservation, Jefferson City, MO.
- Ryck, F.M. and Whitley, J.R. 1974. Pollution abatement in the lead mining district of Missouri. In: Proceeding of Purdue Industrial Waste Conference, vol.29, p. 857-863.
- Saavedra, Y., Gonzalez, A., Fernandez, P. and Blanco, J. 2004. The effect of size on trace metal levels in raft cultivated mussels (*M. Galloprovincialis*). *Science of the Total Environmental*, 318: 115-124.

- Saha, M., Sarkar, S.K. and Bhattacharya, B. 2006. Interspecific variation in heavy metal body concentrations in biota of Sunderban mangrove wetland, northeast India. *Environmental International*, 32: 203-207.
- Sahgal, A., Kumar, S. and Pillai, M.K.K. 1994. Microplate assay of elevated esterase activity in individual pyrethroid-resistant mosquitoes. *Journal of Bioscience*, 19 (2): 193-199.
- Salit, M.L., Turk, G.C., Lindstrom, A.P., Butler, T.A., Beck, C.M. and Norman, B. 2001. Single-element solution comparison with a high-performance inductively coupled plasma optical emission spectrometric method. *Analytical Chemistry*, 73: 4821-4829.
- Salit, M.L., Vocke, R.D. and Kelly, W.R. 2000. An ICP-OES method with 0.2% expanded uncertainties for the characterization of LiAlO<sub>2</sub>. *Analytical Chemistry*, 72: 3504-3511.
- Salit, M.L. and Turk, G.C. 1998. A drift correction procedure. *Analytical Chemistry*, 70: 3184-3190.
- Sanchez, W., Palluel, O., Meunier, L., Coquery, M., Porcher, J.M., Ait-Aissa, S. 2005. Copper-induced oxidative stress in three-spined stickleback: relationship with hepatic metal levels. *Environmental of Toxicology and Pharmacology*, 19: 177-183.
- Sastray, K.V. and Subhadra, K. 1982. Effect of cadmium in some aspects of carbohydrate metabolism in a freshwater catfish, *Heteropneustes fossilis*. *Toxicology Letters*, 14: 81-114.
- Sata, F., Araki, S., Tanigawa, T., Morita, Y., Sakurai, S., Nakata, A. and Katsuno, N. 1998. Alterations in T cell subpopulations in lead workers. *Environmental Research*, 76: 61-64.
- Scaps, P., Grelle, C. and Descamps, M. 1997. Cadmium and lead accumulation in the earthworm *Eisenia fetida* (Savigny) and its impact on cholinesterase and metabolic pathway enzyme activity. *Comparative Biochemistry and Physiology*, 116C: 233-238.
- Schiel, D.R. 1992. The paua (abalone) fishery of New Zealand. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), *Abalone of the World*. Blackwell Scientific Publications, Cambridge, MA, p. 427-437.

- Schnitt, C.J., Brumbaugh, W.G. and May, T.W. 2007a. Accumulation of metals in fish from lead-zinc mining areas of southeastern Missouri, USA. *Ecotoxicology Environmental Safety*, 67: 14-30.
- Schnitt, C.J., Whyte, J.J., Roberts, A.P., Annis, M.L., May, T.W. and Tillitt, D.E. 2007b. Biomarkers of metals exposure in fish from lead-zinc mining areas of southeastern Missouri, USA. *Ecotoxicology Environmental Safety*, 67: 31-47.
- Schnitt, C.J., Dwyer, F.J. and Finger, S.E. 1984. Bioavailability of Pb and Zn from mine tailings as indicated by erythrocyte (d)-aminolevulinic acid dehydratase (ALA-D) activity in suckers (Pisces: Catostomidae). *Canadian Journal of Fisheries and Aquatic Science*, 41: 1030-1040.
- Schumann, K., Classen, H.G., Dieter, H.H., Konig, J., Multhaup, G., Rukgauer, M., Summer, K.H., Bernhardt, J. and Biesalski, H.K. 2002. Hohenheim consensus workshop: copper. *European Journal Clinical Nutrition*, 56: 469-483.
- Sericano, J.L. 2000. The Mussel Watch approach and its applicability to global chemical contamination monitoring programmes. In: Conti ME, Botre F, editors. *The control of marine pollution: current status and future trends*. Int J. Environmental Pollution, vol. 13 (1-6). Milton Keynes, UK: Interscience Enterprises Ltd., p. 340-350.
- Sexton, K., Older, K. and Johnson, B.L. 1993. Environmental justice: the central role of research in establishing a credible scientific foundation for informed decision making. *Toxicology and Industrial Health*, 9: 685-727.
- Simonsen, V. 1996. Part B. Detailed report of contractors. In: Kammenga, J. E. (ed), Progress Report of BIOPRINT. Biochemical Fingerprint Techniques as Versatile Tools for Risk Assessment of Chemicals in Terrestrial Invertebrates. Third technical report. Report from Workshop held in Innsbruck, Austria, February 9-10, 1996. National Environment Research Institute, Denmark, p: 25-28.
- Sodhi, N.S. and Brook, B.W. 2006. Southeast Asian Biodiversity in Crisis. Cambridge University Press, Cambridge.

- Sodhi, N.S., Koh, L.P., Brook, B.W. and Ng, P.K.L. 2004. Southeast Asian biodiversity: an impending disaster. *Trends in Ecology and Evolution*, 19: 654-660.
- Soni, M.G. and Mehendale, H.M. 1998. Role of tissue repair in toxicologic interactions among hepatotoxic organics. *Environmental Health Perspective*, (Suppl.6), p: 1307-1317.
- Sorensen, E.M.B. 1991. Metal poisoning in fish. Boca Raton, Florida: CRC Press.
- Soto-Jiménez, M.F., Páez-Osuna, F., Scelfo, G., Hibdon, S.A., Franks, R., Aggarawl, J. and Flegal, A.R. 2008. Lead pollution in subtropical ecosystems on the SE Gulf of California Coast: A study of concentrations and isotopic composition. *Marine Environmental Research*, 66: 451-458.
- Soto-Jiménez, M.F., Hibdon, S.A., Rankin, C.W., Aggarawl, J., Ruiz-Fernandez, A.C., Páez-Osuna, F. and Flegal, A.R. 2006. Chronicling a century of lead pollution in Mexico: stable lead isotopic composition analyses of dated sediment cores. *Environmental Science and Technology*, 40: 764-770.
- Spry, D.J., Hodson, P.V. and Wood, C.M. 1988. Relative contributions of dietary and waterborne zinc in the rainbow trout (*Salmo gairdneri*). *Canadian Journal of Fisheries and Aquatic Science*, 45: 32-41.
- Stürzenbaum, S.R., Kille, P. and Morgan, A.J. 1998. Heavy metal-induced molecular responses in the earthworm, *Lumbricus rubellus* genetic fingerprinting by directed differential display. *Applied Soil Biology*, 9: 495-500.
- Suk, W.A., Auakia, M.D., Carpenter, D., Groopman, J.D., Scammel, M. and Wild, C.P. 2004. Human exposure monitoring and evaluation in the Arctic: the importance of understanding exposure to the development of public health policy. *Environmental Health Perspective*, 112: 113-120.
- Sud, D., Doumenc, D., Lopez, E. and Milet, C. 2001. Role of water-soluble matrix fraction, extracted from the nacre of *Pinctada maxima* in the regulation of cell activity in abalone mantle cell culture (*Haliotis turberculata*). *Tissue & Cell* 33 (2), Harcourt Publishers Ltd., p: 154-160.
- Swaleh, K., Hussein, R. and Halaweh, N. 2002. Metal accumulation from contaminated food and its effect on growth of juvenile land snails *Helix engaddensis*. *Journal of Environmental Science Health Part B.*, 37: 151-159.

- Tapiero, H., Townsend, D.M. and Tew, K.D. 2003. Trace elements in human physiology and pathology. Copper, *Biomedical Pharmacotherapy*, 57: 386-398.
- Tarbsripair, P. 1998. The genus *Filopaludina* (Prosobranchia: Gastropod) of Thailand: morphology, anatomy, allozyme and systematic relationship. Ph.D. Thesis. Mahidol University.
- Tarr, R.J.Q. 1992. The abalone fishery of South Africa. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), *Abalone of the World*. Blackwell Scientific Publications, Cambridge, MA, p. 438-447.
- Tegner, M.J., DeMartini, J.D. and Karpov, K.A. 1992. The California red abalone fisheries: a case study in complexity. In: Shepherd, S.A., Tegner, M.J., Guzmán del Proò, S.A. (Eds.), *Abalone of the World*. Blackwell Scientific Publications, Cambridge, MA, p. 370-383.
- Thiele, D.J. 2003. Integrating trace element metabolism from the cell to the whole organism. *Journal of Nutrition* 133, Suppl., 1: 1579S-1580S.
- Timbell, J.A. 2000. Principles of biochemical toxicology. London: Taylor&Francis.
- Todd, S.J., Cain, R.B. and Schmidt, S. 2002. Biotransformation of naphthalene and diaryl ethers by green microalgae. *Biodegradation*, 13: 229-238.
- Torres, M.A., Brros, M.P., Campos, S.C.G., Pinto, E., Rajamani, S., Sayre, R.T. and Colepicolo, P. 2008. Biochemical biomarkers in algae and marine pollution: A review. *Ecotoxicology and Environmental Safety*, 71: 1-15.
- Tranvik, L., Sjögren, M. and Bengtsson, G. 1994. Allozyme polymorphism and protein profile in *Orchesella bifasciata* (Collembola): Indicative or extended metal pollution. *Biochemical Systematic and Ecology*, 22: 13-23.
- Türkmen, M. and Ciminli, C. 2007. Determination of metals in fish and mussel species by inductively coupled plasma-atomic emission spectrometry. *Food Chemistry*, 103: 670-675.
- United States Environmental Protection Agency (UNEP). 2002. Global Mercury Assessment, United Nations Environmental Programme, Chemicals, Geneva, Switzerland.

- United States Environmental Protection Agency (UNEP). 1996. Method 3052: Microwave assisted acid digestion of siliceous and organically based matrices. Washington DC.
- United States Environmental Protection Agency (UNEP). 1994. Method 3051: Microwave assisted acid digestion of sediment, sludges, soils and oils. Washington DC.
- United States Environmental Protection Agency (UNEP). 1978. Reviews of the environmental effects of pollutants: IV. Cadmium. US Environmental Protection Agency. ONRL/EIS-106. EPA-600/1-78-026., p. 251.
- Upatham, E.S., Sormmani, S., Kitikoon, V., Lohachit, C. and Burch, J.B. 1983. Identification key for the fresh-water and backish-water snail of Thailand. *Malacological Review*, 16: 107-132.
- Usero, J., Morillo, J. and Gracia, I. 2005. Heavy metal concentrations in mollusks from the Atlantic coast of southern Spain. *Chemosphere*, 59: 1175-1181.
- USDA. 2007. National Nutrient Database for Standard Reference, Release 20. United States Department of Agriculture. Retrieved on 2007-12-06.
- Uysal, K., Emre, Y. and Köse, E. 2008. The determination of heavy metal accumulation ratios in muscle, skin and gills of some migratory fish species by inductively coupled plasma-optical emission spectrometry (ICP-OES) in Beymelek Lagoon (Antalya/Trkey). *Microchemical Journal*, 90: 67-70.
- Verlecar, X.N., Jena, K.B. and Chainy, G.B.N. 2007. Biochemical markers of oxidative stress in *Perna viridis* expose to mercury and temperature. *Chemico-Biological Interactions*, 167: 219-226.
- Vernet, J.-P. 1991. Heavy Metals in the Environment. Institut F. – A. Forel, University of Geneva, Versoix, Switzerland, p. 405.
- Viarengo, A. and Nott, J. 1993. Mechanisms of heavy metal cation homeostasis in marine invertebrates. *Comparative Biochemistry and Physiology*, 104C: 355-372.
- Viarengo, A., Canesi, L., Mazzucotelli, A. and Ponzano, E. 1993. Cu, Zn and Cd content in different tisues of the Antarctic scallop *Adamussium colbecki*: role of metallothionein in heavy metal homeostasis and detoxication. *Marine Ecology, Progress Series*, 95: 163-168.

- Viarengo, A. 1989. Heavy metals in marine invertebrates: Mechanism of regulation and toxicity at the cellular levels. *Review Aquatic Science*, 1: 295-317.
- Wagner, A. and Boman, J. 2004. Biomonitoring of trace elements in Vietnamese freshwater fish. *Spectrochim. Acta B*, 59: 1125-1132.
- Wang, Y., Liang, L., Shi, J. and Jiang, G. 2005. Study on the contamination of heavy metals and their correlation in mollusks collected from coastal sites along Chinese Bohai Sea. *Environmental International*, 31: 1103-1113.
- Wang, J.S., Chou, H.N., Fan, J-J. and Chen, C-M. 1998. Uptake and transfer of high PCB concentrations from phytoplankton to aquatic biota. *Chemosphere*, 36: 1201-1210.
- Watanabe, T., Kiron, V. and Satoh, S. 1997. Trace minerals in fish nutrition. *Aquaculture*, 151: 185-207.
- Watt, I.M. 1997. The Principles and Practice of Electron Microscopy. Cambridge University Press, p. 484.
- Watras, C.J., Back, R.C., Halvosen, R.J.M., Hudson, K.A., Morrison, K.A., Wente, S.P. 1998. Bioaccumulation of mercury in pelagic freshwater food webs. *Science of the Total Environmental*, 219: 183-208.
- Wei, W., Li, A. and Li, D. 1999. Effect of dietary supplemented zinc on the growth and some biochemical parameters of juvenile flounder (*Paralichthys olivaceus*). *Journal of Ocean University of Qingdao*, 18: 60-66.
- Weil, M., Bressler, J., Parsons, P., Bolla, K., Glass, T. and Schwartz, B. 2005. Blood mercury levels and neurobehavior function. *JAMA*, 293: 1875-1882.
- Wekell, J.C., Shearer, K.D. and Gauglitz, E.J. III. 1986. Zinc supplementation of trout diets: tissue indicators of body zinc status. *Progress Fish-Culture*, 48: 205-212.
- WHO. 2001. Environmental Health Criteria 221: Zinc, Geneva, World Health Organization, p. 360.
- WHO. 1998. Environmental Health Criteria 200: Copper, Geneva, World Health Organization, p. 360.
- WHO. 1995. Environmental Health Criteria 165: Inorganic lead Geneva, World Health Organization, p. 126.

- WHO. 1992a. Environmental Health Criteria 134: Cadmium, Geneva, World Health Organization, p. 280.
- WHO. 1992b. Environmental Health Criteria 135: Cadmium-Environmental Aspects. Geneva, World Health Organization, p. 156.
- WHO. 1991. Environmental Health Criteria 118: Inorganic Mercury. Geneva, World Health Organization, p. 168.
- WHO. 1990. Environmental Health Criteria 101: Methylmercury. Geneva, World Health Organization, p. 123.
- WHO. 1989a. Environmental Health Criteria 86: Mercury-Environmental Aspects, Geneva, World Health Organization, p. 116.
- WHO. 1989b. Environmental Health Criteria 85: Lead-Environmental Aspects, Geneva, World Health Organization, p. 106.
- Willis, J.N. and Sunda, W.G. 1984. Relative contributions of food and water in the accumulation of zinc by two species of marine fish. *Marine Biology*, 80: 273-279.
- Wixson, B.G. 1977. The Missouri Lead Study, vol.1: an interdisciplinary investigation of environmental pollution by lead and other heavy metals from industrial development in the New Lead Belt of southeastern Missouri. Final Report to National Science Foundation. University of Missouri, Columbia and Rolla, Missouri.
- Wolda, H., Zweep, A. and Schuitema, K.A. 1971. The role of food in the dynamics of populations of the landsnail *Cepaea nemoralis*. *Oecologia*, 7: 361-381.
- Wolfe, M.F., Schwarzbach, S. and Sulaiman, R.A. 1998. Effects of mercury on wildlife: a comprehensive review. *Environmental Toxicology and Chemistry*, 17: 146-160.
- Wong, C.K.C., Wong, M.H. 2000. Morphological and biochemical changes in the gills of tilapia (*Oreochromis mossambicus*) to ambient cadmium exposure. *Aquatic Toxicology*, 48: 517-527.
- Yab, C.K., Ismail, A., Tan, S.G. and Omar, H. 2004. Allozyme polymorphisms and heavy metal levels in the green lipped mussel *Perna viridis* (Linnaeus) collected from contaminated and uncontaminated sites in Malaysia. *Environment International*, 30: 39-46.

Yab, C.K. and Tan, S.G. 2007. Changes of Allozymes (GOT, EST and ME) of *Perna viridis* Subjected to Zinc Stress: A Laboratory Study. *Journal of Applied Science*, 7(20): 3111-3114.

Peerapornpisal, Y. 2006. Water quality assessment in running and standing water ecosystem by AARL-PC Score. Applied Algal Research Laboratory, Department of Biology, Faculty of Science, Chiang Mai University.

Zhan, X.W., Sui, J.X., Zhang, Y., Ma, J.L., Wang J. and Xue, L.S. 2002. Statues of China marine environmental quality in 2001. China *Journal of Marine Environmental Science*, 21: 47-9.

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright<sup>©</sup> by Chiang Mai University  
All rights reserved