

REFERENCES

- [1] P. M. Ajayan, L. S. Schadler and P. V. Braun, *Nanocomposites Science and Technology*, Wiley-VCH., 2003.
- [2] A. J. Moulso and J. M. Herbert, *Electroceramics: Materials, Properties, Applications 2nd ed.*, John Wiley & Sons Ltd., 2003.
- [3] H. J. Hwang, S. Ueda and K. Niihara, "Grain Boundary Controlled Mechanical and Dielectric Properties of BaTiO₃-Based Nanocomposite", *J. Am. Ceram. Soc.*, **44** (1994).
- [4] K. Niihara, "New Design Concept of Structural Ceramics-ceramic Nanocomposites", *J. Ceram. Soc. Jpn.*, **99**, 974-982 (1991).
- [5] T. Bove, W. Wolny, E. Ringgaard and A. Pedersen, "New Piezoceramic PZT-PNN Material for Medical Diagnostics Application", *J. Eur. Ceram. Soc.*, **21**, 1469-1472 (2001).
- [6] M. E. Line and A. M. Glass, *Principle and Applications for Ferroelectrics and Related Materials*. Oxford: Clarendon Press, 1977.
- [7] O. Muller and R. Roy, *The Major Ternary Structural Families*. New York: Springer-Verlag, 1974.
- [8] A. S. Bhalla, R. Guo and R. Roy, "The Perovskite Structure - A Review of Its Role in Ceramic Science and Technology", *Mat. Res. Innovat.*, **4**, 3-26 (2000).
- [9] I. W. Chen, "Structural Origin of Relaxor Ferroelectrics", *J. Phys. Chem. Solids*, **61**, 197-208 (1999).

- [10] K. Uchino, *Piezoelectric Actuators and Ultrasonic Motors*. Boston: Kluwer Academic, 1997.
- [11] M. Lejeune and J. P. Boilot, "Influence of Ceramic Processing on Dielectric Properties of Perovskite Type Compound: Lead Magnesium Niobate ($\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$)", *Ceram. Int.*, **9**, 119-122 (1983).
- [12] B. Jaffe, W. R. Cook and H. Jaffe, *Piezoelectric Ceramics*. New York: Academic Press, 1971.
- [13] M. P. Harmer, J. Chen, P. Peng, H. M. Chan and D. M. Smyth, "Control of Microchemical Ordering in Relaxor Ferroelectrics and Related Compounds", *Ferroelectrics*, **97**, 263-274 (1989).
- [14] J. H. Park, J. G. Park, B. K. Kim, H. J. Je and Y. Kim, "Effect of MnO₂ Addition on the Piezoelectric Properties in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Relaxor Ferroelectrics", *Mater. Res. Bull.*, **37**, 305-311 (2002).
- [15] L. Farber and P. Davies, "Influence of Cation Order on the Dielectric Properties of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-Pb}(\text{Sc}_{1/2}\text{Nb}_{1/2})\text{O}_3$ (PMN-PSN) Relaxor Ferroelectrics", *J. Am. Ceram. Soc.*, **86**, 1861-1866 (2003).
- [16] B. Noheda, D. E. Cox, G. Shirane, J. Gao and Z. G. Ye, "Phase Diagram of the Ferroelectric Relaxor $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-}x\text{PbTiO}_3$ ", *Phys. Rev. B*, **66**, 054104 (2002).
- [17] Y. Lu, "Dielectric and Ferroelectric Behaviors in $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-PbTiO}_3$ Rhombohedral/Tetragonal Superlattices", *Appl. Phys. Lett.*, **85**, 979-981 (2004).

- [18] J. Kelly, M. Leonard, C. Tantigate and A. Safari, "Effect of Composition on the Electromechanical Properties of $(1-x)\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-x\text{PbTiO}_3$ Ceramics", *J. Am. Ceram. Soc.*, **80**, 957-964 (1997).
- [19] J. H. Moon, H. M. Jang and B. D. You, "Densification Behaviors and Piezoelectric Properties of Manganese (IV) Oxide, Silica-doped Lead Nickel Niobium Oxide-Lead Titanate-Lead Zirconate $(\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbTiO}_3-\text{PbZrO}_3)$ Ceramics", *J. Mater. Res.*, **8**, 3184-3191 (1993).
- [20] M. Kondo, M. Hida, M. Tsukada, K. Kurihara and N. Kamehara, "Piezoelectric Properties of $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbTiO}_3-\text{PbZrO}_3$ Ceramics", *Jpn. J. Appl. Phys., Part 1*, **36**, 6043-6045 (1997).
- [21] C. Lei, K. Chen and X. Zhang, "Structure and Dielectric Relaxation Behavior near the MPB for $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbTiO}_3$ Ferroelectric Ceramics", *Mater. Sci. Eng. B*, **111**, 107-112 (2004).
- [22] K. P. Chen, C. Lei, X. Zhang and J. Wang, "Morphotropic Phase Boundary in $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbTiO}_3$ Solid Solution System", *Mater. Sci. Eng. B*, **99**, 487-490 (2003).
- [23] G. Xu, Z. Zhong, Y. Bing, Z. G. Ye, C. Stock and G. Shirane, "Ground State of the Relaxor Ferroelectric $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ", *Phys. Rev. B*, **67**, 104102 (2003).
- [24] X. Wang and H. Chen, "Dielectric Behaviors under High Electric Field for $\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbTiO}_3-\text{BaTiO}_3$ Relaxor Ferroelectric Ceramics", *J. Appl. Phys.*, **92**, 4844 (2002).

- [25] J. Chen, H. M. Chan and M. P. Harmer, “Ordering Structure and Dielectric Properties of Undoped and Lanthanum/Sodium-doped Lead Magnesium Niobate [Pb(Mg_{1/3}Nb_{2/3})O₃]”, *J. Am. Ceram. Soc.*, **72**, 593-598 (1989).
- [26] V. A. Bokov and I. E. Myl’nikova, “Electrical and Optical Properties of Ferroelectric Single Crystals with Broad Phase Transitions”, *Fizika Tverdogo Tela (Sankt-Peterburg)*, **3**, 841-855 (1961).
- [27] G. A. Smolenskii, A. I. Agranovskaya and S. N. Popov, “Mechanism of polarization in solid solutions of Pb₃NiNb₂O₉-Pb₃MgNb₂O₉”, *Fizika Tverdogo Tela (Sankt-Peterburg)*, **1**, 167-168 (1959).
- [28] G. A. Smolenskii and A. I. Agranovskaya, “Dielectric polarization of a series of compounds of complex composition”, *Fizika Tverdogo Tela (Sankt-Peterburg)*, **1**, 1562-1572 (1959).
- [29] G. A. Smolenskii and A. I. Agranovskaya, “Dielectric polarization and losses of some complex compounds”, *Soviet Phys.-Tech. Phys.*, **3**, 1380-1382 (1958).
- [30] G. A. Smolenskii, V. A. Isupov, N. N. Krainik and A. I. Agranovskaya, “Coexistence of the ferroelectric and ferrimagnetic states”, *Izvestiya Akademii Nauk SSSR, Seriya Fizicheskaya*, **25**, 1333-1339 (1961).
- [31] S. L. Swartz and T. R. Shrout, “Fabrication of Perovskite Lead Magnesium Niobate”, *Mater. Res. Bull.*, **17**, 1245-1250 (1982).
- [32] L. C. Veitch, “Processing Lead Nickel Niobate and Its Dielectric Properties”, BS Thesis, The Pennsylvania State University, 1983.
- [33] P. Lucas and W. T. Petuskey, “Phase Equilibria in the Lead-Magnesium-Niobium-Oxygen System at 1000 °C”, *J. Am. Ceram. Soc.*, **84**, 2150-2152 (2001).

- [34] M. Lejeune and J. P. Boilot, "Low Firing Dielectrics Based on Lead Magnesium Niobate", *Mater. Res. Bull.*, **20**, 493-499 (1985).
- [35] A. L. Costa, C. Galassi, G. Fabbri, E. Roncari and C. Capiani, "Pyrochlore Phase and Microstructure Development in Lead Magnesium Niobate Materials", *J. Eur. Ceram. Soc.*, **21**, 1165-1170 (2001).
- [36] E. R. Camargo, M. Kakihana, E. Longo and E. R. Leite, "Pyrochlore-Free $Pb(Mg_{1/3}Nb_{2/3})O_3$ Prepared by a Combination of the Partial Oxalate and the Polymerized Complex Methods", *J. Alloy. Compd.*, **314**, 140-146 (2001).
- [37] E. R. Camargo, E. Longo and E. R. Leite, "Synthesis of Ultra-fine Columbite Powder $MgNb_2O_6$ by the Polymerized Complex Method", *J. Sol-Gel. Sci. Techn.*, 2000, **17**: 111-121 (2000).
- [38] E. F. Alberta and A. S. Bhalla, "Low-Temperature Properties of Lead Nickel Niobate Ceramics", *Mater. Lett.*, **54**, 47-54 (2002).
- [39] Y. Sasaki, A. Nagai and T. Yoshimoto, "Mechanism of PNN Based Perovskite Ceramics Formation", *NIST Spec. Publ.*, **804**, 99-104 (1991).
- [40] S. Sharma, R. Sati and R. N. P. Choudhary, "Relaxation Behavior of Lead Nickel Niobium Oxide ($Pb(Ni_{1/3}Nb_{2/3})O_3$) Ceramics", *Can. J. Phys.*, **71**, 322-325 (1993).
- [41] C. H. Lu and H. J. Hwang, "Phasic and Microstructural Developments of $Pb(Ni_{1/3}Nb_{2/3})O_3$ Prepared by the Columbite Process", *Ceram. Int.*, **22**, 373-379 (1996).
- [42] C. H. Lu and J. F. Wu, "Barium Titanate-added Lead Nickel Niobate Ferroelectric: Accelerated Perovskite Formation and Dielectric Properties", *J. Mater. Res.*, **11**, 3064 (1996).

- [43] C. H. Lu and W. J. Hwang, "Hydrothermal Synthesis and Dielectric Properties of Lead Nickel Niobate Ceramics", *Jpn. J. Appl. Phys.*, **38**, 5478-5482 (1999).
- [44] C. H. Lu and W. J. Hwang, "Phase Evolution and Dielectric Characterization of Lead Nickel Niobate-Lead Zirconate Ceramics Prepared from the Hydrothermally Derived Precursors", *J. Mater. Res.*, **14**, 1364-1367 (1999).
- [45] T. Zhong, Y. D. Hou, M. K. Zhu, B. C. Xu, J. L. Tang, J. B. Liu, H. Wang and H. Yan, "Low Temperature Synthesis of Perovskite $Pb(Ni_{1/3}Nb_{2/3})O_3$ by Hydrothermally-Derived Precursor", *Mater. Lett.*, **59**, 1169-1172 (2005).
- [46] Y. C. Liou, Y. C. Huang and C. T. Wu, "Preparation and Phase Formation of Perovskite $Pb(Ni_{1/3}Nb_{2/3})O_3$ by a Reaction-Sintering Process", *J. Mater. Sci.*, **42**, 2612-2617 (2007).
- [47] T. R. Shrout and A. Halliyal, "Preparation of Lead-Based Ferroelectric Relaxors for Capacitors", *Am. Ceram. Soc. Bull.*, **66**, 704-711 (1987).
- [48] N. Vittayakorn, G. Rujijanagul, X. Tan, M. A. Marquardt and D. P. Cann, "The Morphotropic Phase Boundary and Dielectric Properties of the $xPb(Zr_{1/2}Ti_{1/2})O_3-(1-x)Pb(Ni_{1/3}Nb_{2/3})O_3$ Perovskite Solid Solution", *J. Appl. Phys.*, **96**, 5103-5109 (2004).
- [49] M. M. A. Sekar and A. Halliyal, "Low-Temperature Synthesis, Characterization, and Properties of Lead-Based Ferroelectric Niobates", *J. Am. Ceram. Soc.*, **81**, 380-388 (1998).
- [50] Y. Yoshikawa, "Chemical Preparation of $Pb(Ni_{1/3}Nb_{2/3})O_3$ Powders", *Key Eng. Mater.*, **87**, 206-213 (2002).

- [51] O. Khamman, R. Yimnirun and S. Ananta, "Effect of Calcination Conditions on Phase Formation and Particle Size of Nickel Niobate Powders Synthesized by Solid-State Reaction", *Mater. Lett.*, **61**, 639-643 (2007).
- [52] O. Khamman, Y. Laosiritaworn, R. Yimnirun and S. Ananta, "Effect of Vibro-milling Time and Calcination Condition on Phase Formation and Particle Size of Nickel Niobate Nanopowders", *Caram. Int.*, **35**, 177-180 (2009).
- [53] G. H. Haertling, "Ferroelectric Ceramics: History and Technology", *J. Am. Ceram. Soc.*, **82**, 797-818 (1999).
- [54] R. C. Buchanan, *Ceramic Materials for Electronics*, New York, Marcel Dekker, 1991.
- [55] Y. Xu, *Ferroelectric Materials and Their Applications*, Elsevier Science Publishers B.V., 1991.
- [56] T. R. Shrout, P. Papet, S. Kim and G. S. Lee, "Conventionally Prepared Submicrometer Lead-Based Perovskite Powders by Reactive Calcination", *J. Am. Ceram. Soc.*, **73**, 1862-1867 (1990).
- [57] B. V. Hiremath, A. I. Kingon and J. V. Biggers, "Reaction Sequence in the Formation of Lead Zirconate-Lead Titanate Solid Solutions", *J. Am. Ceram. Soc.*, **66**, 790-793 (1983).
- [58] S. Mori, H. Mitsuda, K. Date, Y. Hiori and T. Miyazawa, "Study of the Formation Process of Pb(Ti,Zr)O₃ Solid Solution by High-temperature X-ray Diffractometry and Differential Thermal Analysis", *Natl. Tech. Rept.*, **10**, 32-40 (1964).

- [59] W. M. Speri, "Thermal Analysis of Processes Which Occur During the Calcining of Adulterated and Unadulterated Lead Zirconate-Lead Titanate", Ph. D. Thesis, Rutgers University, New Jersey, 1969.
- [60] D. L. Hanky and J. V. Biggers, "Solid-State Reactions in the System PbO-TiO₂-ZrO₂", *J. Am. Ceram. Soc.*, **64**, C172-C173 (1981).
- [61] S. S. Chandratreya, R. M. Fulrath and J. A. Pask, "Reaction Mechanisms in the Formation of PZT Solid Solutions", *J. Am. Ceram. Soc.*, **64**, 422-425 (1981).
- [62] O. Babushkin, T. Lindback, J. C. Lue and J. Y. M. Leblais, "Kinetic Aspects of the Formation of Lead Zirconium Titanate", *J. Eur. Ceram. Soc.*, **16**, 1293-1298 (1996).
- [63] R. Yimnirun, R. Tipakontitkul and S. Ananta, "Effect of Sintering Temperature on Densification and Dielectric Properties of Pb(Zr_{0.44}Ti_{0.56})O₃ Ceramics", *Int. J. Mod. Phys. B*, **20**, 2415-2424 (2006).
- [64] W. Chaisan, O. Khamman, R. Yimnirun and S. Ananta, "A Two-Stage Solid-State Reaction to Lead Zirconate Titanate Powders", *Ferroelectrics*, **356**, 242-246 (2007).
- [65] K. Yao, L. Zhang and X. Yao, "Controlled Crystallization in Lead Zirconate Titanate Glass-Ceramics Prepared by the Sol-Gel Process", *J. Am. Ceram. Soc.*, **81**, 1571-1576 (1998).
- [66] J. Y. Choi, C. H. Kim and D. K. Kim, "Hydrothermal Synthesis of Spherical Perovskite Oxide Powders Using Spherical Gel Powders", *J. Am. Ceram. Soc.*, **81**, 1353-1356 (1998).

- [67] J. H. Choy, Y. S. Han and S. J. Kim, “Oxalate Coprecipitation Route to the Piezoelectric Pb(Zr,Ti)O₃ Oxide”, *J. Mater. Chem.*, **7**, 1807-1814 (1997).
- [68] M. Maria, A. Sekar and K. C. Patil, “Combustion Synthesis and Properties of Fine-particle Dielectric Oxide Materials”, *J. Mater. Chem.*, **2**, 739-743 (1992).
- [69] W. Chaisan, “Preparation and Characterization of Ceramic Nanocomposites in the PZT-BT and TiO₂-SnO₂ Systems”, Ph.D. Thesis, Chiang Mai University, 2006.
- [70] A. I. Kingon and J. B. Clark, “Sintering of PZT Ceramics: I, Atmosphere Control”, *J. Am. Ceram. Soc.*, **66**, 253-256 (1983).
- [71] K. H. Hardtl and H. Rau, “PbO Vapour Pressure in the Pb(Ti_{1-x}Zr_x)O₃ System”, *Solid State Commun.*, **7**, 41-45 (1969).
- [72] A. Garg and D. C. Agrawal, “Effect of Net PbO Content on Mechanical and Electromechanical Properties of Lead Zirconate Titanate Ceramics”, *Mat. Sci. Eng. B*, **56**, 46-50 (1999).
- [73] W. D. Kingery, H. K. Bowen and D. R. Uhlmann, *Introduction to Ceramics*, John Wiley and Sons, 1976.
- [74] E. K. Goo, R. K. Mishra and G. Thomas, “Transmission Electron Microscopy of Pb(Zr_{0.52}Ti_{0.48})O₃”, *J. Am. Ceram. Soc.*, **64**, 517-519 (1981).
- [75] K. Kakegawa, J. Mohri, T. Takahashi, H. Yamamura, and S. Shirasaki, “A Compositional Fluctuation and Properties of Lead Zirconate Titanate”, *Solid State Commun.*, **24**, 769-772 (1977).
- [76] B. K. Kim, “Probing of Nanoscaled Nonstoichiometric 1:1 Ordering in Pb(Mg_{1/3}Nb_{2/3})O₃-Based Relaxor Ferroelectrics by Raman Spectroscopy”, *Mat. Sci. Eng. B-Solid.*, **94**, 102-105 (2002).

- [77] G. S. Snow, “Elimination of Porosity in Bismuth-Modified Lead Zirconate-Titanate Ceramics by Liquid-Phase Sintering”, *J. Am. Ceram. Soc.*, **57**, 272 (1973).
- [78] W. Chaisan, O. Khamman, R. Yimnirun and S. Ananta, “Effects of Calcination Conditions on Phase and Morphology Evolution of Lead Zirconate Powders Synthesized by Solid-State Reaction”, *J. Mater. Sci.*, **42**, 4624-4629 (2007).
- [79] G. Zhilun, L. Longtu, G. Suhua, and Z. Xiaowen, “Low-Temperature Sintering of a Lead-Based Piezoelectric Ceramics”, *J. Am. Ceram. Soc.*, **72**, 486-491 (1989).
- [80] G. Zhilun, L. Lingtu, L. Hongqing, and Z. Xiaowen, “Low Temperature Sintering of Lead Magnesium Nickel Niobate Zirconate Titanate (PMN-PNN-PZT) Piezoelectric Ceramics with High Performances”, *Ferroelectr.*, **101**, 93-99 (1990).
- [81] N. Ichinose and M. Kimura, “Preparation and Properties of Lead Zirconate Titanate Piezoelectric Ceramics using Ultrafine Particles”, *Jpn. J. Appl. Phys.*, **30**, 2220-2223 (1991).
- [82] M. S. Yoon and H. M. Jang, “Characteristics of the High-Field Phase Transition in PbZrO₃-Doped Pb(Ni_{1/3}Nb_{2/3})O₃-PbTiO₃ Relaxor Ferroelectrics”, *Ferroelectr.*, **173**, 191-206 (1995).
- [83] E. V. Buyanova, P. L. Strelets, I. A. Serova and V. A. Isupov, “Ferroelectric Properties of Solid Solutions in the PbTiO₃-PbZrO₃-Pb(Ni_{1/3}Nb_{2/3})O₃ system”, *Izvestiya Akademii Nauk SSSR, Seriya Fizicheskaya*, **29**, 2042-2045 (1965).

- [84] E. F. Alberta, A.S. Bhalla, "Piezoelectric and Dielectric Properties of Transparent $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})_{1-x-y}\text{Zr}_x\text{Ti}_y\text{O}_3$ Ceramics Prepared by Hot Isostatic Pressing", *Int. J. Inorg. Mater.*, **3**, 987-995 (2001).
- [85] R. W. Whatmore, "Pyroelectric Devices and Materials", *Rep. Prog. Phys.*, **49**, 1335-1386 (1986).
- [86] S. B. Stringfellow, S. Gupta, C. Shaw, J. R. Alcock, R. W. Whatmore, "Electrical Conductivity Control in Uranium-Doped $\text{PbZrO}_3\text{-PbTiO}_3\text{-Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Pyroelectric Ceramics", *J. Eur. Ceram. Soc.*, **22**, 573-578 (2002).
- [87] G. Robert, M. D. Maeder, D. Damjanovic and N. Setter, "Synthesis of Lead Nickel Niobate-Lead Zirconate Titanate Solid Solutions by a *B*-site Precursor Methode", *J. Am. Ceram. Soc.*, **84**, 2869-2872 (2001).
- [88] S. Wagner, D. Kahraman, H. Kungl and J. Hoffmann, "Effect of Temperature on Grain Size, Phase Composition, and Electrical Properties in the Relaxor-Ferroelectric-system $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{-Pb}(\text{Zr},\text{Ti})\text{O}_3$ ", *J. Appl. Phys.*, **98**, 24102 (2005).
- [89] O. P. Thakur, C. Prakash and R. K. Sharma, "Study of Dielectric and Piezoelectric Properties of $\text{Pb}(\text{Ni},\text{Nb})\text{O}_3\text{-Pb}(\text{Zr},\text{Ti})\text{O}_3$ Ceramics Using Mechanically Activated Powder", *J. Mater. Sci.*, **42**: 6246-6251 (2007).
- [90] S. H. Kang, D. S. Lee, S. Y. Lee, I. W. Kim, J. S. Kim, E. C. Park and J. S. Lee, "Pyroelectric and Piezoelectric Properties of Yttrium-doped $0.15[\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3]\text{-}0.85[\text{Pb}(\text{Zr}_{1/2}\text{Ti}_{1/2})\text{O}_3]$ Ceramics", *Ceram. Int.*, **30**, 1453-1457 (2004).

- [91] J. D. Kuntz, G. D. Zhan and A. K. Mukherjee, "Nanocrystalline-Matrix Ceramic Composites for Improved Fracture Toughness", *MRS Bull.*, **29**, 22-27 (2004).
- [92] Y. Ji and J. A. Yeomans, "Processing and Mechanical Properties of Al_2O_3 -5 vol.% Cr Nanocomposites", *J. Eur. Ceram. Soc.*, **22**, 1927-1936 (2002)
- [93] T. Sekino, T. Nakajima, S. Ueda and K. Niihara, "Reduction and Sintering of a Nickel-Dispersed-Alumina Composite and Its Properties", *J. Am. Ceram. Soc.*, **80**, 1139-1148 (1997).
- [94] S. T. Oh, T. Sekino and K. Niihara, "Fabrication and Mechanical Properties of 5 Vol.% Copper Dispersed Nanocomposites", *J. Eur. Ceram. Soc.*, **18**, 31-37 (1998).
- [95] T. Sekino and K. Niihara, "Microstructural Characteristics and Mechanical Properties for Al_2O_3 /Metal Nanocomposites", *NanoStruct. Mater.*, **6**, 663-666 (1997).
- [96] H. J. Hwang, T. Nagai, M. Sando, M. Toriyama and K. Niihara, "Fabrication of Piezoelectric Particle-dispersed Ceramic Nanocomposite", *J. Eur. Ceram. Soc.*, **19**, 993-997 (1999).
- [97] H. J. Hwang, M. Sando, M. Toriyama and K. Niihara, "Effect of Secondary Phase Dispersion on Mechanical and Piezoelectric Properties of PZT-Based Nanocomposites", *IEEE 10th Int'l Sym. Application of Ferroelectrics*, **1**, 373-375 (1996).
- [98] H. J. Hwang, K. Tajima, M. Sando and M. Toriyama, "Fatigue Behavior of PZT-Based Nanocomposites with Fine Platinum Particles", *J. Am. Ceram. Soc.*, **81**, 3325-3353 (1998).

- [99] K. Tajima, H. J. Hwang, M. Sando and K. Niihara, "PZT Nanocomposites Reinforced by Small Amount of Oxides", *J. Eur. Ceram. Soc.*, **19**, 1179-1182 (1999).
- [100] H. Hwang and K. Niihara, "Perovskite-type BaTiO₃ Ceramic Containing Particulate SiC, Part II: Microstructure and Mechanical Properties", *J. Mat. Sci.*, **33**, 549-558 (1998).
- [101] R. Wongmaneerung, "Fabrication and Characterization of Ceramic Nanocomposites in the PMN-PT System", Ph.D. Thesis, Chiang Mai University, 2007.
- [102] *Annual Book of ASTM Standards*, Philadelphia, American Society for Testing and Materials, 1970.
- [103] W. E. Iee and W. M. Rainforth, *Ceramic Microstructures Property Control By Processing*, London, Chapman & Hall, 1994.
- [104] H. T. Martirena and J. C. Burfoot., "Grain-Size and Pressure Effects on the Dielectric and Piezoelectric Properties of Hot-Pressed PZT-5", *Ferroelectrics*, **7**, 151-152 (1974).
- [105] K. Uchino and S. Nomura, "Critical Exponents of the Dielectric Constants in Diffused Phase Transition Crystals", *Ferroelectr. Lett.*, **44**, 55-61 (1982).
- [106] R. S. Roth, Phase Diagrams for Electronic Ceramics I, The American Ceramic Society, Ohio, 2003.
- [107] U. Lehmann, H. Mueller-Buschbaum, "Crystal chemistry of cobalt niobates: CoNb₂O₆ with rutile structure", *Monatsh. Chem.*, **111**, 1225-1227 (1980).

- [108] R. Wichmann, H. Mueller-Buschbaum, and Z. Anorg., "Synthesis and Study of Nickel Niobium Oxide (NiNb_2O_6) Single Crystals of Columbite and Rutile Structure", *Allg. Chem.*, **503**, 101-105 (1983).
- [109] M. Pastor, P. K. Bajpai, R. N. P. Choudhary, "Synthesis and Structural Characterization of Some $\text{Pb}(\text{B}'_{1/3}\text{Nb}_{2/3})\text{O}_3$ Type Materials by Two-Stage Solid-State Route", *Bull. Mater. Sci.*, **28**, 199-203 (2005).
- [110] S. Ananta, "Phase and Morphology Evolution of Magnesium Niobate Powders Synthesized by Solid-State Reaction", *Mater. Lett.*, **58**, 2781-2786 (2004).
- [111] R. Wichmann, H. Mueller-Buschbaum and Z. Anorg, "A New Crystal Structure of the Nickel Oxoniobate: II- $\text{Ni}_4\text{Nb}_2\text{O}_9$ ", *Allg. Chem.*, **539**, 203-210 (1986).
- [112] Powder Diffraction File No. 73-1519. International Centre for Diffraction Data, Newton Square, PA, 2000.
- [113] Powder Diffraction File No. 30-0873. International Centre for Diffraction Data, Newton Square, PA, 2000.
- [114] H. Ehrenberg, G. Wltschek, H. Weitzel, F. Trouw, J. H. Buettner, T. Kroener and H. Fuess, "Ferrimagnetism in $\text{Ni}_4\text{Nb}_2\text{O}_9$ ", *Phys. Rev. B*, **52**, 9595-9600 (1995).
- [115] Powder Diffraction File No. 46-0525. International Centre for Diffraction Data, Newton Square, PA, 2000.
- [116] Powder Diffraction File No. 76-2354. International Centre for Diffraction Data, Newton Square, PA, 2000.

- [117] S. Ananta, R. Brydson and N. W. Thomas, “The Perovskite System La(Mg_{2/3}Nb_{1/3})O₃ I. Synthesis, Formation and Characterisation of Powders”, *J. Eur. Ceram. Soc.*, **20**, 2325-2324 (2000).
- [118] C. Lei, K. Chen and X. Zhang, “Study of the Electrical Properties of Pb(Mg,Ni)_{1/3}Nb_{2/3}O₃-PbTiO₃ System Across the Morphotropic Phase Boundary”, *J. Electroceram.*, **10**, 233-239 (2003).
- [119] J. S. Reed, *Principles of Ceramic Processing*, 2nd ed., Wiley, New York, 1995.
- [120] Veitch, L., B. S. Thesis, Pennsylvania State University, University Park, PA, 1982.
- [121] R. Wichmann, H. Mueller-Buschbaum and Z. Anorg, “Crystal Structure of Nickel Niobium Oxide Ni₄Nb₂O₉”, *Allg. Chem.*, **525**, 135-142 (1985).
- [122] S. Ananta, “Synthesis, Formation and Characterization of Mg₄Nb₂O₉ Powders”, *Mater. Lett.*, **58**, 2530-2536 (2004).
- [123] H. Klug, L. Alexander, *X-ray Diffraction Procedures for Polycrystalline and Amorphous Materials*, 2nd ed., Wiley, New York, 1974.
- [124] O. Khamman, R. Yimnirun and S. Ananta, “Effect of Calcination Conditions on Phase Formation and Particle Size of Lead Nickel Niobate Powders Synthesized by Using Ni₄Nb₂O₉ Precursor”, *Mater. Lett.*, **61**, 4466-4470 (2007).
- [125] O. Khamman, R. Yimnirun and S. Ananta, “Phase and Morphology Evolution of Corundum-type Ni₄Nb₂O₉ Powders Synthesized by Solid-State Reaction”, *Mater. Lett.*, **61**, 2565-2570 (2007).
- [126] K. P. Chen, C. Li, C. Lei, X. Zhang and Y. Huang, “Preparation and Electric Properties of Dense Lead Nickel Niobate-Lead Titanate (Pb(Ni_{1/3}Nb_{2/3}-

- PbTiO₃) Ceramics by Spark Plasma Sintering”, *J. Mater. Sci. Lett.*, **21**, 1785-1787 (2002).
- [127] R. Wongmaneerung, R. Yimnirun and S. Ananta, “Effect of Vibro-Milling Time on Phase Formation and Particle Size of Lead Titanate Nanopowders”, *Mater. Lett.*, **60**, 1447-1452 (2006).
- [128] Powder Diffraction File No. 34-0103, International Centre for Diffraction Data, Newton Square, PA, 2000.
- [129] Powder Diffraction File No. 84-1731, International Centre for Diffraction Data, Newton Square, PA, 2000.
- [130] A. I. Agranovskaya, “Physical-Chemical Investigation of the Formation of Ferro-Electrics with Complex Composition and Perovskite Structure”, *Izvestiya Akademii Nauk SSSR, Seriya Fizicheskaya*, **24**, 1275-1281 (1960).
- [131] B. Balzer and H. Langbein, “Formation of the Perovskite Phase Pb₃NiNb₂O₉”, *Cryst. Res. Technol.*, **32**, 955-962 (1997).
- [132] E. F. Alberta and A. S. Bhalla, “Low-Temperature Property Investigation of the Lead Indium-Niobate-Lead Nickel-Niobate Solid Solution”, *J. Phys. Chem. Solids*, **63**, 1759-1769 (2002).
- [133] R. Wongmaneerung, T. Sarakonsri, R. Yimnirun and S. Ananta, “Effects of Magnesium Niobate Precursor and Calcination Condition on Phase Formation and Morphology of Lead Magnesium Niobate Powders”, *Mater. Sci. Eng. B*, **132**, 292-299 (2006).
- [134] S. Ananta and N.W. Thomas, “Relationships Between Sintering Conditions, Microstructure and Dielectric Properties of Lead Iron Niobate”, *J. Eur. Ceram. Soc.*, **19**, 1873-1881 (1999).

- [135] A. Udomporn, K. Pengpat and S. Ananta, "Highly Dense Lead Titanate Ceramics from Refined Processing", *J. Eur. Ceram. Soc.*, **24**, 185-188 (2004).
- [136] O. Guillon, F. Thiebaud, D. Perreux, C. Courtois, P. Champagne, A. Leriche and J. Crampon, "New Considerations about the Fracture Mode of PZT Ceramics", *J. Eur. Ceram. Soc.*, **25**, 2421-2424 (2005).
- [137] Powder Diffraction File No. 35-0739, International Centre for Diffraction Data, Newton Square, PA, 2000.
- [138] J. Fang, J. Wang, S. C. Ng, L. M. Gan and C. H. Chew, "Synthesis and Characterization of Ultrafine Lead Zirconate Powders", *Ceram. Inter.*, **24**, 507-513 (1998).
- [139] E. E. Oren, E. Taspinar and A. C. Tas, "Preparation of Lead Zirconate by Homogeneous Precipitation and Calcinations", *J. Am. Ceram. Soc.*, **80**, 2714-2716 (1997).
- [140] T. Tani, J. F. Li, D. Viehland and D. A. Payne, "Antiferroelectric-Ferroelectric Switching and Induced Strains for Sol-Gel Derived Lead Zirconate Thin Layers", *J. Appl. Phys.*, **75**, 3017-3023 (1994).
- [141] C. Puchmark, G. Rujijanagul, S. Jiansirisomboon and T. Tunkasiri, "Effect of Sintering Temperature on Phase Transition and Mechanical Properties of Lead Zirconate Ceramics", *Ferroelectr. Lett.*, **31**, 1-13 (2004).
- [142] J. M. Xue, D. M. Wan, S. E. Lee and J. Wang, "Mechanochemical Synthesis of Lead Zirconate Titanate from Mixed Oxides", *J. Am. Ceram. Soc.*, **82**, 1687-1692 (1999).

- [143] A. Rujiwatra, S. Tapala, S. Luachan, O. Khamman and S. Ananta, “One-Pot Hydrothermal Synthesis of Highly Dispersed, Phase-Pure and Stoichiometric Lead Zirconate”, *Mater. Lett.*, **60**, 2893-2895 (2006).
- [144] S. Ananta and N. W. Thomas, “Relationships Between Sintering Conditions, Microstructure and Dielectric Properties of Lead Magnesium Niobate”, *J. Eur. Ceram. Soc.*, **19**, 629-635 (1999).
- [145] R. Wongmaneerung, R. Yimnirun and S. Ananta, “Effects of Milling Time and Calcination Condition on Phase Formation and Particle Size of Lead Titanate Nanopowders Prepared by Vibro-Milling”, *Mater. Lett.*, **60**, 2666-2671 (2006).
- [146] A. Ngamjarurojana, O. Khamman, R. Yimnirun and S. Ananta, “Effect of Calcination Conditions on Phase Formation and Particle Size of Zinc Niobate Powders Synthesized by Solid-State Reaction”, *Mater. Lett.*, **60**, 2867-2872 (2006).
- [147] A. Revesz, T. Ungar, A. Borbely and J. Lendvai, “Dislocations and Grain Size in Ball-Milled Iron Powder”, *Nanostruct. Mater.*, **7**, 779-788 (1996).
- [148] S. Chattopadhyay, P. Ayyub, V. R. Palkar and M. Multani, “Size-Induced Diffuse Phase Transition in the Nanocrystalline Ferroelectric $PbTiO_3$ ”, *Phys. Rev. B.*, **52**, 13177-13183 (1995).
- [149] Powder Diffraction File No. 77-1971. International Centre for Diffraction Data, Newtown Square, PA, 2000
- [150] S. Chattopadhyay, P. Ayyub, V. R. Palkar, A. V. Gurjar., R. M. Wankar, M. Multani, “Finite-Size Effects in Antiferroelectric $PbZrO_3$ Nanoparticles”, *J. Phys. Condens. Matter.*, **9**, 8135-8145 (1997).

- [151] S. Chattopadhyay, “Finite Size Effects in Ferroelectric and Antiferroelectric Materials”, *NanoStructured Mater.*, **9**, 551-554 (1997).
- [152] M. R. Leonard and A. Safari, “Crystallite and Grain Size Effects in BaTiO₃”, *IEEE ISAF*, **2**, 1003-1006 (1996).
- [153] K. Uchino, E. Sadanaga and T. Hirose, “Dependence of the Crystal Structure on Particle Size in Barium Titanate”, *J. Am. Ceram. Soc.*, **72**, 1555-1558 (1989).
- [154] B. D. Begg, E. R. Vance and J. Nowotny, “Effect of Particle Size on the Room-Temperature Crystal Structure of Barium Titanate”, *J. Am. Ceram. Soc.*, **77**, 3186-3192 (1994).
- [155] K. Saegusa, W. E. Rhine and H. K. Bowen, “Effect of Composition and Size of Crystallite on Crystal Phase in Lead Barium Titanate”, *J. Am. Ceram. Soc.*, **76**, 1505-1512 (1993).
- [156] X. Li and W. H. Shih, “Size Effects in Barium Titanate Particles and Clusters”, *J. Am. Ceram. Soc.*, **80**, 2844-2852 (1997).
- [157] Powder Diffraction File No. 70-4057. International Centre for Diffraction Data, Newtown Square, PA, 2000.
- [158] E. R. Nielsen, E. Ringgaard and M. Kosec, “Liquid-Phase Sintering of Pb(Zr,Ti)O₃ using PbO-WO₃ Additive”, *J. Eur. Ceram. Soc.*, **22**, 1847-1855 (2002).
- [159] A. Boutarfaia, “Investigations of Co-Existence Region in Lead Zirconate-Titanate Solid Solutions: X-ray Diffraction Studies”, *Ceram. Int.*, **26**, 583-587 (2000).

- [160] L. B. Kong, W. Zhu and O. K. Tan, "Preparation and Characterization of $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$ Ceramics from High-Energy Ball Milling Powders", *Mater. Lett.*, **42**, 232-239 (2000).
- [161] R. Yimnirun, S. Ananta and P. Laoratanakul, "Effects of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Mixed-Oxide Modification on Dielectric Properties of $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})\text{O}_3$ Ceramics", *Mat. Sci. Eng. B*, **112**, 79-86 (2004).
- [162] E. Dimitriu, F. Cracium, C. Ghica and R. Ramer, "Nanostructure and Properties of $\text{Pb}(\text{Zr,Ti})\text{O}_3$ - $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Piezoceramics", *J. Phys. IV France*, **128**, 139-143 (2005).
- [163] C. H. Lu and W. J. Hwang, "Preparation of $\text{Pb}(\text{Zr,Ti})\text{O}_3$ - $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Solid Solution Powder from Hydrothermally-Treated Precursors", *Mater. Lett.*, **27**, 229-232 (1996).
- [164] A. J. Allen, S. Krueger, G. G. Long, H. M. Kerch, H. Hahn and G. Skandan, "Small-Angle Neutron Scattering Studies of Ceramic Nanophase Materials", *Nanostructured Materials*, **7**, 113-126 (1996).
- [165] G. Sebald, A. Benayad and J. Qiu, "Eectromechanical Characterization of $0.55\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $0.45\text{Pb}(\text{Zr}_{0.3}\text{Ti}_{0.7})\text{O}_3$ Fiber with Pt Core", *J. Appl. Phys.*, **100**, 054106 (2006).
- [166] R. Tipakontitkul, "Microstructure and Electrical Property Relationships of Lead Zirconate Titanate–Lead Magnesium Niobate Ceramics", Ph.D. Thesis, Chiang Mai University, 2005.
- [167] L. E. Cross, "Relaxor Ferroelectrics", *Ferroelectr.*, **76**, 241-267 (1987).

- [168] T. Hayashi, J. Tomizawa, T. Hasegawa and Y. Akiyama, “Low-Temperature Fabrication of $\text{Pb}(\text{Ni}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - $\text{Pb}(\text{Zr}_{0.3}\text{Ti}_{0.7})\text{O}_3$ Ceramics with LiBiO_2 as a Sintering Aid”, *Eur. Ceram. Soc.*, **24**, 1037-1039 (2004).
- [169] V. Koval, C. Alemany, J. Briancin and H. Brunckove, “Dielectric Properties and Phase Transition Behavior of $x\text{PMN}-(1-x)\text{PZT}$ Ceramic Systems”, *J. Electroceram.*, **10**, 19-29 (2003).
- [170] R. Yimnirun, S. Ananta and P. Laoratanakul, “Dielectric and Ferroelectric Properties of Lead Magnesium Niobate-Lead Zirconate Titanate Ceramics Prepared by Mixed-Oxide Method”, *J. Eur. Ceram. Soc.*, **25**, 3235-3242 (2005).
- [171] W. Chaisan, R. Yimnirun and S. Ananta, “Preparation and Characterization of Ceramic Nanocomposites in the PZT-BT System”, *Ceram. Int.*, **35**, 121-124 (2009).
- [172] R. M. German, *Sintering Theory and Practice*, Chichester: John Wiley & Sons Ltd., 1996.