

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENT	iii
ENGLISH ABSTRACT	iv
THAI ABSTRACT	vi
LIST OF TABLES	xi
LIST OF FIGURES	xiv
LIST OF ABBREVIATIONS	xvii
CHAPTER 1 INTRODUCTION	
1.1 Caffeine	3
1.2 Coffee and antioxidant effects in humans	13
1.3 The scope and aims of this research	17
CHAPTER 2 MATERIALS AND METHODS	
2.1 Study design	18
2.2 Subjects	18
2.2.1 Inclusion criteria	18
2.2.2 Exclusion criteria	19
2.2.3 Withdrawal criteria	19
2.3 Coffee procedures	19
2.3.1 Coffee enema and coffee enema procedure	19
2.3.2 Coffee consumption	20
2.3.3 Dose of coffee enema and coffee consumption	20
2.4 Blood sample collection	21
2.4.1 Blood sample collection for determination of pharmacokinetic parameters	21
2.4.2 Blood sample collection for determination of antioxidant parameters	22

	Page
2.5 Determination of caffeine concentrations	24
2.5.1 Determination of caffeine concentration in coffee solutions	24
2.5.2 Determination of caffeine concentrations in plasma	25
2.6 Determination of blood pressure and heart rate	26
2.7 Determination of serum glutathione (GSH) concentrations	26
2.8 Determination of serum malondialdehyde (MDA) concentrations	27
2.9 Determination of serum trolox equivalent antioxidant capacity (TEAC)	28
2.10 Data analysis and statistical methods	30
2.10.1 Caffeine pharmacokinetic parameters	30
2.10.2 Antioxidant parameters	31
CHAPTER 3 RESULTS	
3.1 Subjects	32
3.2 Caffeine content in coffee solutions	36
3.3 Validation of HPLC method	36
3.3.1 Specificity	36
3.3.2 Linearity of calibration curve	38
3.3.3 Precision and accuracy	40
3.3.4 The lower limit of quantification (LLQ)	45
3.3.5 Recovery	46
3.3.6 Freeze/thaw (F/T) stability	48
3.4 Pharmacokinetics of caffeine after single dose of coffee enema or coffee consumption	49
3.5 Cardiovascular effects after single dose of coffee enema and coffee consumption	62


	Page
3.6 Effects of coffee enema or coffee consumption on serum GSH concentrations	65
3.7 Effects of coffee enema or coffee consumption on serum MDA concentrations	76
3.8 Effects of coffee enema or coffee consumption on serum TEAC	87
3.9 Adverse events after coffee enema or coffee consumption	98
CHAPTER 4 DISCUSSION AND CONCLUSION	
4.1 Discussion	99
4.2 Conclusion	108
REFERENCES	109
APPENDIX	122
CURRICULUM VITAE	124

LIST OF TABLES

Table		Page
1	The randomized sequence of coffee procedures in each subject	24
2	The demographic characteristics of subjects who completed study without protocol deviation (n=11)	33
3	Blood pressure and heart rate of subjects who completed study without protocol deviation (n=11)	34
4	The demographic characteristics and serum antioxidant levels at baseline of the study subjects at the initiation of coffee enema (CE) phase and coffee consumption (CC) phase	35
5	Mean value of caffeine contents in 6 servings of coffee solution used in this study (n=6)	36
6	Calibration curve data of caffeine in plasma	38
7	Intra-day assay validation of caffeine in plasma	41
8	Inter-day assay validation of caffeine in plasma	44
9	The LLQ of caffeine in plasma	45
10	Recovery of caffeine in plasma	47
11	Concentrations of caffeine in plasma before and after 3 cycles of freeze and thaw (F/T) stability test	48
12A	Plasma concentrations of caffeine (ng/mL) after single dose of coffee enema in study subjects	50
12B	Plasma concentrations of caffeine (ng/mL) after single dose of coffee consumption in the study subjects	51
13	Pharmacokinetic parameters of caffeine after single dose of coffee enema (CE) or coffee consumption (CC) in 11 subjects completed the study without protocol deviation	61
14	Blood pressure and heart rate before and after single dose of coffee enema (CE) or coffee consumption (CC) in 11 subjects completed the study without protocol deviation	63

Table	Page
15A Serum GSH concentrations after single dose of coffee enema in 11 subjects completed the study without protocol deviation	67
15B Serum GSH concentrations after single dose of coffee consumption in 11 subjects completed the study without protocol deviation	68
16A Effects of multiple doses of coffee enema (6 administrations within 12 days) on serum GSH concentrations	71
16B Effects of multiple doses of coffee consumption (24 consumptions within 12 days) on serum GSH concentrations	72
17 Percentages of mean change from baseline of serum GSH concentrations at day 6 and day 12 after multiple doses of coffee enema (CE) or coffee consumption (CC)	75
18A Serum MDA concentrations after single dose of coffee enema in 11 subjects completed the study without protocol deviation	78
18B Serum MDA concentrations after single dose of coffee consumption in 11 subjects completed the study without protocol deviation	79
19A Effects of multiple doses of coffee enema (6 administrations within 12 days) on serum MDA concentrations	82
19B Effects of multiple doses of coffee consumption (24 consumptions within 12 days) on serum MDA concentrations	83
20 Percentages of mean change from baseline of serum MDA concentrations at day 6 and day 12 after multiple doses of coffee enema (CE) or coffee consumption (CC)	86
21A Serum TEAC after single dose of coffee enema in 11 subjects completed the study without protocol deviation	89
21B Serum TEAC after single dose of coffee consumption in 11 subjects completed the study without protocol deviation	90
22A Effects of multiple doses of coffee enema (6 administrations within 12 days) on serum TEAC	93

Table		Page
22B	Effects of multiple doses of coffee consumption (24 consumptions within 12 days) on serum TEAC	94
23	Percentage of mean changes from baseline of serum TEAC at day 6 and day 12 after multiple doses of coffee enema	97



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved

LIST OF FIGURES


Figure		Page
1	Chemical structure of caffeine	3
2	Biotransformation of caffeine in humans	6
3	Caffeine and adenosine structure	7
4	Molecular structures of kahweol and cafestol	14
5	Schedule of administration of coffee procedures and blood sample collections during both phases of the study	23
6	Enzymatic recycling method for the quantification of GSH concentration	26
7	Reaction of MDA with thiobarbituric acid (TBA) forming thiobarbituric acid reactive substances (TBARs)	27
8A	Chromatogram of caffeine-free plasma	37
8B	Chromatogram of plasma sample containing 4,000 ng/mL of IS	37
8C	Chromatogram of plasma sample containing 4,000 ng/mL of internal standard (IS) and 4,000 ng/mL caffeine	37
9A	A standard calibration curve of caffeine/internal standard peak height versus plasma caffeine concentrations	39
9B	Pooled calibration curve from 5 replicated calibration data	39
10	Plasma concentration-time curves of caffeine after single dose of coffee enema (CE) or coffee consumption (CC)	52
11A	Plasma caffeine concentration-time curves of individual subject (n=11) after single dose of coffee enema (CE)	59
11B	Plasma caffeine concentration-time curves of individual subject (n=11) after single dose of coffee consumption (CC)	59
11C	Mean plasma caffeine concentration-time curve after single dose of coffee enema (CE) or coffee consumption (CC)	60

Figure	Page
12	64
Effects of single dose of coffee enema or (CE) coffee consumption (CC) on systolic blood pressure, diastolic blood pressure and heart rate at various time points.	
13A	69
Effects of single dose of coffee enema on serum GSH of individual subject (n=11)	
13B	69
Effects of single dose of coffee consumption on serum GSH concentrations of individual subject (n=11)	
13C	70
Effects of single dose of coffee enema (CE) or coffee consumption (CC) on serum GSH concentrations	
14A	73
Effects of multiple doses of coffee enema on serum GSH concentrations of individual subject (n=11)	
14B	73
Effects of multiple doses of coffee consumption on serum GSH concentrations of individual subject (n=11)	
14C	74
Effects of multiple doses of coffee enema (CE) or coffee consumption (CC) on serum concentrations of GSH	
15A	80
Effects of single dose of coffee enema on serum MDA concentrations of individual subject (n=11)	
15B	80
Effects of single dose of coffee consumption on serum MDA concentrations of individual subject (n=11)	
15C	81
Effects of single dose of coffee enema (CE) or coffee consumption (CC) on serum MDA concentrations	
16A	84
Effects of multiple doses of coffee enema on serum MDA concentrations of individual subject (n=11)	
16B	84
Effects of multiple doses of coffee consumption on serum MDA concentrations of individual subject (n=11)	
16C	85
Effects of multiple doses of coffee enema (CE) or coffee consumption (CC) on serum MDA concentrations	
17A	91
Effects of single dose of coffee enema on serum TEAC of individual subject (n=11)	

Figure		Page
17B	Effects of single dose of coffee consumption on serum TEAC of individual subject (n=11)	91
17C	Effects of single dose of coffee enema (CE) or coffee consumption (CC) on serum TEAC	92
18A	Effects of multiple doses of coffee enema on serum TEAC of individual subject (n=11)	95
18B	Effects of multiple doses of coffee consumption on serum TEAC of individual subject (n=11)	95
18C	Effects of multiple doses of coffee enema (CE) or coffee consumption (CC) on serum TEAC	96

LIST OF ABBREVIATIONS

AM	= ante meridiem
AUC ₀₋₁₂	= area under the concentration-time curve from administration to 12 hours
AUC _{0-∞}	= area under the concentration-time curve from administration and extrapolation to infinity
BMI	= body mass index
BUN	= blood urea nitrogen
% CV	= percent coefficient of variation
°C	= degree Celsius
C _{max}	= maximum plasma concentration
CBC	= complete blood count
cm	= centimeter
conc	= concentration
Cr	= creatinine
DBP	= diastolic blood pressure
e.g.	= example gratia
GSH	= glutathione
h	= hour
HPLC	= high performance liquid chromatography
k	= retention time
k _e	= elimination rate constant
kg	= kilogram
L	= litre
LFT	= liver function test
LLQ	= lower limit of quantification
m ²	= square meter
MDA	= malondialdehyde
min	= minute
mmol	= millimole



mg	= milligram
mL	= millilitre
MP	= mobile phase
µg	= microgram
µL	= microlitre
µmol	= micromole
ng	= nanogram
nm	= nanometer
QC	= quality control
r^2	= coefficient of correlation
rpm	= round per minute
SBP	= systolic blood pressure
SCGE	= single cell gel electrophoresis
s	= second
SD	= standard deviation
SEM	= standard error of mean
$t_{1/2}$	= half-life
T_{max}	= time to reach maximum concentration

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University

All rights reserved