

REFERENCES

- Ali A.A., Sayed H.M., Abdalla O.M., Steglich W. and Dagne E. (1987). Alkaloids from *Haemanthus multiflorus*. Bulletin of Pharmaceutical Science, 10 (1): 157-164.
- Abdallah O.M., Ali A.A. and Itokawa H. (1989). 2-O-acetylchlidanthine; An alkaloid from *Haemanthus multiflorus*. Phytochemistry, 28 (11): 3248-3249.
- Alice N. (2001). Foot Ball Lily. (Online). Available <http://webindia123.com/graden/flowers/folily.htm>
- Anne A., Bente G., Lene G. and Anna K.J. (2006). Screening of plants used in Danish folk medicine to treat memory dysfunction for acetylcholinesterase inhibitory activity. Journal of Ethnopharmacology, 104: 418-422.
- Anne A., Anne K., Ole D. and Anna K.J. (2007). Acetylcholinesterase and butyrylcholinesterase inhibitory compounds from *Corydalis cava* Schweigg. & Kort. Journal of Ethnopharmacology, 113: 179-182.
- Arrieta J.L. A.F. (1998). Methodology, results and quality of clinical trials of tacrine in the treatment of Alzheimer's disease: a systemic review of the literature. Age and Ageing, 27: 161-179.
- Bailey L.H. (1961). The Standard Cyclopedia of Horticulture Vol. (II) The Macmillan. (pp1425-1427). Company, New York. 1222p.
- Baudouin G., Tillequin F. and Koch M. (1994). Albiflomanthine-A Crinane alkaloid from *Haemanthus albiflos* (JACQ). Heterocycles, 38 (5): 965-970.

- Brienet O.J.T., Swan A.G., Fairbairn A.F., Wesnes K., Del S.T., Edwardson J.A., Morris C.M. and McKeith I.G. (2003). Regulation of attention and response to therapy in dementia by butyrylcholinesterase. *Pharmacogenetics*, 13: 231-239.
- Briggs C.K., Patricia F.H., Highet J.R. and Wildman C.W. (1956). Alkaloids of the Amaryllidaceae. VII. Alkaloids Containing the Hemiacetal or Lactone Group. *Journal of the American Chemical Society*, 78 (12): 2899-2904.
- Brimijion S. (1983). Molecular forms of acetylcholinesterase in brain, nerve and muscle: nature localization and dynamics. *Progress in Neurobiology*, 21: 291-322.
- Bruggeman L. (1962). *Tropical Plants and Their Cultivation*. (pp86). Thames and Hudson, London.
- Chicot J.V. (2001). World Health Organization Alzheimer's disease: The Brain Killer: When old age becomes a disease. (pp.18-19), Regional Office for South East Asia.
- Court J.A., Perry E.K., Johnson M., Piggott M.A., Kerwin J.A., Perry R.H. and Ince P.G. (1993). Regional patterns of cholinergic and glutamate activity in the developing and aging human brain. *Brain Res*. 1993; 74: 73-82.
- Coyle J.T., Price D.L. and DeLong M.R. (1983). Alzheimer's disease: a disorder of cortical cholinergic innervations. *Science*, 219 (4589): 1184-1190.
- Crouch N.R., Pohl T.L., Mulholland D.A. and Ndlovu E. (2005). Alkaloids from three ethnomedicinal *Haemanthus* species: *H.albiflos*, *H.deformis* and *H.pauculifolius* (Amaryllidaceae). *South African Journal of Botany*, 71 (1): 49-52.

Dahlgren R.M.T, Clifford H.T and Yeo P.F. (1989). The Families of the Monocotyledons. (pp202). Springer-Verlag. Berlin Heidelberg New York Toyo.

Davis K.L. and Mohs R.C. (1982). Enhancement of memory process in Alzheimer's disease with multiple-dose intravenous physostigmine. The American Journal of Psychiatry, 139: 1421-1424.

Ehrlich G., Ginzberg D., Loewenstein Y., Glick D., Kerem B., Ben-Ari S., Zakut H., and Soreq H. (1994). Population diversity and distinct haplotype frequencies associated with AChE and BChE genes of Israeli Jews from trans-Caucasian Georgia and from Europe. Genomics, 22 (2): 288-295.

Eldeen I.M.S. and Van S.J. (2007). In vitro pharmacological investigation of extracts from some trees used in Sudanese traditional medicine. South African Journal of Botany, 73: 435-440.

Eliovson S. and Reed A.W. (1968). Bulbs for The gardener. (pp143). A.H. & A. W. Reed, Wellington

Fales. M.H. and Wildman C.W. (1959). Alkaloids of the amaryllidaceae (XIII). The Structures of Heamanthamine and Crinamine. Journal of the American chemical Society, 82: 197-205.

Fales H.M. and Wildman C.W. (1961). Haemultine and the Alkaloids of *Haemanthus multiflorus* Martyn. Journal of Organic Chemistry, 26: 16171-621.

Friedman A., Kaufer D., Shemer J., Hendler I., Soreq H. and Tur-Kaspa I. (1996). Pyridostigmine brain penetration under stress enhances neuronal excitability and induces early immediate transcriptional response. Natural Medicine, 2: 1382-1385.

- Gail K.W. (1973). How to Grow Bulbs. (pp73). Lane Publishing.Co., California.
- Ghosal S., Rajiv L., Ashutosh Y.K. and Radhey S.S. (1985). Alkaloids of *Haemanthus kalbreyeri*. Phytochemistry, 24(8): 1825-1828.
- Ghosal S., Shripati S., Yatendra K. and Radhey S. (1989). Isocarbostyryl alkaloids from *Haemanthus kalbreyeri*. Phytochemistry, 28 (2): 611-613.
- Giacobini E., DeSarno P., Clark B. and McIlhany M. (1989). The cholinergic receptor system of the human brain: neurochemical and pharmacological aspects in aging and Alzheimer. Progress in Brain Research, 79: 335-343.
- Giacobini E., Spiegel R., Enz A., veroff A.E. and Cutler N.R. (2002). Inhibition of acetyl- and butyrylcholinesterase in the cerebrospinal fluid of patients with Alzheimer's disease by rivastigmine: correlation with cognitive benefit. Journal of Neural Transmission, 109: 1053-1065.
- Goosen A., Jphn O.V.E., Warren L.F., and Yates K.C. (1961). The Alkaloids the Amaryllidaceae. Part IX. Racemis-ation of Buphanitine (Nerbowdine) during Oppenauer Oxidations. Journal of the cheimistry Society: 4038-4041.
- Goosen J., Jeffs P.W., Graham J., Warren F.L. and Wright W.G. (1960). Alkaloids of the Amaryllidaceae (V). A new alkaloid, epihaemanthidine, from *Haemanthus natalensis*. Journal of the Chemical Society: 1088-1089.
- Graybiel A.M. and Ragsdale C.W.J. (1982). Pseudocholinesterase staining in the primary visual pathway of the macaque monkey. Nature, 299: 439-442.
- Guillozet A.L., Smiiley J.F., Mash D.C. and Mesulam M.M. (1997). Butyrylcholinesterase in the life cycle of the amyloid plaque. Annals of Neurology, 42: 909-918.
- Hans G.B. (1954). Amaryllidaceae alkaloids (IV). The alkaloids of the *Haemanthus*

- hybrid “Konig Albert”. *Chemische Berichte*, 87:1339-1342.
- Hans G.B. and Dopke W. (1958). Amaryllidaceous alkaloids (XXIII). Alkaloids of *Haemanthus multiflorus*. *Chemische Berichte*, 91: 1965-1967.
- Hans G.B., Dopke W. and Stender W. (1958). New amaryllidaceae alkaloids. *Naturwissenschaften*, 45: 262-263.
- Hans G.B. and Dopke W. (1961). The alkaloids of *Haemanthus*, *Zephyranthes*, *Galanthus*, and *Crinum*. *Journal language unavailable*, 48: 406-407.
- Heller M. (1972). Human erythrocyte membrane bound enzyme acetylcholinesterase. *BiochimBiophys Acta*. 17: 251-272.
- Honer W.G., Prohovnik I., Smith G. and Jarvis L. (1987). Cortical effects of scopolamine compared to Alzheimer’s disease. *J Cereb Blood Flow Metab*, 7 (supp11): 387
- Hsuan K. (1969). Orders and Families of Malayan Seed Plants. (pp299). University of Malaya Press, Kuala Lumpur.
- Hsun K. (1998). The Concise Flora of Singapore, (VII) Momocotyledons. (pp12-13). Singapore University Press.
- Ilkay O., B.Sener, M.I. Choudhary, A. Khalid. (2004). Acetylcholinesterase and butyrylcholinesterase inhibitory activity of some Turkish medicinal plants. *Journal of Ethnopharmacology*, 91: 57–60
- Ilkay O., Sinem A., Murat K., Bilge S.K. and Husnu C.B. (2008). Inhibitory effect of Turkish *Rosmarinus officinalis* L. on acetylcholinesterase and butyrylcholinesterase enzymes. *Food Chemistry*, 108: 663–668.
- In K.R., Michiel M., Kornkanok I. and Robert V. (2001). Screening for acetylcholinesterase inhibitors from Amaryllidaceae using silica gel thin-layer

chromatography in combination with bioactivity staining. *Journal of Chromatography A*, 915: 217–223.

Inubushi Y., Fales M.H., Warnhff E.W., and Wildman C.W. (1960). Structures of Montanine, Coccinine, and Manthine. *Journal of Organic Chemistry*, 25: 2153-2164

Jaspersen S.R. (1970). Tbxische Amaryllidaceen. *Pharmaceutica Acta Helvetiae*, 45: 424–433.

Jeffrey B. (1999). *Phytochemical dictionary : a handbook of bioactive compound from plants.* (pp.153-158), London : Taylor & Francis.

Jeffer P.W. (1962). Alkaloids of the Amaryllidaceae (X). Biosynthesis of hemanthamine. *Journal language*: 80-81.

Jones R.W. (2003). Have cholinergic therapies reached their clinical boundary in Alzheimer's Disease. *Int J Geriatr Psychiatry*, 18: 7-13.

Kaufer D., Friedman A., Seidman S. and Soreq H. (1998). Acute stress facilitates long- lasting changes in cholinergic gene expression. *Nature*, 393: 373-377.

Kornkanok I., Prapapan T., Kanchanaporn C., Thitaree Y. and Warawit T. (2003).

Screening for acetylcholinesterase inhibitory activity in plants used in Thai traditional rejuvenating and neurotonic remedies. *Journal of Ethnopharmacology*, 89: 261–264.

Li B., Stribley J.A., Ticu A., Xie W., Schopfer L.M., Hammone P., Brimijoin S., Hinrichs S.H. and Lockridge O. (2000). Abundant tissue butyrylcholinesterase and its possible function in the acetylcholinesterase knockout mouse. *Journal of Neurochem*, 75 (3): 1320-1331

- Louw C.A.M, Regnier T.J.C. and Korsten L. (2002). Medicinal bulbous plants of South Africa and their traditional relevance in the control of infectious diseases. *Journal of Ethnopharmacology*, 82: 147-154.
- Margaret E., Vrigania Y.L. and John Q.T. (2004). *The Neuropathology of Dementia*. (pp161). Cambridge, UK ; New York : Cambridge University Press.
- Massoulie J., Pezzementi L., Bon S., Krejci E. and Vallette F.M. (1993). Molecular and cellular biology of cholinesterases. *Prog Neurobiol*, 41: 31-91.
- Michael A., Francine G. and Matthias H. (2007). Plants traditionally used in age related brain disorders—A survey of ethnobotanical literature. *Journal of Ethnopharmacology*, 113: 363–381.
- Moretto A. (1998). Experimental and clinical toxicology of anticholinesterase agents. *Toxicol Lett*, 102-103: 509-513.
- Muir J.L. (1996). Acetylcholine, aging and Alzheimer's disease. *Pharmacol Biochem and Behav*, 56: 687-696.
- Noqueiras C., Doepke W., Gruendemann E. and Lehmann G. (1971). Stereochemistry of a new *Haemanthus katherinae* alkaloid. *Tetrahedron Letters*, 29: 2743-2744.
- Norel X., Angrisani M., Labat C., Gorenne I., Dulmet E. and Rossi F.B.C. (1993). Degradation of acetylcholine in human airways: role of butyrylcholinesterase. *British Journal of Pharmacology*, 108 (4): 914-919.
- Oh M.H., Houghton P.J., Whang W.K. and Cho J.H.. (2004). Screening of Korean herbal medicines used to improve cognitive function for anti-cholinesterase activity. *Phytomedicine*, 11: 544–548.

- Orhan I.B., Sener M.I. and Choudhary A.K. (2004). Acetylcholinesterase and butyrylcholinesterase inhibitory activity of some Turkish medicinal plants. *Journal of Ethnopharmacology*, 91: 57–60.
- Perry E., McKeith I., Ballard C. and Ballard C. (2003). Butyrylcholinesterase progression of cognitive deficits in dementia with Lewy bodies. *Neurology*, 60: 1852-1853
- Peter J.H., Joseph M.A. and Aderonke A. (2004). Choline esterase inhibitory properties of alkaloids from two Nigerian crinum species. *Phytochemistry*, 65: 2893–2896.
- Polinsky R.J. (1998). Clinical Pharmacology of rivastigmine: a new-generation of acetylcholinesterase inhibitor for the treatment of Alzheimer's disease. *Clin Ther*, 20: 634-647.
- Pulok K.M., Venkatesan K., Mainak M. and Peter J.H. (2007). Acetylcholinesterase inhibitors from plants. *Phytomedicine*, 14: 289–300.
- Qizilbash N., Whitehead A., Higgins J., Wilcock G., Schneider L. and Farlow M. (1998). Cholinesterase inhibition for Alzheimer's disease: a meta-analysis of the tacrine trials. Dementia Trialists' collaboration. *JAMA*, 280: 1777-1782.
- Ruth A.H. and Ben A. (2000). Condition in Occupational Therapy; Effect on Occupational Performance. (pp100-101).
- Sam M.S. and Anna K.J. (2005). Screening of traditionally used Lebanese herbs for neurological activities. *Journal of Ethnopharmacology*, 97: 145–149.
- Shute C.C and Lewis P.R. (1963). Cholinesterase-containing systems of the brain of the rat. *Nature*, 199: 1160-1164.

- Soreq H., Gnatt A., Loewenstein Y. and Neville L.F. (1992). Excavations into the active-site gorge of cholinesterases. *Trends Biochem Sci*, 17: 353-358.
- Soreq H. and Zakut H. (1990). Amplification of butyrylcholinesterase and acetylcholinesterase genes in normal and tumor tissues: putative relationship to organophosphorus poisoning. *Pharmaceutical Research*, 7: 1-7.
- Squire L.R. (1987). The organization and substances of human memory. *Int J. Neural*, 21: 218-222.
- Strahil B., Carles C., Francesc V. and Jaume B. (2008). *N*-Alkylated galanthamine derivatives: Potent acetylcholinesterase inhibitors from *Leucojum aestivum*. *Bioorganic & Medicinal Chemistry Letters*, 18: 2263–2266.
- Summers W.K., Majovski L.V., Marsh G.M., Tachiki K. and Kling A. (1986). Oral tetrahydroaminoacridine in long-term treatment of senile dementia, Alzheimer type. *The New England Journal of Medicine*, 315: 1241-1245.
- Susana L., Jaume B., Francesc V. and Carles C. (2002). Acetylcholinesterase inhibitory activity of some Amaryllidaceae alkaloids and *Narcissus* extracts. *Life Sciences*, 71: 2521–2529.
- Szelenyi J.G., Bartha E. and Hollan S.R. (1982). Acetylcholinesterase activity of lymphocytes: An enzyme characteristic of T-cells. *British Journal of Haematology*, 50: 241-245.
- Taylor P. and Radic Z. (1994). The cholinesterases: from genes to proteins. *Annual Review of Pharmacology and Toxicology*, 34: 281-320.
- The GNU Free Documentation License. (2008). Alzheimer's disease. (Online). Available: http://en.wikipedia.org/wiki/Alzheimer's_disease (25 August 2008).
- Thimmappa S., Anekonda P. and Hemachandra R. (2005). Can herbs provide a new

generation of drugs for treating Alzheimer's disease?. Brain Research Reviews, 50: 361 – 376.

Vinutha B.D., Prashanth K.S., Sreeja S.L., Pratiti D., R., Padmaja S.R., Amit A., Venkateshwarlu K. and Deepak M. (2007). Screening of selected Indian medicinal plants for acetylcholinesterase inhibitory activity. Journal of Ethnopharmacology, 109: 359–363.

Warren L.F. and Winifred G.W. (1958). The Alkaloids of the Amaryllidaceae (III). Haemanthamine (Natalensine). Journal of the chemical Society, 4696-4700.

Wildman W.C. and Kaufman C.J. (1995). Alkaloids of the Amaryllidaceae (III). Isolation of Five New Alkaloids from *Haemanthus* Species. Journal of the American chemical Society, 77 (5): 1248-125.