

REFERENCES

- Aarestrup, F. M., Hendriksen, R. S., Lockett, J., Gray, K., Teates, K., McDermott, P. F., White, D. G., Hasmann, H., Sorensen, G., Bangtrakulnonth, A., Pornreongwong, S., Pulsrikarn, C., Angulo, F. J. & Gerner-Smidt, P. (2007): International spread of multi-drug resistant *Salmonella* Schwarzengrund in food products. *Emerg. Infect. Dis.*, 13, 726-731.
- Arsenault, J., Letellier, A., Quessy, S., Normand, V. & Boulianne, M. (2007): Prevalence and risk factors for *Salmonella* spp. and *Campylobacter* spp. caecal colonization in broiler chicken and turkey flocks slaughtered in Quebec, Canada. *Preventive Veterinary Medicine*, 81, 250-264.
- Awaiwanont, N. (2009): Efficacy of Cleaning and Disinfection for *Salmonella* spp. in a Broiler Farm Production Compartment in Northern Thailand. Master thesis. MPVH master course 2007-2009. Chiang Mai University Thailand and Freie Universitaet Berlin, Germany.
- Barbut, S. (2002): *Poultry Products Processing: An Industry Guide*. Boca Raton: CRC Press, pp.358-362.
- Bhunja, A. K. (2008): *Salmonella enterica*. In: Heldman, D. R. (ed.): *Foodborne Microbial Pathogens: Mechanisms and Pathogenesis*. New York, London: Springer, pp. 201-216.
- Boonprasert, N. (2009): Prevalence of *Salmonella* spp. in Broiler Breeding Flocks during Production in a Poultry Compartment in Northern Thailand. Master thesis. MPVH master course 2007-2009. Chiang Mai University Thailand and Freie Universitaet Berlin, Germany.
- Buzby, J. C. & Farah, A. H. (2006): Chicken consumption continues longrun rise. *Amber Waves*, 4, 5.
- Cardinale, E., Tall, F., Guèye, E. F., Cisse, M. & Salvat, G. (2004): Risk factors for *Salmonella enterica* subsp. *enterica* in senegalese broiler chicken flocks. *Prev. Vet. Med.*, 63, 151-161.
- CDC (2007): *Salmonella Surveillance: Annual Summary, 2005*. Centers for Disease Control and Prevention, USA.
- D' Aoust, J. Y., Maurer, J., Bailey, J. S. (2001): *Salmonella* species. In: Doyle, M. P., Beuchat, L. R., Montville, T. J. (eds.): *Food Microbiology: Fundamentals and Frontier*. 2nd ed. Washington: ASM Press, pp 141-178.

de Valk, H. & Vaillant, V. (2004): Morbidité et mortalité dues aux maladies infectieuses d'origine alimentaire en France. Institut de Veille Sanitaire, Charenton, France.

EFSA (2006): The community summary report on trends and sources of zoonoses, zoonotic agents, antimicrobial resistance and foodborne outbreaks in the European union in 2005. *The EFSA Journal*, 94, 29.

EFSA (2007a): Report of the task force on zoonoses data collection on the analysis of the baseline survey on the prevalence of *Salmonella* in broiler flocks of *Gallus gallus*, Part A. *The EFSA Journal*, 98, 1-85.

EFSA (2007b): Report of the task force on zoonoses data collection on the analysis of the baseline survey on the prevalence of *Salmonella* in broiler flocks of *Gallus gallus*, Part B. *The EFSA Journal*, 101, 1-86.

FAO&WHO(2001):[online].Available:
<http://www.who.int/foodsafety/publications/micro/may2001/en/index.html>
 (accessed: 6 July 2008).

Foley, S. L., Lynne , A. M.& Nayak, R. (2008): *Salmonella* challenges: Prevalence in swine and poultry and potential pathogenicity of such isolates. *Journal of Animal Science*, 86, 149-162.

Gast, R. K. & Holt, P. S. (1998): Persistence of *Salmonella enteritidis* from One Day of Age Until Maturity in Experimentally Infected Layer Chickens. *Poultry Science*, 77, 1759-1762.

Gast, R. K. & Shivaprasa, H. L. (2003) *Salmonella* infections. In: Saif, Y. M. (ed.): *Diseases of Poultry*. Iowa State Press, Blackwell Publishing Company.

Giessen, A.W. v.d., Peters, R., Berkers, P.A.T.A., Jansen, W.H., Notermans, S.H.W. (1991): *Salmonella* contamination of poultry flocks in The Netherlands. *Vet Q*, 13, 41-46

Giessen, A.W. v.d., Ament, A.J.H.A, Notermans, S.H.W.(1994): Intervention strategies for *Salmonella enteritidis* in poultry flocks: a basic approach. *International Journal of Food Microbiology*, 21,145-154.

Gorman, R. & Adley, C. C. (2004): Characterization of *Salmonella enterica* serotype Typhimurium isolates from human, food, and animal sources in the republic of Ireland. *J. Clin. Microbiol.*, 42, 2314-2316.

Gorman, R. & Adley, C. C. (2006): Pulsed- Field Gel Electrophoresis As Molecular Technique in *Salmonella* Epidemiological Studies. In Adley, C.C. (ed.): *Food-Borne Pathogens: Methods and Protocols*. Totowa, NJ: Humana Press Inc., pp 81-90.

- Grimont, P. A. D. & Weill, F.-X. (2007): Antigenic formulae of the *Salmonella* serovars: WHO Collaborating Centre for Reference and Research on Salmonella, 9th ed. Institut Pasteur, Paris, France. pp.13/166.
- Hafez, H.M. (1999): Poultry meat and food safety: pre-and post-harvest approaches to reduce foodborne pathogens. *World's Poultry Science Journal* 55, 269-280.
- Hafez, H.M., Schroth, A. Stadler and D. Schulze (2001): Detection of salmonella, campylobacter and verotoxin producing *E. coli* in turkey flocks during rearing and processing. *Archiv für Geflügelkunde* 65,130-136
- Hafez, H.M. (2001): *Salmonella infections in poultry: diagnosis and control*. *Periodicum Biologorum* 103, 103-113.
- Hafez, H. M. (2008): *Salmonella* infections in poultry: diagnosis and control. In: Training workshop on Veterinary Public Health Regulation Task in Poultry Issue, Emphasis on EU Regulation Task in International Trade, September 1-5, 2008 Chiang Mai: Veterinary Public Health Centre for Asia Pacific, Faculty of Veterinary Medicine, Chiang Mai University, 2008, pp 20-41.
- Hafez, H. M. & Jodas, S. (2000): *Salmonella* Infections in Turkeys. In: Wray, C., Wray, A. (eds.): *Salmonella in Domestic Animals*. CAB International, pp.136-137.
- ISO 6579 (2002): International Standard: Microbiology of food and animal feeding stuffs-Horizontal method for the detection of *Salmonella* spp. Geneva: ISO copyright office.
- ISO 6579 (2002): Annex D: Detection of *Salmonella* spp. in animal faeces and in environmental samples from the primary production stage. Geneva: ISO copyright office.
- Jay, J. M., Loessner, M. J. & Golden, D. A. (2005) Foodborn Gastroenteritis Caused by *Salmonella* and *Shigella*. In: Heldman, D. R. (ed.): *Modern Food Microbiology*. 7ed. New York: Springer Science and Business Media, Inc., pp. 201-216.
- Jong, B.D. & Ekdahl, K. (2006): The comparative burden of salmonellosis in the European Union member states, associated and candidate countries. *BMC Public Health*, 6, 4.
- Kim, A., Lee, Y. J., Kang, M. S., Kwag, S. I. & Cho, J. K. (2007): Dissemination and tracking of *Salmonella* spp. in integrated broiler operation. *Journal of Veterinary Science*, 8, 155-161.

- Namata, H., Welby, S., Aerts, M., Faes, C., Abrahantes, J. C. A., Imberechts, H., Vermeersch, K., Hooyberghs, J., Méroc, E. & Mintiens, K. (2009): Identification of risk factors for the prevalence and persistence of *Salmonella* in Belgian broiler chicken flocks. *Preventive Veterinary Medicine*, 90, 211-222.
- Nicholson, F. A. Groves, S. J. & Chambers, B. J. (2005): Pathogen survival during livestock manure storage and following land application. *Biores. Technol.*, 96, 135-143.
- Olive, D. M. & Bean, P. (1999): Principles and applications of methods for DNA-based typing of microbial organisms. *Journal of Clinical Microbiology*, 37, 1661-1669.
- Phillips, R.A. & Opitz, H.M. (1995): Pathogenicity and persistence of *Salmonella* enteritidis and egg contamination in normal and infectious bursal disease virus-infected leghorn chicks. *Avian Dis.* 1995 Oct-Dec;39(4):778-87
- Padungtod, P. & Kaneene, J. B. (2006): *Salmonella* in food animals and humans in northern Thailand. *International Journal of Food Microbiology*, 108, 346-354.
- Poppe, C. (2000): *Salmonella* Infections in the Domestic Fowl. In: Wray, C. & Wray, A. (eds.): *Salmonella in Domestic Animals*. CAB International, pp. 107-132.
- Quinn, P. J. & Markey, B. K. (2003): *Concise Review of Veterinary Microbiology*. Oxford: Blackwell Publishing Ltd., pp.40-41.
- Renwick, S. A., Irwin, R. J., Clarke, R. C., McNab, W. B., Poppe, C. & Mcewen, S. A. (1992): Epidemiological associations between characteristics of registered broiler chicken flocks in Canada and the *Salmonella* culture status of floor litter and drinking water. *Can. Vet. J.*, 33, 449-458.
- Rose, N., Beaudou, F., Drouin, P., Toux, J.Y., Rose, V. & Colin, P. (1999): Risk factors for *Salmonella enterica* subsp. *enterica* contamination in French broiler-chicken flocks at the end of the rearing period. *Preventive Veterinary Medicine*, 39, 265-277.
- Sakai, T. & Chalermchaikit, T. (1996): The major sources of *Salmonella enteritidis* in Thailand. *International Journal of Food Microbiology*, 31, 173-180.
- Sasipreeyajan, J., Jerngklinchan, J., Koowatananukul, C., Saitanu, K. (1996): Prevalence of *Salmonellae* in Broiler, Layer and Breeder flocks in Thailand. *Trop. Anim. Hlth. Prod.*, 28, 174-180.

- Van Immerseel, F., De Buck, J., Pasmans, F., Bohez, L., Boyen, F., Haesebrouck, F. & Ducatelle, R. (2004): Intermittent Long-Term Shedding and Induction of Carrier Birds after Infection of Chickens Early Posthatch with a Low or High Dose of *Salmonella* Enteritidis. *Poultry Science*, 83, 1911-1916.
- Voetsch, A. C., Van Gilder, T. J., Angulo, F. J., Farley, M. M., Shallow, S., Marcus, R., Cieslak, P. R., Deneen, V. C., Tauxe, R. V. and the Emerging Infections Program FoodNet Working Group (2004): Food-Net estimate of the burden of illness caused by nontyphoidal *Salmonella* infections in the United States. *Clin. Infect. Dis.*, 38(Suppl. 3), 127-134.
- Wedderkopp, A., Gradel, K. O., Jørgensen, J. C. & Madsen, M. (2001): Pre-harvest surveillance of *Campylobacter* and *Salmonella* in Danish broiler flocks: a 2-year study. *International Journal of Food Microbiology*, 68, 53-59.
- Wegener, H. C., Hald, T., Lo Fo Wong, D., Madsen, M., Korsgaard, H., Bager, F., Gerner-Smidt, P. & Moelbak, K. (2003): *Salmonella* control programs in Denmark. *Emerg. Infect. Dis.*, 9, 774-780.
- Weill, F. X., Lailier, R., Praud, K., Kerouanton, A., Fabre, L., Brisabois, A., Grimont, P. A. & Cloeckart, A. (2004): Emergence of extended-spectrum-beta-lactamase (CTX-M-9)-producing multiresistant strains of *Salmonella enterica* serotype Virchow in poultry and humans in France. *J. Clin. Microbiol.*, 42, 5767-5773.
- WHO (2002): Risk Assessments of *Salmonella* in Eggs and Broiler Chickens. Geneva, Switzerland: World Health Organization, Food and Agriculture Organization of the United Nations.
- WHO (2005) [online]. Available (<http://www.who.int/mediacentre/factsheets/fs139/en/>) (4 July 2008)
- Whyte, P., Mc GILL, K., Collins, J. D. & Gormley, E. (2002): The prevalence and PCR detection of *Salmonella* contamination in raw poultry. *Veterinary Microbiology*, 89, 53-60.
- Yousef, A. E. & Carlstrom, C. T. A. (2003): *Food Microbiology: A Laboratory Manual*. Hoboken, NJ: John Wiley & Sons, pp.167-190.