

REFERENCES

- Anon. (2005): Erratum. In: Annual report of zoonoses in Denmark 2004. Ministry of Family and Consumer Affairs Copenhagen, 11-12.
- Anonymous (2005): Commission regulation (EC) No 2073/2005 of 15 November 2005 on microbiological criteria for foodstuffs. Official Journal of the European Communities. L 338, pp.1-26.
- Avery, S.M. (1991): The aerobic plate count. In: Mirinz Meat Research (2nd ed): Microbiology methods for the meat industry. The Meat Industry Research Institute of New Zealand. pp. 54-61.
- Berends, B. R., Knapen, F. van, Mossel, D.A.A., Burt, S.A., Snijders, J.M.A. (1998): *Salmonella* spp. on pork at cutting plants and at the retail level and the influence of particular risk factors. *International Journal of Food Microbiology* **44**, 207-217.
- Berends, B. R., Van Knapen, F., Snijders, J. M.A., Mossel, D. A. (1997): Identification and quantification of risk factors regarding *Salmonella* spp. on pork carcasses. *International Journal of Food Microbiology* **36**, 199-206.
- Botteldoorn, N., Heyndrickx, M., Rijpens, N., Grijspeerdt, K., Herman, L. (2003): *Salmonella* on pig carcasses: positive pigs and cross contamination in the slaughterhouse. *Journal of Applied Microbiology* **95**, 891 – 903.
- Bouvet, J., Bavai, C., Rossel, R., Leroux, A., Montet, M.P., Mazuy, C., Vernozy-Rozand, A.C. (2003): Evolution of pig carcass and slaughterhouse environment contamination by *Salmonella*. *Revue Med. Vet.* **154**, 775-779.
- Brown, M.H. (2000): Processed meat products. In: Lund, B.M., Baird-Parker, T.C., Gould, G.W (ed.): The Microbiological Safety and Quality of food. Vol. I. Aspen Publishers. pp.389-419.
- Brenner, F. W., Villar, R. G., Angulo, F. J., Tauxe, R., Swaminathan, B. (2000): *Salmonella* Nomenclature. *Journal of Clinical Microbiology* **38**, 2465-2467.

CDC (2001): Preliminary FoodNet data on the incidence of food-borne illnesses selected sites, United States, 2000. *Morb. Mortal. Wkly. Rep.* **50**, 241-246.

CCTYHN (Chi cuc Thy y Hanoi) (2008): Công tác quản lý giết mổ gia súc, gia cầm, kiểm tra vệ sinh thú y động vật, sản phẩm động vật trên địa bàn thành phố Hà Nội(Hanoi Sub-Department of Animal Health: The current status on animal inspection and control of slaughtering and veterinary hygiene in Hanoi area), in Vietnamese version.

Chu, V. T. (2007): A study of antimicrobial resistance of *Escherichia coli* isolated from retail fresh pork in Hanoi, Vietnam. Chiang Mai, Graduate School Chiang Mai University, Freie Universität Berlin, Master of Veterinary Public Health, Dissertation.

D'Aoust, J.-Y. (2000): *Salmonella*. In: Lund, B.M., Baird-Parker, T.C., Gould, G.W. (ed.): The Microbiological Safety and Quality of Food. Vol. II. Maryland. Aspen Publishers, Inc. pp. 1233- 1279.

Delhalle, L., Saegerman, C., Farnir, F., Korsak, N., Maes, D., Messens, W., De Sadeleer, L., De Zutter, L., Daube, G. (2009): *Salmonella* surveillance and control at post-harvest in the Belgian pork meat chain. *Food Microbiology* **26** (3), 265-271.

Dinh, X.T., Nguyen, T.T., Tran, C.T. (2005): Current status and prospects for the pig sector in Vietnam: A desk study. Hanoi, Vietnam: Pro-Poor Livestock Policy Initiative. 6p. (PPLPI research report).
http://www.fao.org/ag/againfo/programmes/en/pplpi/docarc/rep-psd_pigmarkets_desk.pdf accessed on 10 July 2009.

Doyle, M. P., Beuchat, L. R., Montville, T.J. (2001): Food microbiology: fundamentals and frontiers. The second edition. Washington DC: ASM Press.

Droppers, W.F.G.L. (2006): OIE philosophy, policy and procedures for development of food safety standards. *Rev. sci. tech. Off. int. Epiz.* **25** (2), 805-812.

Duffy, E. A., Belk, K. E., Sofos, J. N., Bellinger, G. R., Pape, A., Smith, G. C. (2001): Extent of microbial contamination in United States pork retail products. *J. Food Prot.* **64**, 172-178.

EARSS (European Antimicrobial Resistance Surveillance System) (2006): Annual Report.

<http://www.rivm.nl/earss/> accessed on 4 July 2009.

FAO (Food and Agriculture Organization) (2002): National Food Control Systems assuring Food Safety, FAO/WHO Global Forum of Food Safety Regulators, Marrakech, Morocco, 28–30 January 2002. GF/ CRD FAO-1.

Forshell, L.P., Wierup, M. (2006): *Salmonella* contamination: a significant challenge to the global marketing of animal food products. *Rev. Sci. Tech .Off. int. Epiz.* **25** (2), 541-554.

Fratomico, P.M., Smith, J.L. (2006): *Escherichia coli* infections. In: Riemann, H.P., Cliver, D.O. (ed.): *Foodborne Infections and Intoxications*. 3rd ed. London: Elsevier Inc. pp. 205 - 258.

GAIN (Global Agriculture Information Network) (2006): Vietnam Livestock and Products. GAIN Annual Report 2006. GAIN Report number: VM6054). Hanoi, Vietnam: USDA Foreign Agricultural Service.
[http:// www.fas.usda.gov/gainfiles/200609/146228906.pdf](http://www.fas.usda.gov/gainfiles/200609/146228906.pdf), accessed on 2 July 2009.

Ghafir, Y., China, B., Korsak, N., Dierick, K., Collard, J. M., Godard, C., De Zutter, L., Daube, G. (2005): Belgian surveillance plans to assess changes in *Salmonella* prevalence in meat at different production stages. *J. Food Prot.* **68**, 2269–2277.

Ghafir, Y., China, B., Dierick, K., De Zutter, L., Daube, G. (2007): Hygiene indicator microorganisms for selected pathogens on beef, pork and poultry meats in Belgium. *J. Food Prot.* **70**, 104–112.

Giannakourou, M., Koutsoumanis, K., Nychas, G.J.E., Taoukis, P.S. (2001): Development and assessment of an intelligent shelflife decision system for quality optimization of the food chill chain. *J. Food Prot.* **64**, 1051–1057.

- Gill, C.O., Bryant, J. (1992): The contamination of pork with spoilage bacteria during commercial dressing, chilling and cutting of pig carcasses. *Int. J. Food Microbiol.* **16** (1), 51- 62.
- Grau, F.H. (1986): Microbial ecology of meat and poultry. In: Pearson, A.M., Dutson, T.R.(ed.): *Advances in Meat Research*. Vol. II. USA: Meat and Poultry Microbiology, AVI Publishing Co. pp. 1- 48.
- Gracey, J.F., Collins, D.S., Huey, J.R. (1999): *Meat Hygiene*. 10th ed. London: W.B. Saunders Company Ltd. pp.63 – 162.
- Grimont, P.A.D., Weill, F.-X. (2007): Antigenic formulae of the *Salmonella* serovars. WHO Collaborating Centre for Reference and Research on *Salmonella*. 9th ed. Institut Pasteur, Paris, France. pp.1-167.
http://www.pasteur.fr/sante/clre/cadrechr/salmoms/WKLM_2007.pdf accessed on 30 August 2009.
- GSO (General Statistics Office of Vietnam) (2008): General statistics Office of Vietnam.
<http://www.gso.gov.vn/>, accessed on 2 July 2009.
- Hafez, H.M., Jodas, S. (2000): *Salmonella* infections in turkeys. In: Wray, S. and Wray, A. (ed): *Salmonella* in domestic animals. CABI Publishing, Wallingford, UK. pp.133- 155.
- Hald, T., Wegener, H.C. (1999): Quantitative assessment of the sources of human Salmonellosis attributable to pork: In: Proceedings of the Third International Symposium on the Epidemiology and Control of *Salmonella* in Pork. Washington DC, USA. pp.200-205.
- Hald, T., Wingstrand, A., Swanenburg, M., Altrock, A. V. A., Thorberg, B.M. (2003): The occurrence and epidemiology of *Salmonella* in European. *Epidemiol. Infect.* **131**, 1187 -1203.
- Hanashiro, A., Morita, M., Matté, G.R., Matté, M.H., Torres, E.A.F.S. (2005): Microbiological quality of selected street foods from a restricted area of São Paulo city, Brazil. *Food Control* **16** (5), 439 – 444.

Hedberg, C.W., Macdonald, K. L., Osterholm, M. T. (1994): Changing epidemiology of foodborne disease: a Minnesota perspective. *Clin. Infect. Dis.* **18** (5), 671-682.

<http://www.cdc.gov/ncidod/eid/vol3no4/kaferste.htm> accessed on 9 July 2009.

Heinz, G. (2008): Abattoir development options and designs for hygienic basic and medium-sized abattoirs. In: Animal Production and Health Commission for Asia and the Pacific Food and Agriculture, Organization of the United Nations Regional Office for Asia and the Pacific, Bangkok. FAO/RAP Publication 2008/1, pp. 27.

<ftp://ftp.fao.org/docrep/fao/010/ai410e/ai410e00.pdf> accessed on 15 August 2009

Henzler D.J., Opitz H.M. (1992): The role of mice in the epizootiology of *Salmonella enteritidis* infection on chicken layer farms. *Avian Dis.* **36**(3), 625-631.

Hildebrand, A., Hildebrandt, G., Kleer, J. (2001): Mikrobiologischer Status von Schweinehackfleisch. *Fleischwirtsch.* **71**(8), 86-90.

Hinton, M. (2000): Microbial control in the meat industry. FLAIR-FLOW EUROPE TECHNICAL MANUAL F-FE379A/00.

<http://openlibrary.org/b/OL17486807M/Microbial-control-in-the-meat-industry> accessed on 10 August 2009.

Howard, B. (2006): Canada pork in Southeast Asia. In (ed.): Canada Pork International. Presentation to Canada Pork International, February, 2006. Ontario, Canada: Counsellor, Agri-Food (ASEAN).

http://www.canadapork.com/Annual_2006/ accessed on 16 August 2009.

ICMSF (International Commission on Microbiological Specification for Foods) (1978): Microorganisms in Foods. Vol. 1. Their significance and methods of enumeration, 2nd ed., Toronto, University of Toronto Press. pp.112 – 167.

ICMSF (International Commission on Microbiological Specification for Foods) (1980): Microbial ecology of foods. In: Factors affecting life and death of microorganisms Vol. 1. Orlando: Academic Press. p. 311.

ICMSF (International Commission on Microbiological Specification for Foods) (1996): Microorganisms in Foods. In: Roberts, T.A, Baird-Parker A.C, Tompkin R.B. (ed.): Characteristics of Microbial Pathogens. Vol. 5, London: Blackie Academic & Professional. p. 513

IMNA (Institute of Medicine of the National Academies) (2002): *Escherichia coli* 0157: H7 in ground beef: Review of a Draft Risk Assessment. Washington, D.C.: The National Academies Press.

http://www.nap.edu/catalog.php?record_id=10528, accessed on 9 August 2009.

ISO (International Organization for Standardization) 7218-02-15 (1996): Microbiology of food and animal feeding stuffs - General rules for microbiological examinations.

ISO (International Organization for Standardization) 16649-2 (2001): Microbiology of food and animal feeding stuffs - Horizontal method for the enumeration of β -glucuronidase positive *Escherichia coli*.

ISO (International Organization for Standardization) 6579 (2002): Microbiology of food and animal feeding stuffs - Horizontal method for detection of *Salmonella* spp. 4th ed. Switzerland. p.1 -18

ISO (International Organization for Standardization) 4833 (2003): International Standard: Total Aerobic Count. Switzerland: Microbiology of food and animal feeding stuffs - Horizontal method for the enumeration of microorganisms.

ISO (International Organization for Standardization) 6887-1 (2003): Microbiology of food and animal feeding stuffs. Preparation of test samples, initial suspension and decimal dilutions for microbiological examination. Specific rules for the preparation of meat and meat products.

James, S.J., Bailey, C. (1990): Chilling systems for foods In: Gormley, T.R. (ed.): Chilled Foods. The States of the Art. London: Elsevier Applied Science. pp. 1-35.

Jay, J.M. (1997): Modern Food Microbiology. New York: Chapman and Hall.

Jay, J.M. (2000): Modern food microbiology. 6th ed. Gaithersburg (MD): Aspen Publishers. p.679.

http://www.knovel.com/web/portal/browse/display?_EXT_KNOVEL_DISPLAY_bookid=1162 accessed on 9 July 2009.

John, J.M., Wilson, P. (2002): Pork composition and quality. In: Pig Production. Biological Principles and Applications. p. 110.

Johnson, J. R., Kuskowski, M. A., Smith, K., O'Bryan, T. T., Tatini, S. (2005): Antimicrobial resistant and extra intestinal pathogenic *Escherichia coli* in retail foods. *J. Infect. Dis.* **191**, 1040-1049.

Jørgensen, F., Bailey, R., Williams, S., Henderson, P., Wareing, D.R.A., Bolton, F.J., Frost, J.A., Ward, L., Humphrey, J.J. (2002): Prevalence and numbers of *Salmonella* and *Campylobacter* spp. on raw, whole chicken in relation to sampling methods. *International Journal of Food Microbiology*. **76**: 151:164.

Kim, P.T. (2002): Food Safety Activities in Vietnam. Proceedings in FAO/WHO Global Forum of Food Safety Regulators, Marrakech, Morocco Jan. 2002 <http://www.fao.org/docrep/meeting/004/ab532e.htm/> accessed on June 20 2009.

Kim, P.T., Phuong, D.T.M. (2001): Current situation, challenges, and solutions for assurance of food quality, hygiene, and safety in Vietnam: Regional Consultative Workshop on Food Safety Research and Development Proceedings, May 10–11 2001, Bangkok, Thailand, SEAMEO SEARCA Colege, Los Banos, Laguna, Philippines, pp. 121–127.

Landell Mills Limited and VIN Consultants. (2007): Preparation Study for Livestock Competitiveness and Food Safety Project. Draft Preparation. Vol. 3. Sector Specific Reports: Livestock Marketing and Processing. Hanoi, Vietnam pp.75.

Le, M. S. (2003): Nghiên cứu một số vi sinh khuẩn gây ô nhiễm thịt lợn vùng Hữu ngạn sông Hồng (A study on contamination of some pathogenic bacteria in pork meat in the Red River Delta, Vietnam: Ministry of Agriculture and Rural Development. National Institute of Veterinary Research, Dissertation.

Le Minor, L., Popoff, M.Y. (1987): Request for an Opinion Designation of *Salmonella enterica* sp. nov. nom. rev., as the type and only species of the genus *Salmonella*. *Int. J. Syst. Bacteriol.* **37**, 465-468.

Lo Fo Wong, D. M. A., Hald, T., Van Der Wolf, P. J., Swanenburg, M. (2002): Epidemiology and control measures for *Salmonella* in pigs and pork. *Livestock Production Science* **76**, 215-222.

- Loncaric, D., Paulsen, P., Tichy, A., Smulders, F.J.M., Upmann, M. (2009): The microbiological effects of poor slaughter and processing hygiene in mutton production as determined by various marker organisms. *Vet. Med. Austria* **96**, 135 - 144.
- Lund, B.M., Baird-Parker, T.C., Gould, G.W. (2000): The Microbiological Safety and Quality of Foods. Vol. 1 & 2. Gaithersburg MD: Aspen Publishers.
- Mead, P.S., Slutsker, L., Dietz, V., McCraig, L.F., Bresee, J.S., Shapiro, C., Griffin, P.M., Tauxe, R.V. (1999): Food-related illness and death in the United States. *Emerging Infectious Diseases*. **5**, 607-625.
- Mitscherlich, E., Marth, H.E. (1984): Microbial Survival in the Environment, Bacteria and Rickettsiae Important in Human and Animal Health. Springer-Verlag, Berlin
- Moldlab (2002): Sewage\Black-water contamination and *Escherichia coli*. Mold Analytical Services & Independent Laboratory http://www.moldlab.com/sewage_screen.htm/ accessed on 15 July, 2009.
- Moldlab (2003): Mold analytical services & independent laboratory. Sewage\ Black-water: Contamination and *Escherichia coli* http://www.moldlab.com/sewage_screen.htm accessed on 16 August 2009.
- Morita, R.Y. (1975): Psychrophilic bacteria. *Bacteriological Reviews* **39** (2), 144-167.
- Morris J.G. (2000): The effect of redox potential. In: Lund, B.M, Baird-Parker, T.C, Gould, G.W. (ed): The Microbiological Safety and Quality of Foods. Vol. 1. Gaithersburg (MD): Aspen. pp. 235 – 250.
- Mossel, D.A.A. (1982): Marker (index and indicator) organisms in food and drinking water: Semantics, ecology, taxonomy and enumeration. *Antonie van Leeuwenhoek*. **48**, 609 -611.
- Mossel, D.A.A., Corry, J.E.L., Struijk, C.B., Baird, R.M. (1995): Essentials of the Microbiology of Foods. A textbook for advanced studies. London: Wiley. pp. 63-109.

- Mossel, D. A. A., Weenk, G. H., Morris, G. P., Struijk, C. B. (1998): Identification, assessment and management of food-related microbiological hazards: historical, fundamental and psycho-social essentials. *International Journal of Food Microbiology* **39**, 19-51.
- MOH (Ministry of Health of Vietnam) (2005): Bao cao tong ket lien nganh cong tac quan ly ve sinh an toan thuc pham, Cuc An toan Ve sinh thuc pham Bo Y te (Annual Report of Food Safety and Hygiene Department, Hanoi).
- MOH (Ministry of Health of Vietnam) (2008): Bao cao tong ket lien nganh cong tac quan ly ve sinh an toan thuc pham, Cuc An toan Ve sinh thuc pham Bo Y te (Annual Summary Report of Food Safety and Hygiene Department, Hanoi).
- Namvar, A., Warriner, K. (2006): Application of enterobacterial repetitive intergenic consensus-polymerase chain reaction to trace the fate of generic *Escherichia coli* within high capacity pork slaughter line. *International Journal of Food Microbiology* **108**, 155-163.
- Narasimha Rao, D., Ramesh, B. S. (1988): Microbial profiles of minced meat. *Meat Science* **23**, 279-291.
- Nguyen, P. T. (2007): Prevalence of *Salmonella* in pig carcasses at a slaughterhouse in Hanoi, Vietnam. Chiang Mai, Graduate School Chiang Mai University; Freie Universität Berlin, Master of Veterinary Public Health, Dissertation.
- Okrend, A.J.G., Rose, B.E., Lattuada, C.P. (1990): Use of 5-bromo-4-chloro-3-indoxyl- β -D-glucuronide in MacConkey sorbitol agar to aid in the isolation of *E. coli* O157:H7 from ground beef. *J. Food Protect.* **53**, 941-943.
- Padungtod, P., Kaneene, J. B. (2006): *Salmonella* in food animals and humans in northern Thailand. *Int. J. Food Microbiol.* **108**, 346-54.
- Paulsen, P., Smulders, F.J.M. (2004): Infectious Diseases of Meat Animals: Notifiable and Zoonotic Diseases. In: Jensen, W.K., Devine, C., Dikeman, M. (eds.): *Encyclopedia of Meat Sciences*. Oxford: Elsevier. pp. 649 -656.

- Paulsen, P., Schopf, E., Smulders, F.J.M. (2006): Enumeration of total aerobic bacteria and *Escherichia coli* in minced meat and on carcass surface samples with an automated most-probable-number method compared with colony count protocols. *J. Food Prot.* **69**, 2500-03.
- Pearce, R.A., Sheridan, J.J., Bolton, D.J. (2006): Distribution of airborne microorganisms in commercial pork slaughter processes. *International Journal of Food Microbiology* **107**, 186-191.
- Phan, T. T., Khai, L.T., Ogasawara, N., Tam, N. T., Okatani, A.T., Akiba, M., Hayasgudani, H. (2005): Contamination of *Salmonella* in Retail Meats and Shrimps in the Mekong Delta, Vietnam. *J. Food Prot.* **68**, 1077 -1080.
- Popoff, M. Y., Bockemühl, J., Gheesling, L. L. (2003): Supplement 2001 (no. 45) to the Kauffmann-White scheme. *Research in Microbiology* **154**, 173-174.
- Popoff, M. Y., Bockemühl, J., Gheesling, L. L. (2004): Supplement 2002 (no. 46) to the Kauffmann-White scheme. *Research in Microbiology* **155**, 568-570.
- Prendergast, D. M., Daly, D.J., Sheridan, J.J., McDowell, D.A., Blair, I.S. (2004): The effect of abattoir design on aerial contamination levels and the relationship between aerial and carcass contamination levels in two Irish beef abattoirs. *Food Microbiology* **21**, 589-596.
- Prendergast, D. M., Duggan, S. J., Fanning, S. J., Gonzales-Barron, U., Fanning, S., Butler, F., Cormican, M., Duffy, G. (2009): Prevalence, numbers and characteristics of *Salmonella* spp. on Irish retail pork. *International Journal of Food Microbiology* **131**, 233-239.
- Schalch, B., Eisgruber, H., Stolle, A. (1996): Praktische Erfahrungen mit den mikrobiologischen Anforderungen der EG-Hackfleischrichtlinie. *Fleischwirtsch.* **76** (9), 883-886.
- Schellhaas, G. (1982): Zur mikrobiologischen Beschaffenheit von Hackfleisch und anderen Erzeugnissen aus frischem Fleisch. *Fleischwirtsch.* **62**(5), 582-587.

Schwartz, K.J. (1999): Salmonellosis. In: Straw, B. E., D'allaire, S., Mengeling, W. L., Taylor, D. J. (8th ed.): Disease of Swine. Iowa: Iowa State University Press. pp. 535-541.

Sharma, V.D., Singh, S. P., Taku, A. (1987): *Salmonella* from commercial pork preparations: isolation, drug-resistance and enterotoxigenicity. *International Journal of Food Microbiology* **5**, 57-62.

Srifuengfung, S., Chokephaibulkit, K., Yungyuen, T., Tribuddharat, C. (2005): *Salmonella* meningitis and antimicrobial susceptibilities. *Southeast Asian Journal of Trop. Med. Public Health* **36** (2), 312-316.

Steffen, R., Castelli, F., Nothdurft, D., Rombo, L., Zuckerman, N.J. (2005): Vaccination against enterotoxigenic *Escherichia coli*, a cause of travelers' diarrhea. *J. Travel Med.* **12** (2), 102-107.
http://www.who.int/vaccine_research/diseases/diarrhoeal/en/index4.html
 accessed on 10 August 2009.

Swanenburg, M., Van Der Wolf, P. J., Urlings, H. A. P., Snijders, J. M. A., Van Knapen, F. (2001): *Salmonella* in slaughter pigs: the effect of logistic slaughter procedures of pigs on the prevalence of *Salmonella* in pork. *International Journal of Food Microbiology* **70**, 231-242.

Takeshi, K., Itoh, S., Hosono, H., Kono, H., Tin, V. T., Vinh, N. Q., Thuy, N. T., Kawamoto, K., Makino, S. (2009): Detection of *Salmonella* spp. isolates from specimens due to pork production chains in Hue City, Vietnam. *J. Vet. Med. Sci.* **71** (4), 485-487.

Todar, K. (2005): Ken Todar's Microbial World. University of Wisconsin-Madison. In (ed.): Bacteriology at UW-Madison. Lectures and readings from introductory microbiology courses at the University of Wisconsin- Madison
http://www.bioinfo.bact.wisc.edu/themicrobialworld/Escherichia_coli.html
 accessed on 19 June 2009.

http://wapedia.mobi/en/Escherichia_coli accessed on 10 August 2009

http://en.wikipedia.org/wiki/Escherichia_coli accessed on 10 August 2009

<http://www.bioinfo.bact.wisc.edu/themicrobialworld/Salmonella.html> accessed on 19 June 2009.

- To, L. T.(1999): Nghiên cứu sự ô nhiễm vi sinh vật trong thực phẩm có nguồn gốc động vật trên thị trường Hà Nội (A study on contamination of some pathogenic bacteria of animal origin in pork, beef and chicken meat in Hanoi retail markets, Hanoi, Vietnam: Ministry of Agriculture and Rural Development. Vietnam Agriculture Technology Science Institute, Dissertation.
- USDA (United State Department of Agriculture) (2005): Vietnam livestock and products Annual - September, 2005.
<http://www.thepigsite.com/> accessed on 15 August 2009.
- Van, T.T., Moutafis, G., Istivan, T., Tran, L.T., Coloe, P.J. (2007): Detection of *Salmonella* spp. in retail raw food samples from Vietnam and characterization of their antibiotic resistance. *Applied and Environmental Microbiology* **73** (21), 6885-90.
- VNECONOMY (2006): Vietnam economy 2001-2006 and socio - economic development plan 2001-2006.
http://www.ciem.org.vn/home/en/upload/info/attach/11635592587340_Vneconomy_20012005_plan_20062010.doc accessed on 5 June 2009.
- Vo, A.T.T., van Dujkeren, E., Fluit, A.C., Heck, M.E.O.C., Verbruggen, A., Maas, H.M.E., Gaastra, W. (2006): Distribution of *Salmonella enterica* serovars from humans, livestock and meat in Vietnam and the dominance of *Salmonella* Typhimurium Phage Type 90. *Veterinary Microbiology* **113**, 153-158.
- Warrier, K., Aldsworth, T.G., Kaur, S., Dodd, C.E.R. (2002): Cross contamination of carcasses and equipment during pork processing. *J. Appl. Microbiol.* **93** (1), 169-177.
- Wegener, J. (1999): The Hygiene Inspection System of the Veterinary Services in Vietnam. Consultant's report. Hanoi, Vietnam: Project of Strengthening of Veterinary Services in Vietnam (SVSV-ALA/96/20). p.64.
- Willshaw, G.A., Cheasty, T., Smith, H.R. (2000): *Escherichia coli*. In: Lund, B.M., Baird-Parker, T.C., Gould, G.W. (ed.): The Microbiological Safety and Quality of Food. Vol. II. Maryland. Aspen Publishers. pp. 1136- 1176.

- White, D. G., Zhao, S., Sudler, R., Ayers, S., Friedman, S., Chen, S., McDermott, S., Waner, D. D., Meng, J. (2001): The isolation of antibiotic-resistant *Salmonella* from retail ground meats. *N. Engl. J. Med.* **345**, 1147-1154.
- Whyte, R. T., Holder, J.S., Tinker, D.B., Allen, V.M., White, R.P., Hinton, M.H. (2002): Assessment and development of procedures and apparatus to reduce contamination of lamb carcasses during pelt removal in low-throughput abattoirs. *J. Food Prot.* **66**, 946-952.
- WHO (World Health Organization) (1998): Life in the 21st century, A vision for all, The World Health Report, Geneva.
<http://www.who.int/whr/1998/en/index.html> accessed on 9 July 2009.
- WHO (2002): Use of antimicrobials outside human medicine and resultant antimicrobial resistance in humans. 268th fact sheet. Geneva.
<http://www.who.int/mediacentre/factsheets/fs268> accessed on 9 July 2009.
- WHO (2006): WHO Global Salm-Surv Progress Report 2000- 2005.
<http://www.who.int/salmsurv/links/GSSProgressReport2005.pdf> accessed on 15 June 2009
- Workman, M.R., Price, E.H., Bullock, P. (1999): *Salmonella* meningitis and multiple cerebral abscesses in an infant. *International Journal of antimicrobial agents.* **13**, 131-132.
- Wray, C., Todd, J.N, Hinton, M. (1987): Epidemiology of *Salmonella* Typhimurium infection in calves: excretion of *S. Typhimurium* faeces of calves in different management systems. *Vet. Rec.* **121**, 293-296.
- Yan, S.S., Pendrak, M. L., Abela-Ridder, B., Punderson, J. W., Fedorko, D. P., Foley, S. L. (2003): An overview of *Salmonella* typing: Public health perspectives. *Clinical and Applied Immunology Reviews* **4**, 189-204.
- Zhao, C., Ge, B., De Villena, J., Sudler, R., Yeh, E., Zhao, S., White, D. G., Wagner, D., Meng, J. (2001): Prevalence of *Campylobacter* spp., *Escherichia coli*, and *Salmonella* serovars in retail chicken, turkey, pork, and beef from the Greater Washington, D.C., area. *Appl. Environ. Microbiol.* **67**, 5431-6.
- Zweifel, C., Baltzer, D., Stephan, R. (2005): Microbiological contamination of cattle and pig carcasses at five abattoirs determined by swab sampling in accordance with EU Decision 2001/471/EC. *Meat Science* **69**, 559-566.