

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT IN ENGLISH	v
ABSTRACT IN THAI	vii
LIST OF TABLES	xi
LIST OF FIGURES	xii
CHAPTER 1 INTRODUCTION	1
1.1 OVERVIEW OF ASIAN PARADISE FLYCATCHER	1
1.2 STUDY SITES	8
1.2.1 CHIANG DOA WILDLIFE RESEARCH STATION	8
1.2.2 KHAO PRA-BANG KHRAM WILDLIFE SANC- TUARY	11
1.3 OBJECTIVES	16
CHAPTER 2 LITERATURE REVIEW	17
CHAPTER 3 MATERIALS AND METHODS	22
3.1 EQUIPMENT USED	22
3.2 DATA COLLECTION TECHNIQUES	23
3.3 DATA ANALYSIS	35

TABLE OF CONTENTS (continue)

	Page
CHAPTER 4 RESULTS: GENERAL BEHAVIOUR, SIZE OF MALES AND FEMALES, AND TERRITORY ESTABLISHMENT	39
4.1 GENERAL BEHAVIOUR	39
4.2 SIZES OF MALES AND FEMALES	41
4.3 TERRITORY ESTABLISHMENT	43
CHAPTER 5 RESULTS: BREEDING ACTIVITIES	44
5.1 NEST-BUILDING BEHAVIOUR	45
5.2 EGGS AND INCUBATION BEHAVIOUR	57
5.3 PARENTAL CARE BEHAVIOUR	62
CHAPTER 6 RESULTS: VOCAL COMMUNICATIONS	77
CHAPTER 7 RESULTS: ECOLOGY OF NEST TREE HABITAT	84
7.1 CLIMATE	84
7.2 NEST SUPPORT PLANT CHARACTERISTICS	91
7.3 ECOLOGY OF NEST SITES AND RANDOM PLOT	96
7.4 CROWN COVER DIAGRAM OF THE NEST SITES AND RANDOM PLOTS	102
CHAPTER 8 DISCUSSION AND CONCLUSIONS	103
8.1 DISCUSSION	103
8.2 CONCLUSION	108
REFERENCES	112
CURRICULUM VITAE	118

LIST OF TABLES

Table	Page
3.1 Data categories recorded during each focal observation	36
3.2 Age/Sex categories used in this study	37
3.3 Activity categories used in this study	38
4.1 Body measurements of the males and females in Chiang Dao Wildlife Research Station	42
5.1 Number of nests of each type of male in both study areas together with the stages of breeding at which they were discovered	44
5.2 Measurements of nest characteristics at both study sites	50
5.3 Proportion of nest materials and nest material proportions	51
5.4 Egg measurements of the Asian Paradise Flycatcher, at both sites	58
7.1 Number of rainy days/month at Chiang Dao	85
7.2 Number of rain days/month at Krabi	85
7.3 Monthly rainfall (mm) at Chiang Dao	86
7.4 Monthly rainfall (mm) at Krabi	86
7.5 Mean monthly minimum and maximum temperatures (°C) at Chiang Dao	87
7.6 Mean monthly minimum and maximum temperatures (°C) at Krabi	87
7.7 Families and species of the nest plants of the Asian Paradise Flycatcher	94
7.8 Measurements of nest plants at both study areas	95
7.9 Three group of twenty-five sampling plots in two study areas	97
7.10 Number of trees in each plot around the nest and sampling plot classes by DBH and tree height	98

LIST OF FIGURES

Figure	Page
1.1 Distribution of the Asian Paradise Flycatcher	4
1.2 Mature male with greatly elongated central pair of tail feathers at the Chiang Dao Wildlife Research Station, Chiang Mai Province	5
1.3 Mature male showing the conspicuous broad blue eye-rings and bill at the Chiang Dao Wildlife Research Station, Chiang Mai Province	5
1.4 Rufous morph male at the Chiang Dao Wildlife Research Station, Chiang Mai Province	6
1.5 White morph male at the the Roi Chan Pan Wang Forest Protection Unit, Trang Province	6
1.6 Rufous morph male with short tail feathers at the Chiang Dao Wildlife Research Station, Chiang Mai Province	7
1.7 Mature female of at the Chiang Dao Wildlife Research tation, Chiang Mai Province	7
1.8 Map of Thailand showing the locations of the study sites	9
1.9 Mixed evergreen + deciduous seasonal forest at the Chiang Dao	10
1.10 The ground flora at the Chiang Dao site is dense with many herbs, shrub, and seeding saplings	10
1.11 A small seasonal stream on limestone bedrock at the Chiang Dao site	11
1.12 Primary, evergreen, seasonal, hardwood forest in the Emerald Pool area	14
1.13 The ground flora dense with many shrub, saplings, and rattan at the	14

LIST OF FIGURES (continue)

Figure	Page
Emerald Pool	
1.14 A small permanent stream in Swamp forest at Thung Tiao	15
3.1 Topographic map of Chiang Dao Wildlife Research Station	26
3.2 Topographic map of Chiang Dao Wildlife Research Station shown the study trails	27
3.3 Topographic map of Khao Pra – Bang Khram Wildlife Sanctuary, Krabi and Trang Provinces	28
3.4 A nature trail in Thung Tiao (Emerald Pool area) at Khao Pra-Bang Khram Wildlife Sanctuary	29
3.5 A coloured ring for male individual identification before the breeding season	30
3.6 Measuring bill length of a mature adult	30
3.7 Measurement of wing and tail lengths for mature birds	31
3.8 Measurement of tail length in a male. Chiang Dao Wildlife Research Station	31
3.9 Measurement of tarsus length before the breeding season at Chiang Dao Wildlife Research Station	32
3.10 A blind made from natural materials	32
3.11 An natural materials blind blends in well with the birds' habitat	33
3.12 An artificial materials blind during the breeding season	33

LIST OF FIGURES (continue)

Figure	Page
4.1 Adult female Asian Paradise Flycatcher being vigilant at the Chiang Dao Wildlife Research Station	41
5.1 Nest materials of the Asian Paradise Flycatcher divided into 6 components	46
5.2 Nest – building by a female at the Chiang Dao site	47
5.3 Nest – building by a male at the Chiang Dao site	47
5.4 Nest characteristics with exterior and interior sides at Chiang Dao and Khao Pra-Bang Kham	48
5.5 Nests are built in a fork of woody vegetation with fine plant stems, dry grass, and fine twigs at the bottom	48
5.6 Nests are built in a fork of woody growth as the nest bottom and bound densely together with spider webs	49
5.7 The above ground height of nests ranged from 0.75 - 2.5 m. At Chiang Dao (left) and Khao Pra-Bang Kham	49
5.8 Nest materials and their percentage	52
5.9 Number of species of mosses and liverworts in nest material at Chiang Dao Wildlife Research Station and Khao Pra-Bang Kham Wildlife Sanctuary	52
5.10 Type of nest materials and their percentage at Chiang Dao	53
5.11 Type of nest materials and their percentage at Khao Pra-Bang Kham	53

LIST OF FIGURES(continue)

Figure	Page
5.12 Twenty–five nest positions at Chiang Dao Wildlife Research Station	55
5.13 Eleven nest sites at Khao Pra-Bang Khram Wildlife Sanctuary	56
5.14 The clutch size and egg characteristics of the Asian Paradise Flycatcher	59
5.15 Eggs are incubated by both the male and female	60
5.16 Time of incubation by males and females at both site	61
5.17 Comparison of incubation time of between long–tailed males and short – tailed male	61
5.18 Percentage of eggs hatching successful at both study sites	62
5.19 Feeding visits by a RL male at Chiang Dao	64
5.20 Feeding visits by a WL male at Khao Pra – Bang Khram (Trang Province)	65
5.21 Feeding visits by a female at Khao Pra – Bang Khram (Trang Province)	66
5.22 Nestlings hatching on the same day at Chiang Dao	67
5.23 Number of feeding visits by males and females at both sites	68
5.24 Number of feeding visits by two male types	68
5.25 Number of nest visits by males and females	70
5.26 Number of brooding visits by males and females	70
5.27 Number of nest visits varied according to the male type	71
5.28 Number of brooding visit varied according to the male type	71
5.29 The four stages of plumage development in nestlings	73

LIST OF FIGURES (continue)

Figure	Page
5.30 Growth curve of nestlings	74
5.31 Growth curves of nestlings between nests of RL / RS males	75
5.32 Percentage of successful fledgings in both sites according to male type	76
6.1 Sonagram illustrating variation between and within element categories	79
6.2 Sonagram illustrating of alarm call emitted by male and female	79
6.3 Sonagram illustrating variation of feeding call between and within element categories emitted by male and female	80
6.4 Sonagram illustrating of contact call emitted by male and female	81
6.5 Sonagram illustrating of flying call emitted by male and female	82
6.6 Sonograms of begging calls emitted by nestlings at different ages	83
7.1 Average number of rainy days/month at Chiang Dao, 2005-2009	88
7.2 Average number of rainy days/month at Krabi, 2008-2009	88
7.3 Average monthly rainfall (mm) at Chiang Dao, 2005-2009	89
7.4 Average monthly rainfall (mm) at Krabi, 2008-2009	89
7.5 Mean monthly minimum and maximum temperatures (°C) at Chiang Dao, 2005-2009	90
7.6 Mean monthly minimum and maximum temperatures (°C) at Krabi, 2008 – 2009	90
7.7 Nests and nest support characteristics of Asian Paradise Flycatcher	91
7.8 Nest plant characteristic with fork at the nest site	92

LIST OF FIGURES(continue)

Figure	Page
7.9 A nest located on a vine species at Trang Province	92
7.10 Nesting habitat near a small seasonal stream at Chiang Doa	93
7.11 Nesting habitat near a small stream at Khao Pra-Bang Khram	93
7.12 Total number of trees measured at both study sites	99
7.13 Comparison of the total number of trees in the plots	99
7.14 Number of trees in the plots classified by DBH(m) at both sites	100
7.15 Number of trees in the plots classified by DBH(m) for Chiang Dao and Khao Pra-Bang Khram	100
7.16 Number of trees in the plots classified by tree height (m) at both sites	101
7.17 Number of trees in the plots classified by tree height (m) for Chiang Dao and Khao Pra-Bang Khram	101

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved