

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	vi
LIST OF TABLES	x
LIST OF FIGURES	xi
ABBREVIATIONS AND SYMBOLS	xv
CHAPTER 1 INTRODUCTION	
1.1 Silver Bismuth Sulfide (AgBiS_2)	1
1.1.1 Physical properties	1
1.1.2 Chemical properties	4
1.1.3 Applications	4
1.1.4 Literature Review	5
1.2 Microwave irradiation method	7
1.3 Ultrasonic irradiation method	8
1.4 Hydrothermal/Solvothermal method	9
1.5 Template-based method	11
1.6 Surfactant	14

	Page
CHAPTER 2 EXPERIMENTAL PROCEDURE	
2.1 Chemical reagents and equipments	
2.1.1 Chemical reagents	20
2.1.2 Equipments	20
2.2 Synthesis of AgBiS ₂ by solvothermal method	
2.2.1 Effect of liquid media	21
2.2.2 Effect of temperature	22
2.2.3 Effect of reaction time	23
2.3 Characterization	
2.3.1 X-ray Diffraction (XRD)	25
2.3.2 Scanning Electron Microscopy (SEM)	26
2.3.3 Transmission Electron Microscopy (TEM)	27
2.3.4 Photoluminescence Spectroscopy	28
CHAPTER 3 RESULTS AND DISCUSSION	
3.1 Effect of liquid media	29
3.2 Effect of temperature	33
3.3 Effect of reaction time	37
CHAPTER 4 CONCLUSION	50

	Page
REFERENCES	51
APPENDICES	
APPENDIX A	59
5.1 Strontium carbonate (SrCO ₃) and Barium carbonate (BaCO ₃)	
5.1.1 Physical properties	60
5.1.1.1 Crystal structure of SrCO ₃ and BaCO ₃	60
5.1.1.2 Chemical properties	60
5.1.2 Applications	61
5.1.3 Literature Review	61
5.2 Chemical reagents and equipments	
5.2.1 Chemical reagents	66
5.2.2 Equipments	66
5.3 Synthesis method of SrCO ₃ and BaCO ₃	67
5.4 The results for the synthesized of SrCO ₃ and BaCO ₃ by sonochemical method	69
5.5 Conclusion of SrCO ₃ and BaCO ₃ by sonochemical method	80
APPENDIX B JCPDS used for the present research	81
APPENDIX C Camera constant used for the indexing of SAED pattern	99
APPENDIX D International publications	100
CURRICULUMVITAE	108

LIST OF TABLES

Table	Page
1.1 Surfactant classification	17
3.1 Ring diffraction pattern values of AgBiS_2 prepared in ethylene glycol at 200 °C for 24 h.	44
3.2 Ring diffraction pattern values of AgBiS_2 prepared in ethylene glycol at 200 °C for 48 h.	44
3.3 Ring diffraction pattern values of AgBiS_2 prepared in ethylene glycol at 200 °C for 72 h.	45

LIST OF FIGURES

Figure	Page
1.1 Crystal structures of AgBiS_2	4
1.2 General purpose autoclave popularly used for hydrothermal synthesis	10
1.3 Pressure temperature map of materials processing techniques	11
1.4 Schematic illustration of the micelle monomers	15
1.5 Schematic illustration of the commonly observed geometrical shapes of surfactant micelles in aqueous solution	19
2.1 Schematic diagram used for preparing AgBiS_2 using H_2O , PEG 200, PG and EG as liquid media.	22
2.2 Schematic diagram used for preparing AgBiS_2 proceeded at 140 °C, 160°C, 180 °C and 200 °C for 24 h	23
2.3 Schematic diagram used for preparing AgBiS_2 using different reaction times.	24
2.4 X-ray diffractometer	25
2.5 Scanning electron microscope	26
2.6 Transmission electron microscope	27
2.7 Luminescence spectrometer	28
3.1 XRD patterns of the products synthesized by a solvothermal method using PG, PEG 200, H_2O , EG as liquid media at 200 °C for 24 h.	29
3.2 SEM image of the sample prepared in polyethylene glycol (PG) solution at 200 °C for 24 h.	30

Figure	Page
3.3 SEM image of the sample prepared in polyethylene glycol 200 (PEG 200) solution at 200 °C for 24 h.	31
3.4 SEM image of the sample prepared in water solution at 200 °C for 24 h.	31
3.5 SEM image of the sample prepared in ethylene glycol (EG) solution at 200 °C for 24 h.	32
3.6 XRD patterns of the products in ethylene glycol (EG) solution at 140°C, 160°C, 180°C and 200 °C for 24 h.	33
3.7 SEM image of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 140 °C for 24 h.	34
3.8 SEM image of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 160 °C for 24 h.	35
3.9 SEM image of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 180 °C for 24 h.	35
3.10 SEM image of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 200 °C for 24 h.	36
3.11 XRD patterns of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 200 °C for 24 h, 48 h and 72 h.	37
3.12 SEM image of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 200 °C for 24 h.	38
3.13 SEM image of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 200 °C for 48 h.	39

Figure	Page
3.14 SEM image of the products in ethylene glycol (EG) solution using chemical reactions proceeded at 200 °C for 72 h.	39
3.15 SEM , SEAD and TEM image of AgBiS ₂ produced in EG (a,b and c) at 200 °C for 24h.	40
3.16 SEM , SEAD and TEM image of AgBiS ₂ produced in EG (a,b and c) at 200 °C for 48 h.	41
3.17 SEM , SEAD and TEM image of AgBiS ₂ produced in EG (a,b and c) at 200 °C for 72 h.	42
3.18 HRTEM and Simulated patterns of AgBiS ₂ produced in ethylene glycol at 200 °C for 24 h	43
3.19 PL emissions of AgBiS ₂ produced in EG at 200 °C for 24 h - 72 h	48
5.1 Crystal structures of SrCO ₃ and BaCO ₃	60
5.2 Schematic diagram used for preparing BaCO ₃ and SrCO ₃ nanocrystallines.	68
5.3 XRD patterns of SrCO ₃ synthesized by the sonochemical method at 80 °C for different lengths of time.	69
5.4 XRD patterns of BaCO ₃ synthesized by the sonochemical method at 80 °C for different lengths of times.	70
5.5 FITR spectra of SrCO ₃ synthesized by the sonochemical method at 80 °C for different lengths of times.	72
5.6 FITR spectra of BaCO ₃ synthesized by the sonochemical method at 80 °C for different lengths of times.	73
5.7 SEM image of SrCO ₃ synthesized by sonochemical method at 80 °C for 1 h.	75

Figure	Page
5.8 SEM image of SrCO_3 synthesized by sonochemical method at 80 °C for 3 h.	75
5.9 SEM image of SrCO_3 synthesized by sonochemical method at 80 °C for 5 h.	76
5.10 SEM image of BaCO_3 synthesized by sonochemical method at 80 °C for 1 h.	76
5.11 SEM image of BaCO_3 synthesized by sonochemical method at 80 °C for 3 h.	77
5.12 SEM image of BaCO_3 synthesized by sonochemical method at 80 °C for 5 h.	77
5.13 TEM images and SAED patterns of (a–c) SrCO_3 and (d–f) BaCO_3 synthesized by sonochemical method at 80 °C for 1 h, 3 h and 5 h, respectively.	78

ABBREVIATIONS AND SYMBOLS

Å	=	Angstrom
°C	=	Degree Celsius
eV	=	electron Volt
kV	=	Kilo Volt
g	=	Gram
h	=	Hour
mmol	=	Millimol
ml	=	Milliliter
mm	=	Millimeter
nm	=	Nanometer
µm	=	Micrometer
JCPDS	=	Joint Committee for Powder Diffraction Standards
MW	=	Molecular Weight
PL	=	Photoluminescence Spectrometry
SAED	=	Selected Area Electron Diffraction
SEM	=	Scanning Electron Microscope
TEM	=	Transmission Electron Microscope
W	=	Watt
XRD	=	X-ray Diffraction Spectrometry

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright © by Chiang Mai University
 All rights reserved