

## TABLE OF CONTENTS

	<b>Page</b>
<b>ACKNOWLEDGEMENTS</b>	iii
<b>ABSTRACT (English)</b>	iv
<b>ABSTRACT (Thai)</b>	vi
<b>LIST OF TABLES</b>	xii
<b>LIST OF FIGURES</b>	xiii
<b>ABBREVIATIONS</b>	xvii
<b>CHAPTER 1 INTRODUCTION</b>	
1.1. Skin and Activities of the Skin	1
1.2. The Structure of the Skin	2
1.3. Synthetic Hydrogels and Fabrication	4
1.4. Chemical and Physical Properties of Hydrogels	8
1.4.1. Water in Hydrogels	8
1.4.2. The Nature of Hydrogel-Water Interactions	9
1.4.2.1. Nature of the Hydrophilic Groups	11
1.4.2.2. Crosslink Density of the Polymer Matrix	11
1.4.2.3. Hydrophobic Character	11
1.4.3. Plasticizers	11
1.4.3.1. Internal Plasticization	12
1.4.3.2. External Plasticization	12
1.4.3.3. The Lubrication Theory	12
1.4.3.4. The Gel Theory	12
1.4.3.5. The Free Volume Theory	13
1.4.4. Crosslinking	13
1.4.4.1. Crosslink Ratio	14
1.5. pH-Sensitive Hydrogels	15

1.6. Applications of Hydrogels for Used as Wound Dressings	16
1.6.1. Development of Hydrogel	16
1.6.2. Property Requirements of Hydrogel for Used as Wound Dressings	17
1.6.3. Skin Adhesive	18
1.6.3.1. Mechanism of Adhesion	18
1.6.3.2. Suitability of Hydrogels as Skin Adhesives	19
1.6.4. Wound Healing	21
1.6.4.1. Physiology of Wound Healing	21
1.6.4.2. Moist Wound Healing	24
1.7. The Relevance of 2-Acrylamido-2-Methylpropane Sulfonic Acid (AMPS), <i>N</i> -vinylpyrrolidone (NVP) and Methacrylic Acid (MAA) Monomers with Hydrogels	26
1.8. Polymerization of Hydrogels	30
1.8.1. Preparation of Hydrogels	30
1.8.2. Mechanism for Gelation	31
1.9. Research Objectives	33
 <b>CHAPTER 2 EXPERIMENT AND METHODS</b>	
2.1. Reagents, Apparatus and Instruments	35
2.1.1. Reagents	35
2.1.2. Apparatus and Instruments	36
2.2. Procedures	37
2.2.1. Preparation of Monomers	37
2.2.1.1. AMPS- $\text{Na}^+$ Monomer	37
2.2.1.2. Purification of <i>N</i> -vinylpyrrolidone (NVP) and Methacrylic Acid (MAA) Monomers	38
2.2.2. Methods of Polymerization	39
2.2.2.1. UV Initiated Polymerization	39
2.2.2.2. Copolymerization Procedure	40
2.3. Mould Design	41

2.4. Multicomponent of Hydrogel	42
2.5. Preparation of Synthetic Body Fluid (SBF)	42
2.6. Polymer Characterization	44
2.6.1. Infrared Spectroscopy (IR)	44
2.6.2. Water Content (WC)	44
2.6.3. Water Retention (WR)	45
2.7. Diffusion Kinetics	46
2.8. pH-Sensitive Hydrogels	48
2.9. Water Vapour Transmission Rate (WVTR)	48
2.10. Mechanical Properties	50
2.11. Oxygen Permeability	52
2.12. Determination of Monomer Residual	55
2.12.1. Ion Chromatography (IC)	55
2.12.2. Online Elution Generation	55
2.12.3. Counter Ion Auto Suppression	57
2.12.4. Anion Separation	57
2.12.5. Sensitivity Issues	58
2.13. Cytotoxicity Test	59
 <b>CHAPTER 3 RESULTS AND DISCUSSION</b>	
3.1. Polymer Characterization	60
3.1.1. Physical Properties	60
3.2. Monomer Characterization	64
3.2.1. 2-Acrylamido-2-Methylpropane Sulfonic Acid (AMPS)	64
3.2.2. <i>N</i> -Vinylpyrrolidone (NVP)	66
3.2.3. Methacrylic Acid (MAA)	68
3.3. Determination of Water Content (WC) and Water Retention (WR)	71
3.3.1. Determination of the Water Content (WC)	71
3.3.2. Water Retention (WR)	79
3.4. Water Vapour Transmission Rate (WVTR)	84
3.5. Diffusion Kinetics	89

3.6. Peel Strength	91
3.7. pH Dependence of Swelling	93
3.8. Ion Chromatography (IC)	96
3.9. Oxygen Permeability	97
3.10. Cytotoxicity	102

## **CHAPTER 4 CONCLUSIONS**

4.1. Hydrogel Synthesis	103
4.2. Photopolymerization	104
4.2.1. Effects of Crosslinking	104
4.2.2. Effects of Copolymerization	105
4.3. Balance of Hydrophilicity and Mechanical Properties	107
4.4. Water Absorption in Deionized Water, Saline and SBF Solutions	107
4.5. Effect of Cationic Charges	108
4.6. Water Vapor Transmission Rate (WVTR)	108
4.7. Diffusion Kinetics	109
4.8. Peel Strength	109
4.9. Effect of pH	110
4.10. Oxygen Permeability	110
4.11. Monomer Residual and Cytotoxicity	111

<b>SUGGESTIONS FOR THE FUTHER WORK</b>	113
--	-----

<b>REFERENCES</b>	114
-------------------	-----

<b>APPENDIX</b>	121
-----------------	-----

<b>CURRICULUM VITAE</b>	134
-------------------------	-----

## LIST OF TABLES

<b>Table</b>	<b>Page</b>
1.1 Descriptions of the various burn ratings by degree	4
1.2 Hydrogel chemical structures	6
2.1 The reagents used in the experimental work	35
2.2 Apparatus and instruments used in this work	36
2.3 Comonomer feed compositions	40
2.4 Chemical compositions of SBF solutions	43
2.5 Lists of buffer solutions	48
3.1 Comparing appearance of hydrogels synthesized from AMPS-Na <sup>+</sup> 30-50% w/v using EGDM 1.0% mole as crosslinker	60
3.2 Comparing appearance of hydrogels synthesized from AMPS-Na <sup>+</sup> 40% w/v using EGDM and NMBA as crosslinker	60
3.3 Comparing appearance of hydrogels synthesized from AMPS-Na <sup>+</sup> 40% w/v using EGDM crosslinker concentrations between 0.1-2.5% mole	61
3.4 Comparing appearance of hydrogels synthesized from AMPS-Na <sup>+</sup> 40% w/v with NVP at 25:75, 50:50 and 75:25% wt using EGDM crosslinker 1.0% mole	61
3.5 Comparing appearance of hydrogels synthesized from AMPS-Na <sup>+</sup> 40% w/v with MAA at 25:75, 50:50 and 75:25% wt using EGDM crosslinker 1.0% mole	61
3.6 Infrared absorption peak assignments for AMPS monomer	65
3.7 Infrared absorption peak assignments for NVP monomer	67
3.8 Infrared absorption peak assignments for MAA monomer	69
3.9 The water vapour transmission rate of hydrogel synthesized by various conditions	88
3.10 Diffusion exponents (n), diffusion constant (k) and diffusion coefficient (D) of poly(AMPS-Na <sup>+</sup> ) hydrogel systems in distilled water at 35.0±1.0°C	90
3.11 The water contents and chemical compositions for permeabilities of the hydrogel sheets	98

## LIST OF FIGURES

<b>Figure</b>	<b>Page</b>
1.1 The layers and structure of the skin	3
1.2 Water entrance into a single, idealized hydrogel chain segment	7
1.3 Classification of the bound and free water in hydrogels	9
1.4 Different levels of polymer-water interactions	10
1.5 Blood Clotting	21
1.6 Inflammation	22
1.7 Granulation	22
1.8 Closure (Scar)	23
1.9 Dry wound healing	24
1.10 Moist wound healing	25
1.11 The chemical structures of AMPS and AMPS-Na <sup>+</sup> as main monomers	26
1.12 The chemical structures of NVP and MAA	27
1.13 The schematic diagram of structure formation of microgels	32
2.1 Apparatus used in the neutralization of monomer	37
2.2 Vacuum distillation apparatus used in the purification of monomers	38
2.3 Photopolymerization apparatus with aluminium cabinet and UV-lamps	40
2.4 Mould used for polymerization in the form of thin sheet	41
2.5 Prototype hydrogel wound dressing showing its multilayer construction	42
2.6 Absorption of water into a crosslinked hydrogel chain segment (• crosslinking units)	45
2.7 Aluminium cup with test membrane in position used for water vapour transmission measurements	49
2.8 Diagram of a Hounsfield Tensometer	51
2.9 A sample trace from a 90° peel test	52
2.10 Oxygen permeability measurements were made using a 201T permimeter	53
2.11 Flow diagram of the Dionex DX 600 ion chromatograph	56
2.12 Standard curve of various concentrations (%) of AMPS-Na <sup>+</sup> solutions	58

	versus area of peak ( $\mu\text{s} \cdot \text{min}$ )	
3.1	The better physical property of hydrogel sheets from Table 3.1-3.5 (a) monomer concentration (40% w/v AMPS- $\text{Na}^+$ ), (b) type of crosslinking (EGDM), (c) crosslinking concentration (1.0% mole EGDM), (d) 50:50% wt poly(AMPS- $\text{Na}^+$ -co-NVP) and (e) 25:75% wt poly(AMPS- $\text{Na}^+$ -co-MAA)	62
3.2	Infrared spectra of the AMPS monomer used in this work	64
3.3	Reference infrared spectra of AMPS monomer	64
3.4	Infrared spectra of the NVP monomer used in this work	66
3.5	Reference infrared spectra of NVP monomer	66
3.6	Infrared spectra of the MAA monomer used in this work	68
3.7	Reference infrared spectra of MAA monomer	68
3.8	Comparison of FT-IR spectra between (a) AMPS- $\text{Na}^+$ monomer and (b) poly(AMPS- $\text{Na}^+$ )	70
3.9	Water absorption-time profiles with varying AMPS- $\text{Na}^+$ monomer concentrations from 30-50% w/v using 1.0% mole EGDM crosslinker	72
3.10	Water absorption-time profiles with varying EGDM crosslinker concentrations from 0.1-2.5% mole using 40% w/v AMPS- $\text{Na}^+$ monomer	73
3.11	Water absorption-time profiles of AMPS- $\text{Na}^+$ 40% w/v hydrogel using 1.0% mole (relative to monomer) with EGDM and NMBA crosslinkers	74
3.12	Water absorption-time profiles of hydrogel copolymers between 40% w/v AMPS- $\text{Na}^+$ with NVP at 25:75, 50:50 and 75:25% wt using 1.0% mole NMBA crosslinker	75
3.13	Water absorption-time profiles of hydrogel copolymers between AMPS- $\text{Na}^+$ with MAA at 25:75, 50:50 and 75:25% wt using 1.0% mole NMBA crosslinker	75
3.14	Water absorption-time profiles of the AMPS- $\text{Na}^+$ 40% w/v hydrogels prepared from 1.0% mole NMBA crosslinker immersed in distilled water, saline and SBF	76
3.15	Water absorption of the AMPS- $\text{Na}^+$ 40% w/v hydrogels prepared from 1.0% mole EGDM crosslinker immersed in different cationic salt solutions of 0.10 M	77

3.16	Water absorption-time profiles of the AMPS-Na <sup>+</sup> 40% w/v prepared from 1.0% mole EGDM crosslinker immersed in various NaCl concentrations ranging from 0.1-0.3 M	78
3.17	Time dependence of the water retentions with varying AMPS-Na <sup>+</sup> monomer concentrations from 30-50% w/v using 1.0% mole EGDM crosslinker	80
3.18	Time dependence of the water retentions with varying EGDM crosslinker concentrations from 0.1-2.5% mole using 40% w/v monomer	81
3.19	Time dependence of the water retentions with different types of crosslinker for hydrogel sheets prepared from 40% w/v AMPS-Na <sup>+</sup> with 1.0% mole crosslinker	82
3.20	Time dependence of the water retentions of AMPS-Na <sup>+</sup> 40% w/v hydrogels with NVP at 25:75, 50:50 and 75:25% wt using 1.0% mole NMBA crosslinker	83
3.21	Time dependence of the water retentions of AMPS-Na <sup>+</sup> 40% w/v with MAA at 25:75, 50:50 and 75:25% wt using 1.0% mole NMBA crosslinker	83
3.22	Water vapour transmission plot of hydrogel sheets prepared from AMPS-Na <sup>+</sup> monomer at different concentrations	85
3.23	Water vapour transmission plot of hydrogel sheets prepared from AMPS-Na <sup>+</sup> 40% w/v at different crosslinker concentrations	85
3.24	Water vapour transmission plot of hydrogel sheets from AMPS-Na <sup>+</sup> 40% w/v with EGDM and NMBA crosslinker	86
3.25	Water vapour transmission plot of hydrogel sheets from AMPS-Na <sup>+</sup> 40% w/v with NVP at 25:75, 50:50 and 75:25% wt and 1.0% mole NMBA crosslinker	87
3.26	Water vapour transmission plot of hydrogel sheets from AMPS-Na <sup>+</sup> 40% w/v with MAA at 25:75, 50:50 and 75:25% wt and 1.0% mole NMBA crosslinker	87
3.27	Plots of ln F vs ln t (Fickian's diffusion) of the superabsorbent polymers	90

3.28	A graph showing mean average 90° peel test results for AMPS-Na <sup>+</sup> -co-NVP	92
3.29	A graph showing mean average 90° peel test results for AMPS-Na <sup>+</sup> -co-MAA	93
3.30	The equilibrium swelling ratios of hydrogel in pH ranging from 1.2- 9.0 of buffer solution	94
3.31	Schematic illustration of the swelling behaviour of pH-sensitive and biodegradable poly(AMPS-Na <sup>+</sup> -co-MAA) hydrogel at (a) pH = 1.2 and (b) pH = 7.3	95
3.32	AMPS-Na <sup>+</sup> ion chromatogram	96
3.33	Oxygen permeability ( $D_k$ ) vs thickness (L) and oxygen permeability ( $D_k$ ) vs water content (%WC) of poly(AMPS-Na <sup>+</sup> -co-NVP) hydrogel sheets	99
3.34	Oxygen permeability ( $D_k$ ) vs thickness (L) and oxygen permeability ( $D_k$ ) vs water content (%WC) of poly(AMPS-Na <sup>+</sup> -co-MAA) hydrogel sheets	99
3.35	(a) Water molecule was interacted with sulfonate anion and (b) Oxygen molecule was barred by water molecule	100
3.36	Nett increase in ‘dissolved’ oxygen permeability ( $P_d$ ) of a series of hydrogels with increasing EWC. The units of $P_d$ are identical to those in the conventional case except that the thickness term (mm) refers to the dehydrated state	101
3.37	Optical micrographs of L929 cells in contact with (A) HDPE (negative control), (B) natural rubber containing carbon black (positive control), (C) poly(AMPS-Na <sup>+</sup> ), (D) poly(AMPS-Na <sup>+</sup> -co-NVP) and (E) poly(AMPS-Na <sup>+</sup> -co-MAA)	102
	Scheme 1. Synthesis of the crosslinked poly(AMPS-Na <sup>+</sup> -co-NVP)	103
	Scheme 2. The chemical structure of copolymers (a) poly(AMPS-Na <sup>+</sup> -co-NVP) and (b) poly(AMPS-Na <sup>+</sup> -co-MAA)	106