

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
ABSTRACT (ENGLISH)	iv
ABSTRACT (THAI)	vi
TABLE OF CONTENTS	viii
LIST OF TABLES	xii
LIST OF FIGURES	xiv
ABBREVIATIONS AND SYMBOLS	xvi
CHAPTER 1 INTRODUCTION	1
1.1 Overview of human hair samples	1
1.2 Cadmium	3
1.2.1 Characteristics	4
1.2.2 Occurrence	4
1.2.3 Sources of cadmium	5
1.3 Lead	6
1.3.1 Characteristics	6
1.3.2 Occurance	7
1.3.3 Sources of lead	7

	Page
1.4 Microwave-assisted digestion	9
1.4.1 Principle of microwave-assisted digestion	10
1.4.2 Microwave-assisted digestion procedure	11
1.4.3 Influential parameters	12
1.5 Cloud point extraction (CPE)	14
1.5.1 Theory of cloud point extraction	15
1.5.2 The advantages of cloud point extraction	17
1.5.3 Phase separation behavior of surfactants	19
1.5.4 Influential parameters	21
1.5.5 Implementation of CPE in metal analysis	25
1.5.6 The surfactant-rich phase in analytical atomic absorption spectrophotometry	27
1.6 Atomic absorption spectrophotometry (AAS)	27
1.6.1 Theory of atomic absorption spectrophotometry	28
1.6.2 Flame atomic absorption spectrophotometry (FAAS)	29
1.6.3 The basic components of FAAS	30
1.7 Literature review	34
1.8 Research objectives	36
CHAPTER 2: EXPERIMENTAL	37
2.1 Chemicals and apparatus	37
2.1.1 Chemicals	37

	Page
2.1.2 Apparatus	37
2.2 Preparation standard solutions and reagents	38
2.3 Analytical characteristics of the method	41
2.4 Sample preparation	42
2.5 Cloud point extraction (CPE) procedure	44
2.6 Optimization of cloud point extraction (CPE)	46
2.7 The interference effect study	47
2.8 Determination of cadmium and lead in human hair samples	50
2.9 Human hair samples	52
CHAPTER 3 RESULTS AND DISCUSSION	54
3.1 Analytical characteristics of the method	54
3.1.1 Precision	54
3.1.2 Detection limit	58
3.1.3 Accuracy	59
3.2 Optimization of cloud point extraction (CPE)	60
3.2.1 Effect of complexing time	61
3.2.2 Effect of PAN concentration	64
3.2.3 Effect of Triton X-114 concentration	68
3.2.4 Effect of pH	71
3.2.5 Effect of the volume of acetate buffer solution pH 3	72
3.2.6 Effect of the volume of MeOH in 0.1 mol l ⁻¹ HNO ₃	74

	Page
3.3 Effect of interfering elements on the recovery of Cd and Pb	77
3.4 Optimum conditions of cloud point extraction	79
3.5 Determination of cadmium and lead in human hair samples	81
CHAPTER 4 CONCLUSION	86
REFERENCES	89
APPENDICES	95
APPENDIX A Statistic formulae	96
APPENDIX B Precision and detection limit of cadmium and lead by FAAS detection	99
APPENDIX C Calibration curve by FAAS detection	109
APPENDIX D The relevance of the research work to Thailand	118
CURRICURUM VITAE	120

LIST OF TABLES

Table	Page
1.1 General properties of cadmium	3
1.2 General properties of lead	6
1.3 The advantages and disadvantages of microwave-assisted digestion	13
2.1 Heating program for the hair sample digestion procedure	43
2.2 The conditions for optimization of cloud point extraction	47
2.3 The conditions of interference effects for Cd	48
2.4 The conditions of interference effects for Pb	49
2.5 The conditions for preconcentration of Cd and Pb in human hair samples	50
2.6 Instrument settings and analytical conditions of Cd and Pb in FAAS	51
2.7 Human hair samples from various cases	52
3.1 The precision of the FAAS instrument for Cd and Pb analysis	55
3.2 The absorbance of Cd concentration by FAAS	56
3.3 The absorbance of Pb concentration by FAAS	57
3.4 Absorbance obtained from blank solution	58
3.5 The recoveries of Cd analysis	59
3.6 The recoveries of Pb analysis	60
3.7 The effect of complexing time on the analytical signal for Cd and Pb	62
3.8 The effect of PAN concentration on the analytical signal for Cd and Pb	66

3.9 The effect of Triton X-114 concentration on the analytical signal for Cd and Pb	69
3.10 The effect of pH on the analytical signal for Cd and Pb	71
3.11 The effect of the volume of acetate buffer solution pH3 on the analytical signal for Cd and Pb	73
3.12 The effect of the volume of MeOH in 0.1 mol l ⁻¹ HNO ₃ on the analytical signal for Cd and Pb	75
3.13 The recoveries of interfering elements	78
3.14 The concentration of interfering elements on the recovery of Cd and Pb	78
3.15 Optimum conditions of cloud point extraction	79
3.16 The amount of Cd and Pb in human hair samples	82
B-1 Absorbance obtained from blank solution	99
B-2 The precision of the FAAS instrument for Cd and Pb analysis	100
B-3 The recoveries of Cd analysis	101
B-4 The recoveries of Pb analysis	102
B-5 The concentration of Cd in human hair samples	103
B-6 The concentration of Pb in human hair samples	105
B-7 The amount of Cd and Pb in human hair samples	107
C-1 Calibration equation and R ² used for study on cloud point extraction of Cd from FAAS	109
C-2 Calibration equation and R ² used for study on cloud point extraction of Pb from FAAS	112

LIST OF FIGURES

Figure	Page
1.1 Binding sites of a micelle for hydrophobic and amphoteric molecules	15
1.2 Schematic representation a variety of micelle shapes	16
1.3 Pictorial representation of steps involved in the phase separation and CPE of an analyte	20
1.4 The experimental procedure for CPE in metal analysis	26
1.5 The basic components of FAAS	30
1.6 Diagram of a hollow cathode lamp	31
1.7 Cross-section view of turbulent-flow burner in FAAS	32
1.8 Diagram of laminar-flow burner in FAAS	32
2.1 The human hair samples (2 cm)	42
2.2 The microwave digestion system	43
2.3 The flow chart of cloud point extraction procedure	45
2.4 Cloud point extraction experiment	46
3.1 The calibration curve of Cd determination	56
3.2 The calibration curve of Pb determination	57
3.3 The effect of complexing time on the analytical signal for Cd and Pb	63
3.4 The formation of PAN with metal	64
3.5 The prior formation of metal ions and chelating agent in CPE	65
3.6 The effect of PAN concentration on the analytical signal for Cd and Pb	67


3.7 The structure of Triton X-114	68
3.8 The effect of Triton X-114 concentration on analytical signal for Cd and Pb	70
3.9 The effect of pH on the analytical signal for Cd and Pb	72
3.10 The effect of the volume of acetate buffer solution pH 3 on the analytical signal for Cd and Pb	74
3.11 The effect of the volume of MeOH in $0.1 \text{ mol l}^{-1} \text{ HNO}_3$ on analytical signal for Cd and Pb	76
C-1 Calibration curve of Cd for cloud point extraction	110
C-2 Calibration curve of Cd for human hair samples	112
C-3 Calibration curve of Pb for cloud point extraction	113
C-4 Calibration curve of Pb for human hair samples	115
C-5 Calibration curve of Cd for precision analysis	115
C-6 Calibration curve of Pb for precision analysis	116
C-7 Calibration curve of Cd for detection limit analysis	116
C-8 Calibration curve of Pb for detection limit analysis	117

ABBREVIATIONS AND SYMBOLS

AAS	atomic absorption spectrophotometry
FAAS	flame atomic absorption spectrophotometry
Abs.	absorbance
Conc.	concentration
°C	degree Celsius
Vol.	volume
Cal	calculation
g	gram
ppm	parts per million
hr	hour
mol l^{-1}	mol per liter
$\mu\text{g ml}^{-1}$	microgram per milliliter
μl	microliter
mg	milligram
ml	milliliter
min	minute
%	percentage
RSD	relative standard deviation
SD	standard deviation
%v/v	percentage of volume by volume

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
 Copyright © by Chiang Mai University
 All rights reserved

R^2	correlation coefficient
cm	centimeter
rpm	round per minute
mA	miliampare
nm	nanometer
g mol^{-1}	gram per mol
l/min	liter per minut



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved