

References

- Aagaard, K., Solem, J.O., Bongard, T., and Hannsen, O. 2004. Studies of aquatic insect in the atna river 1987-2002. *Hydrobiologia.*, 521: 87-105.
- Alba-Tercedor, J., 1996. Macroinvertebrados acuáticos y calidad de las aguas de los ríos. IV Simposio del agua en Andalucía(SIAGA). *Almería* 2, 203–231.
- Alexander, R.B., Murdoch P.S., and Smith R.A. 1996. Streamflow-induced variations in tributaries to the atlantic coastal zone. *Biogeochemistry.*, 33: 149-177.
- Arimoro, F.O. and Ikomi, R. 2009. Ecological integrity of upper warri river, niger delta using aquatic insects as bioindicators. *Ecological Indicators.*, 9: 455-461.
- Baird, I.G. and Mounsouphom, B. 1994. Irrawaddy dolphins (*Orcaella brevirostris*) in southern Lao PDR and northeastern Cambodia. *Natural History Bulletin Siam Society.*, 42: 159-175.
- Bakker, K. 1999. The politics of hydropower: developing of mekong. *Political Geography.*, 18; 209-232.
- Baldigo, B.P., Lawrence, G.B., Bode, R.W., Simonin, H.A., Roy, K.M. and Smith, A.J. 2009. Impacts of acidification on macroinvertebrate communities in streams of the western adirondack mountains, New York, USA. *Ecological Indicators.*, 9: 226-239.
- Berny, Ph., Lachaux, O., Buronfosse, T., Mazallon, M. and Gillet, C. 2002. Zebra mussels (*Dreissena polymorpha*) as indicators of freshwater contamination with lindane. *Environmental Research Section A.*, 90: 142-151.

Bishop, J.E. (1973). *Limnology of A Small Malayan River Sungai Gombak*. DR. W.

Junk B.V., Publisher. The Hague.

Brandt, R.A.M. (1974). *The Non-Marine Aquatic Mollusca of Thailand*. Arch. Moll.

Frankfurt a. M. 18.11.

Brooks, A.J., Haeusler, T., Reinfelds, I. and Williams, S. 2005. Hydraulic microhabitats and the distribution of macroinvertebrate assemblages in riffles. *Freshwater Biology.*, 50: 331-344.

Bogan, A.E. 2008. Global diversity of freshwater mussels (Mollusca, Bivalvia) in freshwater. *Hydrobiologia.*, 595: 139-147.

Boonsoong, B., Thomas, A. and Sangpradub, N. 2002. *Gratia narumonae* n. sp., a new mayfly from Thailand [Ephemeroptera, Baetidae]. *Ephemera.*, 4 (1): 1-9.

Butcher, J.T., Stewart, P.M. and Simon, T.P. 2003. A benthic community index for streams in the northern lakes and forests ecoregion. *Ecological Indicators.*, 3: 181-193.

Castela, J., Ferreira, V. and Manuel, A.S.G. 2007. Evaluation of stream ecological integrity using litter decomposition and benthic macroinvertebrates. *Environmental Pollution.*, 153: 440-449.

Chaisamsaeng, P., Sangpradub, N. and Hanjavanit, C. 2004. Species Diversity of Plecopterans in Yakruae and Phromlaeng Streams, Nam Nao National Park. BRT Research Report.

Chiangthong, K. "Use of aquatic insect as bioindicators of water quality of Mae Kham Watershed Mae Chan and Mae Fah Laung District, Chiang Rai Province". M.S. thesis, Biology Department, Faculty of Science, Chiang Mai University, 2005.

- Chiangthong, K. and Phalaraksh, C. 2007. Use of aquatic insect as bioindicators of water quality of Mae Kham Watershed, Chiang Rai Province. *KKU Res J.*, 12 (3): 277-288.
- Compin, A. and Céréghino, R. 2003. Sensitivity of aquatic insects specie richness to disturbance in the Adour-Garonne stream system (France). *Ecological Indicators.*, 3: 135-142.
- Deaton, L.E. and Greenberg, M.J. 1991. The adaptation of bivalve mollusks to oligohaline and freshwaters: phylo-genetic and physiological aspects. *Malacological Review.*, 24: 1-18.
- Dinakaran, S. and Anbalagan, S. 2006. Antropogenic impacts on aquatic insects in six streams of south western Ghats. *Journal of Insect science.*, 7: 1-9.
- Dudgeon, D. (1999). *Tropical Asian Streams: Zoobenthos, Ecology and Conservation*. Hong Kong University Press. Hong Kong.
- Fong, M. and Nou, T. 2001. The diversity of benthic macroinvertebrate within the creeks of the Manly dam catchment. Freshwater Ecology Report of 2001, Department of Environmental Science, University of Technology, Sydney.
- Friedrich, G., Chapman, D. and Beim, A. (1996). *The Use of Biological Material in Water Quality Assessment: A Guide to the Use of Biota, Sediments and Water in Environmental Monitoring*, 2nd ed. Deborah Chapman (ed.). E & FN Spon, New York.
- Furse, M. T., Wright, J. F., Armitage P. D. and Moss, D. 1981. Anappraisal of pond-net samples for biological monitoring of lotic macro-invertebrates. *Water Research.*, 15: 679–689.

Getwongsa, p. and Sangpradub, N. 2008. Preliminary study on development of biotic index for rapid bioassessment in Mekong II basin (Thailand). *KKU Sci. J.* 36 (Supplement): 122-136.

Goldman, C.R. and Horne, A.J. (1983). *Limnology*. McGraw-Hill. Newyork.

Greenberg, A.E., Clescerri, L.S. and Eaton, A.D. (1992). *Standard Methods for the Examination of Water and Wastewater*. 18th ed. American Public Health Association, Washington DC.

Hanjavanit, C. and Tangpirotewong, N. 2007. Comparison of benthic macroinvertebrate community structure in relation different types of human disturbance along the Pong River, Khon Kaen Province. *KKU Res J.* 12 (4): 402-419.

Harman, W.N. and Berg, C.O. 1970. Fresh-water mollusca of the finger lakes region of New York. *The Ohio Journal of Science*. 70(3): 146-150

Hart, D.D. and Finelli, C. M. 1999. Physical-biological coupling in stream: the pervasive effects of flow on benthic organism. *Ann. Rev. Ecol. Syst.* 30: 363-395.

Hellawell, J.M. (1986). *Biological Indicators of Freshwater Pollution and Environmental Management*. Elsevier Applied Science, London.

Hershey, A.E. and Lamberti, G.A. 2001. Aquatic insect ecology. Ecology and Classification of North American Freshwater invertebrates 2nd edition.

Hilsenhoff, W.L. 1977. Use of arthropods to evaluate water quality of streams. Tech.

Bull. Wisconsin Dept. Nat. Resour. 100: 15pp.

- Hirsch, P., Phanvilay, K. and, Tubtim, K. 1997. Resource management in nam ngum watershed, Lao PDR: lessons and experience. Final report. International Development Research Centre, Ottawa, ON, Canada. Internal document.
- Hynes, H.B.N., 1984. Aquatic insects and mankind. In: Resh, V.H., Rosenberg, D.M. (Eds.), *The Ecology of Aquatic Insects*. Preager Publishers, New York, USA, pp. 578–587.
- Hynes, K.E. 1998. Benthic macroinvertebrate diversity and biotic indices for monitoring of 5 urban and urbanizing lakes within the halifax regional municipality (HRM), Nova Scotia, Canada. *Soil & Water Conservation Society of Metro Halifax*. xiv, 114pp.
- Iqbal, M.Z., Brown, E.J. and Clayton, M.E. 2006. Distribution of phosphorus in biologically restricted lake in Iowa, USA. *Journal of Hydrology*. 326: 349-366.
- Jacobus, L.M. and McCafferty, W.P. 2005. *Entomological News*. 117: 276-280.
- Jeffries, M. and Mills, D. 1990. *Freshwater Ecology. Principles and Applications*. Belhaven Press, London.
- Jurgen, K., Tobias, H., Alexander, R., Andreas, F., Christian, B., Daniel, K., Johannes, B., Sebastian, K., Michael, S. and Matina, E., 2002. Investigation and Comparison of the Water Quality of “Mosel” and of the “Saar” [online]. Available http://www.grobe.gov/fsl/worddoc/DE_01_mosel.doc (18 April 2010).
- Kite, G. 2001. Modeling the Mekong: hydrological simulation for environmental impact studies. *Journal of Hydrology*. 253: 1-13.

- Kotut, k., Njuguna, S.G., Muthuri, F.M. and Krienitz, L. 1999. The Physico-chemical conditions of turkwel gorge reservoir , a new man made lake in northern Kenya. *Limonologica*. 29: 377-392.
- Kusza, I.C. 2005. Comparing modified biological monitoring working party score system and several biological indices based on macroinvertebrates for water-quality assessment. *Limonologica*. 35: 169-176.
- Langheinrich, U., Böhme, D., Wegener, U. and Lüderitz, V. 2002. Stream in the Hars National Parks (Germany) – a hydrochemical and hydrobiological evaluation. *Limonologica*. 32: 309-321.
- Lee, J.S. and Ackermann, J.D. Freshwater molluscs at risk in British Columbia: three examples of “risk”. Proceeding of a Conference on the Biology and Management of Species and Habitat at Risk, Kamloops, B.C. Feb. 1999, p. 67-73.
- Lehmkuhl, D.M. (1979). *How to know the aquatic insects*. Wm. C. Broen. Company Publishers, United State of America.
- Leunda, P.M., Ocos, J., Miranda, R. and Arino, A.H. 2008. Longitudinal and seasonal variation of the benthic macroinvertebrate community and biotic indices in an undisturbed Pyrenean river. *Ecological indicators*. Doi:10.1016/j.ecolind.2008.01.009
- Loch, D.D., West, J.L. and Perlmutter G.D. 1996. The effect of trout farm effluent on the taxa richness of benthic macroinvertebrates. *Agriculture*. 147: 37-55.
- Mackie, G.L. (2001). *Applied Aquatic Ecosystem Concepts*. Kendall/Hunt Publishing Company. ISBN: 0-7872-7490-9. xxvi, 744pp.

- Malicky, H. and Chantaramongkol, P. 1993. The altitudinal distribution of Trichoptera species in Mae Klang catchment on Doi Intahnnon, northern Thailand: stream zonation and cool- and warm-adapted groups. *Rev. Hydrobiol. Trop.* 26 (4): 279-291.
- Mandaville, S.M. 2002. Benthic Macroinvertebrates in freshwaters-taxa tolerance values, Metrics, and Protocols.
- McCafferty, W.P. (1998). *Aquatic Entomology*. Jone and Barlett Publishers Inc. Boston.
- McCulloch, W.L., Goodfellow Jr, W.L. and Black, J.A. 1993. Characterization, identification and confirmation of total dissolved solids as effluent toxicants. *Environmental Toxicology and Risk Assessment*. 2: 213-227.
- Mekong River Commission (MRC). 2003a. Biota of the Mekong Basin. p. 29-36.
- Mekong River Commission (MRC). 2003b. Water in the Mekong Basin. p 13-27.
- Mekong River Commission (MRC). 2005. Overview of the hydrology of the Mekong Basin.
- Mekong secretariat. 1994. Mekong mainstream run-off-river hydropower. Mekong secretariat, Bangkok.
- Merritte, R.W., Cummins, K.W. and Berg, M.B. (2008). *An Introduction to the Aquatic Insects of North America Fourth Edition*. KENDALL/HUNT PUBLISHING COMPANY. Iowa.
- Muñoz, C. Z., Cantaro, E. S., Ortega, A. S. and Tercedor, J. A. 1995. Are biological indices BMWP' and their significance regarding water quality seasonally dependent? factors explaining their variations. *Water Research*. 29 (1): 285-290.

- Mustow, S.E. 2002. Biological monitoring of river in Thailand: use and adaptation of the BMWP score. *Hydrobiologia* 479: 191-229.
- Newbury, R.W. 1984. Hydrologic determinants of aquatic insect habitats, pp. 323-357. In V.H. Resh and D.M. Rosenberg (eds). The ecology of aquatic insects. Praeger Publisher, New York.
- Nutniyom, P. 2003. *Optimization of Microcystins Extraction and Monitoring of Toxins in Water samples from Mae Kuang Udomtara Reservoir, Chiang Mai Province*. M.S. Thesis, Environmental Science Program, Faculty of Science, Chiang Mai University.
- Ogbeibu, A.E. and Oribhabor, B.J. 2002. Ecological impact of river impoundment using benthic macro-invertebrates as indicators. *Water Research*. 36: 2427-2436.
- Parnrong, S., Buathong, M. and Sites, R.W. 2002. New records of behningiidae, potamanthidae, and prosopistomatidae (Ephemeroptera) from Thailand. *ScienceAsia*. 28: 407-409.
- PCD. 2003. State of Water Quality. Thailand state of pollution report. The Pollution Control Department.
- PCD. 2004. *The Pollution Control Department* [online].
http://www.pcd.go.th/info_serv/reg_std_water05.html#s3 [2005, July 27].
- Peitz, D.G. 2003. Macroinvertebrates Monitoring as an Indicator of Water Quality: Status Report for Pipestone Creek, Pipeston National Monument, 1989-2002. Prairie Cluster Prototype Long-term Ecological Monitoring Program Wilson's Creek National Battlefield National Park Service Republic Missouri 65738.

- Prathumratana, L., Sthiannopkao, S. and Kim, K.W. 2008. The relationship of climatic and hydrological parameters of surface water in the lower Mekong River. *Environmaent Internaional*. 34: 860-866.
- Principe, R.E. and Corigliano, M.C. 2006. Benthic, drifting and marginal macroinvertebrate assemblages in a lowland river: temporal and spatial variation and site structure. *Hydrobiologia*. 553: 303-317.
- Pontasch, K. and Cairns Jr.J., 1991. Multispecies toxicity tests using indigenous organisms: predicting the effects of complex effluents in streams. *Arch. Environ. Contam. Toxicol*. 20: 103–112.
- Quang, M. and Nguyen, P.E. 2003. HYDROLOGIC IMPACTS OF CHINA'S UPPER MEKONG DAMS ON THE LOWER MEKONG RIVER [online]. [2009, July 29].
- Resh, V. H., 1995. Freshwater benthic macroinvertebrates and rapid assessment procedures for water quality monitoring in developing and newly industrialized countries. In Davis, W. S. & T. P. Simon (eds), *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision-making*. Lewis Publishers, Boca, Raton, Florida: 167–177.
- Resh, V.H. and Jackson, J.K. 1993. Rapid assessment approaches to biomonitoring using benthic macroinvertebrates. In: Rosenberg. D.M., Resh, V.H. (Eds.), *Freshwater biomonitoring and benthic macroinvertebrates*. Chapman and Hall, London, pp. 159-223.
- Robert, T.R. 1993b. Just another demand river? negative impacts of Pak Mun Dam on the fishes of the Mekong basin. *Nat. Hist. Bull. Siam Soc*. 41: 105-133.

- Robert, T.R. 1995. Mekong mainstream hydropower dam: run-of-the-river or ruin-of-the-river? *Nat. Hist. Bull. Siam Soc.* 43: 9-19.
- Rosenberg, V.M. and Resh, V.H. 1993b. Introduction to freshwater biomonitoring and benthic macroinvertebrates, Chapman and Hall, New York. pp. 1-9.
- Sangpradub, N. and Boonsong, B. 2006. *Identification of Freshwater Invertebrates of the Mekong River and its tributaries*. Mekong River Commission. Sikhotabong Districts, Vientiane 01000, Lao PDR.
- Sangpradub, N., Hanjavanit, C. and Boonsong, B. 2002. New records of heptageniid mayflies *Asionurus* and *Thalerosphyrus* (Ephemeroptera: Heptageniidae) from Northern Thailand. *ScienceAsia*. 28: 411-416.
- Shama, R.C. and Rawat J.S. 2009. Monitoring of aquatic macroinvertebrates as bioindicators for assessing the health of wetland: a case study in the central himalayas, India. *Ecological indicators*. Doi:10.1016/j.ecolind.2008.02.004.
- Shannon, C.E. and Weaver, W. (1963). *The Mathematic Theory of Communication*. Urbana: University of Illinois Press.
- Sjøbakk, T.E., Almlı, B. and Steinnes, E. 1997. Heavy metal monitoring in contaminated river systems using mayfly larvae. *Journal of Geochemical Exploration*. 58: 203-207.
- Skoulidakis, N.Th., Karaouzas, I. and Gritzalis, K.C. 2008. Identifying key environmental variables structuring benthic fauna for establishing a biotic typology for Greek running waters. *Limnologia*. Doi:10.1016/j.limno.2008.01.002.
- Smil, V. 1997. Cycles of Life: Civilization and the biosphere. Scientific American Library.

- Sneddon, C. 2003. Primitive accumulation and aquatic commons in the lower mekong basin: accumulating fish or capital? paper presented at the RCSD politics of the commons conference , Chiang Mai, Thailand, July 11-14.
- Sripongpun, G. 2003. Benthic Macroinvertebrates as a biological index of water quality in the lower thachin river. *Silpakorn University International Journal*. 3: 167-193.
- Statzner, B., Gore, J.A. and Resh, V.H. 1988. Hydraulic stream ecology: observed patterns and potential applications. *J.N. Am. Benthol. Soc.* 7: 307-360.
- Stein, H., Springer, M. and Kohlmann, B. 2008. Comparison of two sampling methods for biomonitoring using aquatic macroinvertebrates in the dos novillos river, Costa Rica. *Ecological Engineering*. 34: 267-275.
- Strong, E.E., Gargominy, O., Ponder, W.F. and Bouchet, P. 2008. Global diversity of gastropods (Gastropoda; Mollusca) in freshwater. *Hydrobiologia*. 595: 146-166.
- Ter Braak C.J.F. 1986. Canonical correspondence analysis: a new eigenvector technique for multivariate direct gradients. *Ecology*. 67: 1167-1179.
- Thani, I. and Phalaraksh, C. 2008. A preliminary study of aquatic insects diversity and water quality of mekong river, Thailand. *KKU Science Journal*. 36: 95-106.
- Thapanya, D., Chantaramongkol, P. and Malicky, H. 2004. An updated survey of caddisflies (Trichoptera, Insecta) from doi suthep-pui and doi inthanon national parks, Chiang Mai Province, Thailand. *The Natural History Journal of Chulalongkorn University*. 4 (1): 21-40.
- The World Conservation Union (IUCN). 2005. The Plight of the Mekong Giant Catfish [online]. Available <http://www.mekongwetlands.org> (5 August 2009).

Towards Ecological Recovery and Regional Alliance (TERRA). 2007. MRC silent as mainstream dam move forward. Press Briefing, November, 8.

Vitheepradit, A. and Sites, R.W. 2007. A review of *Eotrechus* Kirkaldy (Hemiptera: Heteroptera: Gerridae) of Thailand with description of three new species. *Zootaxa*. 1478: 1-19.

Voelz, N.J. and McArthur, J.V. 2000. An exploration of factors influencing lotic insect species richness. *Biodivers. Conserv.* 9: 1543-1579.

Wagner, A. and Boman, J. 2004. Biomonitoring of trace elements in vietnamese freshwater mussels. *Spectrochimica Acta Part B*. 59: 1125-1132.

Wang, Z.Y., Joseph. H.W. L., Cheng, D. and Duan, X. 2008. Benthic invertebrates investigation in the East river and habitat restoration strategies. *Journal of Hydro-environment Reserce*. Doi:10.1016/j.jher.2008.05.005.

Weber-Scannell, P.K. and Duffy, L.K. 2007. Effects of total dissolved solids on aquatic organism: a review of literature and recommendation for salmonid species. *American Journal of Environmental Sciences*. 3(1): 1-6.

Wetzel, R.G. (1983). *Limnology 2nd ed.* Philadelphia PA.

Wetzel, R.G. and Likens, G.E. (1979). *Limnological analysis*. Philadelphia.

Yuan, Z., Ramaswami, B., Casaletto, D., Falke, S., Angenent, L.T. and Giammar, D.E. 2007. Evaluation of chemical indicators for tracking and apportionment of phosphorus sources to table rock lake in southwest missouri, USA. *Water research*. 41: 1525-1533.

Zinabu, G.M., Chapman, L.J. and Chapman. C.A. 2002. Conductivity as a predictor of a total cations and salinity in ethiopian lakes and rivers: revisiting earlier models. *Limnologica*. 32: 21-26.

ชุติมา หาญจวนิช และ นิสารัตน์ ตั้งไพโรจน์วงศ์. 2550. การเปรียบเทียบโครงสร้างชุมชนสัตว์ไม่มี

กระดูกสันหลังหน้าดินในบริเวณที่มีกิจกรรมของมนุษย์ต่างกัน ในลำน้ำพอง จังหวัด

ขอนแก่น. วารสารวิจัย มข. 12 (4), 402-419.

“เอกลักษณ์ทางธรรมชาติ”. 2010. [ระบบออนไลน์]. แหล่งที่มา.

<http://www.sawasdeenakhopanom.com> (26 กุมภาพันธ์ 2553).

“แม่น้ำสงครามสายน้ำแห่งชีวิต (1).” 2550. [ระบบออนไลน์]. แหล่งที่มา

<http://www.oknation.net/blog/print.php?id=64503> (18 กุมภาพันธ์ 2553).

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่
Copyright© by Chiang Mai University
All rights reserved