

## REFERENCES

- Albay, M., Akcaalan, R., Tufekci, H., Metcalf, J.S., Beattie, K.A. and Codd, G.A. 2003. Depth profiles of cyanobacterial hepatotoxins (microcystins) in three Turkish freshwater lakes. *Hydrobiologia*, 505, 89-95.
- Amemiya, Y., Okino, T. and Nakayama, O. 1990. Factors possibly affecting dominance of *Microcystis* species. *Jpn. J. Limnol.*, 51, 9–13.
- Amorim, A. and Vasconcelos, V. 1999. Dynamics of microcystins in the mussel *Mytilus galloprovincialis*. *Toxicon*, 37, 1041–1052.
- Bartram, J., Carmichael, W.W., Chorus, I., Jones, G. and Skulberg, O.M. 1999. Introduction. In I. Chorus and J. Bartram. (Eds.), *Toxic cyanobacterial in water: A guide to their public health consequences, monitoring and management* (pp. 1-14), London and New York: E&FN Spon, an Imprint of Routledge.
- Bláha, L., Maršálek, B. 1999. Microcystin production and toxicity of picocyanobacteria as a risk factor for drinking water treatment plants, *Algolog. Stud.*, 92, 95-108.
- Blomqvist, P., Pettersson, A. and Hyenstrand, P. 1994. Ammonium nitrogen: A key regulatory factor causing dominance of non-nitrogen-fixing cyanobacteria in aquatic systems. *Arch. Hydrobiol.*, 132, 141-164.
- Boing, W.J., Wagner, A., Voigt, H., Deppe, T. and Benndorf, J. 1998. Phytoplankton responses to grazing by *Daphnia galeata* in the biomanipulated Bautzen reservoir. *Hydrobiologia*, 389, 101-114.
- Bourne, D.G., Jones, G.J., Blakeley, R.L., Jones, A., Negri, A.P. and Riddles, P. 1996. Enzymatic pathway for the bacterial degradation of the cyanobacterial cyclic peptide toxin microcystin LR. *Appl. Environ. Microbiol.*, 62, 4086–4094.
- Bourne, D.G., Blakeley, R.L., Riddles, P. and Jones, G.J. 2006. Biodegradation of the cyanobacterial toxin microcystin LR in natural water and biologically active slow sand filters. *Water Res.*, 40 (6), 1294–1302.
- Bourne, D.G., Riddles, P., Jones, G.J., Smith, W. and Blakeley, R.L. 2001. Characterisation of a gene cluster involved in bacterial degradation of the cyanobacterial toxin microcystin LR. *Environ. Toxicol.*, 16 (6), 523–534.
- Bratbak, G., Egge, J.K. and Heldal, M. 1993. Viral mortality of the marine alga *Emiliana huxleyi* (Haptophyceae) and termination of algal blooms. *Mar. Ecol. Prog. Ser.*, 93, 39–48.

- Brussaard, C.P. 2004. Viral control of phytoplankton populations—a review. *J. Eukaryot. Microbiol.*, 51, 125–138.
- Carmichael, W.W. 1992. *A Status report on planktonic cyanobacteria (blue green algae) and their toxins*. EPA/600/R-92/079, Environmental Monitoring Systems Laboratory, Office of Research and Development, Cincinnati, Ohio, US Environmental Protection Agency.
- Carmichael, W.W. 1997. The Cyanotoxins. *Adv. Bot. Res.*, 27, 211–256.
- Carmichael, W.W. 2001. Health effects of toxin-producing cyanobacteria: "The CyanoHABs". *Hum. Ecol. Risk Assess.*, 7(5), 1393–1407.
- Castenholz, R.W. and Waterbury, J. B. 1989. Section 19: Oxygenic photosynthetic bacteria, group 1, cyanobacteria. In J. Staley, T. Bryant T., M. P. Pfennig and J. G. Holt (Eds.), *Bergey's manual of systematic bacteriology* (pp. 1710–1799), Baltimore: Williams & Wilkins.
- Chen, J. and Xie, P. 2005. Tissue distributions and seasonal dynamics of the hepatotoxic microcystins-LR and -RR in two freshwater shrimps, *Palaemon modestus* and *Macrobrachium nipponensis*, from a large shallow, eutrophic lake of the subtropical China. *Toxicon*, 45, 615–625.
- Choi, H.J., Kim, B.H., Kim, J.D. and Han, M.S. 2005. *Streptomyces neyagawaensis* as a control for the hazardous biomass of *Microcystis aeruginosa* (Cyanobacteria) in eutrophic freshwaters. *Biological Control*, 33, 335–343.
- Chorus, I. and Bartram, J. 1999. Toxic cyanobacteria in water: a guide to their public health consequences, monitoring and management. London: E & FN Spon, 416 pp.
- Chorus, I. and Mur, L. 1999. Preventative measures. In: I. Chorus, J. Bartram (Eds). *Toxic cyanobacteria in water. A guide to their public health consequences, monitoring and management* (pp. 235–274). Published by E & FN Spon on behalf of the World Health Organization.
- Chorus, I., Niesel, V., Fastner, J., Wiedner, C., Nixdorf, B. and Lindenschmidt, K.E. 2001. Environmental factors and microcystin levels in waterbodies. In I. Chorus (Ed.). *Cyanotoxins - occurrence, causes, consequences* (pp. 159–177). Springer-Verlag. Berlin.
- Christoffersen, K., Lyck, S. and Winding, A. 2002. Microbial activity and bacterial community structure during degradation of microcystins. *Aquat. Microb. Ecol.* 27, 125–136.

- Chu, F.S., Huang, X., Wei, R.D. and Carmichael, W.W. 1989. Production and characterization of antibodies against microcystins. *Appl. Environ. Microbiol.*, 55, 1928-1933.
- Clarke, K.B. and Walsby, A.E. 1988. *Improvements in the treatment of water to remove gas vacuolated cyanobacteria*, U.K. Patent Application 2196330A.
- Codd, G.A. 1995. Cyanobacterial toxins: Occurrence, properties and biological significance. *Wat. Sci. Tech.*, 32: 149-156.
- Codd, G.A. 1998. Cyanobacteria blooms and toxins in fresh, brackish, and marine waters. In B. Reguera, J. Blanco, M. L. Fernandez and T. Wyatt (Eds.), *Harmful algae* (pp. 13-17), Vigo: Xunta de Galicia and Intergovernmental Oceanographic Commission of UNESCO.
- Codd, G.A., Lindsay, J., Young, F.M., Morrison, L.F. and Metcalf, J.S. 2005. Harmful cyanobacteria: From mass mortalities to management measures. In J. Huisman, C.P. Matthijs, P. M. Visser (Eds.), *Harmful cyanobacteria* (pp. 1-23), the Netherlands: Springer.
- Cousins, I.T., Bealing, D.J., James, H.A. and Sutton, A. 1996. Biodegradation of microcystin-LR by indigenous mixed bacterial populations. *Water Res.*, 30, 481-485.
- Daft, M.J., McCord, S.B., Stewart, W.D.P. 1975. Ecological studies on algal-lysing bacteria in fresh waters. *Freshwater Biol.* 5, 577-596.
- Dawson, R.M. 1998. The toxicology of microcystins. *Toxicon*, 36 (7), 953-962.
- DeMott, W.R. and Moxter, F. 1991. Foraging on cyanobacteria by copepods: responses to chemical defenses and resource abundance. *Ecology*, 72, 1820-1834.
- Diver, S. 2001. Nature Farming and Effective Microorganisms. *Rhizosphere II: Publications, Resource Lists and Web Links from Steve Diver*, <http://ncatark.uark.edu/~steved/Nature-Farm-EM.html> (updated 11 October 2001, accessed 27 August 2002).
- DOF. 2007. *Fisheries Statistics of Thailand 2005*. Department of Fisheries, Ministry of Agriculture and Cooperatives, Bangkok.
- Dow, C.S. and Swoboda, U.K. 2000. Cyanotoxin. In B. A. Whitton, and M. Potts (Eds), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 613-632), Dordrecht: Kluwer Academic Publishers.
- Edwards, C., and Lawton, L.A. 2009. Bioremediation of cyanotoxins. *Adv. Appl. Microbiol.*, 67, 109-129.
- Ekman-Ekeboom, M., Kauppi, M., Sivonen, K., Niemi, M. and Lepistö, L. 1992. Toxic cyanobacteria in some Finnish lakes. *Environ. Toxicol. Water Qual.*, 7, 201-213.

- Falconer, I.R. 2005. *Cyanobacterial Toxins of Drinking Water Supplies*. Florida: CRC press, 279 pp.
- FAO. 2002. Farming freshwater prawns: A manual for the culture of the giant river prawn (*Macrobrachium rosenbergii*). *Fisheries Technical Paper* 428.
- Feng, C., Sugiura, N., Masaoka, Y. and Masaoka, T. 2005. Electrochemical degradation of microcystin-LR. *Journal of Environmental Science and Health A.*, 40, 453–465.
- Ganf, G.G. and Oliver, R.L. 1982. Vertical separation of light and available nutrients as a factor causing replacement of green algae by blue-green algae in the plankton of a stratified lake. *J. Ecol.*, 70, 829-844.
- Greenberg, A.E., Clesceri, I.S. and Eaton, A.D. 1992. *Standard method for examination of water and waste water*. Washington DC. American Public Health Association.
- Harada, K. 1996. Chemistry and detection of microcystins. In Watanabe M.F., Harada K.; Carmichael W.W.; Fujiki H. (Eds.), *Toxic Microcystis* (pp. 103-141), CRC Press. Inc. Boca Raton.
- Havens, K.E. 2008. Cyanobacterial blooms: effect on aquatic ecosystem. In: Hudnell, K. (Ed). *Cyanobacterial harmful algal blooms: State of the science and research needs* (pp. 759-814). New York, Springer.
- Higa, T., Sangakkara, R., Shimoji, T., Sakurai, M., and Taniki, N. 2002. Nature farming with EM Technology: The development of a successful network for education and training in Asia. In: Thompson, R. (Ed.), *Cultivating Communities*. Proceedings of the 14th IFOAM World Congress, Canada (p. 249). Victoria, Canada.
- Higa, T. 1995. *What is EM Technology*. College of Agriculture, University of Ryukyus, Okinawa, Japan.
- Higa, T. and Chinen, N. 1998. *EM Treatments of Odor, Waste Water, and Environmental Problems*. College of Agriculture, University of Ryukyus, Okinawa, Japan.
- Himberg, K., Keijola, A.M., Hiisvirta, L., Pyysalo, H. and Sivonen, K. 1989. The effect of water treatment processes on the removal of hepatotoxins from *Microcystis* and *Oscillatoria* cyanobacteria: a laboratory study. *Water Res.*, 23 (8), 979–984.
- Hindak, F. 2008. *Colour Atlas of Cyanophytes*. VEDA, Publishing House of the Slovak Academy of Sciences, 256 pp.
- Ho, L. 2004. *The removal of cyanobacterial metabolites from drinking water using ozone and granular activated carbon*. Ph.D. Dissertation, University of South Australia, Adelaide, Australia.

- Ho, L., Meyn, T., Keegan, A., Hoefel, D., Brookes, J., Saint, C.P. and Newcombe, G. 2006. Bacterial degradation of microcystin toxins within a biologically active sand filter. *Water Res.*, 40, 768–774.
- Hoeger, S.J., Hitzfeld, B.C. and Dietrich, D.R. 2005. Occurrence and elimination of cyanobacterial toxins in drinking water treatment plants. *Toxicology and Applied Pharmacology*, 203, 231-242.
- Hoffman, J.R.H. 1976. Removal of Microcystis toxins in water purification processes. *Water SA*, 2 (2), 58–60.
- Hoppe, H. G. 1981. Blue-green algae agglomeration in surface water: A microbiotope of high bacterial activity. *Kieler Meeresforsch*, 5, 291–303.
- Huisman, J., Sharples, J., Stroom, J. M., Visser, P. M., Kardinaal, W. E. A., Verspagen, J. M. H. and Sommeijer, B. 2004. Changes in turbulent mixing shift competition for light between phytoplankton species. *Ecology*, 85, 2960–2970.
- Hyenstrand, P., Blomqvist, P. and Pettersson, A. 1998. Factors determining cyanobacterial success in aquatic systems - a literature review. *Arch. Hydrobiol.*, 51, 41-62.
- Ibelings, B.W. and Chorus, I. 2007. Accumulation of cyanobacterial toxins in freshwater “seafood” and its consequences for public health: A review. *Environmental Pollution*, 150, 177-192.
- Ibelings, B.W., Mur, L.R., Kinsman, R. and Walsby, A.E. 1991a. Microcystis changes its buoyancy in response to the average irradiance in the surface mixed layer. *Archiv für Hydrobiologie*, 120, 385–401.
- Ibelings, B.W. and Havens, K.H. 2005. Cyanobacterial toxins: a qualitative meta-analysis of concentrations, dosage and effects in freshwater, estuarine and marine biota. In: K.H. Hudnell (Ed.), *Proceedings of the Interagency, International Symposium on Cyanobacterial Harmful Algal Blooms. Advances in Experimental Medicine and Biology* (pp. 661-720), New York, Springer.
- Ibelings, B.W., Bruning, K., Jonge, J., Wolfstein, K., Pires, D., Postma, J. and Burger, T. 2005. Distribution of microcystins in a lake foodweb: no evidence for biomagnification. *Microb. Ecol.*, 49, 487–500.
- Ibelings, B.W., Mur, L.R. and Walsby, A.E. 1991b. Diurnal changes in buoyancy and vertical distribution in populations of *Microcystis* in two shallow lakes. *Journal of Plankton Research*, 13, 419–436.
- Imanishi, S., Kato, H., Mizuno, M., Tsuji, K. and Harada, K.I. 2005. Bacterial degradation of microcystins and nodularin. *Chem. Res. Toxicol.*, 18, 591–598.

- Ishii, H., Nishijima, M. and Abe, T. 2004. Characterization of degradation process of cyanobacterial hepatotoxins by a gram-negative aerobic bacterium. *Water Res.*, 38, 2667–2676.
- Jang, M.H., Ha, K., Lucas, M.C., Joo, G.J. and Takamura, N. 2004. Changes in microcystin production by *Microcystis aeruginosa* exposed to phytoplanktivorous and omnivorous fish. *Aquatic Toxicology*, 68, 51–59.
- Jochimsen, E.M., Carmichael, W.W., An, J.S., Cardo, D.M., Cookson, S.T., Holmes, C.E.M., Antunes, M.B. de C., Filho, D.A. de M., Lyra, T.M., Barreto, V.S., Azevedo, S.M. and Jarvis, W.R. 1998. Liver failure and death after exposure to microcystins at a hemodialysis center in Brazil. *New England Journal of Medicine*, 338(13), 873–878.
- John, D.M., Whitton, B.A. and Brook, A.J. 2002. *The freshwater algal flora of British Isles*, London: Cambridge Press, 714 pp.
- Jones, G.J., and Orr, P.T. 1994. Release and degradation of microcystin following algicide treatment of a *Microcystis aeruginosa* bloom in a recreational lake, as determined by HPLC and protein phosphatase inhibition assay. *Water Res.*, 28, 871–876.
- Jones, G., Minatol, W., Craig, K. and Naylor, R. 1993. Removal of low level cyanobacterial peptide toxins from drinking water using powdered and granular activated carbon and chlorination—results of laboratory and pilot plant studies. In: *Proceedings of the 15th Federal AWWA Convention*, 18–23 April 1993, Gold Coast, Queensland, Australia, pp. 579–586.
- Jones, G.J., Bourne, D.G., Blakeley, R.L. and Doelle, H. 1994. Degradation of the cyanobacterial hepatotoxin microcystin by aquatic bacteria. *Nat. Toxins*, 2(4), 228–235.
- Kaebnick, M. and Neilan, B. 2001. Mini review: Ecological and molecular investigations of cyanotoxin production. *FEMS Microbiology Ecology*, 35, 1–9.
- Kankaanpää, H. R., Holliday, J., Schröder, H., Goddard, T. J., von Fister, R. and Carmichael, W. W. 2005. Cyanobacteria and prawn farming in northern New South Wales, Australia—a case study on cyanobacteria diversity and hepatotoxin bioaccumulation. *Toxicology and Applied Pharmacology*, 203, 243–256.
- Karlsson, K., Sipia, V., Kankaanpää, H. and Meriluoto, J. 2003. Mass spectrometric detection of nodularin and desmethylnodularin in mussels and flounders. *Journal of Chromatography B*, 784, 243–253.
- Kearns, K.D. and Hunter, M. D. 2001. Toxin-producing *Anabaena flos-aquae* induces settling of *Chlamydomonas reinhardtii*, a competing motile alga. *Microbial Ecology*, 42, 80–86.

- Keijola, A.M., Himberg, K., Esala, A.L., Sivonen, K. and Hiisvirta, L. 1988. Removal of cyanobacterial toxins in water treatment processes: laboratory and pilot-scale experiments. *Toxicity Assess. Int. J.* 3, 643–656.
- Kim, B.H., Choi, H.J. and Han, M.S. 2003. Potential in the application for biological control of harmful algal bloom cause by *Microcystis aeruginosa*. *Kor. J. Limnol.* 37, 64–69.
- Kodani, S., Imoto, A., Mitsutani, A. and Murakami, M. 2002. Isolation and identification of the antialgal compound, harmaline (1-methyl- $\beta$ -carboline), produced by the algicidal bacterium, *Pseudomonas* sp. K44-1. *J. Appl. Phycol.*, 14, 109–114.
- Komárek, J. and Anagnostidis, K. 2005. *Cyanoprokaryota 2. Teil : Oscillatoriales*, Germany: Spektrum Akademischer Verlag.
- Komárek, J. and Komáková-Legnerová, J. 2002a. Contribution to the knowledge of planktic cyanoprokaryotes from central Mexico. *Preslia, Praha*, 74, 207-233.
- Komárek, J. and Komáková-Legnerová, J. 2002b. Review of European *Microcystis*-morphospecies (Cyanoprokaryotes) from nature. *Czech Phycology, Olomouc*, 2, 1-22.
- Kotak, B.G., Lam, A.K.Y., Prepas, E.E. and Hruday, S.E. 2000. Role of chemical and physical variables in regulating microcystin-LR concentration in phytoplankton of eutrophic lakes. *Can J Fish Aquat Sci.*, 57, 1584-1593.
- Kotak, B.G., Lam, A.K.Y., Prepas, E.E., Kenefick, S.I. and Hruday, S.E. 1995. Variability of the hepatotoxin, microcystin-LR, in hypereutrophic drinking water lakes. *J. Phycol.* 31, 248–263.
- Kuiper-Goodman, T., Falconer, I. R. and Fitzgerald, J. 1999. Human health aspects. In I. Chorus and J. Bartram. (Eds.), *Toxic cyanobacterial in water: A guide to their public health consequences, monitoring and management* (pp. 113-153), London and New York: E&FN Spon, an Imprint of Routledge.
- Kurmayer, R., Christiansen, G. and Chorus, I. 2003. The abundance of microcystin-producing genotypes correlates positively with colony size in *Microcystis* sp. and determines its microcystin net production in Lake Wannsee. *Appl. Environ. Microbiol.*, 69, 787-795.
- Lahti, K. and Hiisvirta, L. 1989. Removal of cyanobacterial toxins in water treatment processes: review of studies conducted in Finland. *Water Supply*, 7, 149–154.
- Lambert, T.W., Holmes, C.F.B. and Hruday, S.E. 1996. Adsorption of microcystin-LR by activated carbon and removal in full scale water treatment. *Water Res.*, 30 (6), 1411–1422.
- Lauren Maatta, C., Hietala J. and Wallis M. 1997. Responses of *Daphnia pulex* populations to toxic cyanobacteria. *Freshwater. Biol.*, 37, 635-647.

- Lee, S.O., Kato, J., Takiguchi, N., Kuroda, A., Ikeda, T., Atsushi, M. and Ohtake, H. 2000. Involvement of an extracellular protease in algicidal activity of the marine bacterium *Pseudoalteromonas* sp. Strain A28. *Appl. Environ. Microbiol.*, 66, 4334–4339.
- Lehtimaeki, J., Moisander, P., Sivonen, K. and Kononen, K. 1997. Growth, nitrogen fixation and nodularin production by two Baltic Sea cyanobacteria. *Appl. Environ. Microbiol.*, 63, 1647-1656.
- Lemes, G.A.F., Kersanach, R., Da, L., Pinto, S., Dellagostin, O.A., Yunes, J.S. and Matthiensen, A. 2008. Biodegradation of microcystins by aquatic *Burkholderia* sp. From a south Brazilian coastal lagoon. *Ecotoxicol. Environ. Safety*, 69, 358–365.
- Lepistö, L., Rapala, J., Lyra, C., Berg, K.A., Erkomaa, K. and Issakainen, J. 2005. Occurrence and toxicity of cyanobacterial blooms dominated by *Anabaena lemmermannii* P. Richter and *Aphanizomenon* spp. in boreal lakes in 2003. *Arch. Hydrobiol. Suppl.*, 159, *Algol Stud.*, 117, 315-328.
- Lewmanomont, K., Wongrat, L. and Supanwanid, C. 1995. *Algae in Thailand*. Office of Environmental Policy and Planning, Bangkok: Integrated Promotion Technology Co., Ltd., 334 pp.
- Liras, V., Lindberg, M., Nystrom, P., Annadotter, H., Lawton, L.A. and Graf, B. 1998. Can ingested cyanobacteria be harmful to the signal crayfish (*Pacifastacus leniusculus*). *Freshw. Biol.*, 39(2), 233–242.
- Liu, Y.D., Song, L.R., Li, X.Y. and Liu, T.M. 2002. The toxic effects of microcystin-LR on embryo-larval and juvenile development of loach, *Misgururus mizolepis* Gunthe. *Toxicon*, 40, 395–399.
- Lorraine, L.J. and Vollenweider, R.A. 1981. *Summary report, the OECD cooperative programme on eutrophication*. Burlington: National Water Research Institute.
- Maeda, H., Kawai, A. and Tilzer, M.M. 1992. The water bloom of cyanobacterial picoplankton in Lake Biwa, Japan. *Hydrobiologia*, 248, 93-103.
- Magalhães, V. F., Soares, R. M. and Azevedo, S. M. F. O. 2001. Microcystin contamination in fish from the Jacrepaqua Lagoon (Rio de Janeiro, Brazil): ecological implication and human health risk. *Toxicon*, 39, 1077-1085.
- Magalhães, V. F., Marinho, M. M., Domingos, P., Oliveira, A. C., Costa, S. M., Azevedo, L. O. and Azevedo, S.M.F.O. 2003. Microcystins (cyanobacteria hepatotoxins) bioaccumulation in fish and crustaceans from Sepetiba Bay (Brasil, RJ). *Toxicon*, 42, 289–295.



- Mahakhant, A., COL Seetachan, P., Limpanussorn, J., Tungtananuwat, M., Ratanachot, P. and Arunpairojana, V. 2001. Survey of toxicogenic cyanobacterial blooms in water sources in military bases of Thailand. Abstract on 5<sup>th</sup> *International Conference on Toxic Cyanobacteria*, Queensland, p. 54.
- Manage, P.M., Edward, C. and Lawton, L.A. 2010. Bacterial degradation of microcystin. In N. Hamamura, S. Suauki, S. Mendo, C.M. Barroso, H. Iwata and S. Tanabe (Eds.), *Interdisciplinary Studies on Environmental Chemistry-Biological Response to Contaminants*, pp. 97-104.
- Manage, P. M., Kawabata, Z. and Nakano, S. 2000. Algicidal effect of the bacterium *Alcaligenes denitrificans* on *Microcystis* spp. *Aquatic Microbial Ecology*, 22, 111–117.
- Manage, P.M., Edwards, C. and Lawton, L.A. 2009. Biodegradation of Microcystin-LR by Natural Bacterial Populations. pp. 277–285. In Y. Obayashi, T. Isobe, A. Subramanian, S. Suzuki and S. Tanabe (Eds.), *Interdisciplinary Studies on Environmental Chemistry—Environmental Research in Asia for Establishing a Scientist's Network*, ed. by, TERRAPUB, Tokyo.
- Manage, P., Kawabata, Z. and Nakano, S. 1999. Seasonal changes in densities of cyanophage infectious to *Microcystis aeruginosa* in a hypereutrophic pond. *Hydrobiologia*, 411, 211–216.
- Martins, J.C. and Vasconcelos, V.M. 2009. Microcystin dynamics in aquatic organisms. *Journal of Toxicology and Environmental Health, Part B*, 12, 65–82.
- Maruyama, T., Kato, K., Yokoyama, A., Tanaka, T., Hiraishi, A. and Park, H.D. 2003. Dynamics of microcystin-degrading bacteria in mucilage of *Microcystis*. *Microbial Ecology*, 46, 279–288.
- Maruyama, T., Park, H.D., Ozawa, K., Tanaka, Y., Sumino, T., Hamana, K., Hiraishi, A. and Kato, K. 2006. *Sphingosinicella microcystinivorans* gen. nov., sp. nov., a microcystin-degrading bacterium. *Int. J. Syst. Evol. Microbiol.*, 56 (1), 85–89.
- Menday, D.C. and Buck, A.A. 1972. A shock-wave technique to collapse vacuoles of blue-green algae. *Water Research*, 6, 279-284.
- Metcalf, J.S. and Codd, G.A. 2004. *Cyanobacterial toxin in the environment: Review of current knowledge*, FR/R0009. Marlow, Buckinghamshire: Foundation of Water Research, 36 pp.
- Metcalf, J.S., Beattie, K.A., Pflugmacher, S. and Codd, G.A. 2000. Immunocrossreactivity and toxicity assessment of conjugation products of the cyanobacterial toxin, microcystin-LR. *FEMS Microbiology Letters*, 189, 155-158.

- Msagati, T.A.M., Siame, B.A. and Shushu, D.D. 2006. Review: Evaluation of methods for the isolation, detection and quantification of cyanobacterial hepatotoxins. *Aquatic Toxicology*, 78, 382-397.
- Muhling, M., Fuller, N. J., Millard, A., Somerfield, P.J., Marie, D., Wilson, W.H., Scanlan, D.J., Post, A.F., Joint, I. and Mann, N.H. 2005. Genetic diversity of marine *Synechococcus* and co-occurring cyanophage communities: evidence for viral control of phytoplankton. *Environ. Microbiol.*, 7, 499-508.
- Mur, L.R., Skulberg, O.M. and Utkilen, H. 1999. Cyanobacteria in the environment. In I. Chorus and J. Bartram (Eds.), *Toxic cyanobacterial in water: A guide to their public health consequences, monitoring and management* (pp. 15-40), London and New York: E&FN Spon, an Imprint of Routledge.
- Nagasaki, K., Tomaru, Y., Nakanishi, K., Hata, N., Katanozaka, N. and Yamaguchi, M. 2004. Dynamics of *Heterocapsa circularisquama* (Dinophyceae) and its viruses in Ago Bay, Japan. *Aquat. Microb. Ecol.*, 34, 219-226.
- Nakano, S., Hayakawa, K., Frenette, J.J., Nakajima, T., Jiao, C.M., Tsujimura, S. and Kumagai, M. 2001. Cyanobacterial blooms in a shallow lake: a large-scale enclosure assay to test the importance of diurnal stratification, *Archiv für Hydrobiologie.*, 150, 491-509.
- Newcombe, G., Cook, D., Brooke, S., Ho, L. and Slyman, N. 2003. Treatment options for microcystin toxins: Similarities and differences between variants, *Environ. Technol.*, 24(3), 299-308.
- Oberemm, A., Becker, J., Codd, G.A. and Steinberg, C.E.W. 1999. Effects of cyanobacterial toxins and aqueous crude extract of cyanobacteria on the development of fish and amphibians. *Environ. Toxicol.*, 14, 77-88.
- Oh, H.M., Lee, S.J., Jang, M.H. and Yoon, B.D. 2000. Microcystin production by *Microcystis aeruginosa* in a phosphorus-limited chemostat. *Appl. Environ. Microbiol.*, 66, 176-179.
- Oliver, R.L., and Ganf, G.G. 2000. Fresh water blooms. In: B. A. Whitton and M. Potts (Eds.), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 149-194). Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Ozawa, K., Fujioka, H., Muranaka, M., Yokoyama, A., Katagami, Y., Homma, T., Ishikawa, K., Tsujimura, S., Kumagai, M., Watanabe, M.F. and Park, H.D. 2005. Spatial distribution and temporal variation of *Microcystis* species composition and Microcystin concentration in Lake Biwa. *Environ. Technol.*, 20(3), 270-276.

- Paerl, H.W. and Ustach, J.F. 1982. Blue-green algal scums: an explanation for their occurrence during freshwater blooms. *Limnology and Oceanography*, 27, 212–217.
- Peerapornpisal, Y., Sonthichai, W., Suchotiratana, M., Lipigorngoson, S., Ruangyuttikarn W., Ruangrit, K., Pekkoh, J., Prommana, R., Panuvanitchakorn, N., Ngearnpat, N., Kiatpradub, S. and Promkutkaew, S. 2002. Survey and monitoring of toxic cyanobacteria in water supplied and fisheries in Thailand. *Chiang Mai J. Sci.*, 29(2): 71-79.
- Peerapornpisal, Y. 2005. *Fresh Water Algae in Northern Thailand*. The Biodiversity Research and Training Program (BRT). Chiang Mai, Chotana Print Co., Ltd., 362 pp.
- Peerapornpisal, Y., Chaiubol, C., Pekkoh, J., Kraibut, H., Chorum, M., Wannathong, P., Ngearnpat, N., Jusakul, K., Thammathiwat, A., Chuananta, J. and Inthasotti, T. 2004. The monitoring of water quality in Ang Kaew Reservoir of Chiang Mai University by using phytoplankton as bioindicator from 1995-2002. *Chiang Mai J. Sci.*, 31(1), 85-94.
- Peerapornpisal, Y., Pekkoh, J., Powangprasit, D., Tonkhamdee, T., Hongsirichat, A. and Kunpradid, T. 2007. Assessment of water quality in standing water by using dominant phytoplankton (AARL-PP Score). *Journal of Fisheries Technology Research*, 1(1), 71 – 81.
- Pekkoh, J. 2008. Diversity and cyanotoxins of toxic cyanobacteria in some water resources of Thailand. Ph. D. Dissertation, Faculty of Science, Chiang Mai University, 123 pp.
- Pflugmacher, S., Wiegand, C., Oberemm, A., Beattie, K.A., Krause, E., Codd, G.A. and Steinberg, C.E.W. 1998. Identification of an enzymatically formed glutathione conjugate of the cyanobacterial hepatotoxin microcystin-LR: the first step of detoxication. *Bochimica et Biophysica Acta (BAA), General Subjects*, 1425, 527-533.
- Pirjo, W. 2005. *Biodiversity and Phylogeny of Planktic Cyanobacteria in Temperate Freshwater Lakes*. Ph. D. Dissertation. Department of Applied Chemistry and Microbiology, University of Helsinki, Finland, 69 pp.
- Prommana, R., Peerapornpisal, Y., Whangchai, N., Morrison, L.F., Metcalf, J.S., Ruangyuttikarn, W., Towprom, A. and Codd, G.A. 2006. Microcystins in cyanobacterial blooms from two freshwater prawn (*Macrobrachium rosenbergii*) ponds in Northern Thailand. *Science Asia*, 32, 365-370.
- Rapala, J. and Sivonen, K. 1998. Assessment of environmental conditions that favour hepatotoxic and neurotoxic *Anabaena* spp. strains in cultured under light-limitation at different temperatures. *Microbial. Ecol.*, 36, 181-192.

- Rapala, J., Berg, K.A., Lyra, C., Niemi, R.M., Manz, W., Suomalainen, S., Paulin, L. and Lahti, K. 2005. *Paucibacter toxinivorans* gen. nov., sp. nov., a bacterium that degrades cyclic cyanobacterial hepatotoxins microcystins and nodularins. *Int. J. Syst. Evol. Microbiol.*, 55, 1563–1568.
- Rapala, J., Lahti, K., Sivonen, K. and Niemelä, S.I. 1994. Biodegradability and adsorption on lake sediments of cyanobacterial hepatotoxins and anatoxin-a. *Lett. Appl. Microbiol.*, 19, 423–428.
- Rapala, J., Sivonen, K., Luukkainen, R. and Niemelä, S.I. 1993. Anatoxin-a concentration in *Anabaena* and *Aphanizomenon* under different environmental conditions and comparison of growth by toxic and non-toxic *Anabaena* strains – a laboratory study. *J. Appl. Phycol.*, 5, 581-591.
- Rapala, J., Sivonen, K., Lyra, C. and Niemelä, S.I. 1997. Variation of microcystins, cyanobacterial hepatotoxins, in *Anabaena* spp. as a function of growth stimuli. *Appl. Environ. Microbiol.*, 63, 2206-2212.
- Reynolds, C.S., Jaworski, G.M.H., Cmiech, H.A. and Leedale, G.F. 1981. On the annual cycle of the blue-green algae *Microcystis aeruginosa* Kütz. Emend. Elenkin. *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences*, 293, 419–477.
- Robarts, R.D. and Zohary, T. 1987. Temperature effects on photosynthetic capacity, respiration, and growth rates of bloom-forming cyanobacteria. *N Z J Mar Freshwater Res.*, 21, 391-399.
- Rositano, J., Newcombe, G., Nicholson, B. and Sztajn bok, P. 2001. Ozonation of NOM and algal toxins in four treated waters. *Water Res.*, 35 (1), 23–32.
- Saker, M.L., Neilan, B.A. and Griffiths, D.J. 1999. Two morphological forms of *Cylindrospermopsis raciborskii* (cyanobacteria) isolated from Solomon dam, Palm Island, Queensland. *J. Phycol.*, 35, 599-606.
- Salomon, P.S., Janson, S. and Graneli, E. 2003. Molecular identification of bacteria associated with filaments of *Nodularia spumigena* and their effect on the cyanobacterial growth. *Harmful Algae*, 2, 261–272.
- Scheffer, M. 1998. *Ecology of shallow lakes*. Dordrecht, the Netherlands: Kluwer Academic Publishers, 357 pp.
- Schindler, D.W. 1977. Evolution of phosphorus limitation in lakes. *Science*, 195, 260-262.
- Scott, W.E. 1983. *The presence of toxic Microcystis in Hartbeespoort Dam*. Report by the National Institute for Water Research to the Hartbeespoort Dam Technical Subcommittee. Pretoria, South Africa: National Institute for Water Research.

- Sigeo, D.C., Glenn, R., Andrews, M.J., Bellinger, E.G., Butler, R.D., Epton, H.A.S. and Hendry, R.D. 1999. Biological control of cyanobacteria: principles and possibilities. *Hydrobiologia*, 395/396, 161–172.
- Singh, D.P., Tyagi, M.B., Kumar, A., Thakur, J.K. and Kumar, A. 2001. Antialgal activity of a hepatotoxin-producing cyanobacterium, *Microcystis aeruginosa*. *World Journal of Microbiology and Biotechnology*, 17, 15–22.
- Sipia, V.O., Kankaanpaa, H.T., Pflugmacher, S., Flinkman, J., Furey, A. and James, K.J. 2002. Bioaccumulation and detoxication of nodularin in tissues of flounder (*Platichthys flesus*), mussels (*Mytilus edulis*, *Dreissena polymorpha*), and clams (*Macoma balthica*) from the northern Baltic Sea. *Ecotoxicology and Environmental Safety*, 53, 305-311.
- Sivonen, K. and Jones, G. 1999. Cyanobacterial toxins. In: I. Chorus and J. Bartram (Eds.), *Toxic cyanobacterial in water: A guide to their public health consequences, monitoring and management* (pp. 41-91), London and New York: E&FN Spon, an Imprint of Routledge.
- Smith, J.L. and Haney, J.F. 2006. Foodweb transfer, accumulation, and depuration of microcystins, a cyanobacterial toxin, in pumpkinseed sunfish (*Lepomis gibbosus*). *Toxicon*, 48, 580-589.
- Soares, R.M., Magalhaes, V.F. and Azevedo, S.M.F.O. 2004. Accumulation and depuration of microcystins (cyanobacteria hepatotoxins) in *Tilapia rendalli* (Cichlidae) under laboratory conditions. *Aquatic Toxicology*, 70, 1-10.
- Sukenik, A., Eshkol, R., Livne, A., Hadas, O., Rom, M., Tchernov, D., Vardi, A. and Kaplan, A. 2002. Inhibition of growth and photosynthesis of the dinoflagellate *Peridinium gatunense* by *Microcystis* sp. (cyanobacteria): a novel allelopathic mechanism. *Limnology and Oceanography*, 47, 1656–1663.
- Suttle, C.A. 2000. Ecological, evolutionary, and geochemical consequences of viral infection of cyanobacteria and eukaryotic algae. In Hurst, C. J. (ed.), *Viral Ecology* (pp 247-296). Academic Press, San Diego.
- Tandeau De Marsac, N. and Houmard, J. 1993. Adaptation of cyanobacteria to environmental stimuli: new steps towards molecular mechanisms. *FEMS Microbiol Rev.*, 104, 119-190.
- Tawong, W. 2008. *Reduction of off-odor in red tilapia (Oreochromis sp.) cultured with green water system*. Master thesis, Fisheries Technology. Maejo University, 122 pp.

- Tencalla, F.G., Dietrich, D.R. and Schlatter, C. 1994. Toxicity of *Microcystis aeruginosa* peptide toxin to yearling rainbow trout (*Oncorhynchus mykiss*). *Aquat. Toxicol.*, 30, 215–224.
- Tomaru, Y., Tarutani, K., Yamaguchi, M. and Keizo, N. 2004. Quantitative and qualitative impacts of viral infection on a *Heterosigma akashiwo* (Raphidophyceae) bloom in Hiroshima Bay, Japan. *Aquat. Microb. Ecol.*, 34, 227–238.
- Trimbee, A.M. and Prepas, E.E. 1987. Evaluation of total phosphorus as a predictor of the relative biomass of blue-green-algae with emphasis on Alberta Lakes. *Can. J. Fish Aquat. Sci.*, 44, 1337-1342.
- Tsuji, K., Naito, S., Kondo, F., Ishikawa, N., Watanabe, M.F., Suzuki, M. and Harada, K.I. 1994. Stability of microcystins from cyanobacteria: effect of light on decomposition and isomerization. *Environ. Sci. Technol.* 28 (1), 173–177.
- Tsujimura, S. 2003. Application of the frequency of dividing cells technique to estimate the *in situ* growth rate of *Microcystis* (Cyanobacteria). *Freshwat. Biol.*, 48, 2009–2024.
- Tucker, S., and Pollard, P. 2005. Identification of cyanophage Ma-LBP and infection of the cyanobacterium *Microcystis aeruginosa* from an Australian subtropical lake by the virus. *Appl. Environ. Microbiol.* 71, 629–635.
- Turner, J.T. and Tester, P.A. 1997. Toxic marine phytoplankton, zooplankton grazers, and pelagic food webs. *Limnol. Oceanogr.*, 42, 1203-1214.
- Utkilen, H. and Gjørlme, N. 1995. Iron-stimulated toxin production in *Microcystis aeruginosa*. *Appl. Environ. Microbiol.*, 61: 797-800.
- Vasconcelos, V.M. 1995. Uptake and depuration of the heptapeptide toxin, microcystin-LR, in *Mytilus galloprovincialis*. *Aquat. Toxicol.*, 32, 227–237.
- Vincent, W.F. 2000. Cyanobacterial dominance in the polar regions. In B.A. Whitton and M. Potts (Eds.), *The ecology of cyanobacteria: Their diversity in time and space* (pp. 321-340), Dordrecht: Kluwer Academic Publishers.
- Vincent, W.F. and Silvester, W.B. 1979. Growth of blue-green algae in the Manukau (New Zealand) oxidation ponds – II. Experimental studies on algal interaction. *Water Research*, 13, 717–723.
- Visser, P.M., Ibelings, B.W., Mur, L.R. and Walsby, A.E. 2005. The ecophysiology of the harmful cyanobacterium *Microcystis*: features explaining its success and measures for its control. In: Huisman, J., Matthijs, H. C. P. and Visser, P. M. (Eds), *Harmful cyanobacteria* (pp. 109–142). Berlin, Germany: Springer.

- Watanabe, Y., Watanabe, M.F. and Watanabe, M. 1986. The distribution and relative abundance of bloom forming *Microcystis* species in several eutrophic waters. *Jpn. J. Limnol.*, 47(1), 87–93.
- Watson, S.B., McCauley, E. and Downing, J.A. 1997. Patterns in phytoplankton taxonomic composition across temperate lakes of differing nutrients status. *Limnol. Oceanogr.*, 42: 487-495.
- Wetzel, R.G. 2001. *Limnology: Lake and River Ecosystems*, London: Academic Press, 850 pp.
- Whangchai, N., Kannika, K., Deejing, S., Itayama, T., Iwami, N., Kuwabara, T. and Peerapornpisal, Y. 2008. Growth performance and accumulation of off-flavor in Red Tilapia, *Oreochromis niloticus* x *Oreochromis mosambicus*, cultured by green water system using chicken manure. *Asian Environmental Research*, 1, 8-15.
- Whangchai, N., Ungsethaphand, T., Chitmanat, C., Mengumphan, K. and Uraiwan, S. 2007. Performance of Giant Freshwater Prawn (*Macrobrachium rosenbergii* de Man) reared in earthen ponds beneath plastic film shelters. *Chiang Mai J. Sci.*, 34(1), 89-96.
- WHO. 2006. *Guidelines for drinking water quality, first addendum to third edition, volume 1: Recommendations*. Geneva, WHO Press.
- Wicks, J.R. and Thiel, P.G. 1990. Environmental factors affecting the production of peptide toxins in floating scums of the cyanobacterium *Microcystis aeruginosa* in a hypertrophic African reservoir. *Environ. Sci. Technol.*, 24, 1413-1418.
- Willame, R., Jurczak, T., Iffly, J.F., Kull, T., Meriluoto, J. and Hoffmann, L. 2005. Distribution of hepatotoxic cyanobacterial blooms in Belgium and Luxembourg. *Hydrobiologia*, 551, 99-117.
- Williams, D.E., Dawe, S.C., Kent, M.L., Andersen, R.J., Craig, M. and Holmes, C.F.B. 1997. Bioaccumulation and clearance of microcystins from salt water mussels, *Mytilus edulis*, and in vivo evidence for covalently bound microcystins in mussel tissues. *Toxicon*, 35, 1617-1625.
- Wilson, W.H., Joint, I.R., Carr, N.G. and Mann, N.H. 1993. Isolation and molecular characterization of five marine cyanophages propagated on *Synechococcus* sp. strain WH7803. *Appl. Environ. Microbiol.*, 59, 3736–3743.
- Wommack, K.E. and Colwell, R.R. 2000. Virioplankton: viruses in aquatic ecosystems. *Microbiol. Mol. Biol. Rev.*, 64, 69–114.
- Xie, L.Q., Xie, P., Guo, L.G., Li, L. and Miyabara, Y. 2005. Organ distribution and bioaccumulation of microcystins in freshwater fish at different trophic levels from the eutrophic Lake Chaohu, China. *Environmental Toxicology*, 20, 293-300.

- Xie, L. Q., Xie, P. and Tang, H. J. 2003. Enhancement of dissolved phosphorus release from sediment to lake water by *Microcystis* blooms – an enclosure experiment in a hyper-eutrophic, subtropical Chinese lake. *Environmental Pollution*, 122, 391–399.
- Yamamoto, Y., Kouchiwa, T., Hodoki, Y., Hotta, K., Uchida, H. and Harada, K. 1998. Distribution and identification of actinomycetes lysing cyanobacteria in a eutrophic lake. *J. Appl. Phycol.*, 10, 391–397.
- Yongmanitchai, W., Intachot, P. and Chonudomkul, D. 2001. Survey of cyanobacterial diversity in Thailand. In Workshop on *Eutrophication and toxic cyanobacteria in reservoirs*, Chiang Mai: Water Research Center.
- Yu S.Z. 1989. Drinking water and primary liver cancer. In Tang Z.Y., Wu M.C., Xia S.S. (Eds.), *Primary Liver Cancer* (pp. 30-37). New York, China Academic Publishers.
- Yu, S.Z. 1995. Primary prevention of hepatocellular carcinoma. *J. Gastroenterol. Hepatol.*, 10, 674-682.
- Zohary, T. 1985. Hyperscums of the cyanobacteria *Microcystis aeruginosa* in a hypertrophic lake (Hartbeespoort Dam, South Africa). *Journal of Plankton Research*, 7, 399-409.
- Zohary, T. and Robarts, R. D. 1990. Hyperscums and the population dynamics of *Microcystis aeruginosa*. *Journal of Plankton Research*, 12, 423–432.