TABLE OF CONTENTS

	Page	
Acknowledgement	iii	
Abstract (Thai)	iv	
Abstract (English)	vi	
Table of contents	vii	
List of Tables	xi	
List of Figures	Х	
Abbreviations and Symbols		
Chapter 1 Introduction	512	
Chapter 2 Literature review	23	
2.1 Nile tilapia and giant freshwater prawn in Thailand	4	
2.2 Occurrence and distribution of toxic Microcystis	5	
2.3 Cyanotoxins (microcystins)	7	
2.4 Factor affecting the bloom formation by <i>Microcystis</i>	9	
2.5 Factor affecting microcystin production	12	
2.6 Effect and accumulation of microcystins in aquaculture organism	13	
2.7 Eradication of <i>Microcystis</i>	18	
2.8 Eradication of microcystins	19	
2.9 Effective Microorganisms (EM)	21	
2.10 Studies on toxic blue green algae in Thai aquaculture	22	
Chapter 3 Materials and methods	24	
3.1 Distribution of <i>Microcystis aeruginosa</i> and microcystins in	-24	
prawn and fish ponds		
3.1.1 Studied sites	• 24	
3.1.2 Sampling of <i>M. aeruginosa</i> and microcystins in		
prawn and fish ponds		
3.2 The accumulation of microcystins in fish and prawn samples	30	
in demonstrated ponds		

TABLE OF CONTENTS (Continued)

	Page
3.3 Eradication of <i>M. aeruginosa</i> and microcystins by using	32
Effective Microorganism (EM)	
3.4 Data evaluation	33
Chapter 4 Results	
4.1 Distribution of <i>Microcystis aeruginosa</i> , microcystin producing	34
blue green algae and microcystins in prawn and fish ponds.	
4.2 The accumulation of microcystins in fish and prawn samples	48
in demonstrated ponds	
4.3 Controlling of <i>M. aeruginosa</i> and microcystins by using	56
Effective Microorganism (EM)	
Chapter 5 Discussion	
5.1 Distribution of <i>Microcystis aeruginosa</i> and microcystins in prawn	59
and fish ponds in Chiang Rai and Chiang Mai provinces	
5.2 The accumulation of microcystins in fish and prawn samples	61
in demonstrated ponds5.3 Cyanotoxin analysis	
5.3 Controlling of <i>M. aeruginosa</i> and microcystins by	65
using Effective Microorganisms (EM)	
Chapter 6 Conclusion and recommendation	67
References	70
Appendices	86
Appendix A Water quality assessment	87
- Classification of water quality	- 87
- Surface water quality standards of Thailand	89
- Assessment of water quality in standing water by using dominant	91
phytoplankton (AARL- PP Score)	
Appendix B Research data	102
- Distribution of <i>Microcystis aeruginosa</i> and microcystins in prawn	102
and fish ponds	

TABLE OF CONTENTS (Continued)

Page

- Statistical analysis correlation between cyanobacterial species	111
and some physico-chemical parameters	
Appendix C Research data	112
- The accumulation of microcystins in fish and prawn samples in	112
demonstrated ponds	
Curriculum Vitae	126

ลิ<mark>ปสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright[©] by Chiang Mai University A I I rights reserved

LIST OF TABLES

Table		Page
2.1	Blue green algal toxins in human diet, examples taken from literature	17
3.1	Location, size and type of feed of experimental ponds	24
4.1	Dominant species of phytoplankton which were found in fish	34
4.1	and prawn ponds.	54
4.2	Biovolume (μ m ³ .L ⁻¹) of microcystin producing blue green algae	38
	which were found in prawn and fish ponds during 2006-2007	
4.3	Amount of microcystins ($\mu g.kg^{-1}$ d.w.) which found in sampling sites	43
	during 2006-2007	
4.4	Water quality of water in fish and prawn ponds	45
4.5	Some physico-chemical properties of water in fish and prawn ponds	46
	during April 2007 – February 2008	
4.6	Dominant species of phytoplankton which were found in each	49
	treatment (excluding M. aeruginosa)	
4.7	Total weight of Nile tilapia and microcystins contents	53
4.8	Dominant species of phytoplankton which were found in	54
	each treatment (excluding M. aeruginosa)	
4.9	Total weight of giant freshwater prawn and microcystins contents	56
4.10	Amounts of Microcystis aeruginosa and microcystins in each treatment	57

ลิ<mark>ปสิทธิ์มหาวิทยาลัยเชียงใหม่</mark> Copyright[©] by Chiang Mai University All rights reserved

LIST OF FIGURES

Figure		Page
2.1	Structure of microcystins in which X and Z are variable L amino acids	8
2.2	A summary of ecological responses and impacts associated with	14
	blooms of blue green algae in lakes, rivers, and estuaries	
3.1	Prawn ponds, Thoeng District, Chiang Rai Province	25
3.2	Fish ponds, Pan District, Chiang Rai Province	26
3.3	Fish ponds, Sansai District, Chiang Mai Province	27
3.4	Prawn and fish sample	28
3.5	Earthen ponds with pens	30
3.6	Demonstrated ponds with pens	31
3.7	Flow chart of the study on accumulation of microcystins in fish	32
	and prawn samples in demonstrated ponds	
3.8	High concentration of Microcystis aeruginosa	33
4.1	Dominant species of phytoplankton which were found in fish	36
	and prawn ponds	
4.2	Dominant species of phytoplankton which were found in fish	37
	and prawn ponds	
4.3	Microcystin producing blue green algae which were found in fish and	39
	prawn ponds	
4.4	Microcystis aeruginosa count (cells.L ⁻¹) in the fish (T) and	40
	prawn ponds (P) during 2006-2007	
4.5	Proportion of sampling sites with contained Microcystis aeruginosa	40
4.6	Total biovolume of blue green algae $(\mu m^3.L^{-1})$ in the fish (T) and	41
	prawn ponds (P) during 2006-2007	
4.7	The proportion of toxin producing genera in fish and prawn pond	42
	during 2006-2007	
4.8	Microcystins (μ g.kg ⁻¹ d.w.) in fish (T) and prawn (P) meat and	44
	biovolume of <i>Microcystis aeruginosa</i> (µm ³ .L ⁻¹) from various ponds	
	during 2006-2007	

LIST OF FIGURES (Continued)

		Page
4.9	Microcystins (µg.kg ⁻¹ d.w.) in fish (T) and prawn (P) meat and	44
	biovolume of other microcystin producing blue green algae ($\mu m^3.L^{-1}$)	
	from various ponds during 2006-2007	
4.10	Nutrients of water in fish and prawn ponds (April 2006 – February 2007) 46
4.11	Species composition in each treatment (Replicate I fish pond)	50
4.12	Species composition in each treatment (Replicate II fish pond)	51
4.13	Amounts of phytoplankton and M. aeruginosa in each treatment	52
	(Replicate I fish pond)	
4.14	Amounts of phytoplankton and <i>M. aeruginosa</i> in each treatment	52
	(Replicate II fish pond)	
4.15	Species composition in each treatment (prawn pond)	55
4.16	Amounts of phytoplankton and <i>M. aeruginosa</i> in each treatment during	55
4.17	Percentage removal of Microcystis aeruginosa cultured in various	58
	concentration of EM	
4.18	The amounts of microcystins $(\mu g.L^{-1})$ in various concentration of EM	58

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved

ABBREVIATIONS AND SYMBOLS

- i.p. = intra-peritoneal
- i.v. = intravenous
- TDI = Tolerable Daily Intake
- MC = Microcystin
- b.w. = body weight
- $\mu g.kg^{-1} = microgram per kilogram$
- GSH = glutathione

ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่ Copyright[©] by Chiang Mai University All rights reserved