

## REFERENCES

- [1] X-T. Zhang, O. Sato, M. Taguchi, Y. Einaga, T. Murakami, A. Fujishima, “Self-Cleaning Particle Coating with Antireflection Properties”, *Chem. Mater.*, **17**, 696-700 (2005).
- [2] A. Mills, A. Lepre, N. Elliott, S. Bhopal, I.P. Parkin, S.A. O’Neill, “Characterisation of the photocatalyst Pilkington ActivTM: a reference film photocatalyst?”, *J. Photochem. Photobio. A: Chemistry*, **160**, 213–224 (2003).
- [3] A. Paleologou, H. Marakas, N.P. Xekoukoulotakis, A. Moya, Y. Vergara, N. Kalogerakis, P. Gikas, D. Mantzavinos, “Disinfection of water and wastewater by TiO<sub>2</sub> photocatalysis, sonolysis and UV-C irradiation”, *Catalysis Today*, **129** 136-142 (2007).
- [4] A.K. Benabbou, Z. Derriche, C. Felix, P. Lejeune, C. Guillard, “Photocatalytic inactivation of Escherichia coli Effect of concentration of TiO<sub>2</sub> and microorganism, nature, and intensity of UV irradiation”, *Applied Catalysis B: Environmental*, **76**, 257–263 (2007).
- [5] A. Jaroenworaluck, W. Sunsaneeyametha, N. Kosachan and R. Stevens, “Characteristics of silica-coated TiO<sub>2</sub> and its UVabsorption for sunscreen cosmetic applications”, *Surf. Interface. Anal.*, **38**, 473–477 (2006).

- [6] M.J. Uddin, F. Cesano, D. Scarano, F. Bonino, G. Agostini, G. Spoto, S. Bordiga, A. Zecchina, “Cotton textile fibres coated by Au/TiO<sub>2</sub> films: Synthesis, characterization and self cleaning properties”, *J. Photochem. Photobio. A: Chemistry*, **199**, 64–72 (2008).
- [7] S.K. Deb, “Dye-sensitized TiO<sub>2</sub> thin-film solar cell research at the National Renewable Energy Laboratory (NREL)”, *Solar Energy Materials & Solar Cells*, **88**, 1–10 (2005).
- [8] G.P. Smestad, “Education and solar conversion: Demonstrating electron transfer”, *Solar Energy Materials and Solar Cells*, **55**, 157-178 (1998).
- [9] A.H. Mahvi, M. Ghanbarian, S. Nasseri, A. Khairi, “Mineralization and discoloration of textile wastewater by TiO<sub>2</sub> nanoparticles”, *Desalination*, **239** 309–316 (2009).
- [10] P.S.M. Dunlop, J.A. Byrne, N. Manga, B.R. Egging, “The photocatalytic removal of bacterial pollutants from drinking water”, *J. Photochem. Photobio. A: Chemistry*, **148**, 355–363 (2002).
- [11] D. Chatterjee, S. Dasgupta, “Visible light induced photocatalytic degradation of organic pollutants”, *J. Photochem. Photobio. C: Photochemistry Reviews*, **6** 186–205 (2005).

- [12] S. Yamamoto, T. Sumita, T. Yamaki, A. Miyashita, H. Naramoto, “Characterization of epitaxial TiO<sub>2</sub> films prepared by pulsed laser deposition”, *J. Crystal Growth*, **237–239**, 569–573 (2002).
- [13] C.H. Heo, S-B. Lee, J-H. Boo, “Deposition of TiO<sub>2</sub> thin films using RF magnetron sputtering method and study of their surface characteristics”, *Thin Solid Films*, **475**, 183– 188 (2005).
- [14] A. Fujishima, K. Honda, “Electrochemical Photolysis of Water at a Semiconductor Electrode”, *Nature*, **238**, 37-38 (1972).
- [15] A. Orendorff, A. Brodyanski, J. Losch, L.H. Bai, Z.H. Chen, Y.K. Le, C. Ziegler, H. Gnaser, “Phase transformation and particle growth in nanocrystalline anatase TiO<sub>2</sub> films analyzed by X-ray diffraction and Raman spectroscopy”, *Surf. Sci.*, **601**, 4390–4394 (2007).
- [16] U. Diebold, “The surface science of titanium dioxide”, *Surf. Sci. Reports*, **48**, 53-229 (2003).
- [17] O. Carp, C.L. Huisman, A. Reller, “Photoinduced reactivity of titanium dioxide”, *Progress in Solid State Chemistry*, **32**, 33–177 (2004).

- [18] Y. Tachibana, H.Y. Akiyama, S. Kuwabata, “Optical simulation of transmittance into a nanocrystalline anatase  $\text{TiO}_2$  film for solar cell applications”, *Solar Energy Materials and Solar Cells*, **91**, 201-206 (2007).
- [19] P.J. Sebastian, A. Olea, J. Campos, J.A. Toledo, S.A. Gamboa, “Temperature dependence and the oscillatory behavior of the opto-electronic properties of a dye-sensitized nanocrystalline  $\text{TiO}_2$  solar cell”, *Solar Energy Materials & Solar Cells*, **81**, 349–361 (2004).
- [20] H.O. Finklea, “Semiconductor Electrode”, ed. H.O. Finklea, *Elsevier*, Amesterdam, 5-7 (1988).
- [21] A.L. Linsebigler, G. Lu, J.T. Yates, “Photocatalysis on  $\text{TiO}_2$  Surfaces: Principles, Mechanisms, and Selected Results”, *Chem. Rev.*, **95**, 735-758 (1995).
- [22] A. Fujishima, K. Hashimoto, T. Watanabe, “ $\text{TiO}_2$  Photocatalysis Fundamentals and Applications”, BKC, Inc. (1999).
- [23] M. Anpo, “Utilization of  $\text{TiO}_2$  photocatalysts in green Chemistry”, *Pure Appl. Chem.*, **72**, 1265–1270 (2000).
- [24] L-J. Chen, “Wetting Behavior at Liquid-Liquid Interfaces ”, *Encyclopedia of Surface and Colloid Science*, (2006).

- [25] J.G. Yu, X.J. Zhao, Q.N. Zhao, G. Wang. “Preparation and characterization of super-hydrophilic porous TiO<sub>2</sub> coating films”, *Mater. Chem. Phys.*, **68**, 253-259 (2001).
- [26] J.G. Yu, X.J. Zhao, “Effect of surface microstructure on the super-hydrophilic property of the sol-gel derived porous TiO<sub>2</sub> thin films”, *J. Mater. Sci. Lett.*, **20**, 671-673 (2001).
- [27] “Super-hydrophilic photocatalyst and its applications” [Online] Available:  
[http://www.toto.co.jp/hydro\\_e/hydro\\_e2.htm](http://www.toto.co.jp/hydro_e/hydro_e2.htm)
- [28] “Super-hydrophilic” [Online] Available:  
<http://anchorgeneraltrading.com/solar%20clean.html>
- [29] M. Takeuchi, G. Martra, S. Coluccia, M. Anpo, “Investigations of the Structure of H<sub>2</sub>O Clusters Adsorbed on TiO<sub>2</sub> Surfaces by Near-Infrared Absorption Spectroscopy”, *J. Phys. Chem. B.*, **109**, 7387-7391 (2005).
- [30] W. Barthlott, C. Neinhuis, “Purity of the sacred lotus, or escape from contamination in biological surfaces”, *Planta*, **202**, 1-8 (1997).
- [31] A. Fujishima, K. Hashimoto, T. Watanabe, “TiO<sub>2</sub> Photocatalysis: Fundamentals and Applications”, BKC, Tokyo, 1999.

- [32] T. Watanabe, A. Nakajima, R. Wang, M. Minabe, S. Koizumi, A. Fujishima, K. Hashimoto, “Photocatalytic activity and photoinduced hydrophilicity of titanium dioxide coated glass”, *Thin Solid Films*, **351**, 260-263 (1999).
- [33] D. Patel, J.Y. Moon, Y. Chang, T.J. Kim, G.H. Lee, “Poly (d,l-lactide-co-glycolide) coated superparamagnetic iron oxide nanoparticles: Synthesis, characterization and in vivo study as MRI contrast agent”, *Colloid. Surf. A*, **91**, 313–314 (2008).
- [34] M. Zhao, L. Josephson, Y. Tang, R. Weissleder, Angew, “Magnetic Sensors for Protease Assays”, *Chem. Int. Ed.*, **42**, 1375 (2003).
- [35] S. Mornet, S. Vasseur, F. Grasset, P. Veverka, G. Goglio, A. Demourgues, J. Portier, E. Pollert, E. Duguet, “Magnetic nanoparticles design for medical application”, *Prog. Solid State Chem.*, **34**, 237 (2006).
- [36] P.D. Stevens, J. Fan, H.M.R. Gardimalla, M. Yen, Y. Gao, “Superparamagnetic Nanoparticle-Supported Catalysis of Suzuki Cross-Coupling Reactions”, *Org. Lett.*, **7**, 2085-2088 (2005).
- [37] Y.W. Jun, J. Choi, J.S. Cheon, “Heterostructured magnetic nanoparticles: their versatility and high performance capabilities”, *Chem. Commun.*, 1203-1214 (2007).
- [38] R.M. Cornell, U. Schwertmann, “The Iron Oxides: Structures, Properties, Reactions, Occurrences and Uses”, Wiley-VCH, Weinheim, (2003).

- [39] N.N. Greenwood, A. Earnshaw, "Chemistry of the Elements (2nd ed.)", Oxford: Butterworth-Heinemann, (1997)
- [40] A.F. Wells, "Structural Inorganic Chemistry 5th edition", Oxford University, (1984)
- [41] J.E. Greedon, "Magnetic oxides in Encyclopedia of Inorganic chemistry", Ed. R. Bruce King, John Wiley & Sons, (1994).
- [42] Harrison, R. J. (2002). "Direct imaging of nanoscale magnetic interactions in minerals". *Proceedings of the National Academy of Sciences*, **99**, 16556-16561 (2002).
- [43] R.J. Hunter, "Introduction to Modern Colloid Science". Oxford University Press: Oxford, (1993).
- [44] T. Takagahara, E. Hanamura, *Phys. Rev. Lett.*, **56**, 2553 (1986).
- [45] C. Flytzanis, *J. Opt. Soc. Am. B*, **4**, 6 (1987).
- [46] S. Honda, Y.G. Baek, K.Y. Lee, T. Ikuno, T. Kuzuoka, J.T. Ryu, S. Ohkura, M. Katayama, K. Aoki, T. Hirao, K. Oura, "Synthesis of randomly oriented carbon nanotubes on SiO<sub>2</sub> substrates by thermal chemical vapor deposition toward field electron emitters", *Thin Solid Films*, **290**, 464-465 (2004).

- [47] N.S. Kim, Y.T. Lee, J. Park, H. Ryu, H.J. Lee, S.Y. Choi, J. Choo, “Dependence of the Vertically Aligned Growth of Carbon Nanotubes on the Catalysts”, *J. Phys. Chem. B*, **106**, 9286-9290 (2002).
- [48] X.L. Xu, J.D. Guo, Y.Z. Wang, “A novel technique by the citrate pyrolysis for preparation of iron oxide nanoparticles”, *Mater. Sci. Eng. B*, **77**, 207-209 (2000).
- [49] X. Wang, L. Gao, H. Zheng, M. Ji, T. Shen, Z. Zhang, “Fabrication and electrochemical properties of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles”, *J. Cryst. Growth*, **269**, 489-492 (2004).
- [50] Q.W. Chen, Y.T. Qian, “Preparation & Characterization of Iron Oxide Thin Films”, *Mater. Res. Bull.*, **30**, 443-446 (1995).
- [51] G. Salazar-Alvarez, M. Muhammed, A.A. Zagorodni, “Novel flow injection synthesis of iron oxide nanoparticles with narrow size distribution”, *Chem. Eng. Sci.*, **61**, 4625-4633 (2006).
- [52] C.C. Chai, J. Peng, B.P. Yan, “Characterization of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> thin films deposited by atmospheric pressure CVD onto alumina substrates”, *Sens. Actuat. B*, **34**, 412-416 (1996).
- [53] X.Q. Liu, S.W. Tao, Y.S. Shen, “Preparation and characterization of nanocrystalline  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> by a sol-gel process”, *Sens. Actuat. B*, **40**, 161-165 (1997).

- [54] S. Joshi, R. Nawathey, V.N. Koinkar, “Pulsed laser deposition of iron oxide and ferrite films”, *J. Appl. Phys.*, **64**, 5647 (1988).
- [55] J.K. Lin, J.M. Sivertsen, *IEEE T. Magn.*, **22**, 50 (1986).
- [56] A. Lopez, F.J. Lazaro, T. Gonzalez-Carreno, M.P. Morales, C.J. Serna, “Magnetic properties of  $\gamma$ - $\text{Fe}_2\text{O}_3$  small particles prepared by spray pyrolysis”, *J. Magn. Magn. Mater.*, **383**, 140-144 (1995).
- [57] Y.T. Qian, C.M. Niu, C. Hannigan, S. Yang, “Preparation and characterization of iron (III) oxide films by a novel spray pyrolysis method”, *J. Solid State Chem.*, **92**, 208-212 (1991).
- [58] Y. Xie, W. Wang, Y.T. Qian, “Deposition and microstructural characterization of NiO thin films by a spray pyrolysis method”, *J. Cryst. Growth.*, **167**, 656-659 (1996).
- [59] K. Nomura, Y. Ujihira, “Conversion electron Mossbauer study on thin film iron oxide photoelectrode”, *Thin Solid Films*, **128**, 225-230 (1985).
- [60] R.J. Lang, “Ultrasonic Atomization of Liquids”, *J. Acoust. Soc. Am.*, **43**, 6-8 (1962).
- [61] J.M. Nedeljkovic, Z.V. Saponjic, Z. Rakocevic, V. Jakanovic, D.P. Uskokovic, “Ultrasonic spray pyrolysis of  $\text{TiO}_2$  nanoparticles”, *Nanostruct. Mater.*, **9**, 125-128 (1997).

- [62] V.A. Nadtochenko, A.G. Rincon, S.E. Stanca, J. Kiwi, “Dynamics of *E. coli* membrane cell peroxidation during TiO<sub>2</sub> photocatalysis studied by ATR-FTIR spectroscopy and AFM microscopy”, *J. Photoch. Photobio. A.*, **169**, 131-137 (2005).
- [63] K-J. Shieh, M. Li, Y-H. Lee, S-D. Sheu, Y-T. Liu, Y-C. Wang, “Antibacterial performance of photocatalyst thin film fabricated by deflection effect in visible light”, *Nanomedicine*, **2**, 121-126 (2006).
- [64] W. Thongsuwan, T. Kumpika, P. Singjai, “Photocatalytic property of colloidal TiO<sub>2</sub> nanoparticles prepared by sparking process”, *Curr. Appl. Phys.*, **8**, 563–568 (2008).
- [65] “Centre for Diffraction Studies.” [Online] Available: <http://www.abdn.ac.uk/~che241/cdiff/> (27 March 2009).
- [66] T. Jintakosol, “Synthesis of some ceramic nanowires by current heating process”, Ph.D. Thesis, Chiang Mai University, 2009.
- [67] L. Zhao, J. Lian, Y. Liu, Q. Jiang, “Structural and optical properties of ZnO thin films deposited on quartz glass by pulsed laser deposition”, *Appl. Surf. Sci.*, **252**, 8451-8455 (2006).
- [68] Q. Wang, G. Wang, J. Jie, X. Han, B. Hu, J.G. Hou, “Annealing effect on optical properties of ZnO films fabricated by cathodic electrodeposition”, *Thin Solid Films*, **492**, 61-65 (2005).

- [69] L.I. Burova, D.I. Petukhov, A.A. Eliseev, A.V. Lukashin, Y.D. Tretyakov, “Preparation and properties of ZnO nanoparticles in the mesoporous silica matrix”, *Supperlatti. Microstruct.*, **39**, 257-266 (2006).
- [70] B.G. Yacobi, “Semiconductor Materials: An Introduction to Basic Principles”, Springer, New York, (2003).
- [71] S. Park, E. DiMasi, Y-I. Kim, W. Han, P.M. Woodward, T. Vogt, “The preparation and characterization of photocatalytically active TiO<sub>2</sub> thin films and nanoparticles using Successive-Ionic-Layer-Adsorption-and-Reaction”, *Thin Solid Films*, **515**, 1250-1254 (2006).
- [72] C. Legrand-Buscema, C. Malibert, S. Bach, “Elaboration and characterization of thin films of TiO<sub>2</sub> prepared by sol-gel process”, *Thin Solid Films*, **418**, 79-84 (2002).
- [73] S. Karuppuchamy, M. Iwasaki, H. Minoura, “Electrochemical properties of electrosynthesized TiO<sub>2</sub> thin films”, *Appl. Surf. Sci.*, **253**, 2924-2929 (2006).
- [74] M.L. Hitchman, F. Tian, “Studies of TiO<sub>2</sub> thin films prepared by chemical vapour deposition for photocatalytic and photoelectrocatalytic degradation of 4-chlorophenol”, *J. Electroanal. Chem.*, **538-539**, 165-172 (2002).
- [75] B. Xia, H. Huang, Y. Xie, “Heat treatment on TiO<sub>2</sub> nanoparticles prepared by vapor-phase hydrolysis”, *Mater. Sci. Eng. B.*, **57**, 150-154 (1999).

- [76] C.S. Kim, I.M. Kwon, B.K. Moon, J.H. Jeong, B.C. Choi, J.H. Kim, H. Choi, S.S. Yi, D.H. Yoo, K.S. Hong, J.H. Park, H.S. Lee, “Synthesis and particle size effect on the phase transformation of nanocrystalline TiO<sub>2</sub>”, *Mater. Sci. Eng. C.*, **27**, 1343-1346 (2007).
- [77] W.F. Zhang, Y.L. He, M.S. Zhang, Z. Yin, Q. Chen, “Raman scattering study on anatase TiO<sub>2</sub> nanocrystals”, *J. Phys. D: Appl. Phys.*, **33**, 912 (2000).
- [78] H.P. Deshmukh, P.S. Shinde, P.S. Patil, “Structural, optical and electrical characterization of spray-deposited TiO<sub>2</sub> thin films”, *Mater. Sci. Eng. B.*, **130**, 220-227 (2006).
- [79] Q. Wang, G. Wang, J. Jie, X. Han, B. Xu, J.G. Hou, “Annealing effect on optical properties of ZnO films fabricated by cathodic electrodeposition”, *Thin Solid Films*, **492**, 61-65 (2005).
- [80] T. Toyoda, H. Kawano, Q. Shen, A. Kotera M. Ohmori, “Characterization of electronic states of TiO<sub>2</sub> powders by photoacoustic spectroscopy”, *J. Appl. Phys.*, **39**, 3160-3163 (2000).
- [81] S.D. Mo, W.Y. Ching, “Electronic and optical properties of three phases of titanium dioxide: Rutile, anatase, and brookite”, *Phys. Rev. B*, **51**, 13023-13032 (1995).

- [82] H.C. Ong, A.X.E. Zhu, G.T. Du, “Dependence of the excitonic transition energies and mosaicity on residual strain in ZnO thin films”, *Appl. Phys. Lett.*, **80**, 941 (2002).
- [83] A. Mills, J. Wang, “Photobleaching of methylene blue sensitised by TiO<sub>2</sub>: an ambiguous system?”, *J. Photochem. Photobio. A*, **127**, 123-134 (1999).
- [84] T. Zhang, T. Oyama, A. Aoshima, H. Hidaka, J. Zhao, N. Serpone, “Photooxidative N-demethylation of methylene blue in aqueous TiO<sub>2</sub> dispersions under UV irradiation”, *J. Photochem. Photobio. A*, **140**, 163-172 (2001).
- [85] K.T. Byun, H.Y. Kwak, “Degradation of methylene blue under multibubble sonoluminescence condition”, *J. Photochem. Photobio. A*, **175**, 45-50 (2005).
- [86] Z. Huang, P-C. Maness, D.M. Blake, E.J. Wolfrum, S.L. Smolinski, W.A. Jacoby, “Bactericidal mode of titanium dioxide photocatalysis”, *J. Photochem. Photobio. A*, **130**, 163-170 (2000).
- [87] H.M. Coleman, C.P. Marquis, J.A. Scott, S-S. Chin, R. Amal, “Bactericidal effects of titanium dioxide-based photocatalysts”, *Chem. Eng. J.*, **113**, 55-63 (2005).
- [88] A.K. Benabbou, Z. Derriche, C. Felix, P. Lejeune, C. Guillard, “Photocatalytic inactivation of Escherischia coli Effect of concentration of TiO<sub>2</sub> and microorganism, nature, and intensity of UV irradiation”, *Appl. Catal. B-Environ.*, **76**, 257-263 (2007).

- [89] P.A. Christensen, T.P. Curtis, T.A. Egerton, S.A.M. Kosa, J.R. Tinlin, “Photoelectrocatalytic and photocatalytic disinfection of *E. coli* suspensions by titanium dioxide”, *Appl. Catal. B-Environ.*, **41**, 371-386 (2003).
- [90] A.G. Rincon, C. Pulgarin, “Photocatalytical inactivation of *E. coli*: effect of (continuous-intermittent) light intensity and of (suspended-fixed) TiO<sub>2</sub> concentration”, *Appl. Catal. B-Environ.*, **44**, 263-284 (2003).
- [91] V.A. Nadtochenko, A.G. Rincon, S.E. Stanca, J. Kiwi, “Dynamics of *E. coli* membrane cell peroxidation during TiO<sub>2</sub> photocatalysis studied by ATR-FTIR spectroscopy and AFM microscopy”, *J. Photochem. Photobio. A.*, **169**, 131-137 (2005).
- [92] J-R. Gurr, A.S.S. Wang, C-H. Chen, K-Y. Jan, “Ultrafine titanium dioxide particles in the absence of photoactivation can induce oxidative damage to human bronchial epithelial cells”, *Toxicology.*, **213**, 66-73 (2005).
- [93] L.K. Adams, D.Y. Lyon, P.J.J. Alvarez, “Comparative eco-toxicity of nanoscale TiO<sub>2</sub>, SiO<sub>2</sub>, and ZnO water suspensions”, *Water. Res.*, **40**, 3527-3532 (2006).
- [94] C. Ogino, M.F. Dadjour, K. Takaki, N. Shimizu, “Enhancement of sonocatalytic cell lysis of *Escherichia coli* in the presence of TiO<sub>2</sub>”, *Biochem. Eng. J.*, **32**, 100-105 (2006).

- [95] X. Wang, X. Chen, X. Ma, H. Zheng, M. Ji, Z. Zhang, “Low-temperature synthesis of  $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanoparticles with a closed cage structure”, *Chem. Phys. Lett.*, **384**, 391-393 (2004).



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่  
Copyright<sup>©</sup> by Chiang Mai University  
All rights reserved