

REFERENCES

- Agarwal R.B., Rangari V.D. Anti-inflammatory and anti-arthritic activities of lupeol and 19a-H lupeol isolated from *Strobilanthus callosus* and *Strobilanthus ixiocephala* roots. *Indian Journal of Pharmacology*. 2003 ; 35 : 384-387.
- Aggarwal B.B., Shishodia S. Suppression of nuclear factor-kappa B activation pathway by spice-derived phytochemicals. *Annals of the New York Academy of Sciences*. 2004 ; 1030 : 434-441.
- Ahmed B., Alam T., Varshney M., Khan S.A. Hepatoprotective activity of two plants belonging to the Apiaceae and the Euphorbiaceae family. *Journal of Ethnopharmacology*. 2002 ; 79(3) : 313-316.
- Al-Yahya M.A., Mossa J.S., Ageel A.M., Ragatullah S. Pharmacological and safety evaluation studies on *Lepidium sativum* L., seeds. *Phytomedicine*. 1994 ; 1 : 155-159.
- Amin I., Ngee-Wen T., Seok-Tyug T., Azirina A. Antioxidant properties of selected non-leafy vegetables. *Nutrition & Food Science*. 2009 ; 39(2) : 176-180.
- Anam K., Wkdharna R.M., Ksrini D. α -Glucosidase Inhibitor Activity of *Terminalia* Species. *International Journal of Pharmacology*. 2009 ; 5(4) : 277-280.
- Anandan T., Jayakar B., Karar B., Babuji S., Manavalan R., Kumar R.S. Effect of ethanol extract of flowers of *Vitex trifolia* Linn. on CCl₄ induced

hepatic injury in rats. *The Pakistan Journal of Pharmaceutical Sciences*. 2009 ;
22(4) : 391-394.

Anne M.F. Oligomeric proanthocyanidin complexes: History, structure and
phytopharmaceutical applications. *Alternative Medicine Review*. 2000 ;
5(2) : 144-151.

Aparanji P., Kumar B.V., Kumar S.P., Sreedevi K., Rao D.N., Rao R.A. Induction
of anti-inflammatory and altered T-cell proliferative responses by the
ethanol root extract of *Plumbago zeylanica* in adjuvant-induced arthritic
rats. *Pharmaceutical Biology*. 2005; 43(9) : 764-789.

Applequist W. The identification of medicinal plants: A handbook of the
morphology of botanicals in commerce. *American botanical council*.
2006 : 72.

Aqil F., Ahmad I., Mehmook Z. Antioxidant and free radical scavenging properties
of twelve traditionally used indian medicinal plants. *Turkish Journal of
Biology*. 2006 : 177-183.

Aroonrerk N., Kamkaen N. Anti-inflammatory activity of *Quercus infectoria*,
Glycyrrhiza uralensis, *Kaempferia galangal* and *Coptis chinensis* the
main components of Thai herbal remedies for aphthous ulcer. *Journal
Health Research*. 2009 ; 23(1) : 17-22.

Asolkar L.V., Kakkar K.K., Chakre O.J. Second supplement to glossary of Indian
Medicinal Plants with active principles part-I (A-K), 1st edition, Council
of Scientific and Industrial Research, PID, Part-I, New Delhi. pp.217.
1992.

Bagul M.S., Srinivasa H., Kanak N.S., Rajani M. Anti-inflammatory activity of two Ayurvedic formulations containing guggul. *Indian Journal of Pharmacology*. 2005 ; 37(6) : 399-400.

Bajai Y.P.S.: "Biotechnology in agriculture and forestry 33: Medicinal and aromatic plants." Vol 8. : Springer Verlag Berlin Heidelberg. Printed in Germany. pp. 21. 1995

Balakr N.P.: "Flora of Thailand 8." Esser in Chayamarit & Welzen, 1: pp.218, 2005. Bull. Bot. Surv. India 3: 39. 1962; Airy Shaw, Kew Bull. 32: 74. 1977; P.H. Hô, Câyco Vietnam 2, 1: 298, fig. 4475. 1992 (as 'roxburghianus'); Chakrab. & N.P.Balakr., Bull. Bot. Surv. India 34 : 67. 1997 ('1992').

Bang J.S., Oh D.H., Choi H.M., Sur B.-J., Lim S.-J., Kim J.-Y., Yang H.-I., Yoo M.C., Hahm D-H., Kim K.S. Anti-inflammatory and antiarthritic effects of Piperine in human interleukin-1 β stimulated fibroblast-like synoviocytes and in rat arthritis models. *Arthritis Research & Therapy*. 2009;11(2). (Online). Available. <http://arthritisresearch.com/content/11-2/R49>.

Barik B.R., Bhaumik T., Dey A.K, Patra A, Chatterjee A, Joy S, Susan T, Alam M, Kundu A.B. Premnazole, an isoxazole alkaloid of *Premna integrifolia* L. and *Gmelina arborea* L. with anti-inflammatory activity. *Fitoterapia*. 1976 ; 639(4) : 395.

Batugal P.A., Kannias J., Sy L., Oliver J.T. Medicinal plants research in Asia. The framewore and project workplans. *International genetic resources institute*. 2004 ; 1 : 162.

- Begum F., Uddin K., Sultana S., Ferdous A.H., Begum Z.A. Effects of methanol extract of *Piper chaba* stem bark on chronic inflammation in rats. *Ibrahim Medical College Journal*. 2008 ; 2(2): 37-39.
- Bhattacharya S.K., Bhattacharya D., Muruganandam A.V. Effect of *Emblica Officinalis* tannoids on a rat model of tardive dyskinesia. *Indian Journal of Experimental Biology*. 2000 ; 38 : 945–947.
- Biswas M., Biswas K., Ghosh A.K., Halder P.K. Pentacyclic triterpenoid possessing anti-inflammatory activity from the fruits of *Dregea volubilis*. *Pharmacognosy Magazine*. 2009 ; 5(19) : 64-68.
- Black A.K., Greaves M.W., Hensby C.N. The effect of systemic prednisolone on arachidonic acid and prostaglandin E₂ and F₂, levels in human cutaneous inflammation. *British Journal of Clinical Pharmacology*. 1982 ; 14 : 391-394.
- Bohlim L., Bruhn J.G.: “Bioassay methods in natural product research and drug development.” Kluwer Academic Publishers, Printed in Netherland, pp. 13, 1998.
- Brattsand R., Thalén, A., Roempke, K.; Källström, L. Gruvstad, E. Influence of 16 alpha, 17 alpha-acetal substitution and steroid nucleus fluorination on the topical to systemic activity ratio of glucocorticoids. *Journal of steroid biochemistry*. 1982 ; 16(6): 779-86.
- Bruneton J. “Pharmacognosy, Phytochemistry and Medicinal Plants.” : Intercept Ltd Londers, New York. 2nd Edn. pp. 386, 2000.
- Bunyapraphatsara N., Chokechaicharoenporn O. : *Thai medicinal plants—indigenous* vol 1-5., 1st ed, Prachachaon printing, Bangkok , 1998.

Burkill H.M. (1985). The useful plants of west tropical Africa, (Online).

Available: <http://www.aluka.org/action/showMetadata> (2009, 20 October).

Carlsson M., Svensson K., Eriksson E., Carlsson A. Rat brain serotonin: Biochemical and functional evidence for a sex difference. *Journal of Neural Transmission*. 1985 ; 63(3-4) : 297-313.

Chattopadhyay R.R., Sarkar S.K., Ganguly S., Basu T.K., A comparative evaluation of some anti-inflammatory agents of plant origin. *Fitoterapia LXV*. 1994 : 146-148.

Chauhan N.R. : “Medicinal and aromatic plants of Himachal Pradesh.” Published by M.L.Gidwani, Indus Publishing Company, New Delhi, India, pp.78, 1999.

Chayamarit K. : “Key Characters of Plant Families.” Department of National Parks, Wildlife and Plant Conservation, Thailand (InThai), pp. 38, 2007.

Chayamarit K., Pupattanapong L.: “Herbal of Thailand” vol 7, National Park in Thailand, Forest Herbarium and Plant Database, The Royal Forest Department, pp.188, 1992.

Chayamarit K., Welzen P.C.Van. Euphorbaceae, (Benera A-F): “The encyclopedia of plants in Thailand, Flora of Thailand” vol 8(1) : in T. Santisuk & K. Larsen(eds), pp.120-123, 214, 2005.

Chevallier A. The Encyclopedia of Medicinal Plants, New York.:, DK Publishing, 1996.

Ching L.S., Mohamed S. Alphatocopherol content in 62 edible tropical plants. *Journal of Agricultural and Food Chemistry*., 2001; 49 : 3101-3105.

Choi E-M., Hwang J-K. Anti-inflammatory, analgesic and antioxidant activities of the fruit of *Foeniculum vulgare*. *Fitoterapia*. 2004 ; 75(6) : 557-565.

Chopra R.N. : "Chopra's Indigenous Drugs of India." 3rd edn. Publish by Bimal Kumar Dhur of Academic Publishers, Bankim Chatterjee Street, India, pp. 333, 2006.

Crunkhon P., Meacock S.E.R. Mediators of inflammation induced in the rat paw by carrageenin. *British Journal of Pharmacology*. 1971; 42: 392-402.

Dagli S. *Piper chaba* and its chemicals constituents. KSU. *Journal of Science and Engineering*. 2004 ; 7(2) : 34.

Das B., Padma Rao S., Srinivas K.V.N.S., DAS R., Jatrodien A. Lignan from Stems of *Jatropha gossypifolia*. *Journal of Phytochemistry*. 1996 ; 41(3) : 985-987.

Dhawan B.N., Dubey M.P., Mehrotra B.N., Rasogi R.P., Tandon J.S., Screening of Indian Plants for biological activity. Part IV. *Indian Journal of Experimental Biology*. 1980 ; 18 : 594-606.

Dickson C. : "Medicinal chemistry laboratory manual: investigations in biological and pharmaceutical chemistry." CRC press LLC. Printed in USA. pp. 5-8, 20-22. 1998.

Di Rosa, M. Biological properties of carrageenan. *Journal of Pharmacy and Pharmacology*. 1972 ; 24:89-102.

Duke J.A., Ayensu E.S. : "Medicinal plants of China." Vol 1-2, Reference Publications, Inc. 218 St. Clair River Drive, Box 344, Albonac, Michigan, pp. 243, 280, 303, 417, 476, 623, 1985.

Echeverri F., Arango V., Quinones W., Torres F., Escobar G., Rosero Y., Archbold R. Passifloricins, polyketides α -pyrones from *Passiflora foetida* resin. *Phytochemistry*. 2001; 56 : 881-885.

Edwards S.T., Lindley J.: "The Botanical register: Consisting of Coloured Figures of Exotic Plants." vol.VI, Cultivated in British Gardens, Printed by S. Gosnell, Little Queen Street, London, pp. 492, 1820.

El-Dakhakhny M., Mady N.J., Lember N., Ammon H.P. *Nigella sativa* oil, nigellone and derived thymoquinone inhibit synthesis of 5-lipoxygenase products in polymorphonuclear leukocytes from rats. *Journal of Ethnopharmacology*. 2002 ; 81(2) : 161-164.

El-Mekkawy, S., Meselhy M.R., Kusumoto I.T., Kadota S., Hattori M., Namba T. Inhibitory effects of Egyptian folk medicines on human immunodeficiency virus (HIV) reverse transcriptase. *Chemical & Pharmaceutical Bulletin*. 1995 ;43 : 641-648.

Engelhardt G., HommaD., Schlegel K. Anti-inflammatory, analgesic, antipyretic and related properties of meloxicam, a new nonsteroidal anti-inflammatory agent with favourable gastrointestinal tolerance. *Inflammation Research*. 1995 ; 44 : 422 – 433.

Evans W.C. : "Trease and Evans, Pharmacognosy 13th Edn." E.LBS with Bailliere Tindall, pp. 388, 480, 502, 535, 546, 1989.

Fabricant D.S., Farnsworth N.R. The Value of Plants Used in Traditional Medicine for Drug Discovery. *Environmental Health Perspectives*. suppl. 1, 2001: 109.

Fai Y.M., Tao C.C. A Review of Presence of Oleanolic Acid in Natural Products.

Journal of Natura Proda Medica. 2009 : 56.

Farnsworth N.R. Biological and phytochemical screening of plants. *Journal of Pharmaceutical Sciences*. 1966 ; 55(3) : 225-69.

Fries J.F., Williams C.A., Bloch D.A. The relative toxicity of non-steroidal anti-inflammatory drugs. *Arthritis & Rheumatism*. 1991 ; 34 : 1353-1360.

Fukuoka M., Yoshihira K., Natori S., Sahamoto K., Iwahara S., Hosaka S., Hirono I. Characterization of mutagenic principles and carcinogenicity of dill weed and seeds. *Journal Pharmacodynamic*. 1980 ; 3(5) : 236-244.

Geis G.S., Stead H., Wallermark CB, et al. Prevalence of mucosal lesions in the stomach and duodenum due to chronic use of NSAIDs in patients with rheumatoid arthritis or osteoarthritis and interim report on prevention by misoprostol of diclofenac associated lesions. *Journal Rheumatol*. 1991 ; 18(Suppl 28) : 11-14.

Ghazanfar S.A. : "Hanbook of Arabian Medicinal Plants." CRC Press Inc., Printed in the United State of America, pp.164, 1994.

Ghule B.V., Ghante M.H., Urganlawar A.B., Yeole P.G. Analgesic and anti-inflammatory acitivities of *L.siceraria* (Mol.) Stand. fruit juice extract in rats and mice. *Pharmacognosy Magazine*. 2006 ; 2 : 232.

Gilani A.H., Jabeen Q., Ullah Khan M.A. A review of medicinal uses and pharmacological activities of *Nigella sativa*. *Pakistan Journal of Biological Sciences*. 2004 ; 7(4) : 441-451.

Goverdhan P., Bobbala D. Anti-nociceptive and anti-inflammatory effects of the leaf extract of *Vitex trifolia* L. in experimental animals. *Ethnobotanical Leaflets*. 2009 ; 13 : 65-72.

Gritsanapan W.: "Medicine and Natural Product". Introduction to phytochemistry. Department of Pharmacognosy. Faculty of Pharmacy, Mahidol University. Thailand. pp. 24-72. 1991.

Grubben G.J.H., Denton O.A. : "Plant Resources of Tropical Africa 2: Vegetables." PROTA Foundation, Backhuys Publishers, CTA, Wageningen Netherlands, pp. 436-438, 2004.

Ha J.H., Lee K.Y., Choi H.C., Cho J., Kang B.S., Lim J.C., Lee D.U. Modulation of radioligand binding to the GABA(A)-benzodiazepine receptor complex by a new component from *Cyperus rotundus*. *Biological & pharmaceutical bulletin*. 2002 ; 25(1) : 128-130.

Harborne J.B. : "Phytochemical Methods: A guide to modern techniques of plant analysis." 3rd edn., Chapman & Hall, an imprint of Thomson Science 2-6 Boundary Row, London, pp. 45, 63, 88, 94, 100, 137, 147, 215, 1998.

Harborne J.B., Baxter H., Moss G.P. *Phytochemical dictionary: A handbook of bioactive compounds from plants*. 2nd edn. Printed by TJ international Ltd. Padstow, UK., 1999.

Hayashi N., Lee K.H., Hall I.H., McPhail A.T., Huang H.C.. Structure and Stereochemistry of (-)-odorinol, and antileukemic diamide from *Aglaia odorata*. *Phytochemistry*. 1982 ; 21(9) : 2371-3.

Hecker E., Schmidt R. *Croton tiglium*: Phorbol esters: irritants and carcinogens of *Croton tiglium*. *Fortscher Chem. Org. Nat Stoffe*., 1974; 31: 377.

Heinrich M., Barnes J., Gibbons S., Williamson E.M. : “Fundamentals of Pharmacognosy and Phytotherapy.” Elsevier Science Limited, pp. 148, 175, 180. 2004.

Heinz L., Mohr H., Hein Lutz., Bieger D.: “Color Atlas of Pharmacology.” 3rd edn. Thieme, Stuttgart, New York, pp. 196-200, 2005.

Hosseinzadeh H., Karimi G.R., Ameri M. Effects of *Anethum graveolens* L. seed extracts on experimental gastric irritation models in mice. *BMC Pharmacology*. 2002 ; 2 : 21.

Hsu T., Chaniotakis M., Dametin D. : “A natural approach to chemistry: Practice calculating percent yield.” SEPUP. Lawrence Hall of Science. Berkeley, California, pp.342, 2008.

Hu Y.M., Wang H., Ye W.C., Zhao S.X. Flavones from Flowers of *Sesamum indicum*. *China Journal of Chinese Materia Medica*. 2007; 32(7): pp. 603-605.

Hu, Y.M., Ye W.C., Yin Z.Q., Zhao S.X. Chemical Constituents from Flowers *Sesamum indicum* L. *China Journal of Chinese Materia Medica*. 2007 ; 42(3) : 286-291.

Inthranupakorn R.: “Phytochemical test and Plants extraction.” (In Thai language). Active Print Company. Bangkok. Thailand. pp. 59-79. 2004.

Ishikawa T., Kudo M., Kitajima J. Water-soluble constituents of dill. *Chemical & Pharmaceutical Bulletin*. 2002 ; 50(4) : 501-507.

Itharat, A., Ooraikul B. Research on Thai Medicinal Plants for Cancer Treatment, Advances in medicinal Plant Research. *Research Signpost*. India. 2007 ; 661(2) : 287-317.

Iwu M.M. : “Handbook of African Medicinal Plants.” Printed in the United States of America, pp. 198, 1993.

Iwu M.W., Duncan A.R., Okunji C.O. New antimicrobials of plant origin. In: J. Janick (ed.), Perspectives on new crops and new uses. ASHS Press, Alexandria. 1999 : 457–462.

Iyer K.M. , Pillay P.P. A chemical examination of *Embllica Officinalis*, gaertn. Current Science. 1958 ; 27 : 266–267.

Jagtap A.G., Shirke S.S., Phadke A.S. Effect of polyherbal formulation on experimental models of inflammatory bowel diseases. *Journal of Ethnopharmacology*. 2004 ; 90(2/3) : 195-204.

Jamwal K.S., Sharma I.P., Chopra C.L. Pharmacological investigation of the fruit of *Embllica Officinalis*. Journal of Scientific & Industrial Research. 1959 ; 18 : 180–181.

Jeong S.J., Miyamoto T., Inagaki M., Kim Y.C. , Higuchi R. Rotundines A-C, three novel sesquiterpene alkaloids from *Cyperus rotundus*, *Journal National Product*. 2000 ; 63(5) : 673-675.

Jonville M.C., Capel M., Frederich M., Angenot L., Dive G., Faure R., Azas N. ,Ollivier E. Fagraldehyde, a Secoiridoid Isolated from *Fagraea fragrans*. *Journal of National Products*. 2008 ; 71 (12) : 2038–2040.

Joseph R. *Reagent Chemicals and Standards*, 5th edn.: D.Van Nostrand company, Inc. Princeton New jersey. Toronto. London. 1967.

Joy P. P., Thomas J., Mathew S., Skaria B.P. : “Medicinal Plants.” Odakkali, Asamannoor P.O., Ernakulam District, Kerala, India, pp. 36-37, 78, 1998.

Kadowitz P.J., Baber S.R., Mazim M.M., Keebler M., Champion H.C., Bivalacqua T.J., McNamara D.B., Hyman A.L. *Vasoactive Prostanoids by the Cyclooxygenase-2 in the Cardiovascular System of the Rat*, in: *The Eicosanoids*, Edt. by Curtis, P. :Distribution by John Wiley & Sons Ltd., the Atrium , Southern Gate, Chichester, England, 387-89, 2004.

Kaewkrud W., Matsunami K., Otsuka H. S., Ruchirawat S., Kanchanapoom T. Chemical constituents of the Thai medicinal plant, *Dioecrescis erythroclada* (Kurz) Tirveng. *Nature Medicine*. 2007 ; 61: 476–477.

Kang K.K., Lee J.H., Zhang R., Piao M.J., Chung H.S., Hyun J.W. Oryzadine, a new alkaloid of *Oryza sativa* cv. *Heugjinjubyeo*, attenuates oxidative stress-induced cell damage via a radical scavenging effect. *Food Chemistry*. 2009 ; 119(3) : 1135-1142.

Khajuria A., Thusu N., Zutshi U. Piperine modulates permeability characteristics of intestine by inducing alterations in membrane dynamics: influence on brush border membrane fluidity, ultrastructure and enzyme kinetics. *Phytomedicine*. 2002 ; 9(3) : 224-231.

Khanna P., Bansal R. Phyllantidine & phyllantine from *Emblica officinalis* Gaertn leaves, fruits & *in vitro* tissue cultures. *Indian Journal of Experimental Biology*. 1975 ; 13 : 82-83.

Kiran K., Asad M. Wound healing activity of *Sesamum indicum* L. Seed and Oil in Rat. *Indian Journal of Experimental Biology*. 2008 ; 46(11) : 772-782.

Kirtikar, K.R. and Basu, B.D. *Indian Medicinal Plants*. vol. II. International Book Distributors, Dehradun, pp.1116, 1998.

Konczak I., Zhang w. Anthocyanins – more than nature's colours. *Journal of Biomedicine and Biotechnology*. 2004 ; 5(2004) : 239-240.

Kontogiorgis C.A., Hadjipavlou-Litina D.J. Synthesis and anti-inflammatory activity of coumarin derivatives. *Journal of Medicinal Chemistry*. 2005 ; 48(20) : 6400-6408.

Kortt A.A., Caldwell J.B. Isolation and properties of the lectins from tuberous roots of winged beans (*Psophocarpus tetragonolobus*), *Journal of the Science of Food and Agriculture*. 1987 ; 39 : 47-57.

Kozyrskyj A.L., Raymond C., Racher A. Use of Celecoxib Immediately Post Marketing in Canada: Acute or Chronic Pain?, *Canadian Society for Clinical Pharmacology*. 2007; 14(1) : 70-80.

Kuang H-X., Yang B-Y., Xia Y-G., Feng W-S. Chemical constituents from the flowers of *Datura metel* L. *Archives of Pharmacy Research*. 2008 ; 31(9) : 1094-1097.

Kumar B. : “ A Text Book of Practical Botany 2.” sixth reprint (seventh edition), Publish by Rakesh Kumar Rastogi for Rastogi Publications, Up., India, 2 : pp. 204, 2007-2008.

Kumar V., Abbas A.K., Fausto N., eds. Robbins and Cotran. Pathologic basis of disease. 7th edn. Philadelphia: Elsevier Saunders, 2005.

Kumar V.L., Basu N. Anti-inflammatory activity of the latex of *Calotropis procera*. *Journal of Ethnopharmacology*. 1994 ; 44(1) : 123-125.

Lacy C., Armstrong L., Goldman M., Lance L. Drug information handbook 7th edn. Hudson, OH: Lexi-Comp., 1999.

Latha L.Y., Sasidharan S., Zuraini Z., Suryani S., Shirley L., Sangetha S., Davaselvi M. Antimicrobial activities and toxicity of crude extract of the *Psophocarpus tetragonolobus* pods. *African Journal Traditional, Complementary and Alternative Medicines*, 2007 ; 4(1) : 59-63.

Latha L.Y., Sasidharan S., Zuraini Z., Saravanan Z., Suryani D., Sangeetha S., Aishah S., M.B.S. Antioxidant properties of tropical medicinal plants. *J. Tropical Medicinal Plants*. 2005 ; 6(2) : 173-178.

Lee S.K., Mbwambo Z.H., Chung H., Luyengi L., Gamez E.J., Mehta R.G., Kinghorn A.D., Pezzuto J.M. Evaluation of the antioxidant potential of natural products. *Comb chem high througoutput screen*. 1998 ; 1(1) : 35-46.

Lemmens R.H.M.J., Bunyaphatsara N. : “ Plant Resources of South East Asia, Medicinal and poisonous plants 3.” The Netherlands, Backhuys Publishers, AH Leiden, pp. 12(3), 664, 2003.

Lhuang P-S. *The Real Folklore Medicine Recipe* : Tresin-karnpim Printing, Bangkok, 1993.

Li R.W., Lin G.D., Myers S.P., Leach D.N. Anti-inflammatory activity of Chinese medicinal vine plants, *Journal of Ethnopharmacology*. 2003 ; 85(1) : 61-67.

Lide D.R. : “ Hand book of Chemistry and Physics : a ready-reference book of chemical”. CRC Press LLC., New York, pp. 8-3, 2004.

Lin J.Y., Huang M.Y. Chem. Abstr. Isolation of a haemolytic protein, Croton I from *Croton tiglium*. *Taiwan Yao Flsuch Tsa Chih.*, 1977.**28**:104; 1978, 88, : 33458 a.

Maier U.H., Gundlach H., Zenk M.H. Seven imidazole alkaloids from *Lepidium sativum*. *Phytochemistry*. 1998 ; 49(6) : 1791-1795.

Manosroi J., Manosroi A. : “Lanna Pharmacy: Lanna Pharmacopeia.” The Institute of Thai Traditional Medicine Printing, Thailand, pp.100, 103, 1984.

Manosroi J., Junthip R., Phrueksathamrungkun K., Rungruangsri U. and Manosroi A. : “Development of Anti-inflammatory and Anti-cancer Drugs.” The Institute of Thai Traditional Medicine Printing, Thailand, 2008.

Manosroi J., Manosroi A., Rungruangsri U. *The collection and screening and revolution of the text of Thai Lanna medicinal plant recipe*. Natural Products Research and Development Center (NPRDC), Institute for Science and Technology Research and Development, Chiang Mai University, Thailand, 2005.

Manosroi A., Sawakhon S., Manosroi W. and Monosroi J. Abstracts. 35th Congress on Science and Technology of Thailand. 2009.

Manosroi J., Manosroi, A. *Lanna Medicinal Plant Textbook Database: Recipes-Disease-Medicinal Plants Program*. Natural Products Research and Development Center, Institute for Science and Technology Research and Development (IST), Chiang Mai University, Thailand, 2006.

Matsui M., Kumar-Roine S., Darius H.T., Chinain M., Laurent D., Pauillac S. Characterisation of the anti-inflammatory potential of *Vitex trifolia* L. (Verbenaceae), a multipurpose plant of the Pacific traditional medicine. *Journal of Ethnopharmacology*. 2009 ; 126(3) : 427-33.

Mazumder P.M., Percha V., Farswan M., Upaganlawar A. Cassia: A Wonder Gift to Medical Sciences. *International Journal of Community Pharmacy*, 2008 ; 1(2) : 16-25.

Mehta B.K., Verma M., Gupta M. Novel lipid constituents identified in seeds of *Nigella sativa* L. *Journal of the Brazilian Chemical Society*. 2008 ; 19(3) : 458-462.

Miean K.H., Mohamed S. Flavonoid (Myricetin, Quercetin, Kaempferol, Luteolin and Apigenin) Content of Edible Tropical Plants. *Journal of Agricultural and Food Chemistry*. 2001 ; 49 : 3106-3112.

Morikawa T., Matsuda H., Yamaguchi I., Pongpiriyadacha Y., Yoshikawa M. New amides and gastroprotective constituents from the fruit of *Piper chaba*. *Planta Medica*. 2004 ; 70 : 152–159.

Morikawa T., Yamaguchi I., Matsuda H., Yoshikawa M. A new amide, piperchabamide F, and two new phenylpropanoid glycosides, piperchabaosides A and B, from the fruit of *piper chaba*. *Chemical & Pharmaceutical Bulletin*. 2009 ; 57(11) : 1292-1295.

Moriyama H., Lizuka T., Nagai M. A stabilized flavonoid glycoside in heat-treated *Cassia alata* leaves and its structural elucidation. *Yakugaku Zasshi*. 2001; 121 (11) : 817-820.

Mortensen A. Carotenoids and other pigments as natural colorants. *Pure and Applied Chemistry*. 2006; 78(8) : 1477-1491.

Mukherjee P.K., Sahoo A.K., Narayanan N., Kumar N.S., Ponnusakar S. Lead finding from medicinal plants with hepatoprotective potentials. *Journal of Informa healthcare*. India, 2009 ; 4(5) : 545-557.

Murgiswany B., Vamadevaiah H., Madaiah M. Fatty acid composition of winged bean seed oil (*Psophocarpus tetragonolobus*). *Fette, Seifen, Anstrichmittel*. 1981; 85(3) : 121-122.

Nadkarni A.K. : "Indian materia medica." 3rd edn. Mumbai, Popular Prakashan Pvt. Ltd, pp. 301–340. 1976.

Nadkarni K.M., Nadkarni A.K. "Indian material medica 3rd edition vol.1". Popular Prakashan Pvt.Ltd. Mumbai. pp. 300.1992.

Nadkarni K.M. : "Indian medicinal plants and drugs- with their medicinal properties and uses." Asiatic Publishing House New Delhi. pp. 450, 1998.

Nandi D., Besra S.E., Dey S., Babu S., Elango A., Roy S., Mallick S., Giri V.S., Jaisankar P., Vedasiromoni J.J. Antiinflammatory and analgesic activities of leaf extract of *Wattakaka volubilis* (*Dregea volubilis*). *International Journal of Green Pharmacy*. 2009 ; 3(3) : 195-200.

National resources conservation services. (2009). Plants profile : *Lawsonia inne* , United State Department of Agriculture (USDA), *rmis*, (Online). Available: <http://plants.usda.gov/java/profile?symbol=LAIN5> (2009, October 26).

Nellis D.W. : "Poisonous Plants and animals of Florida and the Caribbean." Published by Pineapple Press, Inc. Sara Sota, Florida, pp.177, 224, 1997.

Ngamrojnvanich N., Sirimongkon S., Roengsumran S., Petsom A., Kamimura H. Inhibition of Na⁺,K⁺-ATPase activity by (-)-ent-kaur-16-en-19-oic acid and its derivatives. *Planta Medica*. 2003 ; 69(6) : 555-556.

- Niampoka C., Suttisri R., Bavovada R., Takayama H., Aimi N. Potential cytotoxic triterpenoids from the root bark of *Siphonodon celastrineus* Griff. *Archives of Pharmacal Research*. 2005 ; 28(5) : 546-549.
- Nickavar B., Abolhasani F-S. Screening of antioxidant properties of seven unbelliferae fruits from Iran. Pak. *Journal of Pharmaceutical Sciences*. 2009 ; 22(1) : 30-35.
- Okpanyi S.N., Ezeukwu G.C. Anti-inflammatory activities of *Azadirachta indica*. *Planta Medica*. 1981 ; 41 : 34-39.
- Onwukaeme D.N., Ikuegbvweha T.B., Asonye C.C. Evaluation of phytochemical constituents, antibacterial activities and effect of exudates of *Pycnanthus angolensis* Wedd Warb (Myristicaceae) on corneal ulcers in rabbits. *Tropical journal of Pharmaceutical Research*. 2007 ; 6(2) : 726.
- Orwa, C., Mutua A., Kindt R., Jamnadas R., Anthony S. (2009). Agroforestry database : a tree reference and selection guide version 4.0, (Online). Available: <http://www.worldagroforestry.org/sites/treedbs/treedatabases.asp> (2009, October 16).
- Palanichamy S., Nagarajan S. Anti-inflammatory activity of *Cassia alata* leaf extract and Kaempferol 3-O-sophoroside. *Fitoterapia*. 1990 ; 11(1) : 44-47.
- Pan M-H., Lai C-S., Dushenkov S. Modulation of inflammatory genes by natural dietary bioactive compounds. *Journal of Agricultural and Food Chemistry*. 2009 ; 57 : 4467-4477.

Panda B.B., Gaur K., Kori M.L., Tyagi L.K., Nema R.K., Sharma C.S., Janin A.K.

Anti-inflammatory and analgesic activity of *Jatropha gossypifolia* in experimental animal models. *Global Journal of Pharmacology*. 2009 ; 3 (1) : 01-05.

Panda H. : "Medicinal Plants Cultivation & Their Used." Asia Pacific Business Press Inc. India, pp.359, 2000.

Panda N., Mondal N.B., Banerjee S., Sahu N.P., Koike K., Nikaido T., Weber M., Luger P. Polyhydroxy pregnanes from *Dregea volubilis*, *Tetrahedron*. 2003; 59 : 8399-8403.

Punyatong M., Pongpiachan P., Pongpiachan P., Karladee D., Mankhetkorn S. Cytotoxicity of crude proanthocyanidin extract from purple glutinous rice bran (*Oryza sativa* L.) (Kum Doi Saket) compared with cyaniding 3-glucoside on x63 myeloma cancer cell lines. *Kasetsart Journal (Nat Sci.)*. 2008 ; 42 : 678-681.

Parejo I., Jauregui O., Sanchez Rabaneda F., Viladomat F., Bastida J., Codina C. Separation and characterization of phenolic compounds in fennel (*Foeniculum vulgare*) Using Liquid Chromatography Negative Electrospray Ionization Tandem Mass Spectrometry. *Journal of Agricultural and Food Chemistry*. 2004 ; 52(12) : 3679-3687.

Peter K.V. : "Handbook of Herbs and Spices." Published by Woodhead Publishing Limited, Abington Hall, Abington Cambridge, England, vol 2, pp. 257-259, 2004.

Phansawan B., Pongbangpho S. Antioxidant capacities of *Pueraria mirifica*, *Stevia rebaudiana* Bertoni, *Curcuma Longa* Linn., *Andrographis*

- paniculata* (Burm.f.) Nees. *Cassia alata* Linn. for the Development of Dietary Supplement. *Kasetsart Journal. (Nat. Sci.)*. 2007 ; 41: 548-554.
- Phra Thammawarodom. *Traditional Medicine-Tamra ya klangban* : Wat Benchamabophit, Bangkok, 1993.
- Phupattanapong L., Wongprasert T.: “The medicinal plants.” (part 5), Chutima printing, Bangkok, pp.530, 1987.
- Pongbunrod S. : “Thai Spices.” in Antimicrobial Activity of *Cassia alata* Linn. Leaves (Caesalpinoideae). *Journal of Natural Science*, 2009 ; 8(1) : 37.
- Prakash D., Niranjana A., Tewari S.K. Vitamin C in *Emblia officinalis* (amla) and its products. *Journal of Medicinal and Aromatic Plant Sciences*. 2000 ; 22 : 237–241.
- Puff C., Chamchumroon V. : “Thai Forest Bulletin (Botany).” vol 31. Printed at Prachachon CO., LTD. Thailand, pp. 67-68, 2003.
- Puratchikody A, Devi C.N., Nagalakshmi G. Wound healing activity of *Cyperus rotundus* Linn. *Indian Journal of Pharmaceutical Sciences*. 2006 ; 68 : 97-101.
- Raaman N. : “Phytochemical techniques, Qualitative Phytochemical Screening.” New India publishing Agency, New Delhi, India, pp. 19-23, 197, 198, 2006.
- Rabarisoa I., Gaydou E.M., Bianchini J.P. Fatty acid composition of oils extracted from the fruits of 26 species. *Wild Palms in Madagascar, Oleagineux*, 1993 ; 48 (5) : 251-255.

- Rahman M.T.U., Shilpi J.A., Ahmed M., Hossain C.F. Preliminary pharmacological studies on *Piper chaba* stem bark. *Journal of Ethnopharmacology*. 2005 ; 99 : 203-209.
- Rastogi S., Rawat A.K.S. A Comprehensive Review on Bergenin, A Potential Hepatoprotective and Antioxidative Phytoconstituent. *Herba Polonica*. 2008; 54(2) : 67-79.
- Rastogi R.R., Mehrotra B.N. Compendium of Indian Medicinal Plants. (Vol-I), New Delhi. pp. 115. 1990.
- Ravindranath N., Venkataiah B., Ramesh C., Jayaprakash P., Das B. A novel macrocyclic bioactive diterpene from *Jatropha gossypifolia*. *Chemical & Pharmaceutical Bulletin*, (Tokyo), 2003; 51(7) : 870 – 871.
- Read M.A. Commentary, Flavonoids : Naturally occurring anti-inflammatory agents. *American Journal of Pathology*. 1995 ; 147 (2) : 235-237.
- Reed C.F. 1976. *Information summaries on 1000 economic plants*. Typescripts submitted to the USDA.
- Rezia-khatun B.M., Rahman M.O. Taxonomic Revision of the Genus *CAESALPINIA* L. (CAESALPINIACEAE) for Bangladesh, Bangladesh. *Journal Plant Taxon*. 2006 ; 13(2) : 93-109.
- Roberts L.J, II, Morrow D.J.: “Analgesic-Antipyretic and Anti-inflammatory Agents and Drugs Employed in the treatment of Gout.” in *The Pharmacological Basis of Therapeutics*, 10th ed. New York, NY: McGraw-Hill, pp. 688. 2001.

- Rocha S.F.R., Ming L.C. : “*Piper hispidinervium*: a sustainable source of safrole.” in *Perspective on New Crops and New Uses*. ASHS Press, Alexandria, Virginia, pp. 479-481.1999.
- Rodriguez B., DE L.A., Torre M. C., Rodriguez B., Gomez-serranillos P. Neoclerodane diterpenoids from *Scutellaria galericulata*, *Journal of Phytochemistry*. 1996 ; 41(1) : 247-253.
- Roengsumran S., Musikul K., Petsom A., Vilaivan T., Sangvanich P., Pompakakul S., Puthong S., Chaichantipyuth C., Jaiboon N., Chaichit N. Croblongifolin, a new anticancer clerodane from *Croton oblongifolius*. *Planta Medica*. 2002 ; 68(3) : 274-277.
- Roengsumran S., Petsom A., Sommit D., Vilaivan T. Labdane diterpenoids from *Croton oblongifolius*. *Phytochemistry*. 1999 ; 50(3) : 449-453.
- Roengsumran S., Petsom A., Kuptiyanuwat N., Vilaivan T., Ngamrojanavanich N., Chaichantipyuth C., Puthong S. Cytotoxic labdane diterpenoids from *Croton oblongifolius*. *Phytochemistry*. 2001 ; 56(1) : 103-107.
- Roengsumran S., Pompakakul, S., Muangsin N., Sangvanich P., Nhujak T., Singtothong P., Chaichit N., Puthong S., Petsom A. New halimane diterpenoids from *Croton oblongifolius*. *Planta Medica*. 2004 ; 70(1) : 87-89.
- Roengsumran S., Singtothong P., Pudhom K., Ngamrochanavanich N., Petsom, A., Chaichantipyuth C. Neocrotocembranal from *Croton oblongifolius*. *Journal of Natural Products*. 1999 ; 62(8) : 1163-1164.

Rosin J. : “Reagent Chemicals and Standards.” American Chemical Society, the U.S. Pharmacopoeia Revision Committee 5th Edn. D. Van Nostrand Company, Inc. Princeton, Newjersey, London, pp. 555-561, 1967.

Ross I.A. : “Medicinal Plants of the World.” Vol 3 Humana Press, pp. 402, 2003.

Ross I.A. : “ Medicinal Plants of the World II: Chemical Constituent, Traditional and Modern Medicine Uses.” Human Press Inc. 999 Riverview Drive, Suite 208, ToTowa , Newjersey, pp.82, 2001.

Rubatzky V.E., Yamachi M.: “World Vegetables: Principles, Production and Nutritive Values.” Chapman and Hall, New York, pp. 203, 1997.

Rukachaisirikul T., Prabpai S., Champung P., Suksamrarn A. Chabamide, a novel piperine dimer from stems of *Piper chaba*. *Planta Medica*. 2002 ; 68(9) : 853-855.

Sahu N.P., Panda N., Mondal N.B., Banerjee S., Koike K., Nikaido T. Polyoxypregnane glycosides from the flowers of *Dregea volubilis*. *Phytochemistry*. 2002 ; 61 : 383-388.

Salatino A., Salatino M.L.F., Negri G. Traditional uses, chemistry and pharmacology of *Croton* species (Euphorbiaceae). *Journal of the Brazilian Chemical Society*. 2007 ; 18(1) : 11-33.

Salminen A., Lehtonen M., Suuronen T., Kaamiranta K., Huuskonen M. Terpenoids : natural inhibitors of NF-kappaB signaling with anti-inflammatory and anticancer potential. *Cellular and Molecular Life Sciences*. 2008 ; 65 : 2970-99.

Samy R.P., Pushparaj P.N., Gopalakrishnakone P. A compilation of bioactive compounds from Ayurveda. *Bioinformation*. 2008 ; 3(3) :100-110.

- Sandur S.K., Ichikawa H., Sethi G., Ahn K.S., Aggarwal B.B. Plumbagin (5-hydroxy-2-methyl-1,4-naphthoquinone) suppresses NF-kappaB activation and NF-kappaB-regulated gene products through modulation of p65 and I_B_ kinase activation, leading to potentiation of apoptosis induced by cytokine and chemotherapeutic agents. *JBC Papers in Press*. 2006 ; 281 (25) : 17023-17033.
- Saralamp P. : "Thaimedical Plants." in *Medicinal Plants in Siri Ruckhachati Garden*. Amarin Printing Group Co., Ltd., Bangkok (in Thai), pp.28-211, 1992.
- Satyavati G. V., Raina M. K., Sharma M. *Medicinal Plants of India*. New Delhi, (Eds). 1976, 1987.
- Sayed H.M., Mohamed M.H., Farag S.F., Mohamed G.A., Proksch P. A new steroid glycoside and furochromones from *Cyperus rotundus* L. *National Product Research*. 2007 ; 21(4) : 343-350.
- Schmelzer G.H., Gurib-Fakim A. : "Plant Resources of Tropical Africa 11(1): Medicinal Plant I." PROTA Foundation, Backhuys Publisher, CTA, Wageningen, Netherlands, pp.474-476, 2008.
- Sebastian P. : " Ayurvedic Medicine: The Principles of Traditional Practice." Pole S, Churchill Livingstone, London, Edinburgh, pp.175, 2006.
- Seo W.G., Pae H.O., Oh G.S., Chai K.Y., Kwan T.O., Yun Y.G., Kim N.Y., Chung.H.T. Inhibitory effects of methanol extract of *Cyperus rotundus* rhizomes on nitric oxide and superoxide productions by murine macrophage cell line, RAW 264.7 cells. *Journal of Ethnopharmacology*. 2001 ; 76(1) : 59-64.

Sharma O.P. : "Plant Taxonomy." Tata Mc Graw-Hill Publishing Company Limited, pp. 274, 1993.

Shu S.G.M., Bingtao L., Gilbert M.G. : "Sauropus Blume." Bigdr. 595,1826. in Flora of China, 11, pp.202-207, 2008.

Shyamkumar B., Anjaneyulu C., Giri C.C. Genitic transformation of *Terminalia chebula* Retz. and detection of tannin in trasformed Tissue. *Curren Science*. 2007; 92 (3): 361-367.

Sinchai S. Photo album of plants., 2006.

Sirival N. The study of nutrition and antioxidant of indigenous vegetables in north eastern. *KMITL Science Journal*. 2008 ; 8(2) : 79-89.

Sithisarn P., Supabphol R., Chavasiri W., Gritsanapan1 W. Antioxidant component of Siamese neem tree leaf extract. *Thai Journal of Health Research*. 2004 ; 18(1) : 23-29.

Sithisarn P., Supabphol R., Chavasiri W., Gritsanapan W. Antioxidant component of siamese neem tree leaf extract. Abstract of 2004 International Congress on Natural Products Research, 180 Phoenix, Arizona, USA., 2004.

Smitinand T. *Thai Plant Names* : The Forest Herbarium, Royal Forest Department Revised edn. Bangkok , Prachachon Co., 2001:

Sofowora A. "Medicinal Plants and Traditional Medicine in Africa.": John Wiley and Sons Ltd. Chichester., pp. 142-145, 1982.

Sommit D., Petsom A., Ishikawa T., Roengsumran S. Cytotoxic activity of natural labdanes and their semi-synthetic modified derivatives from *Croton oblongifolius*. *Planta Medica*. 2003 ; 69(2) : 167-170.

Srinivas P.V., Rao J.M. Isopiperolein B: an alkamide from *Piper nigrum*, *Phytochemistry*. 1999 ; 52(5) : 957-958.

Sripanidkulchai B., Tattawasart U., Laupattarakasem P., Wongpanich V. Anti-inflammatory and bactericidal properties of selected Indigenous medicinal plants used for dysuria. *Thai Journal of Pharmaceutical Science*. 2002 ; 26(1-2) : 33-38.

Subramanian S.S., Nagarajan S., Sulochana N. Flavonoids of the Leaves of *Jatropha gossypifolia*. *Journal of Phytochemistry*. 1971 ; 10 :1690.

Uekawa M., Yuasa K., Isono M., Sone H., Ikeya Y., Sakakibara I., Aburada M. and Hosoya E. Pharmacological studies on ginger. IV. Effect of (6)- shogaol on the arachidonic cascade. *Folia Pharmacologica Japonica*. 1986 ; 88(4) : 236-270.

Summanen J.O. : *A chemical and ethnopharmacological study on Phyllanthus emblica (Euphorbiaceae)*. Academic dissertation, University of Helsinki, Finland, 1999.

Sunilson J., Anbu J., Muthapan M., Das M., Suraj R., Varatharajan R., Promwichit P. Hepatoprotective Activity of *Coccinia grandis* Leaves Against Carbon Tetrachloride Induced Hepatic Injury in Rats, *Internation Journal of Pharmacology*. 2009 ; 5(3) : 222-27.

Sutthaivaiyakit S., Nareeboon P., Ruangrangsri N., Ruchirawat S., Pisutjaroenpong S., Mahidol C. Labdane and pimarane diterpenes from *Croton joufra*. *Phytochemistry*. 2001 ; 56, (8) : 811-814.

Tahraoui A., El-Hilaly J., Israili Z.H., Lyoussi B. Ethnopharmacological survey of plants used in the traditional treatment of hypertension and diabetes in

South- Eastern Morocco (Errachidia province). *Journal of Ethnopharmacology*. 2007 ; 110(1) : pp. 105-117.

Tan M.L.: "Philippine Medicinal Plants in Common Use: Their Phytochemistry & Pharmacology." Publish by Alay Kapwa Kilusang Pangkalusugan, Quezon City, Philippines, pp. 24, 1980.

Tandan S.K., Chandra S., Gupta S., Tripathi H.C., Al J. Pharmacological effects of *Azadirachta indica* leaves. *Fitoterapia*. 1990 ; 61(1) : 75.

Tangkanakul P., Trakoontivakorn G., Auttaviboonkul P., Niyomvit B., Wongkrajang K., Kasetsart J. Antioxidant Activity of Northern and Northeastern Thai Foods Containing Indigenous Vegetables. *Kasetsart Journal (Nat.Sci). (Suppl)* 2006; 40 : 47-50.

Taopraser Y., Taoprasert K. *The Revitalizing and Restoring of Lanna Traditional Medicine and Medicinal Herbs: An Example of Inventory-making methodologies of Intangible Cultural Heritage (ICH) in Northern Thailand.*: School of Traditional and Alternative Medicine, Chiangrai Rajabhat University, Thailand , 2005 : 1-14.

Taopraser Y., The text of Lanna medicinal plant, series of research project on the wisdom of Moe-Muang, *The Thailand Research Fund*, 1993 ; 1 : 1/12, 10/9.

Taufiq-Ur-Rahman M., Shilpi J.A., Ahmed M., Faiz Hossain C. Preliminary pharmacological studies on Piper chaba stem bark. *Journal of Ethnopharmacology*. 2005 ; 99(2) : 203-209.

Taylor L.: *The Healing Power of Rainforest Herbs* by Square One Publishers, Inc.

2004 (Online). Available: <http://www.rain-tree.com/prepmethod.htm>.

(2008, Dec 14).

Teuber H., Herrmann K. Flavonol glycosides of leaves and fruits of dill (*Anethum graveolens* L.) II Phenolics of spices. *Z Lebensm Nuters Forsch.* 1978 ; 167(2) : 101-104.

Thabrew M.I., Dharmasiri M.G., Senaratne L. Anti-inflammatory and analgesic activity in the polyherbal formulation Maharasnadhi Quathar. *Journal of Ethnopharmacology.* 2003 ; 85 : 261-267.

Thai Herbal Pharmacopoeia. vol 2, pp. 9, 55, 80, 2000.

Thakur R. S., Puri H. S., Husain A. *Major Medicinal Plants of India*. CIMAP, Lucknow, India, 1989.

The Statistic of Human Drug Imported From the Year of 2000-2005. (Online).

Available:

http://wwwapp1.fda.moph.go.th/drug/zone_search/files/sea001_b17A.asp
(2009, October 10).

Thomson Health Care Staff. : "PDR for herbal medicines." 1st edn. Physician's Desk Reference, Thomson Medical Economics, Montvale, New Jersey, pp. 539, 2000.

Trease G.E., Evans, W.C. : "A Text book of Pharmacognosy." 13th edn, Oxford University Press, London, pp. 512-513, 1989.

Trivedi C. P. : "Medicinal plant : traditional knowledge." I. K. International Pvt. Ltd., pp. 196-7. 2006.

Tyler V.E., Brady L.R., Robbers J.E.: “Pharmacognosy.” Lea & Febiger Philadelphia., 9 edn. pp. 14, 1988.

Varier P.S., Sala A.V. : “ Indian medicinal plants: A compendium of 500 plants.” New Delhi, Orient Longmann, p 133, 1994.

Veerappan A., Shigeru M., Renganathan D. Studies on the antiinflammatory, antipyretic and analgesic properties of the leaves of *Aegle marmelos*. *Journal of Ethanopharmacology*. 2005 ; 96 : 159–163.

Vinegar, R., Schreiber, W., Hugo, R. Biphasic development of carrageenin edema in rats. *Journal of Pharmacology and Experimental Therapeutics*. 1969 ; 166(1) : 96–103.

Venkataranganna M.V., Gopumadhavan S., Mitra S.K., Anturlikar S.D., Anti-inflammatory activity of Joint Care B, a polyherbal formulation. *Indian Drugs*. 2000 ; 37 (11) : 543-546.

Warrier P.K., Nambiar V. P. K., Ramankutty C. *Indian Medicinal Plants: a compendium 500 species*. Vol. 1-5. Orient Longman Ltd., Madras, 1993-1995.

Watson L., Dallwitz M.J. 1992. “The families of flowering plants-Guttiferae Juss.” [Online]. Available <http://www.biodiversity.uno.edu/delta.html> (29 Sep 09).

Welzen P.C. van, Chayamarit K. : “Flora of Thailand Euphorbiaceae.” National Herbarium Nederland, Leiden; Forest Herbarium, National Park, Wildlife and Plant Conservation Department, Bangkok. ; 2:pp.346, 2007. 2: pp. 527, 2009.

Wen-Xin L., Cheng-Bin C., Cai B., Hai-Yan W., Xin-Sheng Y. Flavonoids from *Vitex trifolia* L. inhibit cell cycle progression at G₂/M phase and induce apoptosis in mammalian cancer cells. *Journal of Asian natural products research*. 2005 ; 7(4) : 615-626.

Wetwitayaklung P., Phaechemud T., Limmatvapirat C., Keokitichai S. The study of antioxidant activities of edible flower extracts. *ISHS Acta Horticulturae 786: International workshop on medicinal and aromatic plants*. 2007.

Wiat C. : “Medicinal Plants of Asia and Pacific.” Printed in the United State of America, CRC Press, Taylor & Francis group, pp.27, 2006.

Wijesekera R.O.B. : “The medicinal plant industry”.in *Technologies for the processing of medicinal plants*. CRC Press, pp. 89-91, 1991.

Willamson W.R. N. : “Anti-Inflammatory Compounds.” Lilly Research Centre, Ltd. Eli Lilly and Company Windlesham, Surrey, England, pp.110-112, 1987.

Williamson E.M. : “Major herbs of Ayurveda.” Churchill Livingstone, pp.26-27, 2002.

Winter C.A., Risley E., Nuss G. Carrageenan-induced edema in hind paw of the rat as an assay for anti-inflammatory drugs. *Proceedings of the Society for Experimental Biology and Medicine*. 111, 1962 : 544-547.

Winyard P.G., Willoughby D.A. : “Method in molecular biology: Inflammation protocols.” Vol .225. Humana press Inc. Totowa. New Jersey, pp. 109-135, 2003.

Wiriyachitra P., Phuriyakorn B. Alkaloids of *Tiliacora triandra*, Australian *Journal of Chemistry*. 1981; 34(9) : 2001-2004.

World Health Organization, Guidelines for the appropriate use of Herbal medicine, 1998.

World Health Organization, *Monograph for Herbal Medicinal Products*: Central Administration of Pharmaceutical Affairs (CAPA) In Collaboration with World Health Organization (WHO), Arab Republic of Egypt. 2007 : 112.

World Health Organization. (2000) *General Guidelines for Methodologies on Research and Evaluation of Traditional Medicine*.

World Health Organization. (2001) *Legal Status of Traditional Medicine and Complementary/Alternative Medicine: A Worldwide Review*.

World Health Organization. : “Medicinal Plants in the South Pacific.” WHO Regional Publications, Western Pacific, Series no.19, pp. 199, 1998.


World Health Organization. : “WHO Monographs on Selected Medicinal Plants.” Vol.1. Geneva, World Health Organization, pp.277, 2000.

Wuthithummavej W. : “Plants properties for drug development.” Oadian store printing, pp. 27, 56, 66, 97-98, 1998.

Yang R.-Y., Lin S., Kuo G. Content and distribution of flavonoid among 91 edible plant species. *Asia Pacific Journal of Clinical Nutrition*. 2008 ; 17(SI) : 275-279.

Young H-W., Luo Y-L., Cheng H-Y., Hsieh W-C., Liao J-C., and Peng W-H. Analgesic and anti-inflammatory activities of (6)-gingerol. *Journal of Ethnopharmacology*, 2005 ; 96 : 207-210.

Zeng X., Fang Z., Wu Y., Zang H. Chemical constituents of the fruits of *Vitex trifolia* L. *Zhongguo Zhong Yao Za Zhi* (In China). 1996 ; 21(3) : 167, 168, 191.



ลิขสิทธิ์มหาวิทยาลัยเชียงใหม่

Copyright© by Chiang Mai University
All rights reserved